


APPENDIX A: US 58 ARTERIAL PRESERVATION PLAN RECOMMENDATIONS


PAGE INTENTIONALLY BLANK











Route 58 Arterial Management Plan Figure 5

Intersection #14: US 58 and Virginia Ave **Mecklenburg County**

Recommendation: Reconfigure main intersection of US 58 and Virginia Ave to Continuous Green-T (CGT). Reconstruct existing turn-lanes on US 58 to VDOT Design Standards. Improvements are required at Intersection 15, Noblin Farm Rd and US 58.

ROW Impacts: All improvements are within the ROW

Improvement Type: Safety, Travel Time Preservation

Traffic Operations & Safety:


Traffic Operations Reduced delay times for vehicles traveling eastbound on US 58 from Virginia Ave


Reduced conflict points where vehicles cross paths. Reduced risk of angle crashes from Virginia Ave onto US 58


Cost: \$1.1M to \$1.4M

Standard Movements



















Route 58 Arterial Management Plan Figure 12

Intersection #30: US 58 and Washington St Mecklenburg County

Recommendation: Reconfigure intersection of US 58 and Washington St to Continuous Green-T (CGT). Construct U-turn area west of main intersection to permit southbound movements from Washington St to cross US 58. Extend eastbound right-turn lane to U-turn area and reconstruct existing turn-lanes on US 58 to VDOT Design Standards.

ROW Impacts: All improvements are within the ROW

Improvement Type: Safety, Travel Time Preservation

Traffic Operations & Safety:

Traffic Operations

Reduced delay times for vehicles traveling eastbound on US 58 from southbound Washington St

Safety

Reduced conflict points where vehicles cross paths. Reduced risk of angle crashes from Washington

St onto US 58

Cost: \$1.2M to \$1.9M



Standard Movements

Re-routed Movements

