

2009

**Virginia Department of Transportation
Daily Traffic Volume Estimates
Including Vehicle Classification Estimates**

where available

Jurisdiction Report

74

Prince George County
City of Hopewell

Prepared By

**Virginia Department of Transportation
Traffic Engineering Division**

In Cooperation With

**U.S. Department of Transportation
Federal Highway Administration**

Virginia Department of Transportation
Traffic Engineering Division
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems

- North
 Interstate Route Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.
-  US Route
-  Virginia State Route
-  Frontage Road (F precedes frontage route number)
-  Secondary Route

Special Routes

- Bus
 Bus - Business Route
Bypas - Bypass Route
Truck - Truck Route
- ALT
 ALT - Alternate Route
Wve - Wve Route connector
-  P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.
-  The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Prince George Maintenance Area

| Route | Jurisdiction | Length | AADT | QA | 4Tire | Bus | -----Truck----- | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW |
|---------------------------|------------------------------|------------------------------------|-------|----|-------|-----|-----------------|--------|--------|--------|----|-------------|----|---------------|-------|----|
| | | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | |
| | | From: Chesterfield County Line | | | | | | | | | | | | | | |
| 10 Randolph Rd | Prince George County | 0.32 | 18000 | G | 95% | 0% | 1% | 1% | 3% | 0% | F | 0.088 | N | 0.504 | 20000 | G |
| | | To: WCL Hopewell | | | | | | | | | | | | | | |
| 10 Randolph Rd | City of Hopewell (Maint: 74) | 0.10 | 18000 | N | 95% | 0% | 1% | 1% | 3% | 0% | N | 0.089 | N | | 21000 | N |
| | | To: Maintenance Boundary | | | | | | | | | | | | | | |
| 10 Randolph Rd | City of Hopewell | 0.12 | 18000 | G | 95% | 0% | 1% | 1% | 3% | 0% | F | 0.089 | F | | 21000 | G |
| | | To: North 6th Ave | | | | | | | | | | | | | | |
| 10 Randolph Rd | City of Hopewell | 0.40 | 11000 | G | 95% | 0% | 1% | 1% | 3% | 0% | F | 0.084 | F | | 13000 | G |
| | | To: Main St | | | | | | | | | | | | | | |
| 10 Randolph Rd | City of Hopewell | 0.74 | 11000 | G | 95% | 0% | 1% | 1% | 3% | 0% | F | 0.085 | F | | 12000 | G |
| | | To: SR 156; Winston Churchill Dr | | | | | | | | | | | | | | |
| 10 156 Randolph Rd | City of Hopewell | 1.26 | 9600 | G | 95% | 0% | 1% | 1% | 3% | 0% | F | 0.084 | F | | 11000 | G |
| | | To: ECL Hopewell | | | | | | | | | | | | | | |
| 10 156 James River Dr | Prince George County | 1.17 | 9300 | G | 95% | 0% | 1% | 1% | 3% | 0% | F | 0.089 | F | | 10000 | G |
| | | To: SR 156 W, Winston Churchill Rd | | | | | | | | | | | | | | |
| 10 106 156 James River Dr | Prince George County | 0.73 | 9200 | G | 93% | 0% | 1% | 1% | 5% | 0% | C | 0.085 | F | | 9900 | G |
| | | To: SR 156 E, . | | | | | | | | | | | | | | |
| 10 James River Dr | Prince George County | 2.24 | 4300 | G | 93% | 0% | 1% | 1% | 5% | 0% | F | 0.088 | F | 0.64 | 4600 | G |
| | | To: 74-641 Moody Rd | | | | | | | | | | | | | | |
| 10 James River Dr | Prince George County | 2.54 | 3100 | G | 93% | 0% | 1% | 1% | 5% | 0% | F | 0.088 | F | 0.624 | 3300 | G |
| | | To: 74-609 Garysville | | | | | | | | | | | | | | |
| 10 James River Dr | Prince George County | 5.93 | 2900 | G | 90% | 1% | 1% | 2% | 6% | 0% | C | 0.107 | F | | 2900 | G |
| | | To: 74-1201 Moming Star Rd | | | | | | | | | | | | | | |
| 10 James River Dr | Prince George County | 2.00 | 2500 | G | 93% | 0% | 1% | 1% | 5% | 0% | F | 0.093 | F | 0.549 | 2500 | G |
| | | To: Surry County Line | | | | | | | | | | | | | | |
| | | From: Sussex County Line | | | | | | | | | | | | | | |
| 35 Courtland Rd | Prince George County | 4.05 | 2400 | G | 80% | 1% | 1% | 2% | 17% | 0% | C | 0.079 | F | 0.57 | 2600 | G |
| | | To: I-95; SR 156 Prince George Dr | | | | | | | | | | | | | | |
| 35 301 Courtland Rd | Prince George County | 0.72 | 830 | G | 80% | 1% | 1% | 2% | 17% | 0% | F | 0.077 | F | 0.577 | 890 | G |
| | | To: 74-605 Spain Dr | | | | | | | | | | | | | | |
| | | From: ECL Petersburg | | | | | | | | | | | | | | |
| 36 Oaklawn Blvd | Prince George County | 0.76 | 16000 | G | 97% | 0% | 1% | 1% | 1% | 0% | F | 0.081 | F | | 17000 | G |
| | | To: Hill Dr; Ft Lee Main Gate | | | | | | | | | | | | | | |
| 36 Oaklawn Blvd | Prince George County | 1.25 | 17000 | A | 97% | 0% | 1% | 1% | 1% | 0% | C | 0.096 | A | 0.512 | 19000 | A |
| | | To: SR 144 | | | | | | | | | | | | | | |
| 36 Oaklawn Blvd | Prince George County | 0.20 | 28000 | N | 96% | 0% | 0% | 1% | 2% | 0% | N | 0.081 | N | | 30000 | N |
| | | To: WCL Hopewell | | | | | | | | | | | | | | |
| 36 Oaklawn Blvd | City of Hopewell | 0.52 | 28000 | G | 96% | 0% | 0% | 1% | 2% | 0% | C | 0.081 | F | | 30000 | G |
| | | To: 74-630 Jefferson Park Rd | | | | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Prince George Maintenance Area

| Route | Jurisdiction | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW |
|-----------------------------|----------------------|---|-------|----|-------|-----|-------|--------|--------|--------|----|----------|----|------------|-------|----|
| | | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | |
| | | From: 74-630 Jefferson Park Rd | | | | | | | | | | | | | | |
| 36 Oaklawn Blvd | City of Hopewell | 0.65 | 27000 | G | 97% | 0% | 1% | 1% | 1% | 0% | F | NA | | 29000 | G | |
| | | To: SR 36 Par | | | | | | | | | | | | | | |
| 36 Oaklawn Blvd | City of Hopewell | 0.43 | 9700 | G | 97% | 0% | 1% | 1% | 1% | 0% | F | NA | | 10000 | G | |
| | | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 22000 | G | 97% | 0% | 1% | 1% | 1% | 0% | F | NA | | 24000 | G | |
| | | To: SR 36 Par, Woodlawn St; Kenwood Ave | | | | | | | | | | | | | | |
| 36 Winston Churchill Dr | City of Hopewell | 0.60 | 19000 | G | 97% | 0% | 1% | 1% | 1% | 0% | F | NA | | 21000 | G | |
| | | To: Miles Ave | | | | | | | | | | | | | | |
| 36 Winston Churchill Dr | City of Hopewell | 0.39 | 12000 | G | 97% | 0% | 1% | 1% | 1% | 0% | F | 0.082 | F | 13000 | G | |
| | | To: SR 156 High Ave | | | | | | | | | | | | | | |
| 36 156 Winston Churchill Dr | City of Hopewell | 0.25 | 11000 | G | 97% | 0% | 1% | 1% | 1% | 0% | F | 0.081 | F | 12000 | G | |
| | | To: SR 156; Arlington Rd | | | | | | | | | | | | | | |
| 36 Arlington Rd | City of Hopewell | 0.12 | 2000 | G | 97% | 0% | 1% | 1% | 1% | 0% | F | 0.094 | F | 0.553 | 2100 | G |
| | | From: SR 156 Winston Churchill Dr | | | | | | | | | | | | | | |
| | | To: 15th Ave | | | | | | | | | | | | | | |
| 36 15th Avenue | City of Hopewell | 0.77 | 4900 | G | 99% | 0% | 0% | 0% | 0% | 0% | C | 0.089 | F | 5300 | G | |
| | | From: Arlington Rd | | | | | | | | | | | | | | |
| | | To: City Point Rd | | | | | | | | | | | | | | |
| 36 15th Avenue | City of Hopewell | 0.22 | 2300 | G | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.087 | F | 0.544 | 2500 | G |
| | | From: Broadway St | | | | | | | | | | | | | | |
| | | To: 15th Ave | | | | | | | | | | | | | | |
| 36 Broadway St | City of Hopewell | 0.44 | 6800 | G | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.091 | F | 7400 | G | |
| | | From: 6th Ave | | | | | | | | | | | | | | |
| | | To: Broadway St | | | | | | | | | | | | | | |
| 36 6th Avenue | City of Hopewell | 0.31 | 8800 | G | 99% | 0% | 0% | 0% | 0% | 0% | F | NA | | 9600 | G | |
| | | From: SR 10 Randolph Rd | | | | | | | | | | | | | | |
| | | To: SR 36 Oaklawn Blvd | | | | | | | | | | | | | | |
| 36 Woodlawn St | City of Hopewell | 0.61 | 12000 | G | 97% | 0% | 0% | 1% | 1% | 0% | C | 0.08 | F | 13000 | G | |
| | | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 22000 | G | 97% | 0% | 1% | 1% | 1% | 0% | F | NA | | 24000 | G | |
| | | To: Surry Ave | | | | | | | | | | | | | | |
| 36 Woodlawn St | City of Hopewell | 0.35 | 9500 | G | 97% | 0% | 0% | 1% | 2% | 0% | C | 0.083 | F | 10000 | G | |
| | | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 19000 | G | 97% | 0% | 1% | 1% | 2% | 0% | F | NA | | 21000 | G | |
| | | To: SR 36 Oaklawn Blvd; Kenwood Ave | | | | | | | | | | | | | | |
| | | From: Sussex County Line | | | | | | | | | | | | | | |
| North 95 | Prince George County | 2.41 | 18000 | A | 84% | 1% | 1% | 0% | 14% | 0% | C | 0.132 | A | 15000 | A | |
| | | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 35000 | F | 84% | 1% | 1% | 0% | 13% | 0% | F | NA | | 30000 | F | |
| | | To: 74-623 Carson | | | | | | | | | | | | | | |
| North 95 | Prince George County | 3.73 | 18000 | A | 84% | 1% | 1% | 0% | 14% | 0% | F | 0.14 | A | 15000 | A | |
| | | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 36000 | A | 84% | 1% | 1% | 0% | 13% | 0% | F | 0.125 | A | 0.576 | 30000 | A |
| | | To: US 301, SR 35, SR 156 | | | | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Prince George Maintenance Area

| Route | Jurisdiction | Length | AADT | QA | 4Tire | Bus | -----Truck----- | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW |
|------------------|---|--------|-------|----|-------|-----|-----------------|--------|--------|--------|----|-------------|----|---------------|-------|----|
| | | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | |
| North 95 | From: US 301, SR 35, SR 156 | | | | | | | | | | | | | | | |
| | Prince George County | 4.54 | 20000 | A | 85% | 1% | 1% | 0% | 13% | 0% | C | 0.137 | A | 17000 | A | |
| | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | 40000 | A | 85% | 1% | 1% | 0% | 13% | 0% | C | 0.124 | A | 0.543 | 34000 | A |
| North 95 | From: US 301 | | | | | | | | | | | | | | | |
| | Prince George County | 1.11 | 21000 | A | 85% | 1% | 1% | 0% | 13% | 0% | F | 0.128 | A | 18000 | A | |
| | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | 42000 | A | 85% | 1% | 1% | 0% | 13% | 0% | F | 0.115 | A | 0.570 | 36000 | A |
| North 95 | From: I-295 West | | | | | | | | | | | | | | | |
| | Prince George County | 0.66 | 13000 | A | 85% | 1% | 1% | 0% | 13% | 0% | F | 0.124 | A | 12000 | A | |
| | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | 28000 | N | 85% | 1% | 1% | 0% | 13% | 0% | N | 0.062 | A | 24000 | N | |
| North 95 | From: I-295 East | | | | | | | | | | | | | | | |
| | Prince George County | 0.30 | 14000 | A | 85% | 1% | 1% | 0% | 13% | 0% | F | 0.12 | A | 12000 | A | |
| | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | 28000 | A | 85% | 1% | 1% | 0% | 13% | 0% | F | 0.109 | A | 0.505 | 25000 | A |
| North 95 | From: Rives Rd | | | | | | | | | | | | | | | |
| | City of Petersburg (Maint: 74) | 1.15 | 15000 | A | 85% | 1% | 1% | 0% | 13% | 0% | F | 0.118 | A | 14000 | A | |
| | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | 31000 | A | 85% | 1% | 1% | 0% | 13% | 0% | F | 0.107 | A | 0.571 | 29000 | A |
| North 95 | From: Wagner Rd | | | | | | | | | | | | | | | |
| | City of Petersburg (Maint: 74) | 2.79 | 19000 | B | 85% | 1% | 1% | 0% | 13% | 0% | F | 0.109 | A | 18000 | B | |
| | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | 43000 | B | 85% | 1% | 1% | 0% | 13% | 0% | F | 0.096 | A | 0.564 | 40000 | B |
| North 95 | From: US 460 West St | | | | | | | | | | | | | | | |
| | City of Petersburg (Maint: 74) | 0.50 | 19000 | N | 85% | 1% | 1% | 0% | 13% | 0% | N | 0.109 | N | 18000 | N | |
| | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | 43000 | N | 85% | 1% | 1% | 0% | 13% | 0% | N | NA | | 40000 | N | |
| North 95 Ramp | From: I-95 North | | | | | | | | | | | | | | | |
| | City of Petersburg (Maint: 74) | 0.17 | 840 | A | | | | | | | | NA | | 830 | A | |
| | To: 123-9008 Rives Rd | | | | | | | | | | | | | | | |
| North 95 Ramp | From: I-95 North | | | | | | | | | | | | | | | |
| | City of Petersburg (Maint: 74) | 0.35 | 290 | A | | | | | | | | 0.198 | B | 320 | A | |
| | To: 123-9010 Wagner Rd | | | | | | | | | | | | | | | |
| North 95 Ramp | From: Ramp From US 460 West | | | | | | | | | | | | | | | |
| | City of Petersburg (Maint: 74) | 0.26 | 10000 | A | | | | | | | | 0.139 | A | 11000 | A | |
| | To: Ramp to US 301 North | | | | | | | | | | | | | | | |
| North 95 Ramp | From: Ramp From US 301 | | | | | | | | | | | | | | | |
| | City of Petersburg (Maint: 74) | 0.14 | 14000 | B | | | | | | | | 0.119 | A | 15000 | B | |
| | To: Ramp to Wythe & Washington Streets | | | | | | | | | | | | | | | |
| South 95 | From: Sussex County Line | | | | | | | | | | | | | | | |
| | Prince George County | 2.91 | 17000 | F | 85% | 1% | 1% | 0% | 13% | 0% | F | NA | | 16000 | F | |
| | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | 35000 | F | 84% | 1% | 1% | 0% | 13% | 0% | F | NA | | 30000 | F | |
| | To: 74-623 Carson | | | | | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Prince George Maintenance Area

| Route | Jurisdiction | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW |
|------------------|--|--------|-------|----|-------|-----|-------|--------|--------|--------|----|----------|----|------------|-------|----|
| | | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | |
| South 95 | From: 74-623 Carson To: Prince George County | 3.42 | 18000 | A | 85% | 1% | 1% | 0% | 13% | 0% | F | 0.136 | A | 15000 | A | |
| | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | 36000 | A | 84% | 1% | 1% | 0% | 13% | 0% | F | 0.125 | A | 30000 | A | |
| South 95 | From: US 301, SR 35, SR 156 To: Prince George County | 5.45 | 20000 | A | 85% | 1% | 1% | 0% | 13% | 0% | C | 0.129 | A | 17000 | A | |
| | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | 40000 | A | 85% | 1% | 1% | 0% | 13% | 0% | C | 0.124 | A | 34000 | A | |
| South 95 | From: US 301 To: Prince George County | 0.16 | 21000 | A | 85% | 1% | 1% | 0% | 13% | 0% | F | 0.122 | A | 18000 | A | |
| | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | 42000 | A | 85% | 1% | 1% | 0% | 13% | 0% | F | 0.115 | A | 36000 | A | |
| South 95 | From: I-295 East To: Prince George County | 0.42 | 14000 | N | 85% | 1% | 1% | 0% | 13% | 0% | N | 0.117 | N | 13000 | N | |
| | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | 28000 | N | 85% | 1% | 1% | 0% | 13% | 0% | N | NA | | 24000 | N | |
| South 95 | From: I-295 West To: Prince George County | 0.42 | 14000 | A | 85% | 1% | 1% | 0% | 13% | 0% | F | 0.117 | A | 13000 | A | |
| | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | 28000 | A | 85% | 1% | 1% | 0% | 13% | 0% | F | 0.109 | A | 25000 | A | |
| South 95 | From: SCL Petersburg To: City of Petersburg (Maint: 74) | 0.34 | 14000 | A | 85% | 1% | 1% | 0% | 13% | 0% | F | 0.117 | A | 13000 | A | |
| | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | 28000 | A | 85% | 1% | 1% | 0% | 13% | 0% | F | NA | | 25000 | A | |
| South 95 | From: Rives Rd To: City of Petersburg (Maint: 74) | 1.22 | 16000 | A | 85% | 1% | 1% | 0% | 13% | 0% | F | 0.113 | A | 15000 | A | |
| | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | 31000 | A | 85% | 1% | 1% | 0% | 13% | 0% | F | 0.107 | A | 29000 | A | |
| South 95 | From: Wagner Rd To: City of Petersburg (Maint: 74) | 2.29 | 23000 | B | 85% | 1% | 1% | 0% | 13% | 0% | F | 0.097 | A | 22000 | B | |
| | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | 43000 | B | 85% | 1% | 1% | 0% | 13% | 0% | F | 0.096 | A | 40000 | B | |
| South 95 | From: US 460 County Rd; US 301 Crater Rd To: City of Petersburg (Maint: 74) | 0.53 | 23000 | N | 85% | 1% | 1% | 0% | 13% | 0% | N | 0.097 | N | 22000 | N | |
| | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | 43000 | N | 85% | 1% | 1% | 0% | 13% | 0% | N | NA | | 40000 | N | |
| South 95 Ramp | From: I-95 South To: Prince George County | 0.20 | 730 | A | | | | | | | | 0.147 | A | 710 | A | |
| South 95 Ramp | From: I-95 South To: Prince George County | 0.12 | 2000 | A | | | | | | | | 0.133 | A | 1900 | A | |
| South 95 Ramp | From: I-95 S To: Prince George County | 0.36 | 1500 | G | 82% | 1% | 1% | 1% | 16% | 0% | F | NA | | 1400 | G | |

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Prince George Maintenance Area

| Route | Jurisdiction | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW |
|--|--|--------|-------|----|-------|-----|-------|--------|--------|--------|----|----------|----|------------|-------|----|
| | | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | |
| South 95 Ramp | From: I-95 South City of Petersburg (Maint: 74) To: 123-9010 Wagner Rd | 0.31 | 4900 | B | | | | | | | | | | 5400 | B | |
| South 95 460 Ramp | From: I-95 South City of Petersburg (Maint: 74) To: Ramp to Graham Rd | 0.06 | 8900 | B | | | | | | | | | | 9700 | B | |
| South 95 460 460 Bus Ramp from I-85 N to I-95 S | From: Ramp from US 301 City of Petersburg (Maint: 74) To: US 460 Ramp | 0.27 | 11000 | A | | | | | | | | | | 12000 | A | |
| 106 Courthouse Rd | From: ECL Petersburg Prince George County To: 74-634 Allin Rd | 2.39 | 9000 | G | 95% | 1% | 1% | 1% | 2% | 0% | F | 0.088 | F | 0.549 | 9800 | G |
| 106 Courthouse Rd | From: 74-634 Allin Rd Prince George County To: 74-616 Laurel Spring Rd | 0.86 | 11000 | G | 95% | 1% | 1% | 1% | 2% | 0% | C | 0.090 | F | | 12000 | G |
| 106 Courthouse Rd | From: 74-616 Laurel Spring Rd Prince George County To: BYP SR 156 Ruffin Rd | 1.50 | 6200 | G | 95% | 1% | 1% | 1% | 2% | 0% | F | 0.088 | F | 0.575 | 6800 | G |
| 106 156 Bypass | From: BYP SR 156 Ruffin Rd Prince George County To: 74-609 | 1.09 | 5600 | G | 89% | 1% | 1% | 1% | 9% | 0% | F | 0.095 | F | 0.558 | 6100 | G |
| 106 156 Bypass | From: 74-609 Prince George County To: RT 156 BUS & RT 10 | 3.47 | 3400 | G | 89% | 1% | 1% | 1% | 9% | 0% | C | 0.094 | F | | 3700 | G |
| 106 10 156 James River Dr | From: RT 156 BUS & RT 10 Prince George County To: RT 10 & RT 156 | 0.73 | 9200 | G | 93% | 0% | 1% | 1% | 5% | 0% | C | 0.085 | F | | 9900 | G |
| 106 156 | From: RT 10 & RT 156 Prince George County To: Charles City County Line | 2.69 | 4200 | G | 91% | 1% | 1% | 2% | 6% | 0% | C | 0.098 | F | | 4500 | G |
| 144 Temple Ave | From: SR 36 Prince George County To: Chesterfield County Line | 2.58 | 33000 | A | 98% | 0% | 0% | 1% | 1% | 0% | C | 0.099 | A | 0.551 | 34000 | A |
| 156 301 Prince George Dr | From: SR 35 Courtland Rd Prince George County To: US 301 Crater Rd | 0.17 | 1700 | G | 92% | 3% | 2% | 1% | 3% | 0% | F | 0.084 | F | 0.568 | 1800 | G |
| 156 Prince George Dr | From: US 301 Crater Rd Prince George County To: 74-626 Tavern Rd | 4.09 | 1600 | G | 92% | 3% | 2% | 1% | 3% | 0% | C | 0.119 | F | 0.785 | 1700 | G |
| 156 Prince George Dr | From: 74-626 Tavern Rd Prince George County To: US 460 West of Disputanta | 3.07 | 2000 | G | 92% | 3% | 2% | 1% | 3% | 0% | F | 0.118 | F | 0.737 | 2100 | G |
| 156 Prince George Dr | From: US 460 West of Disputanta Prince George County To: SR 106 Courthouse Rd; Bypass SR 156 | 5.73 | 4600 | G | 90% | 4% | 1% | 1% | 4% | 0% | C | 0.121 | F | | 5000 | G |
| 156 Prince George Dr | From: SR 106 Courthouse Rd; Bypass SR 156 Prince George County To: 74-674 Mount Sinai Rd | 0.89 | 7100 | G | 96% | 1% | 1% | 1% | 1% | 0% | C | 0.097 | F | | 7800 | G |

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Prince George Maintenance Area

| Route | Jurisdiction | Length | AADT | QA | 4Tire | Bus | -----Truck----- | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW |
|-----------------------------|---|--------------------------------------|-------------------------------------|----|-------|-----|-----------------|--------|--------|--------|----|-------------|----|---------------|-------|----|
| | | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | |
| | | From: 74-674 Mount Sinai Rd | | | | | | | | | | | | | | |
| 156 Prince George Dr | Prince George County | 2.24 | 7200 | G | 98% | 0% | 1% | 1% | 1% | 0% | C | 0.093 | F | 7800 | G | |
| | | To: SCL Hopewell | | | | | | | | | | | | | | |
| 156 Arlington Rd | City of Hopewell | 0.56 | 9700 | G | 96% | 1% | 1% | 1% | 1% | 0% | F | NA | | 11000 | G | |
| | | To: Berry Street | | | | | | | | | | | | | | |
| 156 High Ave | City of Hopewell | 0.38 | 5400 | G | 97% | 1% | 1% | 1% | 1% | 0% | C | NA | | 5900 | G | |
| | | To: Winston Churchill Rd | | | | | | | | | | | | | | |
| | | From: S RT 36 | | | | | | | | | | | | | | |
| 156 36 Winston Churchill Dr | City of Hopewell | 0.25 | 11000 | G | 97% | 0% | 1% | 1% | 1% | 0% | F | 0.081 | F | 12000 | G | |
| | | To: N RT 36 | | | | | | | | | | | | | | |
| | | From: Arlington Rd | | | | | | | | | | | | | | |
| 156 Winston Churchill Rd | City of Hopewell | 0.55 | 18000 | G | 98% | 0% | 0% | 1% | 1% | 0% | F | 0.080 | F | 18000 | G | |
| | | To: South 6th Ave | | | | | | | | | | | | | | |
| 156 Winston Churchill Dr | City of Hopewell | 0.80 | 8700 | G | 98% | 0% | 0% | 1% | 1% | 0% | F | 0.085 | F | 8900 | G | |
| | | To: SR 10; Randolph Rd | | | | | | | | | | | | | | |
| | | From: S RT 10 | | | | | | | | | | | | | | |
| 156 10 Randolph Rd | City of Hopewell | 1.26 | 9600 | G | 95% | 0% | 1% | 1% | 3% | 0% | F | 0.084 | F | 11000 | G | |
| | | To: ECL Hopewell | | | | | | | | | | | | | | |
| 156 10 James River Dr | Prince George County | 1.17 | 9300 | G | 95% | 0% | 1% | 1% | 3% | 0% | F | 0.089 | F | 10000 | G | |
| | | To: W SR 156 | | | | | | | | | | | | | | |
| 156 10 106 James River Dr | Prince George County | 0.73 | 9200 | G | 93% | 0% | 1% | 1% | 5% | 0% | C | 0.085 | F | 9900 | G | |
| | | To: N SR 10 | | | | | | | | | | | | | | |
| 156 106 | Prince George County | 2.69 | 4200 | G | 91% | 1% | 1% | 2% | 6% | 0% | C | 0.098 | F | 4500 | G | |
| | | To: Charles City County Line | | | | | | | | | | | | | | |
| | | From: SR 106 & 156 | | | | | | | | | | | | | | |
| Bypas 156 106 | Prince George County | 1.09 | 5600 | G | 89% | 1% | 1% | 1% | 9% | 0% | F | 0.095 | F | 0.558 | 6100 | G |
| | | To: 74-609 Old Stage Rd | | | | | | | | | | | | | | |
| Bypas 156 106 | Prince George County | 3.47 | 3400 | G | 89% | 1% | 1% | 1% | 9% | 0% | C | 0.094 | F | 3700 | G | |
| | | To: SR 10-156 East of Hopewell | | | | | | | | | | | | | | |
| | | From: NCL Hopewell | | | | | | | | | | | | | | |
| East 295 | City of Hopewell (Maint: 74) | 3.30 | 16000 | F | 81% | 1% | 1% | 1% | 17% | 0% | F | NA | | 15000 | F | |
| | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | 32000 | F | 81% | 1% | 1% | 1% | 16% | 0% | F | NA | | 30000 | F | |
| | | | East I-295 is signed as South I-295 | | | | | | | | | | | | | |
| | | To: SR 36 Oaklawn Blvd; SCL Hopewell | | | | | | | | | | | | | | |
| East 295 | Prince George County | 6.54 | 11000 | B | 81% | 1% | 1% | 1% | 17% | 0% | F | 0.123 | A | 9600 | B | |
| | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | 22000 | B | 81% | 1% | 1% | 1% | 16% | 0% | F | 0.118 | A | 0.542 | 20000 | B |
| | | | East I-295 is signed as South I-295 | | | | | | | | | | | | | |
| | | To: US 460 County Dr | | | | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Prince George Maintenance Area

| Route | Jurisdiction | Length | AADT | QA | 4Tire | Bus | -----Truck----- | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW |
|---|---|--------|-------------------------------------|----|-------|-----|-----------------|--------|--------|--------|----|-------------|----|---------------|-------|----|
| | | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | |
| East 295 | From: US 460 County Dr | | | | | | | | | | | | | | | |
| | Prince George County | 2.57 | 8600 | A | 81% | 1% | 1% | 1% | 17% | 0% | C | 0.136 | A | 7400 | A | |
| Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | | 18000 | A | 81% | 1% | 1% | 1% | 16% | 0% | C | 0.127 | A | 15000 | A | |
| | | | East I-295 is signed as South I-295 | | | | | | | | | | | | | |
| East 295 | From: Exit 1A to I-95 North | | | | | | | | | | | | | | | |
| | Prince George County | 0.46 | 8600 | N | 81% | 1% | 1% | 1% | 17% | 0% | N | 0.136 | N | 7400 | N | |
| Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | | 17000 | N | 81% | 1% | 1% | 1% | 16% | 0% | N | NA | | 15000 | N | |
| | | | I-95 South | | | | | | | | | | | | | |
| East 295 | From: I-295 S | | | | | | | | | | | | | | | |
| | Ramp From I-295 S (E) to I-95 N Prince George County | 0.28 | 860 | G | 81% | 1% | 1% | 1% | 17% | 0% | F | NA | | 760 | G | |
| | | | I-95 N | | | | | | | | | | | | | |
| East 295 | From: I-295 East | | | | | | | | | | | | | | | |
| | Ramp Prince George County | 0.52 | 1100 | B | | | | | | | | 0.122 | A | 1200 | B | |
| | | | US 460 County Dr | | | | | | | | | | | | | |
| West 295 | From: NCL Hopewell | | | | | | | | | | | | | | | |
| | City of Hopewell (Maint: 74) | 3.30 | 16000 | F | 82% | 1% | 1% | 1% | 16% | 0% | F | NA | | 15000 | F | |
| Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | | 32000 | F | 81% | 1% | 1% | 1% | 16% | 0% | F | NA | | 30000 | F | |
| | | | West I-295 is signed as North I-295 | | | | | | | | | | | | | |
| West 295 | From: SR 36 Oaklawn Blvd; SCL Hopewell | | | | | | | | | | | | | | | |
| | Prince George County | 7.38 | 11000 | B | 82% | 1% | 1% | 1% | 16% | 0% | F | 0.13 | A | 10000 | B | |
| Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | | 22000 | B | 81% | 1% | 1% | 1% | 16% | 0% | F | 0.118 | A | 0.542 | 20000 | B |
| | | | West I-295 is signed as North I-295 | | | | | | | | | | | | | |
| West 295 | From: US 460 County Dr | | | | | | | | | | | | | | | |
| | Prince George County | 1.75 | 9000 | A | 82% | 1% | 1% | 1% | 16% | 0% | C | 0.137 | A | 8000 | A | |
| Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | | 18000 | A | 81% | 1% | 1% | 1% | 16% | 0% | C | 0.127 | A | 0.596 | 15000 | A |
| | | | West I-295 is signed as North I-295 | | | | | | | | | | | | | |
| West 295 | From: Ramp from I-95 South Exit 46A | | | | | | | | | | | | | | | |
| | Prince George County | 0.57 | 8300 | A | 82% | 1% | 1% | 1% | 16% | 0% | F | 0.145 | A | 7400 | A | |
| Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | | 17000 | N | 81% | 1% | 1% | 1% | 16% | 0% | N | NA | | 15000 | N | |
| | | | I-95 North | | | | | | | | | | | | | |
| 301 | From: Sussex County Line | | | | | | | | | | | | | | | |
| | Crater Rd Prince George County | 2.69 | 860 | G | 86% | 0% | 2% | 2% | 10% | 0% | C | 0.095 | F | 0.649 | 920 | G |
| | | | 74-604; 74-623 Rowanty Rd | | | | | | | | | | | | | |
| 301 | From: 74-604; 74-623 Rowanty Rd | | | | | | | | | | | | | | | |
| | Crater Rd Prince George County | 3.86 | 1300 | G | 86% | 0% | 2% | 2% | 10% | 0% | F | 0.085 | F | 0.730 | 1400 | G |
| | | | SR 35 Courtland Rd | | | | | | | | | | | | | |
| 301 35 | From: << Invalid Overlap >> | | | | | | | | | | | | | | | |
| | Courtland Rd Prince George County | 0.72 | 830 | G | 80% | 1% | 1% | 2% | 17% | 0% | F | 0.077 | F | 0.577 | 890 | G |
| | | | << Invalid Overlap >> | | | | | | | | | | | | | |

Virginia Department of Transportation
 Traffic Engineering Division
 2009
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Prince George Maintenance Area

| Route | Jurisdiction | Length | AADT | QA | 4Tire | Bus | -----Truck----- | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW |
|--|--------------------------------|--------|-------|----|-------|-----|-----------------|--------|--------|--------|----|-------------|----|---------------|-------|----|
| | | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | |
| From: SR 35 Courtland Rd 301 156 Prince George Dr | Prince George County | 0.17 | 1700 | G | 92% | 3% | 2% | 1% | 3% | 0% | F | 0.084 | F | 0.568 | 1800 | G |
| To: SR 156 Prince George Dr | | | | | | | | | | | | | | | | |
| From: SR 156 Prince George Dr 301 Crater Rd | Prince George County | 4.42 | 1600 | G | 97% | 0% | 1% | 1% | 1% | 0% | C | 0.096 | F | 0.723 | 1700 | G |
| To: I-95 | | | | | | | | | | | | | | | | |
| From: I-95 301 Crater Rd | Prince George County | 2.07 | 6000 | G | 99% | 0% | 0% | 0% | 0% | 0% | C | 0.098 | F | | 6400 | G |
| To: SCL Petersburg | | | | | | | | | | | | | | | | |
| From: I-85 460 95 Ramp | City of Petersburg (Maint: 74) | 0.06 | | | | | | | | | | | | | | |
| To: Graham Rd | | | | | | | | | | | | | | | | |
| From: Graham Rd Bus 460 95 460 Ramp from I-85 N to I-95 S | City of Petersburg (Maint: 74) | 0.27 | | | | | | | | | | | | | | |
| To: US 460 | | | | | | | | | | | | | | | | |
| From: US 460 460 County Dr | Prince George County | 0.40 | 13000 | G | 89% | 1% | 1% | 1% | 8% | 0% | F | 0.087 | F | | 14000 | G |
| To: I-295 | | | | | | | | | | | | | | | | |
| From: I-295 460 County Dr | Prince George County | 0.74 | 16000 | N | 84% | 1% | 1% | 1% | 13% | 0% | N | NA | | | 14000 | N |
| To: 74-629 | | | | | | | | | | | | | | | | |
| From: 74-629 Rives Rd; W Quaker Rd 460 County Dr | Prince George County | 3.07 | 16000 | G | 84% | 1% | 1% | 1% | 13% | 0% | F | NA | | | 14000 | G |
| To: SR 156 Prince George Dr | | | | | | | | | | | | | | | | |
| From: SR 156 Prince George Dr 460 County Dr | Prince George County | 6.20 | 13000 | G | 84% | 1% | 1% | 1% | 13% | 0% | F | NA | | | 12000 | G |
| To: Sussex County Line | | | | | | | | | | | | | | | | |
| From: Ramp from US 301 North Bus 460 95 460 Ramp from I-85 N to I-95 S | City of Petersburg (Maint: 74) | 0.27 | | | | | | | | | | | | | | |
| To: Bus US 460 | | | | | | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Prince George Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|-----------------------------|--------|------|----|-------|-----|-------|--------|--------|--------|----|----------|----|------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Prince George County | | | | | | | | | | | | | | | | |
| (F121) Park Dale Rd | 1.12 | 680 | R | | | | | | | | NA | | | NA | | 03/05/2008 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| (F122) Sunny Brook Rd | 2.86 | 590 | R | | | | | | | | NA | | | NA | | 03/05/2008 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| (F123) Gatewood Rd | 0.50 | 80 | R | | | | | | | | NA | | | NA | | 03/05/2008 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| (F124) Gravel Brook Rd | 1.16 | 1400 | R | | | | | | | | NA | | | NA | | 03/05/2008 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| (F125) Indian Rd | 1.65 | 360 | R | | | | | | | | NA | | | NA | | 03/05/2008 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| (F292) | 0.40 | 8 | R | | | | | | | | NA | | | NA | | 03/17/2008 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| (F294) Rowanty Ct | 0.03 | 20 | R | | | | | | | | NA | | | NA | | 03/17/2008 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| (F295) Indian Rd | 0.15 | 360 | R | | | | | | | | NA | | | NA | | 03/05/2008 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| City of Petersburg | | | | | | | | | | | | | | | | |
| (F329) Lake Shore Dr | 0.17 | 10 | R | | | | | | | | NA | | | NA | | 03/17/2008 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| (F330) N Normandy Dr | 2.93 | 3700 | R | | | | | | | | NA | | | NA | | 03/17/2008 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| (F331) Service Rd | 0.78 | 1400 | R | | | | | | | | NA | | | NA | | 03/17/2008 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| Prince George County | | | | | | | | | | | | | | | | |
| (F342) | 0.66 | 10 | R | | | | | | | | NA | | | NA | | 03/17/2008 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| (F990) | 0.17 | NA | | | | | | | | | NA | | | NA | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| (600) Ellis Rd | 1.77 | 160 | R | | | | | | | | NA | | | NA | | 03/31/2008 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| (601) Alden Rd | 0.80 | 120 | R | | | | | | | | NA | | | NA | | 03/31/2008 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| (601) Alden Rd | 3.06 | 170 | R | | | | | | | | NA | | | NA | | 03/31/2008 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| (602) Point Rd | 0.43 | 70 | R | | | | | | | | NA | | | NA | | 03/31/2008 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| (603) Baxter Rd | 1.29 | 3200 | R | | | | | | | | NA | | | NA | | 07/05/2005 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Prince George Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | -----Truck----- | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|-----------------------------|--------|------|----|-------|-----|-------------------------------------|--------|--------|--------|----|-------------|----|---------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Prince George County | | | | | | | | | | | | | | | | |
| (604) Halifax Rd | 2.34 | 490 | G | 92% | 0% | 1% | 1% | 5% | 0% | F | 0.092 | F | 0.5 | 520 | G | 2009 |
| | | | | | | From: Dinwiddie County Line NORTH | | | | | | | | | | |
| | | | | | | To: 26-703; Carson Rd; Din CL SOUTH | | | | | | | | | | |
| (604) Halifax Rd | 0.16 | 1200 | G | 92% | 0% | 1% | 1% | 5% | 0% | C | 0.1 | F | 0.631 | 1300 | G | 2009 |
| | | | | | | From: US 301; 74-623 | | | | | | | | | | |
| | | | | | | To: Dinwiddie County Line | | | | | | | | | | |
| (605) Spain Rd | 1.40 | 510 | R | | | | | | | | NA | | NA | | | 03/05/2008 |
| | | | | | | From: 74-621 Shands Rd | | | | | | | | | | |
| (605) Spain Rd | 0.20 | 750 | R | | | | | | | | NA | | NA | | | 03/05/2008 |
| | | | | | | From: SR 35; 74-622 | | | | | | | | | | |
| (605) Spain Rd | 0.81 | 210 | R | | | | | | | | NA | | NA | | | 03/05/2008 |
| | | | | | | From: Service Rd, I-95 | | | | | | | | | | |
| | | | | | | To: Dinwiddie County Line | | | | | | | | | | |
| (606) | 0.50 | 280 | R | | | | | | | | NA | | NA | | | 03/05/2008 |
| | | | | | | From: 74-622 Providence Rd | | | | | | | | | | |
| | | | | | | To: Dinwiddie County Line | | | | | | | | | | |
| (607) Butter Branch Rd | 2.35 | 360 | R | | | | | | | | NA | | NA | | | 03/05/2008 |
| | | | | | | From: FR-122 Sunny Brook Rd | | | | | | | | | | |
| (607) Sunny Brook Rd | 0.35 | 1700 | R | | | | | | | | NA | | NA | | | 03/05/2008 |
| | | | | | | From: 74-608 Garys Church Rd | | | | | | | | | | |
| | | | | | | To: US 301 Crater Rd | | | | | | | | | | |
| (608) Garys Church Rd | 2.55 | 1000 | R | | | | | | | | NA | | NA | | | 03/05/2008 |
| | | | | | | From: 74-622 Fairwood Rd | | | | | | | | | | |
| (608) Johnson Rd | 0.81 | 930 | G | 99% | 0% | 0% | 1% | 0% | 0% | C | 0.113 | F | 0.597 | 990 | G | 2009 |
| | | | | | | From: Dinwiddie County Line | | | | | | | | | | |
| | | | | | | To: Dinwiddie County Line | | | | | | | | | | |
| Dinwiddie County | | | | | | | | | | | | | | | | |
| (608) Johnson Rd | 0.31 | 930 | N | 99% | 0% | 0% | 1% | 0% | 0% | N | 0.113 | N | 0.597 | 990 | N | 2009 |
| | | | | | | From: Prince George County Line | | | | | | | | | | |
| | | | | | | To: SR 345; 26-677 | | | | | | | | | | |
| (608) Johnson Rd | 1.00 | 1300 | G | 99% | 0% | 0% | 0% | 0% | 0% | C | 0.101 | F | 0.558 | 1400 | G | 2009 |
| | | | | | | From: SCL Petersburg | | | | | | | | | | |
| | | | | | | To: SCL Petersburg | | | | | | | | | | |
| Prince George County | | | | | | | | | | | | | | | | |
| (609) Old Stage Rd | 1.34 | 2700 | G | 96% | 1% | 1% | 1% | 1% | 0% | C | 0.094 | F | 0.63 | 2900 | G | 2009 |
| | | | | | | From: SR 106, Bypass SR 156 | | | | | | | | | | |
| | | | | | | To: 74-636 Lawyers Rd | | | | | | | | | | |
| (609) Old Stage Rd | 2.57 | 1500 | G | 96% | 1% | 1% | 1% | 1% | 0% | F | 0.099 | F | 0.638 | 1600 | G | 2009 |
| | | | | | | From: 74-635 Heritage Rd | | | | | | | | | | |
| (609) Old Stage Rd | 1.86 | 860 | G | 96% | 1% | 1% | 1% | 1% | 0% | F | 0.089 | F | 0.583 | 920 | G | 2009 |
| | | | | | | From: SR 10 James River Dr | | | | | | | | | | |
| | | | | | | To: SR 10 James River Dr | | | | | | | | | | |
| (610) Chippokes Rd | 2.00 | 170 | R | | | | | | | | NA | | NA | | | 03/31/2008 |
| | | | | | | From: 74-611 Brandon Rd | | | | | | | | | | |
| | | | | | | To: Dead End | | | | | | | | | | |
| (611) Lebanon Dr | 0.48 | 90 | R | | | | | | | | NA | | NA | | | 03/31/2008 |
| | | | | | | From: 74-625 Hines Rd | | | | | | | | | | |
| (611) Lebanon Rd | 2.00 | 230 | R | | | | | | | | NA | | NA | | | 03/31/2008 |
| | | | | | | From: 74-612 Cedar Lane | | | | | | | | | | |
| (611) Lebanon Rd | 1.70 | 100 | R | | | | | | | | NA | | NA | | | 03/31/2008 |
| | | | | | | From: 74-658 Lone Oak Mill Rd | | | | | | | | | | |
| (611) Lebanon Rd | 2.92 | 170 | R | | | | | | | | NA | | NA | | | 03/31/2008 |
| | | | | | | From: 74-1201 Morning Star Rd | | | | | | | | | | |
| (611) Brandon Rd | 2.10 | 250 | G | 95% | 2% | 1% | 2% | 0% | 0% | C | 0.117 | F | 0.606 | 270 | G | 2009 |
| | | | | | | From: 74-610 Chippokes Rd | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Prince George Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | -----Truck----- | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|-------------------------------|--------|------|----|-------|-----|-----------------|--------|--------|--------|----|-------------|----|---------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Prince George County | | | | | | | | | | | | | | | | |
| (611) Lebanon Rd | 3.27 | 60 | R | | | | | | | | NA | | | NA | | 03/31/2008 |
| | | | | | | | | | | | | | | | | |
| (612) Cedar Lane | 0.90 | 200 | R | | | | | | | | NA | | | NA | | 03/31/2008 |
| (613) Webb Rd | 1.50 | 110 | R | | | | | | | | NA | | | NA | | 03/31/2008 |
| (613) Webb Rd | 1.80 | 290 | R | | | | | | | | NA | | | NA | | 03/31/2008 |
| (614) Nobles Rd | 1.90 | 230 | R | | | | | | | | NA | | | NA | | 03/31/2008 |
| (614) Wards Creek Rd | 3.20 | 60 | R | | | | | | | | NA | | | NA | | 03/31/2008 |
| (615) Nobles Rd | 0.40 | 10 | R | | | | | | | | NA | | | NA | | 03/31/2008 |
| (616) Laurel Springs Rd | 1.96 | 3200 | G | 96% | 2% | 1% | 1% | 0% | 0% | C | 0.14 | F | 0.58 | 3400 | G | 2009 |
| (616) Laurel Springs Rd; Pole | 2.50 | 1500 | G | 98% | 1% | 1% | 1% | 0% | 0% | F | 0.102 | F | 0.783 | 1600 | G | 2009 |
| (616) Laurel Springs Rd; Pole | 4.13 | 980 | G | 98% | 1% | 1% | 1% | 0% | 0% | C | 0.107 | F | 0.82 | 1000 | G | 2009 |
| (616) Laurel Springs Rd; Pole | 3.77 | 330 | G | 98% | 1% | 1% | 1% | 0% | 0% | F | 0.112 | F | 0.803 | 360 | G | 2009 |
| (617) Hollywood Rd | 0.90 | 30 | R | | | | | | | | NA | | | NA | | 03/31/2008 |
| (618) Robin Rd | 2.37 | 330 | R | | | | | | | | NA | | | NA | | 03/31/2008 |
| (618) Queen St | 0.10 | 630 | R | | | | | | | | NA | | | NA | | 03/31/2008 |
| (618) Queen St | 1.20 | 570 | R | | | | | | | | NA | | | NA | | 03/31/2008 |
| (618) Hitchcock Rd | 2.76 | 130 | R | | | | | | | | NA | | | NA | | 03/31/2008 |
| (618) Hollywood Rd | 0.94 | 270 | R | | | | | | | | NA | | | NA | | 03/31/2008 |
| (618) Hollywood Rd | 0.50 | 360 | R | | | | | | | | NA | | | NA | | 03/31/2008 |
| (619) Holdworths Rd | 2.10 | 400 | R | | | | | | | | NA | | | NA | | 07/20/2005 |
| (620) Tatum Rd | 1.00 | 480 | R | | | | | | | | NA | | | NA | | 07/20/2005 |
| (620) Tatum Rd | 1.90 | 240 | R | | | | | | | | NA | | | NA | | 07/20/2005 |

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Prince George Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|-----------------------------|--------|------|----|-------|-----|-------|--------|--------|--------|----|----------|----|------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Prince George County | | | | | | | | | | | | | | | | |
| (621) Shands Rd | 2.28 | 340 | R | | | | | | | | NA | | NA | | | 07/20/2005 |
| | | | | | | | | | | | | | | | | |
| (622) Providence Rd | 1.50 | 550 | R | | | | | | | | NA | | NA | | | 07/20/2005 |
| (622) Providence Rd | 0.30 | 470 | R | | | | | | | | NA | | NA | | | 07/20/2005 |
| (622) Fairwood Rd | 2.70 | 230 | R | | | | | | | | NA | | NA | | | 07/20/2005 |
| (623) Rowanty Rd | 0.30 | 250 | G | 96% | 0% | 0% | 0% | 3% | 0% | F | 0.121 | F | 0.711 | 270 | G | 2009 |
| (623) Rowanty Rd | 2.42 | 340 | G | 96% | 0% | 0% | 0% | 3% | 0% | C | 0.11 | F | 0.721 | 360 | G | 2009 |
| (623) Rowanty Rd | 0.55 | 640 | G | 96% | 0% | 0% | 0% | 3% | 0% | F | 0.113 | F | 0.613 | 690 | G | 2009 |
| (623) Ramp | 0.22 | 650 | A | | | | | | | | 0.151 | A | | 660 | A | 2009 |
| (624) Alden Rd | 1.00 | 60 | R | | | | | | | | NA | | NA | | | 03/31/2008 |
| (625) County Line Rd | 0.96 | 680 | G | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.112 | F | 0.682 | 730 | G | 2009 |
| (625) Arwood Rd | 2.68 | 830 | G | 99% | 0% | 0% | 0% | 0% | 0% | C | 0.117 | F | 0.514 | 880 | G | 2009 |
| (625) Hines Rd | 0.09 | 1100 | G | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.103 | F | 0.547 | 1200 | G | 2009 |
| (625) Hines Rd | 0.51 | 650 | G | 95% | 0% | 1% | 1% | 3% | 0% | C | 0.111 | F | 0.714 | 700 | G | 2009 |
| (625) Hines Rd | 4.17 | 370 | G | 95% | 0% | 1% | 1% | 3% | 0% | F | 0.13 | F | 0.566 | 390 | G | 2009 |
| (625) Hines Rd | 1.48 | 340 | G | 95% | 0% | 1% | 1% | 3% | 0% | F | 0.128 | F | 0.538 | 360 | G | 2009 |
| (625) Hines Rd | 2.98 | 500 | G | 95% | 0% | 1% | 1% | 3% | 0% | F | 0.103 | F | 0.562 | 540 | G | 2009 |
| (626) Thweatt Rd | 2.88 | 510 | R | | | | | | | | NA | | NA | | | 09/27/2005 |
| (626) Tavern Rd | 1.60 | 760 | G | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.112 | F | 0.547 | 820 | G | 2009 |
| (626) Tavern Rd | 1.00 | 940 | G | 99% | 0% | 0% | 0% | 0% | 0% | C | 0.105 | F | 0.604 | 1000 | G | 2009 |
| (626) Tavern Rd | 0.80 | 2900 | G | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.097 | F | 0.67 | 3200 | G | 2009 |
| (627) Loving Union Rd | 2.43 | 310 | G | 97% | 0% | 0% | 1% | 2% | 0% | F | 0.133 | F | 0.635 | 330 | G | 2009 |
| (627) Loving Union Rd | 1.15 | 390 | G | 97% | 0% | 0% | 1% | 2% | 0% | C | 0.098 | F | 0.521 | 420 | G | 2009 |

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Prince George Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | -----Truck----- | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|-----------------------------|--------|-------|----|-------|-----|---|--------|--------|--------|----|-------------|----|---------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Prince George County | | | | | | | | | | | | | | | | |
| (627) Pumphouse Rd | 4.30 | 480 | G | 97% | 0% | From: 74-619 Holdworths Rd To: 74-630 Golf Course Rd | | | | F | 0.103 | F | 0.861 | 520 | G | 2009 |
| (628) Griffin Rd | 1.36 | 190 | R | | | From: 74-608 Garys Church Rd To: 1.36 MN 74- 608 Garys Church Rd | | | | | NA | | | NA | | 03/05/2008 |
| (628) Griffin Rd | 0.80 | 280 | R | | | From: 1.36 MN 74-608 Garys Church Rd To: 74-629 Birdsong Rd | | | | | NA | | | NA | | 03/05/2008 |
| (629) Birdsong Rd | 2.28 | 1200 | G | 97% | 0% | 1% | 2% | 1% | 0% | F | 0.108 | F | 0.678 | 1300 | G | 2009 |
| (629) Rives Rd | 1.55 | 5300 | G | 97% | 0% | From: US 301 Crater Rd; Gap To: ECL Petersburg; Gap | | | | C | 0.09 | F | | 5800 | G | 2009 |
| (629) Rives Rd | 0.04 | 5700 | G | 97% | 0% | From: 74-630 W, Lamore Dr To: 74-630 E, Lamore Rd; Bull Hill Rd | | | | F | 0.089 | F | | 6200 | G | 2009 |
| (629) Rives Rd; W Quaker Rd | 0.11 | 1700 | G | 97% | 0% | From: 74-630 W, Lamore Rd; Rives Rd To: US 460 County Dr | | | | F | 0.097 | F | 0.957 | 1800 | G | 2009 |
| (629) West Quaker Rd | 2.77 | 1200 | G | 99% | 0% | 0% | 0% | 0% | 0% | C | 0.103 | F | 0.580 | 1300 | G | 2009 |
| (629) East Quaker Rd | 1.15 | 840 | R | | | From: SR 156 Prince George Dr To: 74-635 Centennial Rd | | | | | NA | | | NA | | 03/17/2008 |
| (629) East Quaker Rd | 2.92 | 490 | R | | | From: 74-618 Hitchcock Rd; Queen St To: 74-625 Hines Rd; Arwood Rd | | | | | NA | | | NA | | 03/17/2008 |
| (630) Golf Course Rd | 0.21 | 240 | R | | | From: 74-618 E, Queen St To: 74-618 W, Robin Rd | | | | | NA | | | NA | | 03/17/2008 |
| (630) Gold Course Rd | 0.04 | 700 | R | | | From: 74-618 W, Robin Rd To: 74-627 Pumphouse Rd | | | | | NA | | | NA | | 03/17/2008 |
| (630) Golf Course Rd | 2.78 | 220 | R | | | From: 74-627 Pumphouse Rd To: SR 156 N, Prince George Dr | | | | | NA | | | NA | | 03/17/2008 |
| (630) Golf Course Dr | 0.70 | 1300 | G | 98% | 0% | 1% | 0% | 0% | 0% | C | 0.123 | F | 0.506 | 1400 | G | 2009 |
| (630) Lamore Dr | 2.10 | 1800 | G | 96% | 1% | 0% | 2% | 0% | 0% | F | 0.078 | F | 0.612 | 1900 | G | 2009 |
| (630) Lamore Dr | 0.90 | 3600 | G | 96% | 1% | 0% | 2% | 0% | 0% | C | 0.081 | F | 0.623 | 3900 | G | 2009 |
| (630) Lamore Dr; Rives Rd | 0.08 | 4300 | G | 96% | 1% | From: 74-629 S, Rives Rd To: 74-629 N, Rives Rd; W Quaker Rd | | | | F | 0.091 | F | | 4700 | G | 2009 |
| (630) Bull Hill Rd | 2.10 | 2300 | G | 99% | 0% | 0% | 0% | 0% | 0% | C | 0.102 | F | 0.583 | 2500 | G | 2009 |
| (630) Bull Hill Rd | 1.03 | 4700 | R | | | From: US 460 County Dr To: SR 106 Courthouse Rd | | | | | NA | | | NA | | 03/31/2008 |
| (630) Jefferson Park Rd | 1.51 | 8900 | G | 99% | 1% | 0% | 0% | 0% | 0% | C | 0.093 | F | | 9700 | G | 2009 |
| (630) Jefferson Park Rd | 1.27 | 14000 | G | 99% | 1% | From: 74-634 Allin Rd To: 74-646 Middle Rd | | | | F | NA | | | 15000 | G | 2009 |
| (631) Lansing Rd | 0.44 | 300 | R | | | From: SR 36; SCL Hopewell To: 74-604 Halifax Rd | | | | | NA | | | NA | | 03/05/2008 |
| (631) Lansing Rd | 0.35 | 490 | R | | | From: 74-675 Lampe Lane To: 74-671 Indian Rd | | | | | NA | | | NA | | 03/05/2008 |

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Prince George Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|-----------------------------|--------|------|----|-------|-----|-------|--------|--------|--------|----|----------|----|------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Prince George County | | | | | | | | | | | | | | | | |
| (631) Lansing Rd | 1.83 | 160 | R | | | | | | | | NA | | | NA | | 03/05/2008 |
| | | | | | | | | | | | | | | | | |
| (632) South Hampton Rd | 0.17 | 90 | R | | | | | | | | NA | | | NA | | 03/31/2008 |
| | | | | | | | | | | | | | | | | |
| (634) Allin Rd | 0.51 | 5000 | G | 96% | 3% | 1% | 0% | 0% | 0% | C | 0.095 | F | | 5500 | G | 2009 |
| | | | | | | | | | | | | | | | | |
| (635) Centennial Rd | 2.35 | 200 | R | | | | | | | | NA | | | NA | | 03/10/2008 |
| | | | | | | | | | | | | | | | | |
| (635) Centennial Rd | 3.75 | 430 | R | | | | | | | | NA | | | NA | | 03/10/2008 |
| | | | | | | | | | | | | | | | | |
| (635) Heritage Rd | 1.10 | 670 | R | | | | | | | | NA | | | NA | | 03/10/2008 |
| | | | | | | | | | | | | | | | | |
| (635) Heritage Rd | 2.20 | 600 | R | | | | | | | | NA | | | NA | | 03/10/2008 |
| | | | | | | | | | | | | | | | | |
| (636) Lawyers Rd | 2.10 | 460 | R | | | | | | | | NA | | | NA | | 03/10/2008 |
| | | | | | | | | | | | | | | | | |
| (636) Lawyers Rd | 0.80 | 640 | R | | | | | | | | NA | | | NA | | 03/10/2008 |
| | | | | | | | | | | | | | | | | |
| (637) Log Rd | 0.70 | 220 | R | | | | | | | | NA | | | NA | | 07/20/2005 |
| | | | | | | | | | | | | | | | | |
| (638) Templeton Rd | 0.88 | 180 | G | 98% | 0% | 0% | 1% | 0% | 0% | F | 0.139 | F | 0.833 | 190 | G | 2009 |
| | | | | | | | | | | | | | | | | |
| (638) Templeton Rd | 2.60 | 510 | G | 98% | 0% | 0% | 1% | 0% | 0% | C | 0.106 | F | 0.742 | 550 | G | 2009 |
| | | | | | | | | | | | | | | | | |
| (638) Templeton Rd | 2.50 | 350 | G | 99% | 0% | 0% | 0% | 0% | 0% | C | 0.135 | F | 0.510 | 370 | G | 2009 |
| | | | | | | | | | | | | | | | | |
| (638) Templeton Rd | 0.27 | 980 | G | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.104 | F | 0.585 | 1100 | G | 2009 |
| | | | | | | | | | | | | | | | | |
| (639) Flowerdew Hundred Rd | 2.00 | 90 | R | | | | | | | | NA | | | NA | | 03/10/2008 |
| | | | | | | | | | | | | | | | | |
| (639) Flowerdew Hundred Rd | 1.66 | 70 | R | | | | | | | | NA | | | NA | | 03/10/2008 |
| | | | | | | | | | | | | | | | | |
| (640) Powells Creek Rd | 1.00 | 20 | R | | | | | | | | NA | | | NA | | 03/10/2008 |
| | | | | | | | | | | | | | | | | |
| (641) Merchant Hope Rd | 1.40 | 900 | R | | | | | | | | NA | | | NA | | 03/10/2008 |
| | | | | | | | | | | | | | | | | |
| (641) Merchant Hope Rd | 1.40 | 820 | G | 98% | 1% | 0% | 0% | 0% | 0% | C | 0.098 | F | 0.613 | 870 | G | 2009 |
| | | | | | | | | | | | | | | | | |
| (641) Moody Rd | 3.00 | 200 | R | | | | | | | | NA | | | NA | | 03/10/2008 |
| | | | | | | | | | | | | | | | | |
| (642) Beaver Castle Rd | 0.53 | 1500 | R | | | | | | | | NA | | | NA | | 03/10/2008 |
| | | | | | | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Prince George Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|-----------------------------|--------|------|----|-------|-----|----------------------------------|--------|--------|--------|----|----------|----|------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Prince George County | | | | | | | | | | | | | | | | |
| (642) Beaver Castle Rd | 0.07 | 510 | R | | | | | | | | NA | | | NA | | 07/11/2005 |
| | | | | | | From: 74-1413 Buttemut Dr | | | | | | | | | | |
| | | | | | | To: 74-1412 Ironwood Dr | | | | | | | | | | |
| (642) Beaver Castle Rd | 0.06 | 690 | R | | | | | | | | NA | | | NA | | 07/11/2005 |
| | | | | | | From: 74-1411 White Pine Dr | | | | | | | | | | |
| (642) Beaver Castle Rd | 0.12 | 530 | R | | | | | | | | NA | | | NA | | 07/11/2005 |
| | | | | | | From: 74-1405 W, Peachtree Dr | | | | | | | | | | |
| (642) Beaver Castle Rd | 0.07 | 480 | R | | | | | | | | NA | | | NA | | 07/11/2005 |
| | | | | | | From: 74-1405 E, Peachtree Dr | | | | | | | | | | |
| (642) Beaver Castle Rd | 0.07 | 400 | R | | | | | | | | NA | | | NA | | 07/11/2005 |
| | | | | | | From: 74-707 Lemonwood Dr | | | | | | | | | | |
| (642) Beaver Castle Rd | 0.08 | 180 | R | | | | | | | | NA | | | NA | | 07/11/2005 |
| | | | | | | From: 74-706 Marl Bank Dr | | | | | | | | | | |
| | | | | | | To: Dead End | | | | | | | | | | |
| (643) Bobs Way | 0.09 | 30 | R | | | | | | | | NA | | | NA | | 03/19/2008 |
| | | | | | | From: 74-647 Takgach Rd | | | | | | | | | | |
| | | | | | | To: SR 10; SR 156 Bypass | | | | | | | | | | |
| (644) James Crest Dr | 0.80 | 140 | R | | | | | | | | NA | | | NA | | 03/10/2008 |
| | | | | | | From: Dead End | | | | | | | | | | |
| | | | | | | To: NCL Petersburg | | | | | | | | | | |
| (645) Puddledock Rd | 0.78 | 5500 | G | 96% | 0% | 0% | 3% | 1% | 0% | F | 0.094 | N | | 6000 | G | 2009 |
| | | | | | | From: SR 144 Temple Ave | | | | | | | | | | |
| (645) Puddledock Rd | 1.19 | 3800 | G | 96% | 0% | 0% | 3% | 1% | 0% | F | 0.107 | F | 0.602 | 4100 | G | 2009 |
| | | | | | | From: 74-725 River Rd | | | | | | | | | | |
| (645) River Rd | 1.11 | 5500 | G | 96% | 0% | 0% | 3% | 1% | 0% | C | 0.088 | F | | 6000 | G | 2009 |
| | | | | | | From: 74-694 Irwin Rd | | | | | | | | | | |
| (645) River Rd | 2.15 | 5200 | G | 96% | 0% | 0% | 3% | 1% | 0% | F | 0.093 | F | 0.651 | 5600 | G | 2009 |
| | | | | | | From: 2.15 MN 74-694 Irwin Rd | | | | | | | | | | |
| (645) River Rd | 0.19 | 4100 | G | 96% | 0% | 0% | 3% | 1% | 0% | F | 0.089 | F | 0.554 | 4400 | G | 2009 |
| | | | | | | From: SCL Hopewell | | | | | | | | | | |
| | | | | | | To: 74-630 Jefferson Park Rd | | | | | | | | | | |
| (646) Middle Rd | 2.17 | 5200 | G | 98% | 0% | 1% | 0% | 0% | 0% | C | 0.096 | F | | 5700 | G | 2009 |
| | | | | | | From: SR 156 S, Prince George Dr | | | | | | | | | | |
| | | | | | | To: SR 156 N, Prince George Dr | | | | | | | | | | |
| (646) Sandy Ridge Rd | 2.72 | 1900 | G | 98% | 0% | 1% | 0% | 0% | 0% | F | 0.09 | F | 0.709 | 2100 | G | 2009 |
| | | | | | | From: Bypass SR 156 | | | | | | | | | | |
| (646) Sandy Ridge Rd | 0.81 | 690 | G | 97% | 1% | 0% | 1% | 1% | 0% | C | 0.096 | F | 0.65 | 740 | G | 2009 |
| | | | | | | From: 74-708 Deep Bottom Dr | | | | | | | | | | |
| (646) Sandy Ridge Rd | 0.79 | 550 | G | 97% | 1% | 0% | 1% | 1% | 0% | F | 0.103 | F | 0.631 | 590 | G | 2009 |
| | | | | | | From: 74-641 Merchants Hope Rd | | | | | | | | | | |
| (646) Halls Farm Rd | 2.40 | 220 | R | | | | | | | | NA | | | NA | | 03/10/2008 |
| | | | | | | From: 74-609 Old Stage Rd | | | | | | | | | | |
| | | | | | | To: 74-1159 Haley Rd | | | | | | | | | | |
| (647) Takgach Rd | 0.46 | 1100 | R | | | | | | | | NA | | | NA | | 07/18/2005 |
| | | | | | | From: 74-1200 Watch Run Dr | | | | | | | | | | |
| (647) Takgach Rd | 0.09 | 1200 | R | | | | | | | | NA | | | NA | | 07/18/2005 |
| | | | | | | From: 74-643 Bobs Way | | | | | | | | | | |
| (647) Takgach Rd | 0.44 | 1400 | R | | | | | | | | NA | | | NA | | 07/18/2005 |
| | | | | | | From: 74-646 Middle Rd | | | | | | | | | | |
| | | | | | | To: Dead End | | | | | | | | | | |
| (648) Clary Rd | 0.11 | 70 | R | | | | | | | | NA | | | NA | | 07/13/2005 |
| | | | | | | From: 74-652 Allison Lane | | | | | | | | | | |
| (648) Clary Rd | 0.11 | 140 | R | | | | | | | | NA | | | NA | | 07/13/2005 |
| | | | | | | From: 74-651 Chadwick Lane | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Prince George Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | -----Truck----- | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|-----------------------------|--------|------|----|-------|-----|-----------------|--------|--------|--------|----|-------------|----|---------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Prince George County | | | | | | | | | | | | | | | | |
| (648) Clary Rd | 0.31 | 410 | R | | | | | | | | NA | | | NA | | 07/13/2005 |
| | | | | | | | | | | | | | | | | |
| (649) Union Branch Rd | 0.33 | 1800 | G | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.116 | F | 0.614 | 1900 | G | 2009 |
| (649) Union Branch Rd | 0.36 | 1400 | G | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.108 | F | 0.547 | 1500 | G | 2009 |
| (649) Union Branch Rd | 0.45 | 1500 | G | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.106 | F | 0.561 | 1600 | G | 2009 |
| (649) Walton Lake Rd | 0.31 | 1500 | G | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.1 | F | 0.613 | 1600 | G | 2009 |
| (649) Walton Lake Rd | 0.95 | 2000 | G | 99% | 0% | 0% | 0% | 0% | 0% | C | 0.092 | F | 0.707 | 2200 | G | 2009 |
| (650) | 3.50 | 90 | R | | | | | | | | NA | | | NA | | 08/16/2002 |
| (651) Chadwick Lane | 0.17 | 150 | R | | | | | | | | NA | | | NA | | 07/13/2005 |
| (652) Allison Lane | 0.04 | 20 | R | | | | | | | | NA | | | NA | | 07/13/2005 |
| (653) Upper Brandon Rd | 6.37 | 70 | R | | | | | | | | NA | | | NA | | 03/31/2008 |
| (653) Willow Hill Rd | 0.80 | 40 | R | | | | | | | | NA | | | NA | | 03/31/2008 |
| (655) Kiser Dr | 1.00 | 180 | R | | | | | | | | NA | | | NA | | 07/18/2005 |
| (656) Fort Powhatan | 1.50 | 40 | R | | | | | | | | NA | | | NA | | 03/31/2008 |
| (657) Enterprise Dr | 0.11 | 1100 | R | | | | | | | | NA | | | NA | | 07/27/2005 |
| (658) Lone Oak Mill Rd | 1.29 | 80 | R | | | | | | | | NA | | | NA | | 03/31/2008 |
| (659) Jolly Rd | 0.89 | 30 | R | | | | | | | | NA | | | NA | | 03/31/2008 |
| (659) Jolly Rd | 1.01 | 270 | R | | | | | | | | NA | | | NA | | 03/31/2008 |
| (661) Redgate Dr | 0.74 | 340 | R | | | | | | | | NA | | | NA | | 03/31/2008 |
| (661) Walton Lake Rd | 0.24 | 650 | R | | | | | | | | NA | | | NA | | 03/31/2008 |
| (661) Walton Lake Rd | 0.11 | 760 | R | | | | | | | | NA | | | NA | | 03/31/2008 |
| (662) Hair Rd | 3.35 | 320 | R | | | | | | | | NA | | | NA | | 03/31/2008 |

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Prince George Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|-----------------------------|--------|------|----|-------|-----|-------|--------|--------|--------|----|----------|----|------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Prince George County | | | | | | | | | | | | | | | | |
| (663) Marlboro Ave | 0.07 | 170 | R | | | | | | | | NA | | | NA | | 07/27/2005 |
| | | | | | | | | | | | | | | | | |
| (664) Farmington Dr | 0.26 | 120 | R | | | | | | | | NA | | | NA | | 07/18/2005 |
| | | | | | | | | | | | | | | | | |
| (665) Brockwell Rd | 0.87 | 170 | R | | | | | | | | NA | | | NA | | 07/20/2005 |
| | | | | | | | | | | | | | | | | |
| (666) Old Town Rd | 2.20 | 190 | R | | | | | | | | NA | | | NA | | 03/10/2008 |
| | | | | | | | | | | | | | | | | |
| (667) Johns Rd | 1.53 | 170 | R | | | | | | | | NA | | | NA | | 03/05/2008 |
| | | | | | | | | | | | | | | | | |
| (668) Prince George Dr | 0.32 | 300 | R | | | | | | | | NA | | | NA | | 03/05/2008 |
| | | | | | | | | | | | | | | | | |
| (669) River Run Rd | 0.05 | 120 | R | | | | | | | | NA | | | NA | | 07/27/2005 |
| | | | | | | | | | | | | | | | | |
| (670) Rowanty Ct | 0.23 | 240 | R | | | | | | | | NA | | | NA | | 07/20/2005 |
| | | | | | | | | | | | | | | | | |
| (670) Rowanty Ct | 0.03 | 360 | R | | | | | | | | NA | | | NA | | 07/20/2005 |
| | | | | | | | | | | | | | | | | |
| (671) Indian Rd | 0.20 | 90 | R | | | | | | | | NA | | | NA | | 07/27/2005 |
| | | | | | | | | | | | | | | | | |
| (672) Johns Rd | 0.17 | 6 | R | | | | | | | | NA | | | NA | | 03/05/2008 |
| | | | | | | | | | | | | | | | | |
| (673) Woods Rd | 0.06 | 340 | R | | | | | | | | NA | | | NA | | 07/27/2005 |
| | | | | | | | | | | | | | | | | |
| (674) Mount Sinai Rd | 0.91 | 640 | R | | | | | | | | NA | | | NA | | 07/18/2005 |
| | | | | | | | | | | | | | | | | |
| (675) Lampe Lane | 0.11 | 570 | R | | | | | | | | NA | | | NA | | 07/20/2005 |
| | | | | | | | | | | | | | | | | |
| (676) Carson Ruritan Rd | 0.21 | 120 | R | | | | | | | | NA | | | NA | | 07/20/2005 |
| | | | | | | | | | | | | | | | | |
| (677) Carson Dr | 0.24 | 60 | R | | | | | | | | NA | | | NA | | 07/27/2005 |
| | | | | | | | | | | | | | | | | |
| (684) Fine St | 0.53 | 850 | R | | | | | | | | NA | | | NA | | 07/27/2005 |
| | | | | | | | | | | | | | | | | |
| (685) Flexon Dr | 0.62 | 190 | R | | | | | | | | NA | | | NA | | 03/19/2008 |
| | | | | | | | | | | | | | | | | |
| (686) Mount Hope Rd | 1.31 | 130 | R | | | | | | | | NA | | | NA | | 03/10/2008 |
| | | | | | | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Prince George Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|-----------------------------|--------|------|----|-------|-----|-------|--------|--------|--------|----|----------|----|------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Prince George County | | | | | | | | | | | | | | | | |
| (693) Coggins Point Rd | 1.45 | 180 | R | | | | | | | | NA | | | NA | | 03/10/2008 |
| | | | | | | | | | | | | | | | | |
| (694) Irwin Rd | 0.34 | 330 | R | | | | | | | | NA | | | NA | | 07/27/2005 |
| | | | | | | | | | | | | | | | | |
| (694) Juniper Dr | 0.06 | 30 | R | | | | | | | | NA | | | NA | | 07/27/2005 |
| | | | | | | | | | | | | | | | | |
| (695) Easy St | 1.40 | 40 | R | | | | | | | | NA | | | NA | | 04/02/2008 |
| | | | | | | | | | | | | | | | | |
| (696) Tartan Rd | 0.47 | 90 | R | | | | | | | | NA | | | NA | | 03/05/2008 |
| | | | | | | | | | | | | | | | | |
| (697) Rosebud Ct | 0.11 | 80 | R | | | | | | | | NA | | | NA | | 07/27/2005 |
| | | | | | | | | | | | | | | | | |
| (698) | 0.21 | 190 | R | | | | | | | | NA | | | NA | | 03/19/2008 |
| | | | | | | | | | | | | | | | | |
| (699) River Run Rd | 0.20 | 180 | R | | | | | | | | NA | | | NA | | 03/19/2008 |
| | | | | | | | | | | | | | | | | |
| (699) River Run Rd | 0.03 | 10 | R | | | | | | | | NA | | | NA | | 03/19/2008 |
| | | | | | | | | | | | | | | | | |
| (703) Binford Dr | 0.45 | 60 | R | | | | | | | | NA | | | NA | | 07/20/2005 |
| | | | | | | | | | | | | | | | | |
| (706) Marl Bank Dr | 0.04 | 4 | R | | | | | | | | NA | | | NA | | 04/02/2008 |
| | | | | | | | | | | | | | | | | |
| (706) Marl Bank Dr | 0.30 | 180 | R | | | | | | | | NA | | | NA | | 04/02/2008 |
| | | | | | | | | | | | | | | | | |
| (707) Lemonwood Dr | 0.10 | 200 | R | | | | | | | | NA | | | NA | | 07/11/2005 |
| | | | | | | | | | | | | | | | | |
| (707) Lemonwood Dr | 0.06 | 140 | R | | | | | | | | NA | | | NA | | 07/11/2005 |
| | | | | | | | | | | | | | | | | |
| (707) Lemonwood Dr | 0.12 | 200 | R | | | | | | | | NA | | | NA | | 03/10/2008 |
| | | | | | | | | | | | | | | | | |
| (708) Deep Bottom Dr | 0.60 | 180 | R | | | | | | | | NA | | | NA | | 03/10/2008 |
| | | | | | | | | | | | | | | | | |
| (709) Administration Dr | 0.03 | 170 | R | | | | | | | | NA | | | NA | | 06/30/2005 |
| | | | | | | | | | | | | | | | | |
| (709) Administration Dr | 0.04 | 120 | R | | | | | | | | NA | | | NA | | 06/30/2005 |
| | | | | | | | | | | | | | | | | |
| (709) Administration Dr | 0.06 | 290 | R | | | | | | | | NA | | | NA | | 06/30/2005 |
| | | | | | | | | | | | | | | | | |
| (710) Sebera Rd | 1.58 | 520 | R | | | | | | | | NA | | | NA | | 03/10/2008 |
| | | | | | | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Prince George Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|-----------------------------|--------|------|----|-------|-----|-------|--------|--------|--------|----|----------|----|------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Prince George County | | | | | | | | | | | | | | | | |
| (711) Millpond Rd | 0.94 | 570 | R | | | | | | | | NA | | | NA | | 03/05/2008 |
| | | | | | | | | | | | | | | | | |
| (712) Administration Dr | 0.08 | 990 | R | | | | | | | | NA | | | NA | | 06/30/2005 |
| | | | | | | | | | | | | | | | | |
| (719) Stech Dr | 0.23 | 400 | R | | | | | | | | NA | | | NA | | 03/17/2008 |
| | | | | | | | | | | | | | | | | |
| (720) Moreel Ave | 0.22 | 80 | R | | | | | | | | NA | | | NA | | 07/13/2005 |
| | | | | | | | | | | | | | | | | |
| (720) Moreel Ave | 0.18 | 20 | R | | | | | | | | NA | | | NA | | 07/13/2005 |
| | | | | | | | | | | | | | | | | |
| (721) Mica Dr | 0.42 | 550 | R | | | | | | | | NA | | | NA | | 03/17/2008 |
| | | | | | | | | | | | | | | | | |
| (723) Norcum Ave | 0.16 | 450 | R | | | | | | | | NA | | | NA | | 02/13/2008 |
| | | | | | | | | | | | | | | | | |
| (724) Courts Dr | 0.17 | 900 | R | | | | | | | | NA | | | NA | | 06/30/2005 |
| | | | | | | | | | | | | | | | | |
| (725) River Rd | 0.33 | 2300 | R | | | | | | | | NA | | | NA | | 03/19/2008 |
| | | | | | | | | | | | | | | | | |
| (726) Scott Memorial Park | 0.18 | 550 | R | | | | | | | | NA | | | NA | | 03/17/2008 |
| | | | | | | | | | | | | | | | | |
| (729) Kurnas Lane | 0.40 | 120 | R | | | | | | | | NA | | | NA | | 03/10/2008 |
| | | | | | | | | | | | | | | | | |
| (770) Keswick Lane | 0.45 | 210 | R | | | | | | | | NA | | | NA | | 07/27/2005 |
| | | | | | | | | | | | | | | | | |
| (1001) Brooks Park Dr | 0.09 | 80 | R | | | | | | | | NA | | | NA | | 07/13/2005 |
| | | | | | | | | | | | | | | | | |
| (1002) Diagonal Rd | 0.09 | 70 | R | | | | | | | | NA | | | NA | | 07/13/2005 |
| | | | | | | | | | | | | | | | | |
| (1003) Lundie Lane | 0.08 | 170 | R | | | | | | | | NA | | | NA | | 07/13/2005 |
| | | | | | | | | | | | | | | | | |
| (1003) Lundie Lane | 0.16 | 180 | R | | | | | | | | NA | | | NA | | 04/02/2008 |
| | | | | | | | | | | | | | | | | |
| (1004) Moring Dr | 0.06 | 40 | R | | | | | | | | NA | | | NA | | 07/13/2005 |
| | | | | | | | | | | | | | | | | |
| (1004) Moring Dr | 0.13 | 170 | R | | | | | | | | NA | | | NA | | 07/13/2005 |
| | | | | | | | | | | | | | | | | |
| (1005) Mark Twain Dr | 0.07 | 320 | R | | | | | | | | NA | | | NA | | 04/02/2008 |
| | | | | | | | | | | | | | | | | |
| (1005) Mark Twain Dr | 0.07 | 250 | R | | | | | | | | NA | | | NA | | 04/02/2008 |
| | | | | | | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Prince George Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|-----------------------------|--------------------|------|-----|-------|-----|-------|--------|--------|--------|----|----------|----|------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Prince George County | | | | | | | | | | | | | | | | |
| 1005 | Mark Twain Dr | 0.26 | 130 | R | | | | | | | | | | NA | | 04/02/2008 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 1006 | Tom Sawyer Lane | 0.08 | 60 | R | | | | | | | | | | NA | | 04/02/2008 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 1007 | Huck Finn Ct | 0.04 | 40 | R | | | | | | | | | | NA | | 04/02/2008 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 1010 | Pamela Dr | 0.19 | 400 | R | | | | | | | | | | NA | | 07/13/2005 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 1010 | Pamela Dr | 0.08 | 80 | R | | | | | | | | | | NA | | 07/13/2005 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 1011 | Sween Gum Lane | 0.07 | 280 | R | | | | | | | | | | NA | | 04/02/2008 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 1011 | Sweet Gum Lane | 0.12 | 90 | R | | | | | | | | | | NA | | 04/02/2008 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 1012 | Morning Hill Dr | 0.08 | 60 | R | | | | | | | | | | NA | | 04/02/2008 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 1012 | Morning Hill Dr | 0.12 | 120 | R | | | | | | | | | | NA | | 04/02/2008 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 1013 | Basswood Rd | 0.18 | 80 | R | | | | | | | | | | NA | | 04/02/2008 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 1014 | Hughes Family Lane | 0.14 | 210 | R | | | | | | | | | | NA | | 07/13/2005 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 1014 | Hughes Family Lane | 0.07 | 330 | R | | | | | | | | | | NA | | 07/13/2005 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 1015 | Shallowood Dr | 0.07 | 80 | R | | | | | | | | | | NA | | 07/13/2005 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 1015 | Shallowood Dr | 0.09 | 90 | R | | | | | | | | | | NA | | 07/13/2005 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 1016 | Cobblewood Dr | 0.16 | 130 | R | | | | | | | | | | NA | | 04/02/2008 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 1018 | Falda Dr | 0.08 | 110 | R | | | | | | | | | | NA | | 04/02/2008 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 1019 | Arnie Rd | 0.08 | 120 | R | | | | | | | | | | NA | | 04/02/2008 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 1020 | Saddlebrook Lane | 0.15 | 130 | R | | | | | | | | | | NA | | 04/02/2008 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 1020 | Saddlebrook Lane | 0.10 | 110 | R | | | | | | | | | | NA | | 04/02/2008 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 1021 | Roland Rd | 0.06 | 60 | R | | | | | | | | | | NA | | 07/13/2005 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Prince George Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|-----------------------------|--------|------|----|-------|-----|-------|------------------------------|--------|--------|----|----------|----|------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Prince George County | | | | | | | | | | | | | | | | |
| (1021) Roland Rd | 0.08 | 200 | R | | | | From: 74-1022 Burleigh Dr | | | | NA | | | NA | | 07/13/2005 |
| | | | | | | | To: US 301 Crater Rd | | | | | | | | | |
| (1022) Burleigh Dr | 0.04 | 40 | R | | | | From: Dead End | | | | NA | | | NA | | 07/13/2005 |
| (1022) Burleigh Dr | 0.25 | 90 | R | | | | From: 74-1023 William Rd | | | | NA | | | NA | | 07/13/2005 |
| (1022) Burleigh Dr | 0.04 | 10 | R | | | | From: 74-1021 Roland Rd | | | | NA | | | NA | | 07/13/2005 |
| | | | | | | | To: Dead End | | | | | | | | | |
| (1023) William Rd | 0.08 | 100 | R | | | | From: 74-1022 Burleigh Dr | | | | NA | | | NA | | 07/13/2005 |
| | | | | | | | To: US 301 Crater Rd | | | | | | | | | |
| (1024) Etheridge Dr | 0.11 | 750 | R | | | | From: 74-1025 Temple Dr | | | | NA | | | NA | | 07/13/2005 |
| | | | | | | | To: US 301 Crater Rd | | | | | | | | | |
| (1025) Temple Dr | 0.04 | 10 | R | | | | From: Dead End | | | | NA | | | NA | | 07/13/2005 |
| (1025) Temple Dr | 0.09 | 570 | R | | | | From: 74-1027 Chemin Rd | | | | NA | | | NA | | 07/13/2005 |
| (1025) Temple Dr | 0.05 | 750 | R | | | | From: 74-1026 Burgage Lane | | | | NA | | | NA | | 07/13/2005 |
| | | | | | | | To: 74-1024 Etheridge Dr | | | | | | | | | |
| (1026) Burgage Lane | 0.17 | 160 | R | | | | From: 74-1028 Sadberge Rd | | | | NA | | | NA | | 07/13/2005 |
| | | | | | | | To: 74-1025 Temple Dr | | | | | | | | | |
| (1027) Chemin Rd | 0.19 | 140 | R | | | | From: Dead End | | | | NA | | | NA | | 04/02/2008 |
| (1027) Chemin Rd | 0.10 | 310 | R | | | | From: 74-1019 Amie Rd | | | | NA | | | NA | | 04/02/2008 |
| (1027) Chemin Rd | 0.12 | 480 | R | | | | From: 74-1018 Falda Dr | | | | NA | | | NA | | 07/13/2005 |
| (1027) Chemin Rd | 0.13 | 560 | R | | | | From: 74-1028 Sadberge Rd | | | | NA | | | NA | | 07/13/2005 |
| | | | | | | | To: 74-1025 Temple Dr | | | | | | | | | |
| (1028) Sadberge Rd | 0.07 | 60 | R | | | | From: 74-1027 Chemin Rd | | | | NA | | | NA | | 07/13/2005 |
| (1028) Sadberge Rd | 0.05 | 20 | R | | | | From: 74-1026 Burgage Lane | | | | NA | | | NA | | 07/13/2005 |
| | | | | | | | To: Dead End | | | | | | | | | |
| (1030) Woodstock Rd | 0.06 | 500 | R | | | | From: 74-649 Walton Lake Rd | | | | NA | | | NA | | 07/13/2005 |
| (1030) Woodstock Rd | 0.08 | 290 | R | | | | From: 74-1031 Willow Lane | | | | NA | | | NA | | 07/13/2005 |
| (1030) Woodstock Rd | 0.09 | 170 | R | | | | From: 74-1032 Lancaster Dr | | | | NA | | | NA | | 07/13/2005 |
| (1030) Woodstock Rd | 0.06 | 40 | R | | | | From: 74-1033 Sweet Gum Lane | | | | NA | | | NA | | 07/13/2005 |
| | | | | | | | To: Cul-de-Sac | | | | | | | | | |
| (1031) Willow Lane | 0.26 | 130 | R | | | | From: 74-661 Redgate Dr | | | | NA | | | NA | | 04/03/2008 |
| (1031) Willow Lane | 0.23 | 170 | R | | | | From: 74-1034 Wildwood Dr | | | | NA | | | NA | | 07/13/2005 |
| | | | | | | | To: 74-1030 Woodstock Rd | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Prince George Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | -----Truck----- | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|-----------------------------|--------|------|----|-------|-----|--------------------------------|--------|--------|--------|----|-------------|----|---------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Prince George County | | | | | | | | | | | | | | | | |
| (1032) Lancaster Dr | 0.22 | 70 | R | | | From: 74-1034 Wildwood Dr | | | | | NA | | | NA | | 07/13/2005 |
| | | | | | | To: 74-1030 Woodstock Rd | | | | | | | | | | |
| (1033) Sweet Gum Lane | 0.21 | 70 | R | | | From: 74-1034 Wildwood Dr | | | | | NA | | | NA | | 07/13/2005 |
| | | | | | | To: 74-1030 Woodstock Rd | | | | | | | | | | |
| (1034) Wildwood Dr | 0.07 | 300 | R | | | From: 74-661 Walton Lake Rd | | | | | NA | | | NA | | 07/13/2005 |
| | | | | | | To: 74-1031 Willow Lane | | | | | | | | | | |
| (1034) Wildwood Dr | 0.08 | 180 | R | | | From: 74-1032 Lancaster Dr | | | | | NA | | | NA | | 07/13/2005 |
| | | | | | | To: 74-1033 Sweet Gum Lane | | | | | | | | | | |
| (1034) Wildwood Dr | 0.09 | 120 | R | | | From: 74-1033 Sweet Gum Lane | | | | | NA | | | NA | | 07/13/2005 |
| | | | | | | To: Cul-de-Sac | | | | | | | | | | |
| (1035) Redcedar DR | 0.14 | 170 | R | | | From: Cul-de-Sac | | | | | NA | | | NA | | 07/13/2005 |
| | | | | | | To: 74-661 Walton Lake Rd | | | | | | | | | | |
| (1037) Redcedar Ct | 0.10 | 90 | R | | | From: 74-1035 Redcedar Dr | | | | | NA | | | NA | | 07/13/2005 |
| | | | | | | To: Cul-de-Sac | | | | | | | | | | |
| (1040) Cedar Run Rd | 0.33 | 900 | R | | | From: 74-649 Union Branch Rd | | | | | NA | | | NA | | 04/03/2008 |
| | | | | | | To: Dead End | | | | | | | | | | |
| (1041) Rothwood Ct | 0.07 | 60 | R | | | From: 74-1040 Cedar Run Rd | | | | | NA | | | NA | | 04/03/2008 |
| | | | | | | To: Cul-de-Sac | | | | | | | | | | |
| (1042) Heathwood Ct | 0.09 | 90 | R | | | From: 74-1040 Cedar Run Rd | | | | | NA | | | NA | | 04/03/2008 |
| | | | | | | To: Cul-de-Sac | | | | | | | | | | |
| (1045) Cedar Creek Lane | 0.77 | 440 | R | | | From: 74-646 Middle Rd | | | | | NA | | | NA | | 07/18/2005 |
| | | | | | | To: Cul-de-Sac | | | | | | | | | | |
| (1046) Running Creek Lane | 0.54 | 250 | R | | | From: 74-1045 Cedar Creek Lane | | | | | NA | | | NA | | 07/18/2005 |
| | | | | | | To: 74-1045 Cedar Creek Lane | | | | | | | | | | |
| (1047) Jaybird Ct | 0.06 | 47 | R | | | From: Cul-de-Sac | | | | | NA | | | NA | | 07/18/2005 |
| | | | | | | To: 74-1046 Running Creek Lane | | | | | | | | | | |
| (1048) Cedar Trails East | 0.14 | 90 | R | | | From: Cul-de-Sac | | | | | NA | | | NA | | 07/18/2005 |
| | | | | | | To: Cul-de-Sac | | | | | | | | | | |
| (1055) Cypress Creek Dr | 0.41 | 510 | R | | | From: 74-646 Middle Rd | | | | | NA | | | NA | | 03/19/2008 |
| | | | | | | To: 74-1058 Summer Hill Lane | | | | | | | | | | |
| (1056) Fall Harvest Ct | 0.09 | 50 | R | | | From: 74-1055 Cypress Creek Dr | | | | | NA | | | NA | | 03/19/2008 |
| | | | | | | To: Dead End | | | | | | | | | | |
| (1057) Bell Flower Ct | 0.09 | 70 | R | | | From: Dead End | | | | | NA | | | NA | | 03/19/2008 |
| | | | | | | To: 74-1055 Cypress Creek Dr | | | | | | | | | | |
| (1058) Summer Hill Lane | 0.44 | 290 | R | | | From: Dead End | | | | | NA | | | NA | | 03/19/2008 |
| | | | | | | To: Dead End | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Prince George Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|-----------------------------|--------|------|----|-------|-----|-------|--------|--------|--------|----|----------|----|------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Prince George County | | | | | | | | | | | | | | | | |
| (1059) Snow Creek Ct | 0.18 | 90 | R | | | | | | | | NA | | | NA | | 03/19/2008 |
| | | | | | | | | | | | | | | | | |
| (1070) Graham Lane | 0.80 | 180 | R | | | | | | | | NA | | | NA | | 07/20/2005 |
| (1075) Indian Ct | 0.48 | NA | | | | | | | | | NA | | | NA | | |
| (1101) Community Lane | 0.19 | 120 | R | | | | | | | | NA | | | NA | | 03/17/2008 |
| (1102) Lakeshore Dr | 0.35 | 100 | R | | | | | | | | NA | | | NA | | 07/27/2005 |
| (1105) Millstone Dr | 0.50 | 100 | R | | | | | | | | NA | | | NA | | 07/18/2005 |
| (1105) Millstone Dr | 0.05 | 180 | R | | | | | | | | NA | | | NA | | 07/18/2005 |
| (1105) Millstone Dr | 0.56 | 290 | R | | | | | | | | NA | | | NA | | 07/18/2005 |
| (1106) Brighton Dr | 0.18 | 120 | R | | | | | | | | NA | | | NA | | 07/18/2005 |
| (1107) Munt Dr | 0.13 | 20 | R | | | | | | | | NA | | | NA | | 07/18/2005 |
| (1111) Munt Dr | 0.08 | 140 | R | | | | | | | | NA | | | NA | | 07/05/2005 |
| (1112) Boisseau Dr | 0.27 | 80 | R | | | | | | | | NA | | | NA | | 07/05/2005 |
| (1113) Lakeside Dr | 0.20 | 47 | R | | | | | | | | NA | | | NA | | 07/05/2005 |
| (1113) Lakeside Dr | 0.37 | 130 | R | | | | | | | | NA | | | NA | | 07/05/2005 |
| (1113) Lakeside Dr | 0.08 | 210 | R | | | | | | | | NA | | | NA | | 07/05/2005 |
| (1115) Brookshire Dr | 0.05 | 70 | R | | | | | | | | NA | | | NA | | 07/18/2005 |
| (1115) Brookshire Dr | 0.08 | 150 | R | | | | | | | | NA | | | NA | | 07/18/2005 |
| (1116) Brookshire Dr | 0.08 | 80 | R | | | | | | | | NA | | | NA | | 07/18/2005 |
| (1120) Rustic Dr | 0.29 | 90 | R | | | | | | | | NA | | | NA | | 07/20/2005 |
| (1125) Hidden Hills Dr | 0.89 | 350 | R | | | | | | | | NA | | | NA | | 07/18/2005 |

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Prince George Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|-----------------------------|--------|------|----|-------|-----|-------|--------|--------|--------|----|----------|----|------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Prince George County | | | | | | | | | | | | | | | | |
| (1126) Castlewood Dr | 0.39 | 70 | R | | | | | | | | NA | | | NA | | 03/10/2008 |
| | | | | | | | | | | | | | | | | |
| (1127) | 0.18 | 50 | R | | | | | | | | NA | | | NA | | 03/10/2008 |
| | | | | | | | | | | | | | | | | |
| (1130) Decatur Dr | 0.26 | 120 | R | | | | | | | | NA | | | NA | | 03/05/2008 |
| | | | | | | | | | | | | | | | | |
| (1131) Drayton Rd | 0.14 | 20 | R | | | | | | | | NA | | | NA | | 03/05/2008 |
| | | | | | | | | | | | | | | | | |
| (1131) Drayton Rd | 0.08 | 70 | R | | | | | | | | NA | | | NA | | 03/05/2008 |
| | | | | | | | | | | | | | | | | |
| (1132) Drayton Rd | 0.13 | 20 | R | | | | | | | | NA | | | NA | | 03/05/2008 |
| | | | | | | | | | | | | | | | | |
| (1140) Bland Ridge Dr | 0.37 | 310 | R | | | | | | | | NA | | | NA | | 03/05/2008 |
| | | | | | | | | | | | | | | | | |
| (1140) Bland Ridge Dr | 0.13 | 120 | R | | | | | | | | NA | | | NA | | 03/05/2008 |
| | | | | | | | | | | | | | | | | |
| (1141) Lakeview Dr | 0.11 | 160 | R | | | | | | | | NA | | | NA | | 03/05/2008 |
| | | | | | | | | | | | | | | | | |
| (1142) Fairway Dr | 0.08 | 40 | R | | | | | | | | NA | | | NA | | 03/05/2008 |
| | | | | | | | | | | | | | | | | |
| (1142) Fairway Dr | 0.08 | 30 | R | | | | | | | | NA | | | NA | | 03/05/2008 |
| | | | | | | | | | | | | | | | | |
| (1142) Fairway Dr | 0.02 | 30 | R | | | | | | | | NA | | | NA | | 03/05/2008 |
| | | | | | | | | | | | | | | | | |
| (1143) Bland Ridge Ct | 0.18 | 100 | R | | | | | | | | NA | | | NA | | 07/27/2005 |
| | | | | | | | | | | | | | | | | |
| (1150) Trailing Rock Rd | 0.19 | 540 | R | | | | | | | | NA | | | NA | | 07/07/2005 |
| | | | | | | | | | | | | | | | | |
| (1150) Trailing Rock Rd | 0.19 | 770 | R | | | | | | | | NA | | | NA | | 07/07/2005 |
| | | | | | | | | | | | | | | | | |
| (1150) Trailing Rock Rd | 0.08 | 890 | R | | | | | | | | NA | | | NA | | 07/07/2005 |
| | | | | | | | | | | | | | | | | |
| (1150) Trailing Rock Rd | 0.08 | 1100 | R | | | | | | | | NA | | | NA | | 07/07/2005 |
| | | | | | | | | | | | | | | | | |
| (1150) Trailing Rock Rd | 0.07 | 1100 | R | | | | | | | | NA | | | NA | | 07/07/2005 |
| | | | | | | | | | | | | | | | | |
| (1150) Trailing Rock Rd | 0.07 | 1200 | R | | | | | | | | NA | | | NA | | 07/07/2005 |
| | | | | | | | | | | | | | | | | |
| (1150) Trailing Rock Rd | 0.10 | 1200 | R | | | | | | | | NA | | | NA | | 07/07/2005 |
| | | | | | | | | | | | | | | | | |
| (1150) Trailing Rock Rd | 0.04 | 1200 | R | | | | | | | | NA | | | NA | | 07/07/2005 |
| | | | | | | | | | | | | | | | | |
| (1150) Trailing Rock Rd | 0.20 | 1300 | R | | | | | | | | NA | | | NA | | 07/07/2005 |
| | | | | | | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Prince George Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|-----------------------------|--------|------|----|-------|-----|-------|---------------------------------|--------|--------|----|----------|----|------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Prince George County | | | | | | | | | | | | | | | | |
| (1151) Old Logging Circle | 0.11 | 100 | R | | | | From: 74-1150 Trailing Rock Rd | | | | NA | | | NA | | 07/11/2005 |
| | | | | | | | To: Cul-de-Sac | | | | | | | | | |
| (1152) Rockshire Ct | 0.05 | 60 | R | | | | From: Cul-de-Sac | | | | NA | | | NA | | 07/11/2005 |
| | | | | | | | To: 74-1150 Trailing Rock Rd | | | | | | | | | |
| (1153) Fox Den Ct | 0.06 | 80 | R | | | | From: Cul-de-Sac | | | | NA | | | NA | | 07/11/2005 |
| | | | | | | | To: 74-1150 Trailing Rock Rd | | | | | | | | | |
| (1154) Farm Crest Ct | 0.06 | 70 | R | | | | From: Cul-de-Sac | | | | NA | | | NA | | 07/11/2005 |
| | | | | | | | To: 74-1150 Trailing Rock Rd | | | | | | | | | |
| (1155) Oakleaf Lane | 0.19 | 150 | R | | | | From: Dead End | | | | NA | | | NA | | 07/11/2005 |
| | | | | | | | To: 74-1150 Trailing Rock Rd | | | | | | | | | |
| (1156) Branchester Pkwy | 0.08 | 520 | R | | | | From: 74-1150 Trailing Rock Rd | | | | NA | | | NA | | 03/13/2008 |
| | | | | | | | To: 74-1386 Hearthside Court | | | | | | | | | |
| (1157) Willow Oak Dr | 0.32 | 190 | R | | | | From: Dead End | | | | NA | | | NA | | 07/11/2005 |
| | | | | | | | To: 74-1150 Trailing Rock Rd | | | | | | | | | |
| (1158) Willow Oak Dr | 0.07 | 240 | R | | | | From: Dead End | | | | NA | | | NA | | 07/11/2005 |
| | | | | | | | To: 74-1150 Trailing Rock Rd | | | | | | | | | |
| (1159) Haley Rd | 0.17 | 580 | R | | | | From: 74-647 Takgach Rd | | | | NA | | | NA | | 07/11/2005 |
| | | | | | | | To: 74-1150 Trailing Rock Rd | | | | | | | | | |
| (1170) Baxter Ridge Dr | 0.59 | 100 | R | | | | From: 74-603 S, Baxter Rd | | | | NA | | | NA | | 09/24/2002 |
| | | | | | | | To: 74-603 N, Baxter Rd | | | | | | | | | |
| (1171) Woods Ridge Trace | 0.15 | 510 | R | | | | From: 74-1170 Baxter Ridge Dr | | | | NA | | | NA | | 03/17/2008 |
| | | | | | | | To: Dead End | | | | | | | | | |
| (1172) Baxter Ridge Ct | 0.05 | 70 | R | | | | From: 74-1170 Baxter Ridge Dr | | | | NA | | | NA | | 03/17/2008 |
| | | | | | | | To: Dead End | | | | | | | | | |
| (1173) Ridgeway Ct | 0.04 | 45 | R | | | | From: Dead End | | | | NA | | | NA | | 03/17/2008 |
| | | | | | | | To: 74-1170 Baxter Ridge Dr | | | | | | | | | |
| (1174) Rebel Landing | 0.04 | 40 | R | | | | From: Dead End | | | | NA | | | NA | | 03/17/2008 |
| | | | | | | | To: 74-1170 Baxter Ridge Dr | | | | | | | | | |
| (1175) Cross Point Lane | 0.20 | 790 | R | | | | From: 74-1170 Baxter Ridge Dr | | | | NA | | | NA | | 03/17/2008 |
| | | | | | | | To: Cul-de-Sac | | | | | | | | | |
| (1176) Barrell Point Rd | 0.09 | 120 | R | | | | From: 74-1175 Cross Point Lane | | | | NA | | | NA | | 03/17/2008 |
| | | | | | | | To: Dead End | | | | | | | | | |
| (1177) Barrell Point Rd | 0.03 | 40 | R | | | | From: Dead End | | | | NA | | | NA | | 03/17/2008 |
| | | | | | | | To: 74-1176 Barrell Point Rd | | | | | | | | | |
| (1178) Cross Point Ct | 0.08 | 90 | R | | | | From: Dead End | | | | NA | | | NA | | 03/17/2008 |
| | | | | | | | To: 74-1175 Cross Point Lane | | | | | | | | | |
| (1180) Woods Ridge Lane | 0.09 | 140 | R | | | | From: 74-1171 Woods Ridge Trace | | | | NA | | | NA | | 03/17/2008 |
| | | | | | | | To: Cul-de-Sac | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Prince George Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|-----------------------------|--------|------|----|-------|-----|-------|--------|--------|--------|----|-------------|----|---------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Prince George County | | | | | | | | | | | | | | | | |
| (1181) Woods Ridge Ct | 0.06 | 60 | R | | | | | | | | | | | NA | | 03/17/2008 |
| | | | | | | | | | | | | | | | | |
| (1182) Wood Lane | 0.17 | 370 | R | | | | | | | | | | | NA | | 03/17/2008 |
| | | | | | | | | | | | | | | | | |
| (1183) Brandon Lane | 0.10 | 130 | R | | | | | | | | | | | NA | | 03/17/2008 |
| | | | | | | | | | | | | | | | | |
| (1183) Brandon Lane | 0.05 | 40 | R | | | | | | | | | | | NA | | 03/17/2008 |
| | | | | | | | | | | | | | | | | |
| (1184) Brandon Court | 0.05 | 40 | R | | | | | | | | | | | NA | | 03/17/2008 |
| | | | | | | | | | | | | | | | | |
| (1200) Watch Run Dr | 0.55 | 220 | R | | | | | | | | | | | NA | | 07/11/2005 |
| | | | | | | | | | | | | | | | | |
| (1201) Morning Star Rd | 0.20 | 280 | G | 96% | 1% | 1% | 2% | 0% | 0% | C | 0.119 | F | 0.568 | 300 | G | 2009 |
| | | | | | | | | | | | | | | | | |
| (1205) Jovern Dr | 0.13 | 230 | R | | | | | | | | | | | NA | | 07/27/2005 |
| | | | | | | | | | | | | | | | | |
| (1206) Jerral Dr | 0.23 | 120 | R | | | | | | | | | | | NA | | 07/27/2005 |
| | | | | | | | | | | | | | | | | |
| (1210) Chieftain Rd | 0.23 | 150 | R | | | | | | | | | | | NA | | 07/18/2005 |
| | | | | | | | | | | | | | | | | |
| (1220) Jordan Pkwy | 0.43 | 360 | R | | | | | | | | | | | NA | | 03/11/2008 |
| | | | | | | | | | | | | | | | | |
| (1220) Jordan Pkwy | 0.66 | 230 | R | | | | | | | | | | | NA | | 03/11/2008 |
| | | | | | | | | | | | | | | | | |
| (1221) Beggars Bush | 0.04 | 20 | R | | | | | | | | | | | NA | | 03/11/2008 |
| | | | | | | | | | | | | | | | | |
| (1222) South Bacons Chase | 0.11 | 90 | R | | | | | | | | | | | NA | | 03/11/2008 |
| | | | | | | | | | | | | | | | | |
| (1223) North Bacons Chase | 0.08 | 70 | R | | | | | | | | | | | NA | | 03/11/2008 |
| | | | | | | | | | | | | | | | | |
| (1224) Farrar Landing | 0.08 | 50 | R | | | | | | | | | | | NA | | 03/11/2008 |
| | | | | | | | | | | | | | | | | |
| (1230) Copperfield Terrace | 0.21 | 190 | R | | | | | | | | | | | NA | | 04/02/2008 |
| | | | | | | | | | | | | | | | | |
| (1231) Copperfield Dr | 0.22 | 140 | R | | | | | | | | | | | NA | | 04/02/2008 |
| | | | | | | | | | | | | | | | | |
| (1301) Forbes Dr | 0.08 | 690 | R | | | | | | | | | | | NA | | 07/05/2005 |
| | | | | | | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Prince George Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|-----------------------------|--------|------|----|-------|-----|-------|--------|--------|--------|----|----------|----|------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Prince George County | | | | | | | | | | | | | | | | |
| (1301) Forbes Dr | 0.07 | 440 | R | | | | | | | | NA | | | NA | | 07/05/2005 |
| | | | | | | | | | | | | | | | | |
| (1301) Forbes Dr | 0.05 | 270 | R | | | | | | | | NA | | | NA | | 07/05/2005 |
| | | | | | | | | | | | | | | | | |
| (1302) Ontario Dr | 0.07 | 60 | R | | | | | | | | NA | | | NA | | 07/05/2005 |
| | | | | | | | | | | | | | | | | |
| (1302) Ontario Dr | 0.07 | 160 | R | | | | | | | | NA | | | NA | | 07/05/2005 |
| | | | | | | | | | | | | | | | | |
| (1302) Ontario Dr | 0.06 | 150 | R | | | | | | | | NA | | | NA | | 07/05/2005 |
| | | | | | | | | | | | | | | | | |
| (1302) Ontario Dr | 0.08 | 120 | R | | | | | | | | NA | | | NA | | 07/05/2005 |
| | | | | | | | | | | | | | | | | |
| (1302) Ontario Dr | 0.03 | 30 | R | | | | | | | | NA | | | NA | | 07/05/2005 |
| | | | | | | | | | | | | | | | | |
| (1303) Manchester Dr | 0.06 | 300 | R | | | | | | | | NA | | | NA | | 07/05/2005 |
| | | | | | | | | | | | | | | | | |
| (1303) Manchester Dr | 0.06 | 220 | R | | | | | | | | NA | | | NA | | 07/05/2005 |
| | | | | | | | | | | | | | | | | |
| (1303) Manchester Dr | 0.08 | 80 | R | | | | | | | | NA | | | NA | | 07/05/2005 |
| | | | | | | | | | | | | | | | | |
| (1304) Manitoba Ct | 0.06 | 20 | R | | | | | | | | NA | | | NA | | 07/05/2005 |
| | | | | | | | | | | | | | | | | |
| (1305) Pfostr Ave | 0.11 | 70 | R | | | | | | | | NA | | | NA | | 07/05/2005 |
| | | | | | | | | | | | | | | | | |
| (1306) Toronto Lane | 0.11 | 70 | R | | | | | | | | NA | | | NA | | 07/05/2005 |
| | | | | | | | | | | | | | | | | |
| (1307) Monroe Ave | 0.04 | 6 | R | | | | | | | | NA | | | NA | | 06/30/2005 |
| | | | | | | | | | | | | | | | | |
| (1307) Monroe Ave | 0.04 | 260 | R | | | | | | | | NA | | | NA | | 06/30/2005 |
| | | | | | | | | | | | | | | | | |
| (1307) Monroe Ave | 0.18 | 480 | R | | | | | | | | NA | | | NA | | 06/30/2005 |
| | | | | | | | | | | | | | | | | |
| (1308) Windsor Ct | 0.06 | 110 | R | | | | | | | | NA | | | NA | | 07/05/2005 |
| | | | | | | | | | | | | | | | | |
| (1308) Windsor Ct | 0.05 | 80 | R | | | | | | | | NA | | | NA | | 07/05/2005 |
| | | | | | | | | | | | | | | | | |
| (1308) Windsor Ct | 0.04 | 30 | R | | | | | | | | NA | | | NA | | 07/05/2005 |
| | | | | | | | | | | | | | | | | |
| (1309) Goose Bay Ct | 0.04 | 20 | R | | | | | | | | NA | | | NA | | 07/05/2005 |
| | | | | | | | | | | | | | | | | |
| (1310) Hermitage Rd | 0.05 | 20 | R | | | | | | | | NA | | | NA | | 06/15/2005 |
| | | | | | | | | | | | | | | | | |

Virginia Department of Transportation
 Traffic Engineering Division
 2009
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Prince George Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | -----Truck----- | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|-----------------------------|--------|------|----|-------|-----|---------------------------------|--------|--------|--------|----|-------------|----|---------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Prince George County | | | | | | | | | | | | | | | | |
| (1311) Edinburg Ct | 0.05 | 40 | R | | | From: 74-1324 Brandywine Dr | | | | | NA | | NA | | | 06/30/2005 |
| | | | | | | To: Cul-de-Sac | | | | | | | | | | |
| (1312) Butor Rd | 0.21 | 870 | R | | | From: 74-1324 Brandywine Dr | | | | | NA | | NA | | | 07/27/2005 |
| | | | | | | To: 74-1332 Monroe Ave | | | | | | | | | | |
| (1313) Hamilton Ave | 0.10 | 220 | R | | | From: 74-1323 Jefferson Park Rd | | | | | NA | | NA | | | 06/30/2005 |
| | | | | | | To: 74-1322 Cousins Ave | | | | | | | | | | |
| (1313) Hamilton Ave | 0.08 | 260 | R | | | From: 74-1322 Cousins Ave | | | | | NA | | NA | | | 06/30/2005 |
| | | | | | | To: 74-1307 Monroe Ave | | | | | | | | | | |
| (1314) Devon Ct | 0.05 | 60 | R | | | From: 74-1324 Brandywine Dr | | | | | NA | | NA | | | 06/30/2005 |
| | | | | | | To: Cul-de-Sac | | | | | | | | | | |
| (1316) Westbrook Rd | 0.08 | 330 | R | | | From: 74-1324 Brandywine Dr | | | | | NA | | NA | | | 06/30/2005 |
| | | | | | | To: 74-1317 Spring Rd | | | | | | | | | | |
| (1316) Westbrook Rd | 0.09 | 270 | R | | | From: 74-1317 Spring Rd | | | | | NA | | NA | | | 06/30/2005 |
| | | | | | | To: 74-1331 Pruett Dr | | | | | | | | | | |
| (1316) Westbrook Rd | 0.06 | 250 | R | | | From: 74-1331 Pruett Dr | | | | | NA | | NA | | | 06/30/2005 |
| | | | | | | To: 74-1332 Monroe Ave | | | | | | | | | | |
| (1317) Spring Rd | 0.07 | 100 | R | | | From: 74-1316 Westbrook Rd | | | | | NA | | NA | | | 06/30/2005 |
| | | | | | | To: 74-1342 Old Iron Rd | | | | | | | | | | |
| (1318) Cheshire Dr | 0.14 | 30 | R | | | From: 74-1325 Robert E Lee Dr | | | | | NA | | NA | | | 06/15/2005 |
| | | | | | | To: 74-1343 Hyde Park Dr | | | | | | | | | | |
| (1318) Cheshire Dr | 0.14 | 220 | R | | | From: 74-1343 Hyde Park Dr | | | | | NA | | NA | | | 06/15/2005 |
| | | | | | | To: 74-1342 Old Iron Rd | | | | | | | | | | |
| (1319) Madison St | 0.10 | 290 | R | | | From: 74-1323 Jefferson Park Rd | | | | | NA | | NA | | | 06/15/2005 |
| | | | | | | To: 74-1320 Briarwood Ct | | | | | | | | | | |
| (1319) Madison St | 0.02 | 500 | R | | | From: 74-1320 Briarwood Ct | | | | | NA | | NA | | | 06/15/2005 |
| | | | | | | To: 74-1322 Cousins Ave | | | | | | | | | | |
| (1319) Madison St | 0.08 | 210 | R | | | From: 74-1322 Cousins Ave | | | | | NA | | NA | | | 06/15/2005 |
| | | | | | | To: 74-1307 | | | | | | | | | | |
| (1320) Briarwood Ct | 0.04 | 310 | R | | | From: 74-1319 Madison St | | | | | NA | | NA | | | 06/15/2005 |
| | | | | | | To: 74-1321 Lafayette Rd | | | | | | | | | | |
| (1320) Briarwood Ct | 0.07 | 450 | R | | | From: 74-1321 Lafayette Rd | | | | | NA | | NA | | | 06/15/2005 |
| | | | | | | To: Begin Loop | | | | | | | | | | |
| (1320) Briarwood Ct | 0.36 | 370 | R | | | From: Begin Loop | | | | | NA | | NA | | | 06/15/2005 |
| | | | | | | To: End Loop | | | | | | | | | | |
| (1321) Lafayette Rd | 0.52 | 360 | R | | | From: End Loop | | | | | NA | | NA | | | 06/15/2005 |
| | | | | | | To: 74-1323 Jefferson Park Rd | | | | | | | | | | |
| (1321) Lafayette Rd | 0.10 | 300 | R | | | From: 74-1323 Jefferson Park Rd | | | | | NA | | NA | | | 06/15/2005 |
| | | | | | | To: 74-1320 Briarwood Ct | | | | | | | | | | |
| (1322) Cousins Ave | 0.06 | 530 | R | | | From: 74-1320 Briarwood Ct | | | | | NA | | NA | | | 06/30/2005 |
| | | | | | | To: 74-1313 Hamilton St | | | | | | | | | | |
| (1322) Cousins Ave | 0.05 | 300 | R | | | From: 74-1313 Hamilton St | | | | | NA | | NA | | | 06/30/2005 |
| | | | | | | To: 74-1319 Madison St | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Prince George Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|-----------------------------|--------|------|----|-------|-----|-------|--------|--------|--------|----|----------|----|------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Prince George County | | | | | | | | | | | | | | | | |
| (1323) Jefferson Park Rd | 0.05 | 1100 | R | | | | | | | | NA | | | NA | | 06/15/2005 |
| | | | | | | | | | | | | | | | | |
| (1323) Jefferson Park Rd | 0.05 | 650 | R | | | | | | | | NA | | | NA | | 06/15/2005 |
| | | | | | | | | | | | | | | | | |
| (1323) Jefferson Park Rd | 0.05 | 590 | R | | | | | | | | NA | | | NA | | 06/15/2005 |
| | | | | | | | | | | | | | | | | |
| (1324) Brandywine Dr | 0.08 | 2800 | R | | | | | | | | NA | | | NA | | 06/15/2005 |
| | | | | | | | | | | | | | | | | |
| (1324) Brandywine Dr | 0.06 | 2700 | R | | | | | | | | NA | | | NA | | 06/15/2005 |
| | | | | | | | | | | | | | | | | |
| (1324) Brandywine Dr | 0.06 | 2000 | R | | | | | | | | NA | | | NA | | 06/15/2005 |
| | | | | | | | | | | | | | | | | |
| (1324) Brandywine Dr | 0.06 | 1900 | R | | | | | | | | NA | | | NA | | 06/15/2005 |
| | | | | | | | | | | | | | | | | |
| (1324) Brandywine Dr | 0.09 | 1600 | R | | | | | | | | NA | | | NA | | 06/15/2005 |
| | | | | | | | | | | | | | | | | |
| (1325) Robert E Lee Dr | 0.37 | 590 | R | | | | | | | | NA | | | NA | | 06/15/2005 |
| | | | | | | | | | | | | | | | | |
| (1325) Robert E Lee Dr | 0.06 | 640 | R | | | | | | | | NA | | | NA | | 06/15/2005 |
| | | | | | | | | | | | | | | | | |
| (1325) Robert E Lee Dr | 0.06 | 430 | R | | | | | | | | NA | | | NA | | 06/15/2005 |
| | | | | | | | | | | | | | | | | |
| (1325) Robert E Lee Dr | 0.18 | 440 | R | | | | | | | | NA | | | NA | | 06/15/2005 |
| | | | | | | | | | | | | | | | | |
| (1326) Birchett Dr | 0.16 | 990 | R | | | | | | | | NA | | | NA | | 07/07/2005 |
| | | | | | | | | | | | | | | | | |
| (1326) Birchett Dr | 0.06 | 780 | R | | | | | | | | NA | | | NA | | 07/07/2005 |
| | | | | | | | | | | | | | | | | |
| (1326) Birchett Dr | 0.08 | 580 | R | | | | | | | | NA | | | NA | | 07/07/2005 |
| | | | | | | | | | | | | | | | | |
| (1326) Birchett Dr | 0.10 | 400 | R | | | | | | | | NA | | | NA | | 07/07/2005 |
| | | | | | | | | | | | | | | | | |
| (1326) Birchett Dr | 0.07 | 230 | R | | | | | | | | NA | | | NA | | 07/07/2005 |
| | | | | | | | | | | | | | | | | |
| (1326) Birchett Dr | 0.17 | 90 | R | | | | | | | | NA | | | NA | | 07/07/2005 |
| | | | | | | | | | | | | | | | | |
| (1327) Pfof Ave | 0.08 | 50 | R | | | | | | | | NA | | | NA | | 07/07/2005 |
| | | | | | | | | | | | | | | | | |
| (1328) Esposito Pl | 0.09 | 100 | R | | | | | | | | NA | | | NA | | 07/07/2005 |
| | | | | | | | | | | | | | | | | |
| (1328) Esposito Pl | 0.09 | 90 | R | | | | | | | | NA | | | NA | | 07/07/2005 |
| | | | | | | | | | | | | | | | | |
| (1329) Montreal Ave | 0.06 | 170 | R | | | | | | | | NA | | | NA | | 07/07/2005 |
| | | | | | | | | | | | | | | | | |
| (1329) Montreal Ave | 0.10 | 140 | R | | | | | | | | NA | | | NA | | 07/07/2005 |
| | | | | | | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Prince George Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|-----------------------------|--------|------|----|-------|-----|-------|--------|--------|--------|----|----------|----|------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Prince George County | | | | | | | | | | | | | | | | |
| (1329) Montreal Ave | 0.05 | 70 | R | | | | | | | | NA | | NA | | | 07/07/2005 |
| | | | | | | | | | | | | | | | | |
| (1330) Vancouver Ave | 0.06 | 70 | R | | | | | | | | NA | | NA | | | 07/07/2005 |
| (1330) Vancouver Ave | 0.05 | 90 | R | | | | | | | | NA | | NA | | | 07/07/2005 |
| (1330) Vancouver Ave | 0.07 | 60 | R | | | | | | | | NA | | NA | | | 07/07/2005 |
| (1331) Pruet Dr | 0.12 | 150 | R | | | | | | | | NA | | NA | | | 06/30/2005 |
| (1332) Monroe Ave | 0.15 | 300 | R | | | | | | | | NA | | NA | | | 06/30/2005 |
| (1332) Monroe Ave | 0.07 | 1200 | R | | | | | | | | NA | | NA | | | 06/30/2005 |
| (1333) Quebec Ave | 0.06 | 80 | R | | | | | | | | NA | | NA | | | 07/07/2005 |
| (1333) Quebec Ave | 0.07 | 70 | R | | | | | | | | NA | | NA | | | 07/07/2005 |
| (1334) Perrin Dr | 0.10 | 49 | R | | | | | | | | NA | | NA | | | 07/07/2005 |
| (1334) Perrin Dr | 0.07 | 60 | R | | | | | | | | NA | | NA | | | 07/07/2005 |
| (1334) Perrin Dr | 0.06 | 40 | R | | | | | | | | NA | | NA | | | 07/07/2005 |
| (1335) Straccioni Lane | 0.10 | 70 | R | | | | | | | | NA | | NA | | | 07/07/2005 |
| (1336) Moncol Dr | 0.07 | 40 | R | | | | | | | | NA | | NA | | | 07/07/2005 |
| (1337) Crossing Blvd | 0.31 | 8800 | R | | | | | | | | NA | | NA | | | 07/18/2005 |
| (1338) Birchett Pl | 0.10 | 100 | R | | | | | | | | NA | | NA | | | 07/07/2005 |
| (1342) Old Iron Rd | 0.06 | 60 | R | | | | | | | | NA | | NA | | | 03/19/2008 |
| (1342) Old Iron Rd | 0.07 | 750 | R | | | | | | | | NA | | NA | | | 06/30/2005 |
| (1342) Old Iron Rd | 0.05 | 980 | R | | | | | | | | NA | | NA | | | 06/30/2005 |
| (1342) Old Iron Rd | 0.08 | 1200 | R | | | | | | | | NA | | NA | | | 06/30/2005 |
| (1342) Old Iron Rd | 0.09 | 1800 | R | | | | | | | | NA | | NA | | | 06/30/2005 |

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Prince George Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|------------------------------|--------|------|----|-------|-----|-------|--------|--------|--------|----|----------|----|------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Prince George County | | | | | | | | | | | | | | | | |
| (1342) Old Iron Rd | 0.02 | 2000 | R | | | | | | | | NA | | | NA | | 06/30/2005 |
| | | | | | | | | | | | | | | | | |
| (1343) Hyde Park Dr | 0.15 | 120 | R | | | | | | | | NA | | | NA | | 06/30/2005 |
| | | | | | | | | | | | | | | | | |
| (1344) Berkshire Dr | 0.05 | 60 | R | | | | | | | | NA | | | NA | | 03/19/2008 |
| | | | | | | | | | | | | | | | | |
| (1344) Berkshire Dr | 0.06 | 520 | R | | | | | | | | NA | | | NA | | 06/30/2005 |
| | | | | | | | | | | | | | | | | |
| (1344) Berkshire Dr | 0.10 | 380 | R | | | | | | | | NA | | | NA | | 03/19/2008 |
| | | | | | | | | | | | | | | | | |
| (1345) London Rd | 0.03 | 60 | R | | | | | | | | NA | | | NA | | 03/19/2008 |
| | | | | | | | | | | | | | | | | |
| (1345) London Rd | 0.13 | 240 | R | | | | | | | | NA | | | NA | | 03/19/2008 |
| | | | | | | | | | | | | | | | | |
| (1345) London Rd | 0.19 | 150 | R | | | | | | | | NA | | | NA | | 03/19/2008 |
| | | | | | | | | | | | | | | | | |
| (1346) Branchester Dr | 0.07 | 50 | R | | | | | | | | NA | | | NA | | 03/19/2008 |
| | | | | | | | | | | | | | | | | |
| (1347) | 0.29 | NA | | | | | | | | | NA | | | NA | | |
| | | | | | | | | | | | | | | | | |
| (1348) | 0.03 | NA | | | | | | | | | NA | | | NA | | |
| | | | | | | | | | | | | | | | | |
| (1350) John Elizabeth Pl | 0.25 | 430 | R | | | | | | | | NA | | | NA | | 07/07/2005 |
| | | | | | | | | | | | | | | | | |
| (1350) John Elizabeth Pl | 0.09 | 100 | R | | | | | | | | NA | | | NA | | 03/13/2008 |
| | | | | | | | | | | | | | | | | |
| (1351) Newstead Pl | 0.14 | 90 | R | | | | | | | | NA | | | NA | | 03/13/2008 |
| | | | | | | | | | | | | | | | | |
| (1352) Royster Pl | 0.10 | 130 | R | | | | | | | | NA | | | NA | | 03/13/2008 |
| | | | | | | | | | | | | | | | | |
| (1355) Baileys Ridge Blvd | 0.06 | 950 | R | | | | | | | | NA | | | NA | | 07/07/2005 |
| | | | | | | | | | | | | | | | | |
| (1356) Owens Way | 0.06 | 730 | R | | | | | | | | NA | | | NA | | 07/07/2005 |
| | | | | | | | | | | | | | | | | |
| (1357) Jefferson Pointe Lane | 0.14 | 900 | R | | | | | | | | NA | | | NA | | 07/07/2005 |
| | | | | | | | | | | | | | | | | |
| (1358) Jefferson Pointe Lane | 0.39 | 790 | R | | | | | | | | NA | | | NA | | 07/07/2005 |
| | | | | | | | | | | | | | | | | |
| (1359) Bailey Ridge Lane | 0.24 | 1200 | R | | | | | | | | NA | | | NA | | 07/07/2005 |
| | | | | | | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Prince George Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|-----------------------------|--------|------|----|-------|-----|-------|--------------------------------|--------|--------|----|----------|----|------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Prince George County | | | | | | | | | | | | | | | | |
| (1360) Spring Lake Dr | 0.08 | 1100 | R | | | | From: 74-674 Mount Sinai Rd | | | | NA | | | NA | | 03/13/2008 |
| (1360) Spring Lake Dr | 0.08 | 1000 | R | | | | To: 74-1361 Pinewood Ct | | | | NA | | | NA | | 03/13/2008 |
| (1360) Spring Lake Dr | 0.07 | 450 | R | | | | From: 74-1362 Martinson Lane | | | | NA | | | NA | | 03/13/2008 |
| (1360) Spring Lake Dr | 0.16 | 270 | R | | | | To: 74-1363 Nimite Pl | | | | NA | | | NA | | 03/13/2008 |
| (1360) Spring Lake Dr | 0.08 | 80 | R | | | | From: 74-1364 Stoneybrook Ct | | | | NA | | | NA | | 03/13/2008 |
| | | | | | | | To: Cul-de-Sac | | | | | | | | | |
| (1361) Pinewood Ct | 0.06 | 60 | R | | | | From: 74-1360 Spring Lake Dr | | | | NA | | | NA | | 03/13/2008 |
| | | | | | | | To: Cul-de-Sac | | | | | | | | | |
| (1362) Martinson Lane | 0.23 | 690 | R | | | | From: 74-1360 Spring Lake Dr | | | | NA | | | NA | | 03/13/2008 |
| (1362) Martinson Lane | 0.16 | 450 | R | | | | To: 74-1365 Barb Dale Ct | | | | NA | | | NA | | 03/13/2008 |
| (1362) Martinson Lane | 0.10 | 200 | R | | | | From: 74-1366 Candlewood Ct | | | | NA | | | NA | | 03/13/2008 |
| | | | | | | | To: Cul-de-Sac | | | | | | | | | |
| (1363) Nimite Pl | 0.04 | 50 | R | | | | From: 74-1360 Spring Lake Dr | | | | NA | | | NA | | 03/13/2008 |
| | | | | | | | To: Cul-de-Sac | | | | | | | | | |
| (1364) Stoneybrook Ct | 0.04 | 30 | R | | | | From: Cul-de-Sac | | | | NA | | | NA | | 03/13/2008 |
| | | | | | | | To: 74-1360 Spring Lake Dr | | | | | | | | | |
| (1365) Barb Dale Ct | 0.06 | 50 | R | | | | From: 74-1362 Martinson Lane | | | | NA | | | NA | | 03/13/2008 |
| | | | | | | | To: Cul-de-Sac | | | | | | | | | |
| (1366) Candlewood Ct | 0.07 | 90 | R | | | | From: Cul-de-Sac | | | | NA | | | NA | | 03/13/2008 |
| | | | | | | | To: 74-1362 Martinson Lane | | | | | | | | | |
| (1370) Hunters Ridge Dr | 1.01 | 180 | R | | | | From: 74-674 Mount Sinai Rd | | | | NA | | | NA | | 03/13/2008 |
| | | | | | | | To: Cul-de-Sac | | | | | | | | | |
| (1371) Hunters Ridge Lane | 0.11 | 47 | R | | | | From: 74-1370 Hunters Ridge Dr | | | | NA | | | NA | | 07/07/2005 |
| | | | | | | | To: 74-1372 Hunters Ridge Lane | | | | | | | | | |
| (1372) Hunters Ridge Lane | 0.04 | 20 | R | | | | From: Cul-de-Sac | | | | NA | | | NA | | 07/07/2005 |
| (1372) Hunters Ridge Lane | 0.04 | 30 | R | | | | To: 74-1371 Hunters Ridge Lane | | | | NA | | | NA | | 07/07/2005 |
| | | | | | | | To: Cul-de-Sac | | | | | | | | | |
| (1373) Fox Hill Pl | 0.25 | 80 | R | | | | From: Cul-de-Sac | | | | NA | | | NA | | 07/07/2005 |
| | | | | | | | To: 74-1370 Hunters Ridge Dr | | | | | | | | | |
| (1377) Blair Ct | 0.15 | 170 | R | | | | From: Cul-de-Sac | | | | NA | | | NA | | 07/18/2005 |
| | | | | | | | To: 74-1380 Branchester Pkwy | | | | | | | | | |
| (1378) Heatherway Rd | 0.10 | 220 | R | | | | From: 74-1379 Nicholas Pl | | | | NA | | | NA | | 07/18/2005 |
| | | | | | | | To: 74-1380 Branchester Pkwy | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Prince George Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|-----------------------------|--------|------|----|-------|-----|-------|--------|--------|--------|----|----------|----|------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Prince George County | | | | | | | | | | | | | | | | |
| (1379) Nicholas Pl | 0.19 | 130 | R | | | | | | | | NA | | | NA | | 07/18/2005 |
| | | | | | | | | | | | | | | | | |
| (1380) Branchester Pkwy | 0.39 | 980 | R | | | | | | | | NA | | | NA | | 07/05/2005 |
| (1380) Branchester Pkwy | 0.57 | 2300 | R | | | | | | | | NA | | | NA | | 07/05/2005 |
| (1381) Lake Point Dr | 0.14 | 960 | R | | | | | | | | NA | | | NA | | 03/13/2008 |
| (1382) Cypress Dr | 0.23 | 160 | R | | | | | | | | NA | | | NA | | 03/13/2008 |
| (1383) Boxwood Dr | 0.12 | 160 | R | | | | | | | | NA | | | NA | | 03/13/2008 |
| (1384) Cedar Crest Lane | 0.18 | 180 | R | | | | | | | | NA | | | NA | | 03/13/2008 |
| (1385) | 0.05 | 30 | R | | | | | | | | NA | | | NA | | 03/13/2008 |
| (1386) Hearthside Dr | 0.14 | 290 | R | | | | | | | | NA | | | NA | | 03/13/2008 |
| (1386) Hearthside Court | 0.61 | 270 | R | | | | | | | | NA | | | NA | | 07/11/2005 |
| (1387) Ash Ct | 0.09 | 80 | R | | | | | | | | NA | | | NA | | 03/19/2008 |
| (1388) Mapleleaf Lane | 0.08 | 70 | R | | | | | | | | NA | | | NA | | 03/19/2008 |
| (1389) Birchwood Circle | 0.12 | 110 | R | | | | | | | | NA | | | NA | | 03/19/2008 |
| (1390) Fox Dr | 0.18 | 180 | R | | | | | | | | NA | | | NA | | 07/01/2005 |
| (1391) Woodyly Ct | 0.05 | 50 | R | | | | | | | | NA | | | NA | | 03/13/2008 |
| (1392) Lake Rd | 0.12 | 920 | R | | | | | | | | NA | | | NA | | 03/13/2008 |
| (1393) Megan Ct | 0.18 | 240 | R | | | | | | | | NA | | | NA | | 03/13/2008 |
| (1394) Snow Geese Lane | 0.12 | 260 | R | | | | | | | | NA | | | NA | | 03/13/2008 |
| (1395) Shore Bird Dr | 0.26 | 270 | R | | | | | | | | NA | | | NA | | 03/13/2008 |

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Prince George Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|-----------------------------|--------|------|----|-------|-----|-------|-------------------------------|--------|--------|----|----------|----|------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Prince George County | | | | | | | | | | | | | | | | |
| (1396) Redwing Ct | 0.05 | 40 | R | | | | From: 74-1395 Shore Bird Dr | | | | NA | | | NA | | 03/13/2008 |
| | | | | | | | To: Dead End | | | | | | | | | |
| (1397) Swallow Ct | 0.05 | 40 | R | | | | From: 74-1395 Shore Bird Dr | | | | NA | | | NA | | 03/13/2008 |
| | | | | | | | To: Dead End | | | | | | | | | |
| (1398) Shorebird Dr | 0.04 | 40 | R | | | | From: Dead End | | | | NA | | | NA | | 03/13/2008 |
| | | | | | | | To: 74-1395 Shore Bird Dr | | | | | | | | | |
| (1401) Swawnee Trail | 0.12 | 40 | R | | | | From: SR 156 | | | | NA | | | NA | | 07/11/2005 |
| | | | | | | | To: 74-1404 Beechwood Dr | | | | | | | | | |
| (1401) Swawnee Trail | 0.17 | 10 | R | | | | From: 74-1404 Beechwood Dr | | | | NA | | | NA | | 03/10/2008 |
| | | | | | | | To: 74-1402 Seminole Trail | | | | | | | | | |
| (1402) Seminole Trail | 0.06 | 10 | R | | | | From: 74-1403 Cherokee Lane | | | | NA | | | NA | | 03/10/2008 |
| | | | | | | | To: 74-1401 Swawnee Trail | | | | | | | | | |
| (1403) Cherokee Lane | 0.12 | 10 | R | | | | From: 74-1404 Beechwood Dr | | | | NA | | | NA | | 03/10/2008 |
| | | | | | | | To: 74-1402 Seminole Trail | | | | | | | | | |
| (1404) Beechwood Dr | 0.08 | 10 | R | | | | From: 74-1401 Swawnee Trail | | | | NA | | | NA | | 03/10/2008 |
| | | | | | | | To: 74-1403 Cherokee Lane | | | | | | | | | |
| (1405) Peachtree Dr | 0.33 | 120 | R | | | | From: 74-642 Beavercastle Rd | | | | NA | | | NA | | 07/27/2005 |
| | | | | | | | To: 74-642 Beavercastle Rd | | | | | | | | | |
| (1406) Tarbay Rd | 0.06 | 1000 | R | | | | From: SR 10 James River Dr | | | | NA | | | NA | | 07/11/2005 |
| | | | | | | | To: 74-1414 Kay St | | | | | | | | | |
| (1406) Tarbay Rd | 0.07 | 640 | R | | | | From: 74-1414 Kay St | | | | NA | | | NA | | 07/11/2005 |
| | | | | | | | To: 74-1407 Bicors Dr | | | | | | | | | |
| (1406) Tarbay Rd | 0.12 | 320 | R | | | | From: 74-1407 Bicors Dr | | | | NA | | | NA | | 07/11/2005 |
| | | | | | | | To: 74-1409 Douglas Lane | | | | | | | | | |
| (1406) Tarbay Rd | 0.15 | 200 | R | | | | From: 74-1409 Douglas Lane | | | | NA | | | NA | | 07/11/2005 |
| | | | | | | | To: 74-1425 Mason St | | | | | | | | | |
| (1407) Bicors Dr | 0.07 | 620 | R | | | | From: 74-1406 Tarbay Rd | | | | NA | | | NA | | 07/11/2005 |
| | | | | | | | To: 74-1408 Yorkdale Dr | | | | | | | | | |
| (1407) Bicors Dr | 0.08 | 520 | R | | | | From: 74-1408 Yorkdale Dr | | | | NA | | | NA | | 07/11/2005 |
| | | | | | | | To: 74-1410 Ridge Rd | | | | | | | | | |
| (1408) Yorkdale Dr | 0.12 | 90 | R | | | | From: 74-1407 Bicors Dr | | | | NA | | | NA | | 07/11/2005 |
| | | | | | | | To: 74-1409 W, Douglas Lane | | | | | | | | | |
| (1408) Yorkdale Dr | 0.11 | 90 | R | | | | From: 74-1409 W, Douglas Lane | | | | NA | | | NA | | 07/11/2005 |
| | | | | | | | To: 74-1409 E, Douglas Lane | | | | | | | | | |
| (1408) Yorkdale Dr | 0.04 | 140 | R | | | | From: 74-1409 E, Douglas Lane | | | | NA | | | NA | | 07/11/2005 |
| | | | | | | | To: 74-1425 Mason St | | | | | | | | | |
| (1408) Yorkdale Dr | 0.05 | 100 | R | | | | From: 74-1425 Mason St | | | | NA | | | NA | | 07/11/2005 |
| | | | | | | | To: 74-1426 Frankie Lane | | | | | | | | | |
| (1409) Douglas Lane | 0.07 | 210 | R | | | | From: 74-1406 Tarbay Rd | | | | NA | | | NA | | 07/11/2005 |
| | | | | | | | To: 74-1408 Yorkdale Dr | | | | | | | | | |
| (1409) Douglas Lane | 0.08 | 110 | R | | | | From: 74-1408 Yorkdale Dr | | | | NA | | | NA | | 07/11/2005 |
| | | | | | | | To: 74-1410 W, Ridge Rd | | | | | | | | | |

Virginia Department of Transportation
 Traffic Engineering Division
 2009
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Prince George Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|-----------------------------|--------|------|----|-------|-----|-------------------------------|--------|--------|--------|----|----------|----|------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Prince George County | | | | | | | | | | | | | | | | |
| (1409) Douglas Lane | 0.29 | 60 | R | | | From: 74-1410 W. Ridge Rd | | | | | NA | | | NA | | 07/11/2005 |
| (1409) Douglas Lane | 0.08 | 120 | R | | | To: 74-1410 E. Ridge Rd | | | | | NA | | | NA | | 07/11/2005 |
| (1409) Douglas Lane | | | | | | From: 74-1408 Yorkdale Dr | | | | | | | | | | |
| (1410) Ridge Rd | 0.03 | 690 | R | | | To: 74-1407 Bicors Dr | | | | | NA | | | NA | | 07/11/2005 |
| (1410) Ridge Rd | 0.08 | 220 | R | | | From: 74-1415 Bicors Dr | | | | | NA | | | NA | | 07/11/2005 |
| (1410) Ridge Rd | 0.11 | 250 | R | | | To: 74-1409 W. Douglas Lane | | | | | NA | | | NA | | 07/11/2005 |
| (1410) Ridge Rd | | | | | | From: 74-1409 E. Douglas Lane | | | | | | | | | | |
| (1411) White Pine Dr | 0.26 | 130 | R | | | To: 74-1413 Butternut Dr | | | | | NA | | | NA | | 07/11/2005 |
| (1411) White Pine Dr | | | | | | From: 74-642 Beavercastle Rd | | | | | | | | | | |
| (1412) Ironwood Dr | 0.18 | 110 | R | | | To: 74-1413 Butternut Dr | | | | | NA | | | NA | | 07/11/2005 |
| (1412) Ironwood Dr | | | | | | From: 74-642 Beavercastle Rd | | | | | | | | | | |
| (1413) Butternut Dr | 0.06 | 730 | R | | | To: 74-642 Beavercastle Rd | | | | | NA | | | NA | | 07/11/2005 |
| (1413) Butternut Dr | 0.10 | 640 | R | | | From: 74-1422 Appletree Lane | | | | | NA | | | NA | | 07/11/2005 |
| (1413) Butternut Dr | 0.06 | 630 | R | | | To: 74-1412 Ironwood Dr | | | | | NA | | | NA | | 07/11/2005 |
| (1413) Butternut Dr | 0.12 | 620 | R | | | From: 74-1411 White Pine Dr | | | | | NA | | | NA | | 07/11/2005 |
| (1413) Butternut Dr | 0.10 | 380 | R | | | To: 74-1419 Sassafras Dr | | | | | NA | | | NA | | 07/11/2005 |
| (1413) Butternut Dr | 0.02 | 330 | R | | | From: 74-1421 Willow Ct | | | | | NA | | | NA | | 07/11/2005 |
| (1413) Butternut Dr | 0.09 | 280 | R | | | To: 74-1420 Forsythia Dr | | | | | NA | | | NA | | 07/11/2005 |
| (1413) Butternut Dr | 0.18 | 110 | R | | | From: 74-1423 Collingwood Dr | | | | | NA | | | NA | | 07/11/2005 |
| (1413) Butternut Dr | | | | | | To: 74-1424 Jenny Creek Dr | | | | | | | | | | |
| (1414) Kay St | 0.08 | 70 | R | | | From: 74-1406 Tarbay Rd | | | | | NA | | | NA | | 07/18/2005 |
| (1414) Kay St | | | | | | To: Dead End | | | | | | | | | | |
| (1415) Bicors Dr | 0.12 | 470 | R | | | From: 74-1410 Ridge Rd | | | | | NA | | | NA | | 07/18/2005 |
| (1415) Bicors Dr | 0.17 | 140 | R | | | To: 74-1417 Liverman Dr | | | | | NA | | | NA | | 07/18/2005 |
| (1415) Bicors Dr | 0.04 | 30 | R | | | From: 74-1418 Thomas Dr | | | | | NA | | | NA | | 07/18/2005 |
| (1415) Bicors Dr | | | | | | To: Dead End | | | | | | | | | | |
| (1416) Emily Lane | 0.17 | 90 | R | | | From: 74-1417 Liverman Dr | | | | | NA | | | NA | | 07/18/2005 |
| (1416) Emily Lane | | | | | | To: 74-1418 Thomas Dr | | | | | | | | | | |
| (1417) Liverman Dr | 0.06 | 200 | R | | | From: 74-1415 Bicors Dr | | | | | NA | | | NA | | 07/18/2005 |
| (1417) Liverman Dr | 0.26 | 90 | R | | | To: 74-1416 Emily Lane | | | | | NA | | | NA | | 07/18/2005 |
| (1417) Liverman Dr | | | | | | From: 74-1418 Thomas Dr | | | | | | | | | | |

Virginia Department of Transportation
 Traffic Engineering Division
 2009
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Prince George Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|-----------------------------|--------|------|----|-------|-----|-------|--------|--------|--------|----|----------|----|------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Prince George County | | | | | | | | | | | | | | | | |
| (1417) Liverman Dr | 0.04 | 10 | R | | | | | | | | NA | | | NA | | 07/18/2005 |
| | | | | | | | | | | | | | | | | |
| (1418) Thomas Dr | 0.10 | 90 | R | | | | | | | | NA | | | NA | | 07/18/2005 |
| (1418) Thomas Dr | 0.07 | 120 | R | | | | | | | | NA | | | NA | | 07/18/2005 |
| (1419) Sassafras Dr | 0.11 | 150 | R | | | | | | | | NA | | | NA | | 07/11/2005 |
| (1419) Sassafras Dr | 0.25 | 190 | R | | | | | | | | NA | | | NA | | 03/10/2008 |
| (1420) Forsythia Dr | 0.08 | 60 | R | | | | | | | | NA | | | NA | | 07/11/2005 |
| (1421) Willow Ct | 0.05 | 60 | R | | | | | | | | NA | | | NA | | 07/11/2005 |
| (1422) Appletree Lane | 0.09 | 100 | R | | | | | | | | NA | | | NA | | 07/11/2005 |
| (1423) Collingwood Dr | 0.21 | 180 | R | | | | | | | | NA | | | NA | | 07/11/2005 |
| (1424) Jenny Creek Dr | 0.07 | 90 | R | | | | | | | | NA | | | NA | | 07/11/2005 |
| (1424) Jenny Creek Dr | 0.11 | 80 | R | | | | | | | | NA | | | NA | | 07/11/2005 |
| (1425) Mason St | 0.08 | 190 | R | | | | | | | | NA | | | NA | | 07/11/2005 |
| (1426) Frankie Lane | 0.20 | 90 | R | | | | | | | | NA | | | NA | | 03/10/2008 |
| (1430) Fountain Ridge | 0.78 | 200 | R | | | | | | | | NA | | | NA | | 03/10/2008 |
| (1431) | 0.36 | NA | | | | | | | | | NA | | | NA | | |
| (1432) | 0.28 | NA | | | | | | | | | NA | | | NA | | |
| (1433) | 0.10 | NA | | | | | | | | | NA | | | NA | | |
| (1434) | 0.09 | NA | | | | | | | | | NA | | | NA | | |
| (1435) | 0.12 | NA | | | | | | | | | NA | | | NA | | |

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Prince George Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|-----------------------------|--------|------|----|-------|-----|-------|--------------------------------|--------|--------|----|----------|----|------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Prince George County | | | | | | | | | | | | | | | | |
| (1436) | 0.13 | NA | | | | | From: 74-1432 | | | | | NA | | NA | | |
| | | | | | | | To: 74-1435 | | | | | | | | | |
| (1440) Country View Lane | 0.30 | 230 | R | | | | From: Cul-de-Sac | | | | | NA | | NA | | 07/05/2005 |
| (1440) Country View Lane | 0.19 | 340 | R | | | | From: 74-1444 Doe Run Ct | | | | | NA | | NA | | 07/05/2005 |
| (1440) Country View Lane | 0.22 | 560 | R | | | | From: 74-1443 Doe Run Rd | | | | | NA | | NA | | 07/05/2005 |
| (1440) Country View Lane | 0.13 | 640 | R | | | | From: 74-1442 Spring Meadow Pl | | | | | NA | | NA | | 03/10/2008 |
| (1440) Country View Lane | 0.13 | 760 | R | | | | From: 74-1441 Southern Pine Dr | | | | | NA | | NA | | 03/10/2008 |
| | | | | | | | To: Bypass SR 156 | | | | | | | | | |
| (1441) Southern Pine Dr | 0.16 | 130 | R | | | | From: Cul-de-Sac | | | | | NA | | NA | | 03/10/2008 |
| | | | | | | | To: 74-1440 Country View Lane | | | | | | | | | |
| (1442) Spring Meadow Pl | 0.10 | 80 | R | | | | From: Cul-de-Sac | | | | | NA | | NA | | 03/10/2008 |
| | | | | | | | To: 74-1440 Countryview Lane | | | | | | | | | |
| (1443) Doe Run Rd | 0.04 | 40 | R | | | | From: Cul-de-Sac | | | | | NA | | NA | | 07/05/2005 |
| (1443) Doe Run Rd | 0.26 | 180 | R | | | | From: 74-1444 Doe Run Ct | | | | | NA | | NA | | 07/05/2005 |
| (1443) Doe Run Rd | 0.09 | 50 | R | | | | From: 74-1440 Countryview Lane | | | | | NA | | NA | | 07/05/2005 |
| | | | | | | | To: Cul-de-Sac | | | | | | | | | |
| (1444) Doe Run Ct | 0.26 | 90 | R | | | | From: 74-1443; 74-1443 | | | | | NA | | NA | | 07/11/2005 |
| | | | | | | | To: 74-1440 Countryview Lane | | | | | | | | | |
| (1501) Bickings Lane | 0.10 | 480 | R | | | | From: 74-630 Bull Hill Rd | | | | | NA | | NA | | 06/30/2005 |
| (1501) Bickings Lane | 0.02 | 400 | R | | | | From: 74-1504 Aqua Lane | | | | | NA | | NA | | 06/30/2005 |
| (1501) Bickings Lane | 0.07 | 270 | R | | | | From: 74-1502 Cloverhill Lane | | | | | NA | | NA | | 06/30/2005 |
| (1501) Bickings Lane | 0.06 | 240 | R | | | | From: 74-1506 Driftwood Dr | | | | | NA | | NA | | 06/30/2005 |
| (1501) Bickings Lane | 0.30 | 160 | R | | | | From: 74-1505 Bronze Lane | | | | | NA | | NA | | 06/30/2005 |
| | | | | | | | To: Dead End | | | | | | | | | |
| (1502) Cloverhill Lane | 0.04 | 20 | R | | | | From: Dead End | | | | | NA | | NA | | 07/05/2005 |
| (1502) Cloverhill Lane | 0.04 | 70 | R | | | | From: 74-1503 Cloverhill Lane | | | | | NA | | NA | | 07/05/2005 |
| | | | | | | | To: 74-1501 Bickings Lane | | | | | | | | | |
| (1503) Cloverhill Lane | 0.04 | 40 | R | | | | From: Dead End | | | | | NA | | NA | | 07/05/2005 |
| | | | | | | | To: 74-1502 Cloverhill Lane | | | | | | | | | |
| (1504) Aqua Lane | 0.19 | 110 | R | | | | From: 74-1501 Bickings Lane | | | | | NA | | NA | | 07/05/2005 |
| (1504) Aqua Lane | 0.03 | 20 | R | | | | From: 74-1505 Bronze Lane | | | | | NA | | NA | | 07/05/2005 |
| | | | | | | | To: Dead End | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Prince George Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|-----------------------------|--------|------|----|-------|-----|-------|------------------------------------|--------|--------|----|----------|----|------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Prince George County | | | | | | | | | | | | | | | | |
| (1505) Bronze Lane | 0.09 | 70 | R | | | | From: 74-1501 Bickings Lane | | | | NA | | | NA | | 07/05/2005 |
| | | | | | | | To: 74-1504 Aqua Lane | | | | | | | | | |
| (1506) Driftwood Dr | 0.09 | 60 | R | | | | From: Dead End | | | | NA | | | NA | | 07/05/2005 |
| | | | | | | | To: 74-1501 Bickings Lane | | | | | | | | | |
| (1510) Redwood Lane | 0.13 | 1200 | R | | | | From: SR 106 Courthouse Rd | | | | NA | | | NA | | 06/30/2005 |
| | | | | | | | To: 74-1511; 74-1512 | | | | | | | | | |
| (1511) Hollyberry Lane | 0.17 | 310 | R | | | | From: 74-1510; 74-1512 | | | | NA | | | NA | | 06/30/2005 |
| | | | | | | | To: 74-1513 Aspen Ct | | | | | | | | | |
| (1511) Hollyberry Lane | 0.13 | 140 | R | | | | From: 74-1512 Cottonwood Lane | | | | NA | | | NA | | 06/30/2005 |
| | | | | | | | To: Cul-de-Sac | | | | | | | | | |
| (1512) Cottonwood Lane | 0.13 | 590 | R | | | | From: 74-1510; 74-1511 | | | | NA | | | NA | | 06/30/2005 |
| | | | | | | | To: 74-1514 Pinetree Ct | | | | | | | | | |
| (1512) Cottonwood Lane | 0.29 | 350 | R | | | | From: 74-1511 Hollyberry Lane | | | | NA | | | NA | | 06/30/2005 |
| | | | | | | | To: Cul-de-Sac | | | | | | | | | |
| (1513) Aspen Ct | 0.04 | 60 | R | | | | From: Cul-de-Sac | | | | NA | | | NA | | 06/30/2005 |
| | | | | | | | To: 74-1511 Hollyberry Lane | | | | | | | | | |
| (1514) Pinetree Ct | 0.09 | 90 | R | | | | From: Cul-de-Sac | | | | NA | | | NA | | 06/30/2005 |
| | | | | | | | To: 74-1512 Cottonwood Lane | | | | | | | | | |
| (1515) Commons Dr | 0.11 | 550 | R | | | | From: SR 106 Courthouse Rd | | | | NA | | | NA | | 03/17/2008 |
| | | | | | | | To: 74-1516 Commons Ct | | | | | | | | | |
| (1515) Commons Dr | 0.06 | 160 | R | | | | From: Cul-de-Sac | | | | NA | | | NA | | 03/17/2008 |
| | | | | | | | To: 74-1515 Commons Dr | | | | | | | | | |
| (1516) Commons Ct | 0.03 | 160 | R | | | | From: Cul-de-Sac | | | | NA | | | NA | | 03/17/2008 |
| | | | | | | | To: 74-1602 Seay Rd | | | | | | | | | |
| (1601) Eaglerock Rd | 0.21 | 120 | R | | | | From: US 301 Crater Rd | | | | NA | | | NA | | 07/13/2005 |
| | | | | | | | To: 74-720 Moreel Ave | | | | | | | | | |
| (1602) Seay Rd | 0.10 | 30 | R | | | | From: 74-1601 Eaglerock Rd | | | | NA | | | NA | | 07/13/2005 |
| | | | | | | | To: Dead End | | | | | | | | | |
| (1604) Deer Run Dr | 0.38 | 450 | R | | | | From: US 301 Crater Rd | | | | NA | | | NA | | 03/17/2008 |
| | | | | | | | To: Cul-de-Sac | | | | | | | | | |
| (1605) Silbury Rd | 0.16 | 100 | R | | | | From: US 301 Crater Rd | | | | NA | | | NA | | 07/13/2005 |
| | | | | | | | To: 74-1606 Charleston Dr | | | | | | | | | |
| (1605) Maury Rd | 0.32 | 60 | R | | | | From: US 301 Crater Rd | | | | NA | | | NA | | 07/13/2005 |
| | | | | | | | To: 74-608 Garys Church Rd | | | | | | | | | |
| (1606) Charleston Dr | 0.07 | 50 | R | | | | From: 74-1605 Maury Rd; Silbury Rd | | | | NA | | | NA | | 07/13/2005 |

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Prince George Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|-------------------------------|--------|------|----|-------|-----|---------------------------------------|--------|--------|--------|----|----------|----|------------|-------|------------|------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Prince George County | | | | | | | | | | | | | | | | |
| (1701) Chester Rd | 0.07 | 400 | R | | | | | | | | | | | NA | 07/13/2005 | |
| | | | | | | From: Dead End | | | | | | | | | | |
| | | | | | | To: 74-1702 Powell Lane | | | | | | | | | | |
| (1701) Chester Rd | 0.40 | 610 | R | | | | | | | | | | | NA | 07/13/2005 | |
| | | | | | | From: 74-630 Golf Course Rd | | | | | | | | | | |
| | | | | | | To: 74-1701 Chester Rd | | | | | | | | | | |
| (1702) Powell Lane | 0.17 | 110 | R | | | | | | | | | | | NA | 07/13/2005 | |
| | | | | | | From: Dead End | | | | | | | | | | |
| | | | | | | To: SR 10 James River Dr | | | | | | | | | | |
| (9331) Library & Community Ce | 0.11 | 50 | R | | | | | | | | | | | NA | 1999 | |
| | | | | | | From: SR 10 James River Dr | | | | | | | | | | |
| | | | | | | To: SR 10 James River Dr | | | | | | | | | | |
| (9332) Rowanty Vo/Tech Scho | 0.33 | 80 | R | | | | | | | | | | | NA | 06/02/2005 | |
| | | | | | | From: Dead End | | | | | | | | | | |
| | | | | | | To: 74-623 Rowanty Rd | | | | | | | | | | |
| (9334) Carson Elementary Sch | 0.10 | 150 | R | | | | | | | | | | | NA | 1999 | |
| | | | | | | From: Dead End | | | | | | | | | | |
| | | | | | | To: 74-604 Halifax Rd | | | | | | | | | | |
| (9574) Prince George High Sch | 0.10 | 140 | R | | | | | | | | | | | NA | 06/02/2005 | |
| | | | | | | From: 74-616 Laurel Springs Rd | | | | | | | | | | |
| | | | | | | To: SR 156 Prince George Dr | | | | | | | | | | |
| (9679) JEJ Moore Middle Scho | 0.13 | 260 | R | | | | | | | | | | | NA | 03/17/2008 | |
| | | | | | | From: SR 156 Prince George Dr | | | | | | | | | | |
| | | | | | | To: SR 156 Prince George Dr | | | | | | | | | | |
| City of Hopewell | | | | | | | | | | | | | | | | |
| (1) Perrymont St | 0.34 | 3000 | G | 100% | 0% | 0% | 0% | 0% | 0% | C | 0.098 | F | | 3200 | G | 2009 |
| | | | | | | From: Western St | | | | | | | | | | |
| | | | | | | To: Kippax Dr | | | | | | | | | | |
| (2) Kippax Dr | 0.19 | 2800 | G | 99% | 0% | 0% | 0% | 0% | 0% | C | 0.108 | F | | 3000 | G | 2009 |
| | | | | | | From: Perrymont St | | | | | | | | | | |
| | | | | | | To: Cedar Level Rd | | | | | | | | | | |
| (3) Old Iron Rd | 0.42 | 3300 | G | 100% | 0% | 0% | 0% | 0% | 0% | C | 0.102 | F | | 3600 | G | 2009 |
| | | | | | | From: SCL Hopewell | | | | | | | | | | |
| | | | | | | To: Courthouse Rd | | | | | | | | | | |
| (4) Jackson Farm Rd | 0.61 | 1900 | G | 99% | 1% | 0% | 0% | 0% | 0% | C | 0.101 | F | | 2100 | G | 2009 |
| | | | | | | From: Dead End near Pin Oak Dr | | | | | | | | | | |
| | | | | | | To: 116-9047 Cedar Level Rd | | | | | | | | | | |
| (5) Western St | 0.05 | 3900 | G | 100% | 0% | 0% | 0% | 0% | 0% | F | 0.096 | F | 0.629 | 4300 | G | 2009 |
| | | | | | | From: 166-6 Barkley St; 116-9076 | | | | | | | | | | |
| | | | | | | To: 116-1 Perrymont St | | | | | | | | | | |
| (6) Barkley St | 0.13 | 30 | G | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.169 | F | 0.727 | 30 | G | 2009 |
| | | | | | | From: 116-9076 Western St | | | | | | | | | | |
| | | | | | | To: Old Woodlawn St | | | | | | | | | | |
| (6) Old Woodlawn St | 0.39 | 1200 | G | 99% | 0% | 0% | 0% | 0% | 0% | C | 0.09 | F | 0.521 | 1300 | G | 2009 |
| | | | | | | From: Barkley St | | | | | | | | | | |
| | | | | | | To: 116-9047 Cedar Level Rd | | | | | | | | | | |
| (9036) Danville St | 0.03 | 1400 | G | 99% | 1% | 0% | 0% | 0% | 0% | F | 0.108 | F | | 1500 | G | 2009 |
| | | | | | | From: South Mesa Dr | | | | | | | | | | |
| | | | | | | To: Miles Ave | | | | | | | | | | |
| (9036) Miles Ave | 0.68 | 3700 | G | 99% | 1% | 0% | 0% | 0% | 0% | C | 0.102 | F | | 4000 | G | 2009 |
| | | | | | | From: Danville Street | | | | | | | | | | |
| | | | | | | To: Oakland Blvd | | | | | | | | | | |
| (9036) Oaklawn Blvd | 0.18 | 8000 | G | 99% | 0% | 0% | 0% | 0% | 0% | C | 0.081 | F | | 8700 | G | 2009 |
| | | | | | | From: SR 36 Winston Churchill Dr | | | | | | | | | | |
| | | | | | | To: Short Street | | | | | | | | | | |
| (9036) Oaklawn Blvd | 0.40 | 8000 | G | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.08 | F | | 8700 | G | 2009 |
| | | | | | | From: SR 36 15th Avenue; Arlington Rd | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Prince George Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|------------------------------|--------|------|----|-------|-----|-----------------------|--------|--------|--------|----|----------|----|------------|-------|----|------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| City of Hopewell | | | | | | | | | | | | | | | | |
| 9038 116 River Rd | 1.01 | 5000 | G | 99% | 0% | WCL Hopewell | | | | C | 0.104 | F | | 5400 | G | 2009 |
| | | | | | | South Mesa Dr | | | | | | | | | | |
| 9040 116 City Point Rd | 0.75 | 4300 | G | 99% | 0% | North Mesa Dr | | | | C | 0.086 | F | | 4600 | G | 2009 |
| | | | | | | South 15th Ave | | | | | | | | | | |
| 9040 116 City Point Rd | 0.41 | 6100 | G | 99% | 0% | South 6th Ave | | | | F | 0.092 | F | | 6600 | G | 2009 |
| | | | | | | Main St | | | | | | | | | | |
| 9040 116 City Point Rd | 0.29 | 5900 | G | 99% | 0% | City Point Rd | | | | F | 0.105 | F | | 6400 | G | 2009 |
| | | | | | | Randolph Rd | | | | | | | | | | |
| 9042 116 West Broadway St | 0.39 | 1300 | G | 99% | 0% | Colonial Dr | | | | F | 0.110 | F | 0.623 | 1400 | G | 2009 |
| | | | | | | 116-9047 N Mesa Dr | | | | | | | | | | |
| 9042 116 West Broadway St | 0.55 | 6500 | G | 99% | 0% | North Mesa Dr | | | | C | 0.096 | F | | 7100 | G | 2009 |
| | | | | | | North 21st Ave | | | | | | | | | | |
| 9042 116 West Broadway St | 0.13 | 5600 | G | 99% | 0% | North 15th Ave | | | | F | 0.093 | F | | 6100 | G | 2009 |
| | | | | | | North 6th Ave | | | | | | | | | | |
| 9042 116 West Broadway St | 0.36 | 3900 | G | 99% | 0% | Randolph Rd | | | | F | 0.102 | F | | 4200 | G | 2009 |
| | | | | | | Cedar Lane | | | | | | | | | | |
| 9043 116 Courthouse Rd | 0.95 | 6000 | G | 99% | 0% | Ashland Ave | | | | C | 0.09 | F | | 6500 | G | 2009 |
| | | | | | | Berry St | | | | | | | | | | |
| 9043 116 Berry St | 0.29 | 6100 | G | 99% | 0% | Courthouse Rd | | | | C | 0.086 | F | | 6600 | G | 2009 |
| | | | | | | Arlington Rd | | | | | | | | | | |
| 9043 116 Arlington Rd | 0.12 | 4500 | G | 99% | 0% | High Ave | | | | F | 0.082 | F | | 4900 | G | 2009 |
| | | | | | | Freeman St | | | | | | | | | | |
| 9043 116 Arlington Rd | 0.38 | 5700 | G | 99% | 0% | Winston Churchill Dr | | | | C | 0.076 | F | | 6200 | G | 2009 |
| | | | | | | Winston Churchill Dr | | | | | | | | | | |
| 9045 116 High Ave | 0.09 | 2200 | G | 97% | 1% | 1% | 0% | 1% | 0% | C | 0.092 | F | 0.542 | 2400 | G | 2009 |
| | | | | | | Oaklawn Blvd | | | | | | | | | | |
| 9047 116 Ashland St | 0.06 | 3400 | G | 99% | 0% | 1% | 0% | 0% | 0% | F | NA | | | 3700 | G | 2009 |
| | | | | | | SR 36 Oaklawn Blvd | | | | | | | | | | |
| 9047 116 Ashland St | 0.10 | 4400 | G | 99% | 0% | 1% | 0% | 0% | 0% | F | NA | | | 4700 | G | 2009 |
| | | | | | | SR 36-P Woodlawn St | | | | | | | | | | |
| 9047 116 Ashland St | 0.10 | 7000 | G | 99% | 0% | 1% | 0% | 0% | 0% | C | NA | | | 7600 | G | 2009 |
| | | | | | | 116-6 Western St | | | | | | | | | | |
| 9047 116 Ashland St | 0.07 | 6900 | G | 99% | 0% | 1% | 0% | 0% | 0% | F | NA | | | 7500 | G | 2009 |
| | | | | | | 116-2 Kippax Dr | | | | | | | | | | |
| 9047 116 Cedar Level Rd | 0.89 | 6200 | G | 99% | 0% | 1% | 0% | 0% | 0% | F | 0.093 | F | | 6700 | G | 2009 |
| | | | | | | 116-4 Jackson Farm Rd | | | | | | | | | | |
| 9047 116 Jackson Farm Rd | 0.27 | 6000 | G | 99% | 0% | 0% | 0% | 0% | 0% | C | 0.095 | F | | 6500 | G | 2009 |
| | | | | | | S Mesa Dr | | | | | | | | | | |
| 9047 116 S Mesa Dr | 0.46 | 6500 | G | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.089 | F | | 7100 | G | 2009 |
| | | | | | | 116-9038 River Rd | | | | | | | | | | |

Virginia Department of Transportation
 Traffic Engineering Division
 2009
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Prince George Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|---------------------------|--------|------|----|-------|-----|--|--------|--------|--------|----|----------|----|------------|-------|------|------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| City of Hopewell | | | | | | | | | | | | | | | | |
| (9047/116) N Mesa Dr | 0.23 | 8500 | G | 99% | 0% | From: 116-9038 River Rd To: 166-9040 City Point Rd | | | | F | NA | | 9200 | G | 2009 | |
| (9047/116) N Mesa Dr | 0.20 | 5300 | G | 99% | 0% | From: 166-9040 City Point Rd To: 116-9042 Broadway St | | | | F | NA | | 5700 | G | 2009 | |
| (9049/116) South 6Th Ave | 0.52 | 8200 | G | 98% | 1% | From: Winston Churchill Dr To: City Point Rd | | | | C | NA | | 9000 | G | 2009 | |
| (9049/116) North 6Th Ave | 0.15 | 7200 | G | 98% | 1% | From: City Point Rd To: West Broadway St | | | | F | NA | | 7900 | G | 2009 | |
| (9051/116) North 21St Ave | 0.53 | 3900 | G | 99% | 0% | From: West Broadway St To: Riverside Ave | | | | C | 0.093 | F | 4200 | G | 2009 | |
| (9051/116) Riverside Ave | 0.32 | 3600 | G | 99% | 0% | From: North 21St Ave To: Randolph Rd | | | | F | 0.094 | F | 3900 | G | 2009 | |
| (9074/116) City Point Rd | 0.14 | 4500 | G | 98% | 0% | From: Main St To: Randolph Rd | | | | C | 0.11 | F | 4900 | G | 2009 | |
| (9076/116) Cousins Ave | 0.17 | 4000 | G | 100% | 0% | From: SR 36 Oaklawn Blvd To: Western St | | | | F | 0.096 | F | 0.655 | 4300 | G | 2009 |
| (9076/116) Western St | 0.50 | 3900 | G | 100% | 0% | From: Cousins Ave To: 116-6 Barkey St; 116-5 Western St | | | | C | 0.095 | F | 4300 | G | 2009 | |
| City of Petersburg | | | | | | | | | | | | | | | | |
| (9008/123) Ramp | 0.17 | 800 | A | | | From: 123-9008 Rives Rd To: I-95 South | | | | | 0.138 | A | 820 | A | 2009 | |
| City of Hopewell | | | | | | | | | | | | | | | | |
| Atlantic St | | 850 | G | | | From: 20th Ave To: 21st Ave | | | | | 0.096 | F | 0.624 | 920 | G | 2009 |
| Broadway St | | 2900 | G | | | From: Randolph Rd To: Hopewell St | | | | | NA | | 3100 | G | 2009 | |
| Camron Rd | | 70 | G | | | From: Dead End To: Atwater Rd | | | | | NA | | 70 | G | 2009 | |
| Cloverdale Ave | | 150 | G | | | From: Arcadia Ave To: Delrose Dr | | | | | NA | | 170 | G | 2009 | |
| Courthouse Rd | | 410 | G | | | From: Sibyl St To: Caroline Ave | | | | | 0.090 | F | 0.548 | 440 | G | 2009 |
| Davidson Ave | | 80 | G | | | From: Peterson Mill Rd To: Glendale St | | | | | 0.133 | F | | 90 | G | 2009 |
| Day St | | 50 | G | | | From: 20th Ave To: 16th Ave | | | | | 0.161 | F | 0.526 | 60 | G | 2009 |
| Dellrose Dr | | 250 | G | | | From: Cloverdale Ave To: Lincoln Sq | | | | | NA | | 250 | G | 2009 | |
| Dinwiddie Avenue | | 800 | G | | | From: Gilbert St To: Courthouse Rd | | | | | NA | | 800 | G | 2009 | |

Virginia Department of Transportation
 Traffic Engineering Division
 2009
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Prince George Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|-------------------------|--------|------|----|-------|-----|-------|--------|--------|--------|----|-------------|----|---------------|-------|----|------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| City of Hopewell | | | | | | | | | | | | | | | | |
| Fisher Avenue | | 90 | G | | | | | | | | NA | | | 90 | G | 2009 |
| | | | | | | | | | | | | | | | | |
| Granby St | | 280 | G | | | | | | | | 0.099 | F | 0.531 | 300 | G | 2009 |
| | | | | | | | | | | | | | | | | |
| Jackson St | | 380 | G | | | | | | | | 0.25 | F | 0.523 | 420 | G | 2009 |
| | | | | | | | | | | | | | | | | |
| Marion Ave | | 310 | G | | | | | | | | 0.124 | F | 0.546 | 330 | G | 2009 |
| | | | | | | | | | | | | | | | | |
| Maryland Avenue | | 410 | G | | | | | | | | NA | | | 410 | G | 2009 |
| | | | | | | | | | | | | | | | | |
| Prince George Ave | | 140 | G | | | | | | | | 0.119 | F | 0.55 | 160 | G | 2009 |
| | | | | | | | | | | | | | | | | |
| Riverside Avenue | | 49 | G | | | | | | | | NA | | | 49 | G | 2009 |
| | | | | | | | | | | | | | | | | |
| Stewart Ave | | 110 | G | | | | | | | | 0.11 | F | 0.714 | 120 | G | 2009 |
| | | | | | | | | | | | | | | | | |
| Sussex Dr | | 270 | G | | | | | | | | NA | | | 270 | G | 2009 |
| | | | | | | | | | | | | | | | | |
| Terminal St | | 1400 | G | | | | | | | | NA | | | 1400 | G | 2009 |
| | | | | | | | | | | | | | | | | |
| Wilmington Avenue | | 340 | G | | | | | | | | NA | | | 340 | G | 2009 |
| | | | | | | | | | | | | | | | | |