

2009

**Virginia Department of Transportation
Daily Traffic Volume Estimates
Including Vehicle Classification Estimates**

where available

Jurisdiction Report

85

Shenandoah County
Town of Edinburg
Town of Mount Jackson
Town of New Market
Town of Strasburg
Town of Toms Brook
Town of Woodstock

Prepared By

**Virginia Department of Transportation
Traffic Engineering Division**

In Cooperation With

**U.S. Department of Transportation
Federal Highway Administration**

Virginia Department of Transportation
Traffic Engineering Division
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is “R”, the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems

 Interstate Route Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.

 US Route

 Virginia State Route

 Frontage Road (F precedes frontage route number)

 Secondary Route

Special Routes

 Bus - Business Route
 Bypas - Bypass Route
 Truck - Truck Route
 ALT - Alternate Route
 Wye - Wye Route connector

 P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.

 The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Shenandoah Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail					
11 South Congress St	Town of New Market (Maint: 85)	1.16	4400	G	96%	0%	1%	0%	2%	0%	C	0.088	F	4600	G
11 211 Congress St	Town of New Market (Maint: 85)	0.27	7300	G	96%	0%	1%	0%	2%	0%	F	0.079	F	7700	G
11 North Congress St	Town of New Market (Maint: 85)	0.36	5300	G	97%	0%	1%	1%	1%	0%	F	0.084	F	5500	G
11 Old Valley Pike	Shenandoah County	1.83	5300	N	97%	0%	1%	1%	1%	0%	N	0.084	N	5500	N
11 Old Valley Pike	Shenandoah County	2.17	4700	G	97%	0%	1%	1%	1%	0%	F	0.091	F	5000	G
11 Old Valley Pike	Shenandoah County	1.52	4700	G	97%	0%	1%	1%	1%	0%	C	0.092	F	4900	G
11 Main St	Town of Mount Jackson (Maint: 85)	0.72	4700	N	97%	0%	1%	1%	1%	0%	N	0.092	N	4900	N
11 Main St	Town of Mount Jackson (Maint: 85)	1.85	3800	G	97%	0%	1%	1%	1%	0%	F	0.097	F	4000	G
11 Old Valley Pike	Shenandoah County	5.07	3800	N	97%	0%	1%	1%	1%	0%	N	0.097	N	4000	N
11 Main St	Town of Edinburg (Maint: 85)	0.28	3800	N	97%	0%	1%	1%	1%	0%	N	0.097	N	4000	N
11 Main St	Town of Edinburg (Maint: 85)	0.79	6700	G	97%	0%	1%	1%	0%	0%	C	0.09	F	7100	G
11 Old Valley Pike	Shenandoah County	1.28	6700	N	97%	0%	1%	1%	0%	0%	N	0.09	N	7100	N
11 Old Valley Pike	Shenandoah County	1.69	7500	G	98%	0%	1%	1%	0%	0%	C	0.09	F	7900	G
11 Main St	Town of Woodstock (Maint: 85)	0.22	8500	G	98%	0%	1%	1%	0%	0%	F	0.088	F	8900	G
11 Main St	Town of Woodstock (Maint: 85)	0.30	9400	G	98%	0%	1%	1%	0%	0%	F	0.084	F	9800	G
11 Main St	Town of Woodstock (Maint: 85)	0.65	13000	G	98%	0%	0%	0%	0%	0%	C	0.082	F	14000	G
11 Main St	Town of Woodstock (Maint: 85)	0.85	12000	G	98%	0%	0%	0%	0%	0%	F	0.085	F	12000	G
11 Main St	Town of Woodstock (Maint: 85)	0.53	8000	N	98%	0%	1%	1%	1%	0%	N	0.086	N	8400	N

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Shenandoah Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
11 Old Valley Pike	Shenandoah County	3.22	8000	G	98%	0%	1%	1%	1%	0%	F	0.086	F		8400	G
11 Old Valley Pike	Shenandoah County	1.42	7000	G	98%	0%	1%	1%	1%	0%	F	0.094	F		7300	G
11 Main St	Town of Toms Brook (Maint: 85)	0.73	7000	N	98%	0%	1%	1%	1%	0%	N	0.094	N		7300	N
11 Old Valley Pike	Shenandoah County	0.41	7000	N	98%	0%	1%	1%	1%	0%	N	0.094	N		7300	N
11 Old Valley Pike	Shenandoah County	4.03	5900	G	98%	0%	1%	1%	1%	0%	C	0.094	F		6100	G
11 Stover Ave	Town of Strasburg (Maint: 85)	0.38	7200	G	98%	1%	1%	1%	0%	0%	C	0.09	F		7600	G
11 King St	Town of Strasburg (Maint: 85)	0.24	7500	G	97%	1%	1%	0%	0%	0%	C	0.09	F		7500	G
11 King St	Town of Strasburg (Maint: 85)	0.16	7800	G	98%	0%	1%	0%	0%	0%	C	0.096	F		8200	G
11 55 N Massanutten St	Town of Strasburg (Maint: 85)	0.23	13000	G	97%	0%	1%	1%	2%	0%	F	0.085	F		14000	G
11 N Massanutten St	Town of Strasburg (Maint: 85)	0.70	13000	G	97%	0%	1%	1%	2%	0%	C	0.093	F		13000	G
11 Old Valley Pike	Shenandoah County	0.91	12000	G	97%	0%	1%	1%	2%	0%	F	0.088	F		12000	G
11 Old Valley Pike	Shenandoah County	1.11	4000	G	91%	0%	1%	4%	3%	0%	C	0.091	F		4200	G
42 Senedo Rd	Shenandoah County	2.91	1100	G	83%	0%	2%	12%	3%	0%	F	0.097	F	0.659	1100	G
42 Senedo Rd	Shenandoah County	5.78	600	G	83%	0%	2%	12%	3%	0%	C	0.095	F	0.541	630	G
42 Senedo Rd	Shenandoah County	2.21	500	G	96%	0%	1%	1%	1%	0%	F	0.125	F	0.698	530	G
42 Senedo Rd	Shenandoah County	3.06	1100	G	96%	0%	1%	1%	1%	0%	C	0.086	F	0.596	1200	G
42 Senedo Rd	Shenandoah County	4.67	1500	G	96%	0%	1%	1%	1%	0%	F	0.087	F	0.620	1600	G
42 Senedo Rd	Shenandoah County	4.48	4000	G	96%	0%	1%	1%	2%	0%	F	0.087	F		4200	G

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Shenandoah Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
42 Senedo Rd	Shenandoah County	0.86	7600	G	96%	0%	1%	1%	2%	0%	C	0.085	F		8000	G	
42 W Reservoir Rd	Town of Woodstock (Maint: 85)	0.44	7900	G	96%	0%	1%	1%	2%	0%	F	0.083	F		8300	G	
42 W Reservoir Rd	Town of Woodstock (Maint: 85)	0.41	14000	G	97%	1%	1%	1%	1%	0%	C	0.081	F		15000	G	
42 W Reservoir Rd	Town of Woodstock (Maint: 85)	0.22	15000	G	97%	1%	1%	1%	1%	0%	F	NA			15000	G	
48 55 John Marshall Hwy	Shenandoah County	4.90	4200	G	93%	0%	1%	1%	5%	0%	F	0.086	F		3900	G	
48 55 John Marshall Hwy	Shenandoah County	3.83	5400	G	93%	0%	1%	1%	5%	0%	F	0.084	F		5000	G	
55 48 John Marshall Hwy	Shenandoah County	4.90	4200	G	93%	0%	1%	1%	5%	0%	F	0.086	F		3900	G	
55 48 John Marshall Hwy	Shenandoah County	3.83	5400	G	93%	0%	1%	1%	5%	0%	F	0.084	F		5000	G	
55 John Marshall Hwy	Shenandoah County	0.99	4200	G	97%	1%	1%	0%	1%	0%	C	0.093	F		4400	G	
55 John Marshall Hwy	Town of Strasburg (Maint: 85)	0.64	3600	G	95%	1%	1%	1%	2%	0%	C	0.081	F	0.579	3800	G	
55 11 N Massanutten St	Town of Strasburg (Maint: 85)	0.23	13000	G	97%	0%	1%	1%	2%	0%	F	0.085	F		14000	G	
55 King St	Town of Strasburg (Maint: 85)	0.60	7600	G	94%	1%	1%	1%	3%	0%	C	0.095	F		8000	G	
55 Front Royal Rd	Town of Strasburg (Maint: 85)	0.58	4100	G	92%	1%	1%	2%	5%	0%	C	0.102	F		4300	G	
55 Front Royal Rd	Shenandoah County	0.99	3600	G	96%	0%	1%	1%	1%	0%	C	0.1	F	0.535	3800	G	
North 81	Shenandoah County	0.84	19000	F	75%	1%	1%	1%	21%	1%	F	NA			18000	F	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:							38000	F	76%	1%	1%	1%	20%	1%	F	NA	36000 F
North 81	Shenandoah County	0.08	17000	G	75%	1%	1%	1%	21%	1%	F	NA			17000	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:							35000	G	76%	1%	1%	1%	20%	1%	F	NA	35000 G

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Shenandoah Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail					
North 	From: SCL New Market	0.85	17000	G	75%	1%	1%	1%	21%	1%	F	NA	17000	G	
North 	To: NCL New Market	3.27	17000	G	75%	1%	1%	1%	21%	1%	F	NA	17000	G	
North 	From: 85-730 Caverns Rd	4.42	20000	F	75%	1%	1%	1%	21%	1%	F	NA	20000	F	
North 	To: SR 292 Conicville Rd	3.93	18000	G	75%	1%	1%	1%	21%	1%	F	NA	18000	G	
North 	From: 85-614 South Middle Rd	1.72	21000	G	75%	1%	1%	1%	21%	1%	F	NA	21000	G	
North 	To: SR 185 Stoney Creek Rd	3.72	22000	G	75%	1%	1%	1%	21%	1%	F	NA	22000	G	
North 	From: SCL Woodstock	0.38	22000	G	75%	1%	1%	1%	21%	1%	F	NA	22000	G	
North 	To: SR 42 Reservoir Rd	1.41	21000	G	75%	1%	1%	1%	21%	1%	F	NA	21000	G	
North 	From: NCL Woodstock	6.68	21000	G	75%	1%	1%	1%	21%	1%	F	NA	21000	G	
North 	To: 85-651 Mount Olive Rd	5.15	22000	A	75%	1%	1%	1%	21%	1%	F	0.121	A	21000	A
North 	From: SR 55 John Marshall Hwy	1.75	24000	G	75%	1%	1%	1%	21%	1%	F	NA	23000	G	
North 	To: US 11	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	48000	G	76%	1%	1%	1%	20%	1%	F	NA	48000	G	

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Shenandoah Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail					
North 81	From: Shenandoah County	0.48	25000	G	75%	1%	1%	1%	21%	1%	F	NA		25000	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	50000		G	76%	1%	1%	1%	20%	1%	F	NA		50000	G
North 81	To: Frederick County Maintenance Break														
	From: Shenandoah County Maintenance Break														
North 81	Shenandoah County (Maint: 34)	0.43	25000	G	75%	1%	1%	1%	21%	1%	F	NA		25000	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	50000		G	76%	1%	1%	1%	20%	1%	F	NA		50000	G
	To: Warren County Line														
North 81	Ramp I-81 N Exit 277 to 85-614	From: Shenandoah County	0.18	NA								NA		NA	
	To: 85-614 South Middle Rd														
North 81	Ramp I-81 N Exit 283 to SR 42	From: Shenandoah County	0.16	2900	F							NA		2900	F
	To: SR 42 W Reservoir Rd														
South 81	From: Rockingham County Line														
	Shenandoah County	0.92	19000	A	77%	1%	1%	1%	19%	1%	F	0.116	A	18000	A
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	38000		F	76%	1%	1%	1%	20%	1%	F	0.114	A	0.575	36000 F
South 81	To: SCL New Market														
	From: Town of New Market (Maint: 85)	0.24	19000	A	77%	1%	1%	1%	19%	1%	F	0.116	A	18000	A
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	38000		F	76%	1%	1%	1%	20%	1%	F	NA		36000	F
South 81	To: US 211 Old Cross Rd														
	From: Town of New Market (Maint: 85)	0.61	18000	G	77%	1%	1%	1%	19%	1%	F	NA		18000	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	35000		G	76%	1%	1%	1%	20%	1%	F	NA		35000	G
South 81	To: NCL New Market														
	From: Shenandoah County	3.51	18000	G	77%	1%	1%	1%	19%	1%	F	NA		18000	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	35000		G	76%	1%	1%	1%	20%	1%	F	NA		35000	G
South 81	To: 85-730 Caverns Rd														
	From: Shenandoah County	4.58	20000	F	77%	1%	1%	1%	19%	1%	F	NA		19000	F
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	40000		F	76%	1%	1%	1%	20%	1%	F	NA		38000	F
South 81	To: SR 292 Conicville Rd														
	From: Shenandoah County	3.47	19000	G	77%	1%	1%	1%	19%	1%	F	NA		18000	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	37000		G	76%	1%	1%	1%	20%	1%	F	NA		36000	G
South 81	To: 85-614 South Middle Rd														
	From: Shenandoah County	2.19	22000	G	77%	1%	1%	1%	19%	1%	F	NA		22000	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	44000		G	76%	1%	1%	1%	20%	1%	F	NA		43000	G
	To: SR 185 Stoney Creek Rd														

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Shenandoah Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail					
 South 81	Shenandoah County	3.31	22000	G	77%	1%	1%	1%	19%	1%	F	NA	22000	G	
 South 81	Town of Woodstock (Maint: 85)	0.69	22000	G	77%	1%	1%	1%	19%	1%	F	NA	22000	G	
 South 81	Town of Woodstock (Maint: 85)	1.00	23000	G	77%	1%	1%	1%	19%	1%	F	NA	23000	G	
 South 81	Shenandoah County	7.17	23000	G	77%	1%	1%	1%	19%	1%	F	NA	23000	G	
 South 81	Shenandoah County	5.29	21000	A	77%	1%	1%	1%	19%	1%	F	NA	20000	A	
 South 81	Shenandoah County	1.63	25000	G	77%	1%	1%	1%	19%	1%	F	0.113	A	24000	G
 South 81	Shenandoah County	0.07	25000	G	77%	1%	1%	1%	19%	1%	F	NA	25000	G	
 South 81	Shenandoah County	0.43	25000	G	77%	1%	1%	1%	19%	1%	F	NA	25000	G	
 South 81	Shenandoah County	0.26	50000	G	76%	1%	1%	1%	20%	1%	F	NA	50000	G	
 South 81	Shenandoah County	0.17	NA								NA	NA	NA	NA	
 185	Shenandoah County	0.08	4400	G	95%	0%	1%	1%	3%	0%	C	0.085	F	4600	G
 185	Shenandoah County	0.26	4300	N	95%	0%	1%	1%	3%	0%	N	0.090	N	4500	N
 185	Shenandoah County	0.66	4300	G	95%	0%	1%	1%	3%	0%	F	0.090	F	4500	G

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Shenandoah Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
W Old Cross Rd	Town of New Market (Maint: 85)	From: I-81 West of New Market	0.26	11000	G	91%	1%	1%	2%	6%	0%	F	0.082	F	12000	G	
		To: US 11 New Market South Int															
Congress St	Town of New Market (Maint: 85)	From: US 11 S, Congress St; South Congress St	0.27	7300	G	96%	0%	1%	0%	2%	0%	F	0.079	F	7700	G	
		To: US 11 N, North Congress St; Congress St															
Lee Highway	Town of New Market (Maint: 85)	From: US 11 New Market North Int	0.45	5500	G	91%	1%	1%	2%	6%	0%	C	0.086	F	5800	G	
		To: ECL New Market															
Lee Highway	Shenandoah County	From: Shenandoah County	0.11	5500	N	91%	1%	1%	2%	6%	0%	N	0.086	N	5800	N	
		To: 85-1002 Old Cross Rd															
Lee Highway	Shenandoah County	From: Shenandoah County	3.14	5900	G	91%	1%	1%	2%	6%	0%	F	0.087	F	6100	G	
		To: Page County Line															
W Old Cross Rd	Shenandoah County	From: Shenandoah County	0.94	6200	G	93%	1%	1%	1%	4%	0%	C	0.083	F	6500	G	
		To: WCL New Market															
W Old Cross Rd	Town of New Market (Maint: 85)	From: Town of New Market (Maint: 85)	0.42	6200	N	93%	1%	1%	1%	4%	0%	N	0.083	N	6500	N	
		To: I-81 West of New Market															
Orkney Grade	Shenandoah County	From: Shenandoah County	1.75	770	G	95%	0%	1%	3%	1%	0%	F	0.104	F	720	G	
		To: 85-659 Shrine Mont Circle															
Orkney Grade	Shenandoah County	From: Shenandoah County	4.74	1800	G	95%	0%	1%	3%	1%	0%	C	0.086	F	1700	G	
		To: W SR 42															
	Shenandoah County	From: Shenandoah County	1.46	2000	B	98%	0%	1%	1%	1%	0%	C	0.119	A	0.59	1900	B
		To: E SR 42															
Orkney Grade	Shenandoah County	From: Shenandoah County	4.36	3200	G	98%	0%	1%	1%	1%	0%	F	0.089	F	0.67	2900	G
		To: 85-716 Graveltown Road															
Orkney Grade	Shenandoah County	From: Shenandoah County	0.52	3200	N	98%	0%	1%	1%	1%	0%	N	0.089	N	0.67	2900	N
		To: WCL Mt. Jackson															
	Town of Mount Jackson (Maint: 85)	From: Town of Mount Jackson (Maint: 85)	0.23	9000	G	70%	1%	1%	1%	25%	2%	N	0.077	N	9400	N	
		To: US 11															
Conicville Rd	Shenandoah County	From: Shenandoah County	0.16	9000	N	70%	1%	1%	1%	25%	2%	N	0.077	N	9400	N	
		To: 85-703; I-81															
Conicville Rd	Town of Mount Jackson (Maint: 85)	From: Town of Mount Jackson (Maint: 85)	0.23	9000	G	70%	1%	1%	1%	25%	2%	C	0.077	F	9400	G	
		To: US 11 Main St															
George Collins Parkway	Town of New Market (Maint: 85)	From: Town of New Market (Maint: 85)	1.79	180	G	95%	3%	2%	0%	0%	0%	C	0.283	F	0.952	180	G
		To: Battlefield Park Entrance															

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Shenandoah County																
(F240) North Fork Rd	0.66	330	R			From: Dead End					NA		NA		04/02/2008	
						To: 85-767 Quicksburg Rd										
(F241) Wayne Rd	0.06	70	R			From: 85-1604 Wayne Rd					NA		NA		04/07/2008	
						To: Dead End										
(F242) Windsor Knit Rd	0.03	8	R			From: 85-1410 Windsor Knit Rd					NA		NA		04/07/2008	
						To: Dead End										
(F243) Gochenour Rd	0.64	10	R			From: Dead End					NA		NA		04/14/2008	
						To: 85-605; 85-686										
(F244) Fox Den Rd	0.21	7	R			From: Dead End					NA		NA		04/30/2008	
						To: 85-824 Fox Den Rd										
(F245) Ft Bowman Rd	0.23	170	R			From: US 11 Old Valley Pike					NA		NA		04/23/2008	
						To: Dead End										
(F328)	0.12	120	R			From: SR 55 John Marshall Hwy					NA		NA		04/21/2008	
						To: Dead End										
(F811) Loving Lane	0.08	30	R			From: US 11; 85-629					NA		NA		04/23/2008	
						To: Dead End										
(600)	0.20	30	R			From: Dead End					NA		NA		04/16/2008	
						To: 85-654 Zion Church Rd										
(600)	2.16	60	R			From: 85-657 Powhatan Rd					NA		NA		04/16/2008	
						To: US 11 Old Valley Pike										
(600) Saumsville Rd	2.06	280	G	98%	0%	1%	1%	0%	0%	C	0.142	F	0.692	290	G	2009
						To: 85-652 S. Jadwyn Rd										
(600) Zepplin Rd	1.02	210	G	98%	0%	1%	1%	0%	0%	F	0.104	F	0.591	220	G	2009
						To: 85-623 Back Rd										
(600) Zepplin Rd	2.53	220	G	98%	0%	1%	1%	0%	0%	F	0.103	F	0.733	230	G	2009
						To: GW Natl For Bndy										
(600) Zepplin Rd	1.90	220	G	98%	0%	1%	1%	0%	0%	F	0.099	F	0.522	230	G	2009
						To: 85-603 Van Buren Rd										
(600) Zepplin Rd	1.17	160	R			From: 85-713 Sugar Hill Rd					NA		NA		04/28/2008	
						To: 85-746 Bonnet Hill Rd										
(600) Zepplin Rd	0.86	170	R			From: 85-621 W. Fairmont Lane					NA		NA		11/17/2005	
						To: GW Natl For Bndy										
(600) Zepplin Rd	0.70	160	R			From: 85-621 E. Fairmont Lane					NA		NA		04/28/2008	
						To: 85-602 Paddys Run										
(600) Zepplin Rd	0.43	220	R			From: Frederick County Line					NA		NA		11/17/2005	
						To: Frederick County Line										

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Shenandoah County																
(601)	0.60	60	R											NA	04/30/2008	
(601)	0.70	220	R											NA	04/30/2008	
(601)	1.40	290	R											NA	12/01/2005	
(601)	0.35	710	R											NA	04/21/2008	
(601) Battlefield Rd	0.72	770	G	99%	0%	1%	0%	0%	0%	C	0.111	F	0.711	800	G	2009
(601)	1.96	470	R											NA	12/01/2005	
(602) Paddys Run	0.80	20	R											NA	04/28/2008	
(603) Van Buren Rd	1.10	110	R											NA	04/28/2008	
(604)	0.10	60	R											NA	04/30/2008	
(604)	0.17	250	R											NA	04/30/2008	
(604)	0.27	390	R											NA	04/30/2008	
(604) Fairview Rd	1.50	890	G	97%	0%	1%	1%	1%	0%	F	0.085	F	0.631	930	G	2009
(604) Fairview Rd	0.71	1300	G	97%	0%	1%	1%	1%	0%	F	0.091	F	0.621	1300	G	2009
(604) Fairview Rd	1.07	1400	G	97%	0%	1%	1%	1%	0%	C	0.097	F	0.759	1500	G	2009
(605)	0.20	140	R											NA	05/05/2008	
(605)	1.13	140	R											NA	05/05/2008	
(605)	1.00	490	R											NA	10/26/2005	
(605) St. Luke Rd	1.64	970	G	97%	0%	1%	0%	1%	0%	F	0.098	F	0.546	1000	G	2009
(605) St. Luke Rd	0.80	1200	G	97%	0%	1%	0%	1%	0%	F	0.097	F	0.535	1300	G	2009
(605) St. Luke Rd	0.50	1800	G	97%	0%	1%	0%	1%	0%	C	0.106	F	0.587	1900	G	2009
(605)	0.15	160	R											NA	05/05/2008	
(605)	1.07	70	R											NA	05/05/2008	
(605)	0.28	100	R											NA	05/05/2008	

Virginia Department of Transportation
Traffic Engineering Division

2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Shenandoah County															
(605)	1.42	740	R			From:	85-683 Honeysuckle Ave				NA		NA	06/05/2008	
						To:	US 11 S, Old Valley Pike								
(605)	0.50	80	R			From:	US 11 N, Old Valley Pike				NA		NA	04/14/2008	
						To:	Dead End								
(606) Gap Rd	0.90	120	R			From:	85-628 Middle Rd				NA		NA	04/23/2008	
						To:	85-623 S, Back Rd								
(606) Gap Rd	1.00	30	R			From:	85-623 N, Back Rd				NA		NA	04/23/2008	
						To:	Frederick County Line								
(607) Riffey Lane	0.40	70	R			From:	85-681 Osceola Rd				NA		NA	05/05/2008	
						To:	Dead End								
(608) South Hollingsworth Rd	0.37	170	R			From:	85-675 Stoney Creek Rd				NA		NA	10/20/2005	
						To:	0.37 MW 85-675 Stoney Creek Rd								
(608) South Hollingsworth Rd	0.63	100	R			From:	GW Natl For Bndy				NA		NA	10/20/2005	
						To:	Dead End								
(608) South Hollingsworth Rd	0.20	120	R			From:	Dead End				NA		NA	05/07/2008	
						To:									
(609) Hollingsworth Rd	0.60	100	R			From:	Dead End				NA		NA	04/14/2008	
						To:	85-670 S, East Reservoir Rd								
(609) Hollingsworth Rd	0.45	160	R			From:	85-670 N, East Reservoir Rd				NA		NA	04/14/2008	
						To:	85-669 Hottel Rd								
(610) Orkney Springs Rd	4.40	200	R			From:	Rockingham County Line				NA		NA	09/15/2005	
						To:	SR 263 Orkney Grade								
(611) Supinlick Ridge Lane	1.50	30	R			From:	Rockingham County Line				NA		NA	05/14/2008	
						To:	85-725 Morning Star Rd								
(611) Supinlick Ridge Lane	1.10	90	R			From:	85-726 Flat Rock Rd				NA		NA	05/14/2008	
						To:	3.00 MN 85-726 Flat Rock Rd								
(611) Supinlick Ridge Lane	3.00	200	R			From:	SR 263 W, Orkney Grade				NA		NA	09/15/2005	
						To:	SR 263 E, Orkney Grade								
(611) Supinlick Ridge Lane	0.30	220	R			From:	0.75 MN SR 263 Orkney Grade				NA		NA	05/27/2008	
						To:									
(611) Supinlick Ridge Lane	0.75	640	R			From:	85-720 Crooked Run Rd				NA		NA	05/14/2008	
						To:	85-703								
(611) Supinlick Ridge Lane	2.80	110	R			From:	85-717 Alum Springs Rd				NA		NA	05/12/2008	
						To:									
(612) Mill Creek Rd	2.10	110	R			From:	Rockingham County Line				NA		NA	05/12/2008	
						To:	85-726 S, Flat Rock Rd								
(612) Mill Creek Rd	0.70	200	R			From:	85-726 N, Flat Rock Rd				NA		NA	05/14/2008	
						To:									

Virginia Department of Transportation
Traffic Engineering Division

2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Shenandoah County																
(612) Mill Creek Rd	2.49	160	R											NA	05/14/2008	
			From:	85-726 N, Flat Rock Rd												
			To:	SR 263 S, Orkney Grade												
(613) North Mountain Rd	2.95	420	R											NA	09/13/2005	
			From:	Rockingham County Line												
			To:	SR 42 Senedo Rd												
(614) South Middle Rd	1.20	120	R											NA	05/19/2008	
			From:	Rockingham County Line												
			To:	85-738 Knupp Rd												
(614) South Middle Rd	0.63	200	R											NA	09/13/2005	
			From:	85-728 NORTH												
(614) South Middle Rd	0.11	180	R											NA	05/19/2008	
			To:	85-728 SOUTH												
(614) South Middle Rd	1.80	40	R											NA	05/19/2008	
			From:	SR 42 S, Senedo Rd												
			To:	SR 42; 85-767												
(614) South Middle Rd	4.13	1200	G	90%	0%	1%	6%	2%	0%	C	0.097	F	0.551	1300	G	2009
			From:	SR 263 Orkney Grade												
(614) South Middle Rd	1.08	2000	G	97%	0%	1%	2%	0%	0%	F	0.092	F		2100	G	2009
			To:	85-703; 85-712												
(614) South Middle Rd	2.15	620	G	97%	0%	1%	2%	0%	0%	F	0.096	F	0.556	650	G	2009
			From:	85-707 S, Headquarters Rd												
(614) South Middle Rd	0.97	420	G	97%	0%	1%	2%	0%	0%	C	0.096	F	0.548	440	G	2009
			To:	85-708 S, Bethel Church Rd												
(614) South Middle Rd	0.07	850	G	97%	0%	1%	2%	0%	0%	F	0.095	N	0.614	880	G	2009
			From:	85-708 N, Shellie Rd												
(614) South Middle Rd	0.92	970	G	97%	0%	1%	2%	0%	0%	F	0.095	F	0.614	1000	G	2009
			To:	85-693 Polk Rd												
(614) South Middle Rd	0.34	1000	G	97%	0%	1%	2%	0%	0%	F	0.093	F	0.570	1100	G	2009
			From:	RAMP To I- 81												
(614) South Middle Rd	0.47	1100	G	97%	0%	1%	2%	0%	0%	F	0.096	F		1200	G	2009
			To:	US 11 Old Valley Pike												
(614) Ramp to I-81 S at Exit 2	0.16	NA												NA	NA	
			From:	85-614 South Middle Rd												
			To:	I-81 S												
(615) Switchback Rd	0.50	80	R											NA	04/02/2008	
			From:	Rockingham County Line												
			To:	85-616 Ridge Rd												
(616) Ridge Rd	1.15	90	R											NA	04/02/2008	
			From:	Rockingham County Line												
(616) Ridge Rd	2.80	420	R											NA	04/02/2008	
			To:	85-728 S, New Market Depot Rd												
(616) Ridge Rd	0.25	600	G	96%	1%	1%	1%	0%	0%	C	0.124	F	0.643	630	G	2009
			From:	85-831 Stayman Rd												
			To:	85-767 Quicksburg Rd												
(617) Evergreen Valley Rd	0.57	850	G	99%	0%	0%	0%	1%	0%	F	0.106	F	0.767	890	G	2009
			From:	Rockingham County Line												
			To:	85-728 S, River Rd												
(617) River Rd	1.38	640	G	99%	0%	0%	0%	1%	0%	C	0.095	F	0.661	670	G	2009
			From:	85-728 N, River Rd; New Market Depot Rd												
(617) River Rd	1.76	390	R											NA	04/02/2008	
			To:	85-736 S, Jiggady Rd												
			From:	85-616 Ridge Rd												

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Shenandoah County																
(618) Short Mountain Rd	0.52	20	R			From:	85-698 Palmyra Church Rd					NA		NA	04/09/2008	
						To:	Dead End									
(619) Miller Lane	0.21	90	R			From:	Rockingham County Line					NA		NA	04/02/2008	
						To:	0.21 MN of New Market									
(619) Miller Lane	0.70	120	R			From:	0.21 MN of New Market					NA		NA	08/25/2005	
						To:	SCL New Market									
Town of New Market																
(619) Miller Lane	0.08	230	R			From:	SCL New Market					NA		NA	04/02/2008	
						To:	SR 211; SR 305 George Collins Pkwy									
Shenandoah County																
(620) Smith Creek Rd	0.60	340	R			From:	Rockingham County Line					NA		NA	09/08/2005	
						To:	85-823 Clicks Lane									
(620) Smith Creek Rd	0.75	140	R			From:						NA		NA	04/02/2008	
						To:	85-815 Strickler Lane									
(620) Smith Creek Rd	0.10	170	R			From:						NA		NA	04/02/2008	
						To:	GW Natl For Bndy									
(620) Smith Creek Rd	0.50	170	R			From:						NA		NA	04/02/2008	
						To:	0.50 MS of Bndy									
(620) Smith Creek Rd	0.02	170	R			From:						NA		NA	04/02/2008	
						To:	85-735 Smith Creek Rd									
(620) Smith Creek Rd	0.05	80	R			From:						NA		NA	04/02/2008	
						To:	0.05 MS 85-735 Smith Creek Rd									
(620) Smith Creek Rd	0.38	200	R			From:						NA		NA	09/08/2005	
						To:	GW Natl For Bndy									
(620) Smith Creek Rd	0.93	70	R			From:						NA		NA	04/07/2008	
						To:	US 211 W, Lee Hwy									
(620) Smith Creek Rd	3.59	360	R			From:						NA		NA	09/08/2005	
						To:	US 211 E, Lee Hwy									
(620) Smith Creek Rd	1.00	280	R			From:						NA		NA	04/07/2008	
						To:	85-732 Cardinal Rd									
(620) Smith Creek Rd	0.15	280	R			From:						NA		NA	09/08/2005	
						To:	1.00 MN 85-732 Cardinal Rd									
(620) Smith Creek Rd	0.73	350	G	97%	0%	1%	1%	1%	0%	C	0.121	F	0.739	360	G	2009
						To:	US 11 Old Valley Pike									
(621) Fairmont Lane	0.70	49	R			From:	Dead End					NA		NA	04/28/2008	
						To:	85-600 W, Zepp Rd									
(621) Fairmont Lane	4.70	60	R			From:	85-600 E, Zepp Rd					NA		NA	04/28/2008	
						To:	85-714 Turkey Run Rd									
(622) Clary Rd	0.62	160	R			From:	85-633 Red Bud Rd					NA		NA	04/23/2008	
						To:	0.62 ME 85-633 Red Bud Rd									
(622) Clary Rd	0.08	180	R			From:						NA		NA	11/17/2005	
						To:	SR 55 John Marshall Hwy									
(622) Clary Rd	1.40	480	G	96%	0%	1%	3%	1%	0%	C	0.105	F	0.549	510	G	2009
						To:	85-630 Orndorf Rd									
(622) Orndorf Rd	0.30	480	N	96%	0%	1%	3%	1%	0%	N	0.105	N	0.549	510	N	2009
						To:	85-629 S, Oranda Rd									

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Shenandoah County																
(622) Minebank Rd	0.70	330	R											NA	04/23/2008	
						From:	85-629 N, Oranda Rd									
						To:	Frederick County Line									
(623) Back Rd	0.19	1300	G	98%	0%	1%	0%	0%	0%	F	0.103	F	0.608	1300	G	2009
						From:	85-675 Wolf Gap Rd									
(623) Back Rd	1.00	490	G	98%	0%	1%	0%	0%	0%	F	0.125	F	0.595	510	G	2009
						From:	85-768 Union Church Rd									
(623) Back Rd	2.30	830	G	98%	0%	1%	0%	0%	0%	F	0.112	F	0.582	870	G	2009
						To:	85-681 S, Osceola Rd; Stultz Gap Rd									
(623) Back Rd	2.70	870	G	98%	0%	1%	0%	0%	0%	F	0.109	F	0.537	920	G	2009
						From:	85-605 St Luke Rd									
(623) Back Rd	2.32	1200	G	98%	0%	1%	0%	0%	0%	C	0.094	F	0.554	1300	G	2009
						To:	85-604 S, Fairview Rd									
(623) Back Rd	3.70	1200	G	98%	0%	1%	0%	0%	0%	F	0.107	F	0.617	1300	G	2009
						From:	85-600 Zepp Rd									
(623) Back Rd	3.80	620	G	98%	0%	1%	0%	0%	0%	F	0.122	F	0.637	650	G	2009
						To:	85-653 Brook Creek Rd									
(623) Back Rd	3.10	630	G	98%	0%	1%	0%	0%	0%	F	0.127	F	0.662	660	G	2009
						From:	85-806 Bruebeck Lane									
(623) Back Rd	1.60	46	R											NA	04/23/2008	
						To:	SR 55 S, John Marshall Hwy									
(623)	1.22	100	R											NA	04/23/2008	
						From:	85-741 Cottontown Rd									
(623)	3.04	480	R											NA	11/17/2005	
						To:	SR 55 MID, John Marshall Hwy									
						From:	SR 55 N, John Marshall Hwy									
(624) Meadow Mills Rd	0.37	70	R											NA	04/23/2008	
						To:	Dead End									
(625) Harman Rd	1.40	270	R											NA	11/07/2005	
						To:	US 11 Old Valley Pike									
(626) Boling Springs Rd	0.21	40	R											NA	05/19/2008	
						From:	Dead End									
						To:	85-767 Quicksburg Rd									
(627) Third Hill Lane	0.33	120	R											NA	05/19/2008	
						To:	Dead End									
(628)	0.60	240	R											NA	04/23/2008	
						To:	SR 55 S, John Marshall Hwy									
(628)	0.90	20	R											NA	12/01/2005	
						From:	0.60 MN SR 55									
(628)	3.05	1400	G	97%	0%	1%	1%	1%	0%	C	0.136	F	0.8	1500	G	2009
						To:	SR 55 MID									
						From:	SR 55 N, John Marshall Hwy									
(629) Oranda Rd	2.01	1200	G	68%	0%	1%	20%	11%	0%	C	0.081	F	0.543	1200	G	2009
						To:	Frederick County Line									
(629) Oranda Rd	0.34	420	G	68%	0%	1%	20%	11%	0%	F	0.101	F	0.595	440	G	2009
						From:	US 11 Old Valley Pike; FR-811 Loving Lane									
(629) Oranda Rd	0.06	570	R											NA	04/23/2008	
						To:	85-762 Old Factory Rd									
						From:	85-622 S, Clary Rd									
						To:	85-622 N, Minebank Rd									

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Shenandoah County																
(629) Oranda Rd	1.28	180	R											NA	04/23/2008	
(629) Oranda Rd	0.25	60	R											NA	04/23/2008	
(630) Orndorff Rd	0.65	70	R											NA	04/23/2008	
(630) Beeler Dr	0.60	40	R											NA	04/23/2008	
(631) Pine Grove Rd	0.60	460	R											NA	12/01/2005	
(631) Pine Grove Rd	0.35	250	R											NA	04/23/2008	
(632) Mumaw Rd	0.80	50	R											NA	04/23/2008	
(633) Red Bud Rd	0.30	90	R											NA	04/23/2008	
(633) Red Bud Rd	0.75	330	R											NA	12/01/2005	
(634) Pouts Hill Rd	0.18	210	R											NA	04/23/2008	
(634) Pouts Hill Rd	0.31	180	R											NA	12/01/2005	
(634) Pouts Hill Rd	1.18	50	R											NA	04/23/2008	
(635) Bowman Hill Rd	0.25	880	R											NA	12/01/2005	
(635) Bowman Hill Rd	0.80	1500	R											NA	04/23/2008	
(635) Bowman Hill Rd	0.10	150	R											NA	12/01/2005	
(636) Sand Ridge Rd	0.50	49	R											NA	04/30/2008	
(637) Powhatan Rd	0.81	1200	R											NA	04/21/2008	
(637) Powhatan Rd	0.12	1400	R											NA	04/21/2008	
(638) Junction Rd	0.50	140	R											NA	12/01/2005	
(638) Junction Rd	1.50	360	R											NA	05/27/2008	
(638) Junction Rd	0.59	580	G	99%	0%	0%	0%	0%	0%	F	0.141	F	0.646	600	G	2009

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Shenandoah County																
(638) Junction Rd	0.53	1900	G	99%	0%	0%	0%	0%	0%	C	0.119	F	0.511	2000	G	2009
			From:	85-757 Green Acres Rd						To:	WCL Strasburg					
(639) Green Acre Dr	1.00	590	R											NA		12/01/2005
			From:	85-757 Copp Rd						To:	US 11 Old Valley Pike					
(640) Habron Hollow Rd	0.10	30	R											NA		04/21/2008
			From:	85-601; 85-757						To:	Dead End					
(641) Grover Rd	0.90	60	R											NA		04/21/2008
			From:	US 11 Old Valley Pike						To:	85-757 Copp Rd					
(642) Country Brook Rd	3.35	250	R											NA		04/14/2008
			From:	NCL Woodstock						To:	85-625 Harman Rd					
(642) Country Brook Rd	0.07	250	R											NA		04/30/2008
			From:	85-625 Harman Rd						To:	0.07 MN 85-625 Harman Rd					
(642) Country Brook Rd	0.78	60	R											NA		05/27/2008
			From:	85-652 S, Jadwyn Rd						To:	NA					
(642) Country Brook Rd	0.10	70	R											NA		04/30/2008
			From:	85-652 N, Jadwyn Rd						To:	NA					
(642) Country Brook Rd	0.70	50	R											NA		04/30/2008
			From:	85-657 Powhatan Rd						To:	NA					
(642) Country Brook Rd	0.60	100	R											NA		04/16/2008
			From:	85-655 E, Harrisville Rd						To:	NA					
(642) Country Brook Rd	0.80	130	R											NA		04/30/2008
			From:	85-655 W, Harrisville Rd						To:	NA					
(642) Country Brook Rd	0.90	520	R											NA		04/30/2008
			From:	85-653						To:	NA					
(643) Tumbling Run Lane	0.30	80	R											NA		04/30/2008
			From:	85-601						To:	NA					
(644) Millner Rd	2.10	180	R											NA		12/01/2005
			From:	US 11 Old Valley Pike						To:	NA					
(645) Woodville Rd	0.60	30	R											NA		04/16/2008
			From:	85-657 Powhatan Rd						To:	NA					
(645) Woodville Rd	0.40	120	R											NA		11/02/2005
			From:	85-654 W, Zion Church Rd						To:	NA					
(645) Woodville Rd	0.60	30	R											NA		04/16/2008
			From:	85-654 E, Zion Church Rd						To:	NA					
(646) Mt Hebron Rd	2.95	320	R											NA		12/01/2005
			From:	85-623 Back Rd						To:	NA					
(647) Rocco Rd	0.45	110	R											NA		04/30/2008
			From:	Dead End						To:	NA					
(648)	0.62	60	R											NA		04/21/2008
			From:	85-623 Back Rd						To:	NA					
(648)	0.20	240	R											NA		04/21/2008
			From:	85-644 Millner Rd						To:	NA					
(648)				85-744 Deer Rapids Rd										NA		04/21/2008

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Shenandoah County																
(648)	0.10	430	R								NA		NA		04/21/2008	
(648)	0.08	40	R								NA		NA		04/21/2008	
(648) Sandy Hook Rd	0.14	60	R								NA		NA		04/21/2008	
(648)	0.26	190	R								NA		NA		04/21/2008	
(648)	0.70	1200	R								NA		NA		12/01/2005	
(648)	0.15	2700	R								NA		NA		04/21/2008	
(648) Sandy Hook Rd	0.38	3200	G	99%	0%	0%	1%	0%	0%	C	0.188	F	0.511	3400	G	2009
(648)			To:	85-9090												
(648)			To:	SCL Strasburg												
(649) Fishers Rd	1.50	80	R								NA		NA		04/16/2008	
(650) Tea Berry Rd	1.40	60	R								NA		NA		04/16/2008	
(650) Tea Berry Rd	0.10	80	R								NA		NA		11/07/2005	
(650) Tea Berry Rd	0.50	70	R								NA		NA		04/16/2008	
(650) Tea Berry Rd	0.07	150	R								NA		NA		04/16/2008	
(650) Tea Berry Rd	1.00	320	R								NA		NA		11/07/2005	
(651) Johnson Road	0.81	80	R								NA		NA		04/16/2008	
(651) Hanns Lane	0.91	950	R								NA		NA		11/02/2005	
(651) Mount Olive Road	0.97	4400	G	97%	0%	1%	1%	1%	0%	C	0.097	F		4600	G	2009
(651) Mount Olive Rd	1.35	2600	G	97%	0%	1%	1%	1%	0%	F	0.097	F	0.653	2800	G	2009
(651) Mount Olive Road	0.45	80	R								NA		NA		04/30/2008	
(652) Jadwyn Rd	0.31	160	R								NA		NA		04/30/2008	
(652) Jadwyn Rd	2.58	290	R								NA		NA		04/30/2008	
(652) Jadwyn Rd	0.40	110	R								NA		NA		04/30/2008	
(652) Jadwyn Rd	0.70	30	R								NA		NA		04/30/2008	
(652) Jadwyn Rd	0.60	70	R								NA		NA		04/30/2008	

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Shenandoah County																
(653)	1.90	360	R			From:	85-623 Back Rd							NA	04/30/2008	
						To:	85-655 Harrisville Rd									
(653) Brook Creek Rd	0.50	590	G	99%	1%	0%	0%	0%	0%	C	0.106	F	0.571	620	G	2009
						To:	US 11 S, Old Valley Pike									
Town of Toms Brook																
(653) Creek Rd	0.15	310	G	99%	1%	0%	0%	0%	0%	F	0.107	F	0.514	320	G	2009
						To:	ECL Toms Brook									
Shenandoah County																
(653)	0.81	120	R			From:	ECL Toms Brook							NA	11/07/2005	
						To:	85-650 W, Tea Berry Rd									
(653)	0.27	60	R			From:	85-650 E, Tea Berry Rd							NA	11/02/2005	
						To:	0.27 ME 85-650 E, Tea Berry Rd									
(653)	0.39	60	R			From:								NA	11/02/2005	
						To:	85-645 Woodville Rd									
(653)	0.30	20	R			From:								NA	04/16/2008	
						To:	85-747 Riverview Dr									
(654) Zion Church Rd	0.75	520	G	99%	0%	0%	0%	0%	0%	C	0.107	F	0.724	550	G	2009
						To:	US 11; 85-657									
(654) Zion Church Rd	1.05	490	G	99%	0%	0%	0%	0%	0%	F	0.109	F	0.611	520	G	2009
						To:	85-781 County Farm Lane									
(654) Zion Church Rd	0.90	350	R			From:								NA	04/16/2008	
						To:	85-645 E, Woodville Rd									
(654) Zion Church Rd	0.20	270	R			From:								NA	11/02/2005	
						To:	85-747 Riverview Dr									
(655) Harrisville Rd	2.40	250	R			From:								NA	04/16/2008	
						To:	85-653 Brook Creek Rd									
(656) Harrisville Rd	1.38	20	R			From:								NA	04/30/2008	
						To:	85-623 Back Rd									
(657) Powhatan Rd	0.40	70	R			From:								NA	04/30/2008	
						To:	85-642 Country Brook Rd									
(657) Powhatan Rd	1.20	460	R			From:								NA	11/02/2005	
						To:	0.40 ME 85-642 Country Brook Rd									
(657) Powhatan Rd	0.80	40	R			From:								NA	04/16/2008	
						To:	US 11; 85-654 W Gap									
(657) Powhatan Rd	0.20	30	R			From:								NA	04/16/2008	
						To:	US 11; 85-654 E Gap									
(658) Mauser Lane	0.90	140	R			From:								NA	04/30/2008	
						To:	85-623 N, Back Rd									
(658) Mauser Lane	0.50	70	R			From:								NA	04/30/2008	
						To:	85-623 S, Back Rd									
(659) Shrine Mont Circle	0.15	70	R			From:								NA	05/14/2008	
						To:	85-652 Jadwyn Rd									
						From:										
						To:	SR 263 Begin Loop									
						To:	End Loop									

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Shenandoah County																
(660) Timberlake Rd	1.38	90	R			From:	85-622 Clary Rd							NA	04/23/2008	
			To:	85-629 Oranda Rd												
(661) Ridgeley Rd	1.78	120	R			From:	US 11 Old Valley Pike							NA	04/16/2008	
			To:	85-802 Franley Lane												
(661) Ridgeley Rd	1.33	40	R			From:	85-802 Franley Lane							NA	04/16/2008	
			To:	1.33 MS 85-802 Franley Lane												
(661) Ridgeley Rd	0.20	90	R			From:	85-600 Zepp Rd							NA	04/16/2008	
			To:													
(662) Jess Sine Rd	0.80	130	R			From:	85-642 Country Brook Rd							NA	10/26/2005	
			To:	US 11 Old Valley Pike												
(663) Artz Rd	0.60	280	R			From:	US 11 Old Valley Pike							NA	04/16/2008	
			To:	0.60 ME US 11												
(663) Artz Rd	2.19	220	R			From:								NA	10/26/2005	
			To:	Dead End												
(664) Moose Rd	1.42	1100	R			From:	US 11 Old Valley Pike							NA	04/16/2008	
			To:	1.42 ME US 11												
(664) Moose Rd	1.33	70	R			From:								NA	04/16/2008	
			To:	Dead End												
(665) Mill Rd	1.28	740	G	96%	0%	1%	1%	1%	0%	C	0.092	F	0.581	770	G	2009
			To:	85-758 Cemetery Road												
(666) Gunn Lane	0.07	70	R			From:	85-758 Cemetery Rd							NA	04/14/2008	
			To:	0.07 ME 85-758 Cemetery Rd												
(666) Gunn Lane	0.33	60	R			From:								NA	04/14/2008	
			To:	Dead End												
(667) Lupton Rd	0.50	30	R			From:	ECL Woodstock							NA	04/14/2008	
			To:	Dead End												
(668) French Woods Rd	0.34	230	R			From:	ECL Woodstock							NA	10/04/2005	
			To:	85-758 Cemetery Rd												
(669) Hottel Rd	0.20	240	R			From:	ECL Woodstock							NA	04/14/2008	
			To:	85-609 Hollingsworth Rd												
(669) Hottel Rd	0.36	80	R			From:								NA	10/04/2005	
			To:	0.36 ME 85-609 Hollingsworth Rd												
(669) Hottel Rd	0.44	110	R			From:								NA	04/14/2008	
			To:	Dead End												
(670) East Reservior Rd	0.40	50	R			From:	Dead End							NA	04/14/2008	
			To:	85-609 S. Hollingsworth Rd												
(670) East Reservior Rd	0.37	680	R			From:	85-609 N. Hollingsworth Rd							NA	05/27/2008	
			To:	ECL Woodstock												
(671) Lakeview Dr	0.25	580	G	99%	0%	0%	0%	0%	0%	F	NA			600	G	2009
			To:	SCL Woodstock												
(671) Lakeview Dr	0.67	390	G			From:								0.094	F	0.675
			To:	0.25 ME SCL Woodstock										410	G	2009
			To:	0.92 ME SCL Woodstock												

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Shenandoah County																
(671) Lakeview Dr	1.30	100	G							0.129	F	0.692	100	G	2009	
From: 0.92 ME SCL Woodstock																
To: Dead End																
(672) Chapman Landing Rd	0.43	130	R							NA			NA		10/06/2005	
From: US 11 Old Valley Pike																
To: 0.43 ME US 11																
(672) Chapman Landing Rd	1.27	90	R							NA			NA		04/09/2008	
From: US 11 Old Valley Pike																
To: Dead End																
(673) Aileen Rd	1.20	230	G	95%	0%	1%	1%	2%	0%	C	0.142	F	0.636	240	G	2009
From: US 211 Lee Hwy																
(674) Run Away Lane	0.27	80	R							NA			NA		09/08/2005	
From: West Virginia State Line																
(675) Wolf Gap Rd	1.74	220	R							NA			NA		05/07/2008	
From: 85-789 Sam Clark Rd																
(675) Wolf Gap Rd	1.58	250	R							NA			NA		10/20/2005	
From: 85-717 Liberty Furnace Rd																
(675) Wolf Gap Rd	0.66	870	G	97%	0%	1%	1%	2%	0%	F	0.089	F	0.519	910	G	2009
From: 85-749 Millertown Rd																
(675) Wolf Gap Rd	1.81	930	G	97%	0%	1%	1%	2%	0%	F	0.091	F	0.505	980	G	2009
From: 85-608 Johnstown Rd																
(675) Wolf Gap Rd	0.63	1200	G	97%	0%	1%	1%	2%	0%	C	0.092	F	0.518	1200	G	2009
From: SR 42 N, Senedo Rd																
From: SR 42 S, Senedo Rd																
(675) Stoney Creek Rd	2.75	530	G	93%	0%	1%	1%	4%	0%	F	0.109	F	0.622	550	G	2009
From: 85-682 Readus Rd; Wakemans Grove Rd																
(675) Stoney Creek Rd	1.88	2600	G	93%	0%	1%	1%	4%	0%	C	0.088	F	0.551	2700	G	2009
From: SR 185 W; South Ox Rd																
Town of Edinburg																
(675) Picadilly St	0.14	160	R							NA			NA		04/09/2008	
From: SR 185 MID, Stoney Creek Blvd																
To: Railroad Track; Gap																
(675) Picadilly St	0.12	80	R							NA			NA		10/06/2005	
From: Dead End; Railroad Track; Gap																
(675) Picadilly St	0.05	140	G	93%	0%	1%	1%	4%	0%	F	0.132	F	0.524	150	G	2009
From: SR 185 S, Stoney Creek Blvd																
From: US 11 Main St																
(675) Fort Rd	0.17	1900	G	99%	0%	1%	0%	0%	0%	C	0.099	F	0.611	2000	G	2009
From: ECL Edinburg																
Shenandoah County																
(675) Edinburg Gap Rd	1.19	1800	G	99%	0%	1%	0%	0%	0%	F	0.098	F	0.625	1900	G	2009
From: ECL Edinburg																
To: 85-1430 Crisman Rd																
(675) Edinburg Gap Rd	4.42	1200	G	99%	0%	1%	0%	0%	0%	F	0.1	F	0.565	1300	G	2009
From: 85-678 N, Fort Valley Rd																
From: 85-678 MID, South Fort Valley Rd																
(675) Camp Roosevelt Rd	1.99	310	G	99%	0%	1%	0%	0%	0%	F	0.111	F	0.618	330	G	2009
From: 85-678 S, South Fort Valley Rd																
(675) Camp Roosevelt Rd	1.67	270	G	99%	0%	1%	0%	0%	0%	F	0.112	F	0.508	280	G	2009
From: Page County Line																
From: 85-681 Osceola Rd																
(676)	0.90	150	R							NA			NA		05/05/2008	
From: 85-623 N, Back Rd																

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Shenandoah County																
(676)	1.60	740	R								NA			NA		11/02/2005
(676)	1.05	950	R								NA			NA		04/14/2008
(676) Fravel Rd	0.15	1300	G	99%	0%	1%	0%	0%	0%	C	0.089	F	0.681	1300	G	2009
(676)	0.50	230	R								NA			NA		04/14/2008
(676)	1.08	230	R								NA			NA		04/14/2008
(677) Baker House Lane	0.35	110	R								NA			NA		04/14/2008
(678)	0.14	60	R								NA			NA		04/09/2008
(678)	1.79	210	R								NA			NA		09/27/2005
(678) Fort Valley Rd	4.14	660	G	98%	0%	1%	1%	0%	0%	C	0.104	F	0.586	690	G	2009
(678) Fort Valley Rd	3.95	590	G	98%	0%	1%	1%	0%	0%	F	0.100	F	0.548	620	G	2009
(678) Fort Valley Rd	1.74	580	G	98%	0%	1%	1%	0%	0%	F	0.105	F	0.592	610	G	2009
(678)	1.90	600	G	98%	1%	1%	0%	1%	0%	C	0.113	F	0.583	630	G	2009
(678) Fort Valley Rd	6.67	670	G	98%	0%	1%	1%	0%	0%	F	0.099	F	0.65	700	G	2009
(679) Rittenour Rd	0.10	30	R								NA			NA		04/07/2008
(679) Rittenour Rd	0.76	1400	R								NA			NA		10/06/2005
(679) Rittenour Rd	0.25	260	R								NA			NA		05/05/2008
(679) Rittenour Rd	0.20	130	R								NA			NA		10/20/2005
(679) Rittenour Rd	1.30	60	R								NA			NA		05/05/2008
(679) Rittenour Rd	0.87	280	R								NA			NA		10/20/2005
(679) Rittenour Rd	0.03	300	R								NA			NA		05/05/2008
(679) Rittenour Rd	0.06	220	R								NA			NA		10/20/2005
(679) Rittenour Rd	1.00	110	R								NA			NA		05/05/2008
(679) Rittenour Rd	0.03	120	R								NA			NA		05/05/2008

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Shenandoah County															
(679) Rittenour Rd	1.57	70	R			From:	0.03 MN 85-605 E, St Luke Rd					NA		NA	05/05/2008
(679) Rittenour Rd	1.51	90	R			To:	85-623 Back Rd					NA		NA	05/05/2008
(679) Rittenour Rd	0.52	160	R			From:	1.51 MW 85-623 Back Rd					NA		NA	05/05/2008
(679) Rittenour Rd						To:	85-605 WEST								
(680) Coffmantown Rd	1.45	140	R			From:	85-623 Back Rd					NA		NA	05/05/2008
(680) Coffmantown Rd	0.10	190	R			To:	85-793 Ryman Rd					NA		NA	10/26/2005
(680) Coffmantown Rd						From:	85-679 N, Rittenour Rd								
(680) Coffmantown Rd	0.11	40	R			To:	85-679 S, Rittenour Rd					NA		NA	05/05/2008
(680) Coffmantown Rd						From:	0.11 MW 85-679 Rittenour Rd								
(680) Coffmantown Rd	1.03	40	R			To:	1.14 MW 85-679 Rittenour Rd					NA		NA	05/05/2008
(680) Coffmantown Rd	0.06	120	R			From:	85-682 N, Readus Rd					NA		NA	05/05/2008
(680) Coffmantown Rd						To:	85-682 S, Readus Rd								
(680) Coffmantown Rd	0.20	110	R			From:	SR 42 Senedo Rd					NA		NA	10/26/2005
(680) Coffmantown Rd	0.30	240	R			To:	SR 42 Senedo Rd					NA		NA	05/05/2008
(681) Osceola Rd	0.15	1100	R			From:	85-679 Rittenour Rd					NA		NA	10/06/2005
(681) Osceola Rd						To:	85-682 Readus Rd								
(681) Osceola Rd	1.89	1500	R			From:	SR 42 E, Senedo Rd					NA		NA	05/07/2008
(681) Osceola Rd						To:	SR 42 W, Senedo Rd								
(681) Osceola Rd	0.80	590	R			From:	SR 42 W, Back Rd					NA		NA	10/20/2005
(681) Osceola Rd						To:	85-623 W, Back Rd								
(681) Osceola Rd	1.00	610	R			From:	GW Natl For Bndy					NA		NA	05/05/2008
(681) Osceola Rd	0.25	230	R			To:	0.25 MS of Bndy					NA		NA	05/05/2008
(681) Osceola Rd						From:	85-783 Patmos Rd								
(681) Osceola Rd	0.15	110	R			To:	GW Natl For Bndy					NA		NA	05/05/2008
(681) Osceola Rd	0.30	110	R			From:	85-607 Riffey Lane					NA		NA	04/30/2008
(681) Osceola Rd						To:	85-605 SOUTH								
(681) Osceola Rd	0.80	120	R			From:	85-605 NORTH					NA		NA	05/05/2008
(681) Osceola Rd	0.30	170	R			To:	85-605 NORTH					NA		NA	05/05/2008
(681) Osceola Rd						From:	85-604 SOUTH								
(681) Osceola Rd	0.40	270	R			To:	85-604 NORTH					NA		NA	05/05/2008
(681) Osceola Rd	1.30	80	R			From:	85-676					NA		NA	05/05/2008
(681) Osceola Rd						To:	85-604 SOUTH								
(681) Osceola Rd	1.00	150	R			From:	85-604 NORTH					NA		NA	05/05/2008
(681) Osceola Rd						To:	85-623 E, Back Rd								
(681) Osceola Rd	1.50	120	R			From:	85-652 Jadwyn Rd					NA		NA	05/05/2008
(681) Osceola Rd	1.03	70	R			To:	85-623 E, Back Rd					NA		NA	04/30/2008

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Shenandoah County															
(682) Readus Rd	1.70	1000	R								NA		NA		10/20/2005
(682) Readus Rd	0.90	640	R								NA		NA		04/07/2008
(682) Readus Rd	1.66	1600	R								NA		NA		10/20/2005
(682) Readus Rd	0.40	30	R								NA		NA		05/05/2008
(682) Readus Rd	0.69	100	R								NA		NA		05/05/2008
(683) Honeysuckle Avenue	0.80	450	R								NA		NA		10/06/2005
(684) Stultz Gap Rd	1.10	110	R								NA		NA		04/07/2008
(685) Barbershop Rd	1.35	530	R								NA		NA		04/07/2008
(685) Barbershop Rd	0.90	710	R								NA		NA		10/20/2005
(686) Ox Rd	1.97	1200	R								NA		NA		04/07/2008
(686) Ox Rd	3.64	1100	R								NA		NA		10/13/2005
(686) Ox Rd	0.11	1500	R								NA		NA		04/14/2008
(687) Lantz Rd	1.20	170	R								NA		NA		04/07/2008
(688) Helsley Rd	0.70	60	R								NA		NA		05/07/2008
(688) Helsley Rd	2.90	200	R								NA		NA		10/20/2005
(689) Foltz Rd	0.70	120	R								NA		NA		05/07/2008
(690) Hotteltown Lane	0.62	10	R								NA		NA		05/07/2008
(691) Judge Rye Rd	6.67	30	R								NA		NA		05/07/2008
(691) Judge Rye Rd	2.70	70	R								NA		NA		05/07/2008
(691) Judge Rye Rd	0.50	100	R								NA		NA		05/07/2008
(691) Judge Rye Rd	1.20	49	R								NA		NA		05/12/2008

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Shenandoah County																
(691) Judge Rye Rd	4.51	160	R								NA		NA		10/18/2005	
(691) Judge Rye Rd	0.50	310	R								NA		NA		06/04/2008	
(692) Wiltons Rd	0.70	30	R								NA		NA		05/07/2008	
(693) Polk Rd	1.30	20	R								NA		NA		04/07/2008	
(693) Polk Rd	1.80	30	R								NA		NA		05/07/2008	
(694) Wolverton Rd	3.30	440	R								NA		NA		05/07/2008	
(694) Wolverton Rd	0.09	180	R								NA		NA		05/07/2008	
(694) Wolverton Rd	0.21	150	R								NA		NA		10/20/2005	
(694) Wolverton Rd	0.60	90	R								NA		NA		05/07/2008	
(694) Wolverton Rd	0.80	50	R								NA		NA		05/27/2008	
(695) Swann Rd	0.07	30	R								NA		NA		04/09/2008	
(695) Swann Rd	0.37	30	R								NA		NA		04/09/2008	
(695) Swann Rd	0.16	2	R								NA		NA		04/09/2008	
(696) Palmyra Rd	0.20	130	R								NA		NA		04/21/2008	
(697) Pontzer Rd	0.30	210	R								NA		NA		12/01/2005	
(697) Pontzer Rd	0.57	270	R								NA		NA		04/30/2008	
(698) Turkey Knob Rd	3.34	730	G	98%	0%	1%	1%	0%	0%	F	0.122	F	0.548	770	G	2009
(698) Turkey Knob Rd	0.47	780	G	98%	0%	1%	1%	0%	0%	F	0.095	F	0.547	820	G	2009
Town of Mount Jackson																
(698) Orchard Dr	0.29	780	G	98%	0%	1%	1%	0%	0%	C	0.093	F	0.56	820	G	2009
(698)	0.11	30	R								NA		NA		1999	
(698) Red Banks Rd	0.19	730	G	98%	0%	1%	1%	0%	0%	C	0.111	F	0.549	770	G	2009

Virginia Department of Transportation
Traffic Engineering Division

2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Shenandoah County																
(698) Red Banks Rd	2.27	180	G	98%	0%	1%	1%	0%	0%	F	0.120	F	0.565	190	G	2009
(698) Red Banks Rd	1.90	170	G	98%	0%	1%	1%	0%	0%	F	0.120	F	0.591	180	G	2009
(698) Palmyra Church Rd	3.44	140	G	98%	0%	1%	1%	0%	0%	F	0.153	F	0.533	140	G	2009
(698) Palmyra Church Rd	0.64	330	G	98%	0%	1%	1%	0%	0%	F	0.124	F	0.607	350	G	2009
Town of Edinburg																
(698) Palmyra Church Rd	0.11	360	G	98%	0%	1%	1%	0%	0%	F	0.129	F	0.638	380	G	2009
(698) 0.05	450	R								NA			NA		04/09/2008	
Shenandoah County																
(698) 0.61	500	R								NA			NA		05/06/2002	
(699) Whitehall Lane	0.50	45	R							NA			NA		04/07/2008	
(699) Whitehall Lane	0.10	50	R							NA			NA		04/07/2008	
(699) Whitehall Lane	0.40	50	R							NA			NA		04/07/2008	
(699) Whitehall Lane	0.38	30	R							NA			NA		04/07/2008	
(700) Old Bethal Rd	0.90	230	R							NA			NA		10/13/2005	
(701) Dellinger Gap Rd	0.49	40	R							NA			NA		09/22/2005	
(701) Dellinger Gap Rd	0.61	170	R							NA			NA		05/12/2008	
(701) Dellinger Gap Rd	0.90	90	R							NA			NA		05/12/2008	
(701) Dellinger Gap Rd	0.80	40	R							NA			NA		05/12/2008	
(702) Miller Rd	0.10	100	R							NA			NA		05/27/2008	
(702) Miller Rd	1.74	100	R							NA			NA		05/12/2008	
(703) Conicville Rd	3.79	190	R							NA			NA		09/22/2005	
(703) Conicville Rd	1.95	550	G	97%	0%	1%	1%	1%	0%	F	0.112	F	0.583	580	G	2009
(703) Conicville Rd	1.21	450	G	97%	0%	1%	1%	1%	0%	F	0.102	F	0.538	470	G	2009

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Shenandoah County																
(703)	0.87	480	R											NA	05/12/2008	
(703)	1.22	580	R											NA	09/27/2005	
(703) Mt Jackson Rd	1.28	2600	G	97%	0%	1%	1%	1%	0%	F	0.094	F	0.605	2700	G	2009
(703) Conicville Rd	0.12	2700	G	97%	0%	1%	1%	1%	0%	C	0.094	F	0.596	2800	G	2009
(704) Riles Run Lane	0.20	3	R											NA	05/12/2008	
(705) Buggy Ridge Rd	1.80	30	R											NA	05/12/2008	
(706) Stout Rd	0.59	30	R											NA	05/07/2008	
(706) Stout Rd	1.10	45	R											NA	05/07/2008	
(706) Stout Rd	1.10	20	R											NA	05/07/2008	
(707)	0.09	520	R											NA	10/13/2005	
(707)	0.74	90	R											NA	04/07/2008	
(707)	1.56	49	R											NA	04/07/2008	
(707) Headquarters Rd	1.00	230	G	98%	1%	1%	0%	0%	0%	C	0.128	F	0.667	250	G	2009
(707)	0.15	360	R											NA	05/12/2008	
(707)	2.20	280	R											NA	10/18/2005	
(708)	1.20	48	R											NA	05/07/2008	
(708)	0.42	180	R											NA	10/18/2005	
(708) Bethel Church Rd	0.80	440	G	97%	0%	1%	0%	1%	0%	C	0.085	F	0.535	460	G	2009
(708)	1.19	70	R											NA	05/27/2008	
(709) Buck Hill Rd	2.02	70	R											NA	05/14/2008	
(709) Buck Hill Rd	0.50	100	R											NA	05/14/2008	
(709) Buck Hill Rd	0.60	70	R											NA	05/12/2008	

Virginia Department of Transportation
Traffic Engineering Division

2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Shenandoah County																
(709) Buck Hill Rd	0.13	70	R			From:	85-703 Conicville Rd							NA	05/07/2008	
			To:	85-706 Stout Rd												
(709) Buck Hill Rd	1.26	49	R			From:	85-706 S, Stout Rd							NA	04/07/2008	
			To:	85-694 Wolverton Rd												
(710)	0.50	20	R			From:	Dead End							NA	05/07/2008	
			To:	0.50 MN Dead End												
(710)	0.32	70	R			From:	SR 263 W, Orkney Grade							NA	09/22/2005	
			To:	SR 263 E, Orkney Grade												
(710)	0.06	330	R			From:								NA	05/19/2008	
			To:	85-766 Trotaway Lane												
(710)	0.70	330	R			From:								NA	09/22/2005	
			To:	85-715 Orchard Rd												
(710)	0.90	170	R			From:								NA	05/14/2008	
			To:	85-712 Pennywitt Rd												
(710)	1.00	90	R			From:								NA	09/22/2005	
			To:	85-703 SOUTH												
(710) Hamburg Rd	0.80	180	G	98%	0%	1%	1%	0%	0%	C	0.101	F	0.571	190	G	2009
			To:	85-703 N, Conicville Rd												
			From:	85-707 S, Headquarters Rd												
(710)	0.30	300	R			From:	85-707 NORTH							NA	10/18/2005	
			To:	85-708 Bethel Church Rd										NA		
(710)	0.40	120	R			From:								NA	05/07/2008	
			To:	0.40 MN 85-708 Bethel Church Rd												
(710)	0.70	80	R			From:								NA	05/07/2008	
			To:	85-706 Stout Rd												
(710)	0.50	60	R			From:								NA	05/07/2008	
			To:	85-693 Polk Rd												
(710)	0.60	100	R			From:								NA	04/07/2008	
			To:	85-687 Lantz Rd												
(710)	1.00	60	R			From:								NA	04/07/2008	
			To:	85-691 Judge Rye Rd												
(711) Bauserman Rd	1.80	60	R			From:	85-611 Supinlick Ridge Lane							NA	05/12/2008	
			To:	85-721 Kelly Rd												
(711) Bauserman Rd	0.20	200	R			From:								NA	05/12/2008	
			To:	0.20 ME 85-721 Kelly Rd												
(711) Bauserman Rd	0.80	210	R			From:								NA	09/15/2005	
			To:	SR 42 Senedo Rd												
(711) Bauserman Rd	1.20	60	R			From:								NA	05/12/2008	
			To:	85-716 S, Graveltown Rd												
(711) Bauserman Rd	1.00	60	R			From:								NA	05/12/2008	
			To:	85-716 N, Graveltown Rd												
(711) Bauserman Rd	1.40	49	R			From:								NA	05/12/2008	
			To:	85-709 N, Buck Hill Rd												
(711) Bauserman Rd	0.60	110	R			From:	85-709 S, Buck Hill Rd							NA	05/14/2008	
			To:	85-703												
(712) Pennywitt Rd	1.10	120	R			From:	85-710							NA	05/12/2008	
			To:	85-614; 85-703												

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Shenandoah County																
(713) Sugar Hill Rd	1.10	40	R								NA		NA		04/28/2008	
(713) Sugar Hill Rd	2.80	50	R								NA		NA		04/28/2008	
(714) Turkey Run Rd	3.68	180	R								NA		NA		04/28/2008	
(714) Turkey Run Rd	1.60	70	R								NA		NA		04/23/2008	
(715) Orchard Rd	1.50	60	R								NA		NA		05/14/2008	
(715) Orchard Rd	0.50	190	R								NA		NA		05/14/2008	
(716) Graveltown Rd	0.80	30	R								NA		NA		05/14/2008	
(716) Graveltown Rd	2.10	160	R								NA		NA		05/27/2008	
(716) Graveltown Rd	0.90	50	R								NA		NA		05/14/2008	
(716) Graveltown Rd	1.30	190	R								NA		NA		05/14/2008	
(716) Graveltown Rd	1.30	130	R								NA		NA		05/14/2008	
(716) Graveltown Rd	0.90	130	R								NA		NA		05/12/2008	
(716) Graveltown Rd	0.20	230	R								NA		NA		10/18/2005	
(717)	6.74	370	R								NA		NA		05/12/2008	
(717) Alum Springs Rd	2.40	340	R								NA		NA		05/12/2008	
(717)	2.53	470	G	97%	1%	1%	1%	0%	0%	C	0.108	F	0.551	490	G	2009
(718) Barb Lane	0.40	1	R								NA		NA		05/12/2008	
Town of New Market																
(719) Dixie Lane	0.06	620	R								NA		NA		08/25/2005	
(719) Dixie Lane	0.10	200	R								NA		NA		04/02/2008	
Shenandoah County																
(720) Crooked Run Rd	4.40	60	R								NA		NA		09/22/2005	
(720) Crooked Run Rd	2.70	100	R								NA		NA		09/22/2008	

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Shenandoah County															
(720) Crooked Run Rd	1.00	180	R			From:	85-611 Supinlick Ridge Lane				NA		NA		05/14/2008
(720) Crooked Run Rd	0.80	200	R			To:	1.00 ME 85-611 Supinlick Ridge Lane				NA		NA		05/14/2008
(720) Crooked Run Rd	0.70	810	R			From:	85-721 N, Kelly Rd				NA		NA		09/15/2005
(720) Crooked Run Rd	2.76	490	R			To:	85-721 S, Kelly Rd				NA		NA		05/14/2008
(720) Crooked Run Rd	0.70	70	R			From:	SR 42 Senedo Rd				NA		NA		05/19/2008
(720) Crooked Run Rd	1.60	40	R			To:	SR 263 W, Orkney Grade				NA		NA		05/19/2008
(720) Crooked Run Rd	0.50	220	R			From:	SR 263 E, Orkney Grade				NA		NA		05/19/2008
(720) Crooked Run Rd	1.30	300	R			To:	85-798 Creek Lane				NA		NA		05/19/2008
(720) Crooked Run Rd	1.38	550	R			From:	85-614 South Middle Rd				NA		NA		05/19/2008
(721) Kelly Rd	2.20	340	R			To:	85-742 Georgetown Rd				NA		NA		09/15/2005
(721) Kelly Rd	1.90	70	R			From:	85-720 S, Crooked Run Rd				NA		NA		05/14/2008
(722) Mt Hermon Dr	0.50	510	R			To:	85-711 Bauserman Rd				NA		NA		09/15/2005
(723) Happy Valley Rd	1.39	60	R			From:	SR 263 Orkney Grade				NA		NA		05/14/2008
(723) Happy Valley Rd	0.81	130	R			To:	85-721 Kelly Rd				NA		NA		09/15/2005
(724) Tussing Lane	0.98	30	R			From:	85-726 Flat Rock Rd				NA		NA		05/14/2008
(725) Morning Star Rd	1.10	60	R			To:	1.39 MN 85-726 Flat Rock Rd				NA		NA		05/14/2008
(725) Morning Star Rd	2.80	130	R			From:	SR 263 Orkney Grade				NA		NA		05/14/2008
(725) Morning Star Rd	0.40	210	R			To:	Dead End				NA		NA		05/14/2008
(726) Flat Rock Rd	0.60	40	R			From:	85-725 Morning Star Rd				NA		NA		05/14/2008
(726) Flat Rock Rd	0.80	30	R			To:	85-611 Supinlick Ridge Lane				NA		NA		05/14/2008
(726) Flat Rock Rd	1.90	60	R			From:	85-726 S, Flat Rock Rd				NA		NA		05/14/2008
(726) Flat Rock Rd	1.90	70	R			To:	85-726 N, Flat Rock Rd				NA		NA		05/14/2008
(726) Flat Rock Rd	0.40	210	R			From:	85-724 Tussing Lane				NA		NA		05/14/2008
(726) Flat Rock Rd	0.80	30	R			To:	SR 263 Orkney Grade				NA		NA		05/14/2008
(726) Flat Rock Rd	1.90	60	R			From:	85-610 Orkney Springs Rd				NA		NA		05/14/2008
(726) Flat Rock Rd	1.90	70	R			To:	85-723 Happy Valley Rd				NA		NA		05/14/2008
(726) Flat Rock Rd	1.90	60	R			From:	85-611 Supinlick Ridge Lane				NA		NA		05/14/2008
(726) Flat Rock Rd	1.90	70	R			To:	85-725 S, Morning Star Rd				NA		NA		05/14/2008
(726) Flat Rock Rd	1.90	70	R			From:	85-612 S, Mill Creek Rd				NA		NA		05/14/2008

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Shenandoah County																
(726) Flat Rock Rd	1.20	30	R			From: 85-612 N, Mill Creek Rd					NA		NA		05/14/2008	
			To: 85-613 North Mountain Rd													
(727) Solomons Church Rd	0.90	170	R			From: SR 42 Senedo Rd					NA		NA		09/13/2005	
			To: 85-716 Graveltown Rd													
(728)	2.10	40	R			From: 85-729 Garber Rd					NA		NA		05/19/2008	
			To: SR 42 E, Senedo Rd													
(728)	1.48	190	R			From: SR 42 W, Senedo Rd					NA		NA		09/13/2005	
			To: 85-614 N, South Middle Rd													
(728)	2.40	210	R			From: 85-614 S, South Middle Rd					NA		NA		05/19/2008	
			To: SR 42 S, Senedo Rd													
(728)	1.60	80	R			From: 85-616 N, Ridge Rd					NA		NA		04/02/2008	
			To: 85-616 S, Ridge Rd													
(728) New Market Depot Rd	2.40	290	G	96%	0%	1%	1%	2%	0%	F	0.122	F	0.703	300	G	2009
			To: 85-617 N, River Rd													
(728) River Rd	0.14	1900	G	96%	0%	1%	1%	2%	0%	C	0.125	F	0.638	2000	G	2009
			To: 85-953 Plains Mill Rd													
(729) Garber Rd	2.50	90	R			From: 85-614 South Middle Rd					NA		NA		05/19/2008	
			To: 85-716 Graveltown Rd													
(729) Garber Rd	0.10	370	R			From: SR 263 Orkney Grade					NA		NA		09/22/2005	
			To: 85-767 Quicksburg Rd													
(730)	1.70	200	R			From: 85-731 Lutz Hollow Rd					NA		NA		05/19/2008	
			To: 85-698 N, Turkey Knob Rd													
(730) Caverns Rd	0.61	650	G	92%	0%	1%	1%	5%	0%	F	0.147	F	0.660	680	G	2009
			To: 85-698 S, Turkey Knob Rd													
(730) Caverns Rd	0.67	1500	G	92%	0%	1%	1%	5%	0%	F	0.099	F	0.565	1600	G	2009
			To: 85-950 Industrial Park Rd													
(730) Caverns Rd	0.16	2700	G	92%	0%	1%	1%	5%	0%	C	0.152	F	0.638	2800	G	2009
			To: I-81													
(730) Caverns Rd	0.56	2700	G	93%	1%	1%	1%	4%	0%	C	0.13	F	0.585	2900	G	2009
			To: US 11 S, Old Valley Pike													
(730)	1.17	350	R			From: US 11 N, Old Valley Pike					NA		NA		04/09/2008	
			To: 1.17 MS US 11													
(730)	0.71	180	R			From: NA					NA		NA		05/19/2008	
			To: Page County Line													
Page County						From: Shenandoah County Line										
(730)	1.00	80	R			To: NA					NA		NA		05/09/2002	
			From: Page County Line East													
Shenandoah County						From: Page County Line										
(730)	0.70	46	R			To: NA					NA		NA		09/27/2005	
			From: 85-675 Stoney Creek Rd													

Virginia Department of Transportation
Traffic Engineering Division

2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Shenandoah County															
(731) Lutz Hollow Rd	0.90	90	R			From: 85-730				NA		NA		NA	05/19/2008
			To: 85-698 Turkey Knob Rd												
(732) Cardinal Rd	0.70	360	R			From: US 11 Old Valley Pike				NA		NA		NA	04/02/2008
			To: 85-620 Smith Creek Rd												
(733) Limestone Rd	0.70	90	R			From: 85-728				NA		NA		NA	08/13/2005
			To: SR 42 Senedo Rd												
(734) Academy Rd	0.18	440	R			From: SR 211, W Old Cross Rd				NA		NA		NA	04/02/2008
			To: 0.18 MN SR 211												
(734) Academy Rd	0.54	130	R			From: Dead End				NA		NA		NA	04/02/2008
Town of New Market															
(735) Smith Creek Rd	0.05	670	R			From: 85-1002 Old Cross Rd				NA		NA		NA	04/02/2008
			To: ECL New Market												
Shenandoah County															
(735) Smith Creek Rd	0.56	190	R			From: ECL New Market				NA		NA		NA	09/08/2005
			To: 85-620 Smith Creek Rd												
(736) Jiggady Rd	2.50	220	R			From: 85-617 River Rd				NA		NA		NA	04/02/2008
			To: 85-617 River Rd												
(737) Cedar Lane	1.50	40	R			From: US 11 Old Valley Pike				NA		NA		NA	04/02/2008
			To: 85-620 Smith Creek Rd												
(738) Knupp Rd	0.10	20	R			From: Dead End				NA		NA		NA	05/19/2008
			To: 85-613 S, North Mountain Rd												
(738) Knupp Rd	1.52	40	R			From: 85-613 N, North Mountain Rd				NA		NA		NA	05/19/2008
			To: 85-614 South Middle Rd												
(739) Harmony Lane	0.50	360	R			From: SR 42 Senedo Rd				NA		NA		NA	05/05/2008
			To: Dead End												
(740) Toll House Rd	0.63	60	R			From: US 11 W, Old Valley Pike				NA		NA		NA	11/07/2005
			To: US 11 E, Old Valley Pike												
(741) Cottontown Rd	0.50	130	R			From: 85-623 Back Rd				NA		NA		NA	04/23/2008
			To: SR 55 John Marshall Hwy												
(742) Georgetown Rd	1.90	120	R			From: 85-720 Crooked Run Rd				NA		NA		NA	09/22/2005
			To: 85-764 Walker Rd												
Town of Mount Jackson															
(743) Shenandoah St	0.04	290	R			From: 85-1328 Railroad St				NA		NA		NA	04/07/2008
			To: 85-1329 Second Ave												
(743) Shenandoah St	0.28	470	R			From: US 11 Main St				NA		NA		NA	1999
Shenandoah County															
(744) Deer Rapids Rd	0.68	390	R			From: 85-870 Deer Rapids Rd				NA		NA		NA	04/21/2008
			To: 85-648 Sandy Hook Rd												

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Shenandoah County															
(745) Spiker Lane	0.30	150	R			From: 85-622					NA		NA		04/23/2008
			To: Dead End												
(746) Bonnet Hill Rd	1.40	60	R			From: Dead End					NA		NA		02/28/2008
			To: 85-600 Zapp Rd												
(747) Riverview Dr	0.90	30	R			From: 85-654 Zion Church Rd					NA		NA		04/16/2008
			To: 85-649 Fishers Rd												
(747) Riverview Dr	0.20	46	R			From: 85-653					NA		NA		04/16/2008
			To: 85-650 Tea Berry Rd												
(747) Riverview Dr	1.60	60	R			From: 85-650 Tea Berry Rd					NA		NA		04/21/2008
			To: 0.50 ME 85-650 Tea Berry Rd												
(747) Riverview Dr	0.50	240	R			From: 85-650 Tea Berry Rd					NA		NA		04/21/2008
			To: Dead End												
(748) Bonnet Hill Rd	1.00	120	R			From: Dead End					NA		NA		05/07/2008
			To: 85-675 Stoney Creek Rd												
(749) Millertown Rd	1.30	220	R			From: 85-675 Stoney Creek Rd					NA		NA		10/20/2005
			To: Dead End												
(750) Indian Run Lane	0.46	120	R			From: Dead End					NA		NA		04/23/2008
			To: 85-623 Back Rd												
(751) Village Lane	0.06	70	R			From: 85-616 Ridge Rd					NA		NA		08/25/2005
			To: Dead End												
(752) Frogtown Lane	0.83	150	R			From: 85-688 Helsley Rd					NA		NA		05/07/2008
			To: Dead End												
Town of Mount Jackson															
(753) Jackson St	0.09	380	R			From: 85-1328 Railroad St					NA		NA		05/27/2008
			To: 85-1333 Painters St												
(753) Jackson St	0.06	390	R			From: 85-1330 First Ave					NA		NA		09/27/2005
			To: US 11 Main St												
Shenandoah County															
(754) Laurel Hill Way	0.51	20	R			From: SR 55 W. John Marshall Hwy					NA		NA		04/28/2008
			To: 0.51 MN SR 55												
(754) Laurel Hill Way	0.12	20	R			From: SR 55 E. John Marshall Hwy					NA		NA		04/28/2008
			To: Dead End												
(755) Williams Lane	0.15	45	R			From: SR 55 John Marshall Hwy					NA		NA		05/27/2008
			To: SR 55 John Marshall Hwy												
(756) Cottontown Rd	0.07	90	R			From: 85-623 Back Rd					NA		NA		04/28/2008
			To: SR 55 John Marshall Hwy												
(757) Copp Rd	1.35	240	R			From: 85-646 Mt Hebron Rd					NA		NA		12/01/2005
			To: 85-641 Grover Rd												

Virginia Department of Transportation
Traffic Engineering Division

2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck	QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail			
Shenandoah County												
(757) Copp Rd	0.65	390	R			From: 85-641 Grover Rd				NA	NA	06/04/2008
			To: 85-601 S. Battlefield Rd									
(757) Copp Rd	0.80	270	R			From: 85-601 NORTH, 85-640				NA	NA	12/01/2005
			To: 85-639 Green Acre Dr									
(757) Copp Rd	0.77	290	R			From: 85-638 Junction Rd				NA	NA	06/04/2008
			To: ECL Woodstock									
(758) Cemetery Rd	1.86	270	R			From: 85-665 Mill Rd				NA	NA	10/04/2005
			To: 85-845 Woodville Rd									
(758) Cemetery Rd	0.42	610	R			From: 85-840				NA	NA	06/04/2008
			To: 0.47 ME 85-845 Woodville Rd									
(758) Cemetery Rd	0.08	160	R			From: GW Natl For Bndy				NA	NA	04/14/2008
			To: 85-770 Dry Run Rd									
(758) Cemetery Rd	4.55	160	R			From: 85-770 Dry Run Rd				NA	NA	06/02/2008
			To: 0.28 ME 85-770 Dry Run Rd									
(758) Cemetery Rd	0.28	310	R			From: 0.28 ME 85-770 Dry Run Rd				NA	NA	06/02/2008
			To: 1.08 ME 85-770 Dry Run Rd									
(758) Cemetery Rd	0.59	310	R			From: 85-678 S, Fort Valley Rd				NA	NA	06/02/2008
			To: 0.99 ME 85-678 Fort Valley Rd									
(758) Cemetery Rd	2.01	48	R			From: 85-678 N, Fort Valley Rd				NA	NA	04/09/2008
			To: Dead End									
(759) Stillhouse Rd	0.30	10	R			From: 85-621 Fairmont Lane				NA	NA	04/28/2008
			To: Dead End									
Town of Edinburg												
(760) Water St	0.05	190	G			From: US 11 Main St				200	G	2009
			To: 85-1419 Palmyra Rd									
(760) Water St	0.03	740	R			From: 85-1407 Hisey St				NA	NA	06/04/2008
			To: 85-1403 Walnut St									
(760) Water St	0.17	190	R			From: ECL Edinburg				NA	NA	10/06/2005
			To: ECL Edinburg									
Shenandoah County												
(760) Water St	0.59	130	R			From: ECL Edinburg				NA	NA	10/06/2005
			To: Dead End									
(761) Capon Rd	0.34	60	R			From: NCL Strasburg				NA	NA	04/21/2008
			To: SR 55 N, John Marshall Hwy									
(761) Capon Rd	0.22	60	R			From: 85-637 Powhatan Rd				NA	NA	12/01/2005
			To: 85-629 Oranda Rd									
(762) Old Factory Rd	0.10	140	R			From: 85-624 Meadow Mills Rd				NA	NA	04/23/2008
			To: 85-624 Meadow Mills Rd									

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Shenandoah County																
(762) Old Factory Rd	0.65	160	R											NA	04/23/2008	
			From:	85-624 Meadow Mills Rd												
			To:	Dead End												
(763) Patmos Rd	1.60	1300	R											NA	06/04/2008	
			From:	85-605; 85-780												
			To:	85-676												
(763) Patmos Rd	1.10	200	R											NA	04/14/2008	
			From:	85-604 N, Fairview Rd												
			To:	85-604 S, Fairview Rd												
(763) Patmos Rd	0.02	60	R											NA	04/30/2008	
			To:	0.02 MN 85-604 Fairview Rd												
(763) Patmos Rd	0.44	60	R											NA	04/30/2008	
			To:	Dead End												
(764) Walker Rd	1.20	340	R											NA	06/02/2008	
			From:	85-614 South Middle Rd												
(764) Walker Rd	0.30	660	R											NA	09/27/2005	
			To:	85-742 Georgetown Rd												
			From:	85-698 Turkey Knob Rd												
(765) Grandstaff Lane	0.76	120	R											NA	04/09/2008	
			To:	85-698 Palmyra Church Rd												
			From:	Dead End												
(766) Trotaway Lane	0.50	40	R											NA	05/14/2008	
			To:	85-710												
			From:	Dead End												
(767) Quicksburg Rd	2.76	540	R											NA	06/02/2008	
			From:	SR 42; 85-614												
(767) Quicksburg Rd	0.72	670	G	91%	1%	1%	3%	4%	0%	F	0.118	F	0.585	700	G	2009
			To:	85-698 Turkey Knob Rd												
(767) Quicksburg Rd	1.84	900	G	91%	1%	1%	3%	4%	0%	C	0.09	F	0.55	940	G	2009
			To:	85-616 Ridge Rd												
			From:	US 11 Old Valley Pike												
(768) Union Church Rd	0.12	830	R											NA	10/20/2005	
			To:	85-623 Back Rd												
			From:	SR 42 Senedo Rd												
(769) Saint Davids Church Rd	0.30	110	R											NA	04/09/2008	
			To:	85-675 Stoney Creek Rd												
			From:	85-777 Merrick Lane												
(769) Saint Davids Church Rd	3.30	80	R											NA	04/09/2008	
			To:	85-776 Siberts Rd												
			From:	85-776 Siberts Rd												
(769) Saint Davids Church Rd	0.80	70	R											NA	04/09/2008	
			To:	85-840 Hebron Hollow Rd												
(769) Saint Davids Church Rd	0.30	180	R											NA	04/09/2008	
			From:	85-775 Old Store Rd												
(769) Saint Davids Church Rd	2.64	70	R											NA	04/09/2008	
			To:	85-678 Fort Valley Rd												
			From:	85-778 S, Fort Valley Rd												
(770) Dry Run Rd	1.58	150	R											NA	10/04/2005	
			To:	85-803 Oak Tree Rd												
(770) Dry Run Rd	2.40	110	R											NA	10/04/2005	
			To:	85-758 Cemetery Rd												
(770) Dry Run Rd	1.22	80	R											NA	04/14/2008	
			To:	1.22 MN 85-758 Cemetery Rd												
(770) Dry Run Rd	0.08	80	R											NA	04/14/2008	
			To:	85-771 Boyer Rd												

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Shenandoah County															
(770) Dry Run Rd	0.60	110	R			From:	85-771 Boyer Rd							NA	10/04/2005
			To:			85-678 N, Fort Valley Rd									
(771) Boyer Rd	1.60	20	R			From:	85-770 Dry Run Rd							NA	04/14/2008
			To:			85-774 Veach Gap Rd									
(771) Boyer Rd	0.80	20	R			From:	85-773 Coverstone Rd							NA	04/14/2008
			To:			85-678									
(771) Boyer Rd	1.30	170	R			From:	Dead End							NA	04/14/2008
			To:			85-678 Fort Valley Rd									
(772) Ramsey Rd	0.90	70	R			From:	85-774 Veach Gap Rd							NA	04/14/2008
			To:			85-771 Boyer Rd									
(773) Coverstone Rd	1.00	20	R			From:	85-773 Coverstone Rd							NA	04/14/2008
			To:			85-771 Boyer Rd									
(774) Veach Gap Rd	0.60	50	R			From:	85-771 Boyer Rd							NA	04/14/2008
			To:			85-773 Coverstone Rd									
(774) Veach Gap Rd	0.23	90	R			From:	85-773 Coverstone Rd							NA	04/14/2008
			To:			0.23 ME 85-773 Coverstone Rd									
(774) Veach Gap Rd	0.07	90	R			From:	85-678 N, Fort Valley Rd							NA	10/04/2005
			To:			85-678 S, Fort Valley Rd									
(774) Veach Gap Rd	0.07	30	R			From:	85-678 S, Fort Valley Rd							NA	06/02/2008
			To:			0.07 ME 85-678 Fort Valley Rd									
(774) Veach Gap Rd	0.43	40	R			From:	Dead End							NA	04/14/2008
			To:			85-769 Saint Davids Church Rd									
(775) Old Store Rd	0.35	180	R			From:	85-769 Saint Davids Church Rd							NA	06/02/2008
			To:			85-678 Fort Valley Rd									
(776) Siberts Rd	0.55	90	R			From:	85-678 Fort Valley Rd							NA	04/09/2008
			To:			85-769 Saint Davids Church Rd									
(777) Merrick Lane	0.20	20	R			From:	85-675 Stoney Creek Rd							NA	04/09/2008
			To:			85-769 Saint Davids Church Rd									
(778) Quail Lane	0.49	110	R			From:	85-620 Smith Creek Rd							NA	09/08/2005
			To:			Dead End									
(779) Ridge Hollow Rd	0.70	90	R			From:	85-691 Judge Rye Rd							NA	04/09/2008
			To:			85-804 Ross Lane									
(779) Ridge Hollow Rd	0.60	110	R			From:	85-804 Ross Lane							NA	10/18/2005
			To:			85-688 Helsley Rd									
(779) Ridge Hollow Rd	2.10	300	R			From:	85-688 Helsley Rd							NA	06/04/2008
			To:			SR 42 Senedo Rd									
(780) Water St	0.98	840	R			From:	85-605; 85-763							NA	10/26/2005
			To:			WCL Woodstock									
(781) County Farm Lane	0.20	30	R			From:	85-654 Zion Church Rd							NA	04/16/2008
			To:			Dead End									
(782) Old Factory Rd	0.06	60	R			From:	Dead End							NA	05/19/2008
			To:			85-767 Quicksburg Rd									

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Shenandoah County															
(783) Patmos Rd	0.20	40	R								NA		NA		05/09/2008
(783) Patmos Rd	0.10	40	R								NA		NA		05/09/2008
Town of Edinburg															
(784) South Grove Ave	0.29	160	R								NA		NA		06/04/2008
Shenandoah County															
(785) Post Office Rd	0.22	30	R								NA		NA		04/23/2008
(785) Post Office Rd	0.10	1100	R								NA		NA		06/04/2008
(786) Lineburg Lane	0.16	40	R								NA		NA		06/04/2008
Town of New Market															
(787) Shenandoah Dr	0.35	450	R								NA		NA		06/02/2008
Shenandoah County															
(788) Lineburg Lane	0.40	170	R								NA		NA		12/01/2005
(789) Sam Clark Rd	0.30	40	R								NA		NA		05/07/2008
Town of Mount Jackson															
(790) Center St	0.10	190	R								NA		NA		05/27/2008
(790) Center St	0.12	620	R								NA		NA		05/27/2008
Shenandoah County															
(791) Crider Lane	0.31	130	R								NA		NA		06/04/2008
(792) Church Rd	0.10	250	R								NA		NA		06/04/2008
(793) Ryman Rd	0.15	20	R								NA		NA		10/20/2005
(794) Colley Block Rd	0.20	120	R								NA		NA		06/04/2008
(795) Sawmill Lane	0.20	70	R								NA		NA		11/02/2005
(796) Hawkins Rd	0.20	40	R								NA		NA		04/07/2008
(796) Hawkins Rd	0.65	130	R								NA		NA		09/27/2005

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Town of Edinburg															
(797) North Grove Ave	0.10	70	R			From:	85-675; 85-784					NA		NA	06/04/2008
Shenandoah County															
(798) Creek Lane	0.12	10	R			From:	Dead End					NA		NA	05/19/2008
(799) Posey Hollow Rd	0.57	20	R			From:	Dead End					NA		NA	04/21/2008
(800) Edinburg Reservoir Rd	0.42	45	R			From:	Dead End					NA		NA	04/09/2008
(800) Edinburg Reservoir Rd	0.28	47	R			From:	85-698 E, Palmyra Church Rd					NA		NA	04/09/2008
(801) Pughs Lane	0.30	90	R			From:	Dead End					NA		NA	04/30/2008
(802) Franley Lane	0.15	40	R			From:	85-661 Ridgeley Rd					NA		NA	04/16/2008
(803) Oak Tree Rd	0.80	90	R			From:	85-770 Dry Run Rd					NA		NA	04/09/2008
(804) Ross Lane	0.16	20	R			From:	85-779 Ridge Hollow Rd					NA		NA	05/07/2008
(805) St Luke Rd	0.18	45	R			From:	SR 42 Senedo Rd					NA		NA	05/19/2008
(806) Bruebeck Lane	0.03	80	R			From:	85-623 Back Rd					NA		NA	06/04/2008
(806) Bruebeck Lane	0.66	70	R			From:	0.03 ME 85-623 Back Rd					NA		NA	12/01/2005
(807) Mumaw Lane	0.10	8	R			From:	Dead End					NA		NA	05/14/2008
(808) Johnstown Rd	0.35	60	R			From:	85-691 Judge Rye Rd					NA		NA	10/06/2005
(809) Union Force Church Rd	0.08	350	R			From:	85-675 W, Stoney Creek Rd					NA		NA	06/04/2008
(809) Union Force Church Rd	0.80	80	R			From:	85-691 Judge Rye Rd					NA		NA	10/06/2005
(810) Elizabeth Lane	0.25	180	R			From:	85-681 Osceola Rd					NA		NA	05/05/2008
(811) Lone Pine Rd	0.18	40	R			From:	85-614 South Middle Rd					NA		NA	05/12/2008
(812) Burner Lane	0.37	50	R			From:	85-678 Fort Valley Rd					NA		NA	04/09/2008

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Shenandoah County															
(813) Taylortown Rd	0.19	140	R								NA		NA		10/06/2005
(813) Taylortown Rd	0.05	780	R								NA		NA		06/04/2008
(814)	0.35	40	R								NA		NA		04/02/2008
(815) Strickler Lane	0.30	40	R								NA		NA		04/02/2008
(816) Spring St	0.72	1200	G	100%	0%	0%	0%	0%	0%	C	0.088	F	0.555	1300	G 2009
(817)	0.03	10	R								NA		NA		06/04/2008
(818)	0.08	190	R								NA		NA		06/04/2008
(819) Lodge Hall Lane	0.15	70	R								NA		NA		09/22/2005
(821) Triplett Rd	0.20	10	R								NA		NA		06/04/2008
(822) Cave Spring Lane	0.30	130	R								NA		NA		10/06/2005
Town of New Market															
(823) Clicks Lane	0.40	1000	R								NA		NA		03/28/2002
(823) Clicks Lane	0.80	460	R								NA		NA		06/02/2008
(824) Fox Den Rd	0.55	70	R								NA		NA		04/30/2008
(825) Radio Station Rd	0.30	40	R								NA		NA		04/21/2008
(825) Radio Station Rd	0.54	800	R								NA		NA		04/21/2008
(826) Woods Chapel Rd	0.80	280	R								NA		NA		05/27/2008
(826) Woods Chapel Rd	1.37	130	R								NA		NA		09/08/2005
(827) Old Bridge Rd	0.77	100	R								NA		NA		05/27/2008
(828) Monument Lane	0.21	40	R								NA		NA		04/07/2008

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Shenandoah County																
(829) Ritenour Lane	0.05	150	R			From:	Dead End							NA	06/04/2008	
						To:	85-740 Toll House Rd									
(829) Ritenour Lane	0.03	280	R			From:	85-740 E, Toll House Rd							NA	06/04/2008	
						To:	US 11 Old Valley Pike									
(830) Hickory Lane	1.30	100	R			From:	85-730							NA	04/09/2008	
						To:	85-678									
(831) Stayman Rd	0.67	80	R			From:	Dead End							NA	04/02/2008	
						To:	85-616 Ridge Rd									
(832) Short Lane	0.19	20	R			From:	Rockingham County Line							NA	06/02/2008	
						To:	85-613 North Mountain Rd									
(833) Stonewall Lane	0.44	1700	R			From:	85-9386 Ashby Lee Elem Sch							NA	09/13/2005	
						To:	85-730 Caverns Rd									
(834) Oak Lane	0.35	110	R			From:	Dead End							NA	06/02/2008	
						To:	US 211 Lee Hwy									
(835) Grosbeak Lane	0.40	30	R			From:	85-611 Supinlick Ridge Lane							NA	05/12/2008	
						To:	Dead End									
(836) Resort Dr	1.57	1100	G	98%	0%	0%	1%	0%	0%	C	0.114	F	0.509	1100	G	2009
						To:	Dead End									
(837) Schuller Dr	0.24	240	R			From:	Dead End							NA	06/04/2008	
						To:	US 11 Old Valley Pike									
(838) Resort Dr	0.25	100	R			From:	85-620 Smith Creek Rd							NA	04/02/2008	
						To:	Dead End									
(839) Landfill Rd	0.25	1300	R			From:	Dead End							NA	06/04/2008	
						To:	US 11 Old Valley Pike									
(840) Hebron Hollow Rd	0.60	70	R			From:	85-769 Saint Davids Church Rd							NA	04/09/2008	
						To:	Dead End									
(841) Grove Rd	0.40	450	R			From:	85-681 Osceola Rd							NA	06/04/2008	
						To:	SR 42 Senedo Rd									
(842) Park Lane	0.40	100	R			From:	Dead End							NA	11/07/2005	
						To:	US 11 Old Valley Pike									
(843) Fleming Rd	0.67	80	R			From:	85-698 Red Banks Rd							NA	05/27/2008	
						To:	Dead End									
(844)	0.15	NA				From:	SR 42 Senedo Rd							NA		
						To:	Dead End									
(845) Woodville Rd	0.11	40	R			From:	85-758 Cemetery Rd							NA	10/04/2005	
						To:	Dead End									
(847) Rocco Rd	0.16	1900	R			From:	Dead End							NA	06/04/2008	
						To:	85-681 Osceola Rd									

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Shenandoah County																
(848)	0.47	NA				From: SR 55 John Marshall Hwy					NA		NA			
						To: Cul-de-Sac										
(849)	0.28	90	R			From: Cul-de-Sac					NA		NA		01/14/2008	
						To: 85-763 Patmos Rd										
(850) Unnamed Rt	0.07	110	R			From: 85-629 Oranda Rd					NA		NA		12/01/2005	
						To: Dead End										
(851)	0.39	120	R			From: 85-623 Back Rd					NA		NA		04/30/2008	
						To: Dead End										
(856)	0.34	NA				From: 85-698 N. Turkey Knob Rd					NA		NA			
						To: Dead End										
(860)	0.27	20	R			From: 85-767 Quicksburg Rd					NA		NA		05/27/2008	
						To: Dead End										
(865)	0.80	170	R			From: 85-654 Zion Church Rd					NA		NA		11/02/2005	
						To: Dead End										
(866) Mountain View Dr	0.38	230	R			From: US 11 Old Valley Pike					NA		NA		04/16/2008	
						To: Dead End										
(870) Deer Rapids Rd	0.10	270	R			From: Cedar Rd					NA		NA		06/04/2008	
						To: 85-744 Deer Rapids Rd										
(950) Industrial Park Rd	1.34	690	R			From: 85-730 Caverns Rd					NA		NA		05/20/2008	
						To: Dead End										
(953) Plains Mill Rd	0.50	100	R			From: Rockingham County Line					NA		NA		08/25/2005	
						To: 85-728 River Rd										
(953) Plains Mill Rd	0.35	2200	G	96%	0%	1%	1%	2%	0%	C	0.11	F	0.556	2300	G	2009
						To: SR 211, W Old Cross Rd										
(955) Burkholder Lane	0.14	140	R			From: Dead End					NA		NA		06/02/2008	
						To: SR 211 Old Cross Rd										
Town of New Market																
(1001) John Sevier Rd	0.80	1300	G	98%	0%	0%	0%	1%	0%	C	0.107	F	0.545	1400	G	2009
						To: US 211 Lee Hwy										
(1001) John Sevier Rd	0.09	620	R								NA		NA		08/25/2005	
						To: 85-719 Dixie Lane										
(1001) John Sevier Rd	0.07	40	R								NA		NA		06/02/2008	
						To: Dead End										
(1002) Old Cross Rd	0.05	2300	G	94%	0%	1%	2%	3%	0%	F	0.09	F		2400	G	2009
						To: US 11; US 211										
(1002) Old Cross Rd	0.37	2100	G	94%	0%	1%	2%	3%	0%	C	0.114	F	0.643	2200	G	2009
						To: 85-1001 John Sevier Rd										
(1002) Old Cross Rd	0.13	1900	G	94%	0%	1%	2%	3%	0%	F	0.111	F	0.659	2000	G	2009
						To: 85-735 Smith Creek Rd										
						To: ECL New Market										

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Shenandoah County																
(1002) Old Cross Rd	0.14	1400	G	94%	0%	1%	2%	3%	0%	F	0.111	N	0.659	1400	G	2009
Town of New Market																
(1003) Cadet Rd	0.20	240	R									NA		NA		1999
(1003) Cadet Rd	0.05	770	R									NA		NA		06/02/2008
(1003) Cadet Rd	0.42	940	G	100%	0%	0%	0%	0%	0%	C	0.1	F	0.505	980	G	2009
(1004) Stonewall St	0.06	130	R									NA		NA		1999
(1004) Stonewall St	0.09	410	G	98%	1%	0%	0%	0%	0%	C	0.094	F	0.537	430	G	2009
(1004) Stonewall St	0.06	200	R									NA		NA		06/02/2008
(1005) Ashby Lane	0.09	300	R									NA		NA		09/08/2005
(1006) East Seminary Lane	0.06	260	R									NA		NA		06/02/2008
(1007) West Lee St	0.06	90	R									NA		NA		1999
(1007) West Lee St	0.10	870	R									NA		NA		06/02/2008
(1007) West Lee St	0.06	720	R									NA		NA		08/25/2005
(1007) West Lee St	0.10	80	R									NA		NA		06/02/2008
(1008) Confederate St	0.10	200	R									NA		NA		08/25/2005
(1008) Confederate St	0.06	370	R									NA		NA		06/02/2008
(1008) Confederate St	0.09	210	R									NA		NA		06/02/2008
(1009) Stuart St	0.10	320	R									NA		NA		08/25/2005
(1009) Stuart St	0.06	600	R									NA		NA		06/02/2008
(1010) Breckenridge Rd	0.15	100	R									NA		NA		08/25/2005
(1011) Clark St	0.11	130	R									NA		NA		06/02/2008
(1012) Fairway Dr	0.19	210	R									NA		NA		1999

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Town of New Market															
(1013) Shenvalle Dr	0.20	140	R			From:	85-1012 Fairway Dr				NA		NA		03/28/2002
						To:	Dead End								
(1014) Shady Lane	0.04	10	R			From:	Dead End				NA		NA		1999
						To:	85-1019 Pleasant View Dr								
(1014) Shady Lane	0.08	260	R			From:	85-1017 Massanutten Ave				NA		NA		06/02/2008
						To:	US 11 South Congress St								
(1014) Shady Lane	0.03	610	R			From:	85-1017 Massanutten Ave				NA		NA		1999
						To:	US 11 South Congress St								
(1015) Early St	0.05	140	R			From:	Dead End				NA		NA		1999
						To:	85-1003 Cadet Rd								
(1016) Shipp St	0.14	40	R			From:	Dead End				NA		NA		04/02/2008
						To:	US 11 Old Valley Pike								
(1017) Massanutten Ave	0.21	90	R			From:	Dead End				NA		NA		03/28/2002
						To:	85-1014 Shady Lane								
(1017) Massanutten Ave	0.13	60	R			From:	85-1014 Shady Lane				NA		NA		1999
						To:	Dead End								
(1018) Jackson Ave	0.08	350	R			From:	Dead End				NA		NA		06/02/2008
						To:	SR 211 Old Cross Rd								
(1019) Pleasant View Dr	0.21	110	R			From:	Dead End				NA		NA		1999
						To:	85-1014 Shady Lane								
(1019) Pleasant View Dr	0.15	110	R			From:	85-1014 Shady Lane				NA		NA		03/28/2002
						To:	0.15 MS 85-1014 Shady Lane								
(1020) Fairway Dr	0.05	1200	R			From:	US 11 South Congress St				NA		NA		06/02/2008
						To:	85-1001 John Sevier Rd								
(1022) Clark St	0.08	70	R			From:	85-1011 Clark St				NA		NA		08/25/2005
						To:	Dead End								
Shenandoah County															
(1024)	0.22	30	R			From:	Dead End				NA		NA		04/02/2008
						To:	85-767 Quicksburg Rd								
(1025) Sara Ann Ave	0.27	30	R			From:	Cul-de-Sac				NA		NA		06/04/2008
						To:	85-1026 Wesley Chapel Dr								
(1025) Sara Ann Ave	0.09	90	R			From:	85-1026 Wesley Chapel Dr				NA		NA		06/04/2008
						To:	SR 42 Senedo Rd								
(1026) Wesley Chapel Dr	0.20	40	R			From:	85-1025 Sara Ann Ave				NA		NA		06/04/2008
						To:	SR 42 Senedo Rd								
(1028) Favel Court	0.16	80	R			From:	Cul-de-Sac				NA		NA		06/04/2008
						To:	85-1029 Shool House Lane								
(1029) Shool House Lane	0.58	160	R			From:	Cul-de-Sac				NA		NA		06/04/2008
						To:	85-676								
(1030) McIntosh St	0.09	20	R			From:	85-816 Spring St				NA		NA		06/04/2008
						To:	85-1031 Jonathan St								

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Shenandoah County															
(1031) Jonathan St	0.14	40	R			From: 85-1032 Hisey Ave					NA		NA		06/04/2008
			To: 85-1030 McIntosh St												
(1032) Hisey Ave	0.10	60	R			From: 85-816 Spring St					NA		NA		06/04/2008
			To: 85-1031 Jonathan St												
Town of New Market															
(1033)	0.09	NA				From: Cul-de-Sac					NA		NA		
(1035) Tyler Dr	0.26	320	R			From: US 11 South Congress St					NA		NA		08/25/2005
(1036) Sun Beau Court	0.09	70	R			From: Cul-de-Sac					NA		NA		1999
(1037) Sun Briar Court	0.04	40	R			From: Cul-de-Sac					NA		NA		1999
(1038) Dillon Court	0.05	30	R			From: 85-1035 Tyler Dr					NA		NA		1999
(1040) Woodbine Way	0.26	150	R			From: Dead End, SCL New Market					NA		NA		08/25/2005
(1040) Woodbine Way	0.07	320	R			From: 85-1041 Periwinkle Lane					NA		NA		08/25/2005
(1041) Periwinkle Lane	0.18	70	R			From: Dead End					NA		NA		1999
(1042)	0.14	NA				From: US 11, South Congress St					NA		NA		
(1044) Par Dr	0.16	300	R			From: 85-823 Clicks Lane					NA		NA		08/25/2005
(1044) Par Dr	0.08	70	R			From: 85-1045 Tee Court					NA		NA		08/25/2005
(1044) Par Dr	0.03	10	R			From: 85-1046 Bogey Ave					NA		NA		08/25/2005
(1045) Tee Court	0.07	60	R			From: Cul-de-Sac					NA		NA		08/25/2005
(1045) Tee Court	0.08	130	R			From: 85-1046 Bogey Ave					NA		NA		08/25/2005
(1045) Tee Court	0.19	110	R			From: 85-1044 Par Dr					NA		NA		08/25/2005
(1046) Bogey Ave	0.13	60	R			From: Cul-de-Sac					NA		NA		08/25/2005
Shenandoah County															
(1055) Spring Hollow Rd	0.31	400	R			From: 85-780 Water St					NA		NA		10/26/2005
						To: Dead End									

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Shenandoah County																
(1056) Meadow Dr	0.09	30	R			From: 85-1055 Spring Hollow Rd					NA		NA		10/26/2005	
			To: Cul-de-Sac													
(1057) Larkspur Dr	0.15	47	R			From: 85-1055 Spring Hollow Rd					NA		NA		10/26/2005	
			To: Cul-de-Sac													
(1080) Hillview Dr	0.15	360	R			From: US 11 Old Valley Pike					NA		NA		06/04/2008	
			To: Cul-de-Sac													
(1081) Nikita Dr	0.10	190	R			From: Dead End					NA		NA		06/04/2008	
			To: 85-1080 Hillview Dr													
(1082) Doral Dr	0.12	110	R			From: 85-1081 Nikita Dr					NA		NA		06/04/2008	
			To: Dead End													
(1100) Little Sorrel Dr	0.51	250	R			From: 85-638 Junction Rd					NA		NA		12/01/2005	
			To: 85-1101 Wise Ave													
(1101) Wise Ave	0.36	60	R			From: 85-1102 Breckenridge Court					NA		NA		12/01/2005	
			To: 85-1100 Little Sorrel Dr													
(1101) Wise Ave	0.03	20	R			From: Dead End					NA		NA		12/01/2005	
			To: Cul-de-Sac													
(1102) Breckenridge Court	0.43	230	R			From: Cul-de-Sac					NA		NA		06/04/2008	
			To: 85-1101 Wise Ave													
(1103) Greenleaf Rd	0.28	860	R			From: 85-638 Junction Rd					NA		NA		04/21/2008	
			To: 85-1102 Breckenridge Court													
(1105)	0.07	150	R			From: Cul-de-Sac					NA		NA		04/21/2008	
			To: 85-1101 Wise Ave													
(1120) Farm Hill Lane	0.11	80	R			From: Cul-de-Sac					NA		NA		11/17/2005	
			To: 85-642 Country Brook Rd													
(1200) Queen St	0.17	30	R			From: SCL Strasburg					NA		NA		04/21/2008	
			To: Dead End													
Town of Strasburg																
(1210) Third St	0.07	290	R			From: Franklin St					NA		NA		1995	
			To: King St													
Town of Mount Jackson																
(1301) Dutch Lane	0.25	760	G	99%	0%	0%	0%	0%	0%	C	0.122	F	0.511	790	G	2009
			To: 85-1305 Lonas St													
(1301) Dutch Lane	0.13	300	R			From: Dead End					NA		NA		05/27/2008	
			To: Dead End													
(1302) Shannon Ave	0.08	30	R			From: Dead End					NA		NA		05/27/2008	
			To: 85-1307 Shannon Ave													
(1302) Shannon Ave	0.06	180	R			From: US 11 Main St					NA		NA		05/27/2008	
			To: US 11 Main St													
(1303) Tisinger St	0.08	110	R			From: 85-1305 Lonas St					NA		NA		05/06/2002	
			To: 85-1306 Broad St													

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Town of Mount Jackson																
(1303) Tisinger St	0.08	80	R			From:	85-1306 Broad St							NA	1999	
			To:			85-1304 Gospel St										
(1304) Gospel St	0.36	450	R			From:	85-1324 Orkney Dr							NA	05/27/2008	
			To:			85-1301 Dutch Lane										
(1305) Lonas St	0.02	40	R			From:	Dead End							NA	04/07/2008	
			To:			85-1303 Tisinger St										
(1305) Lonas St	0.11	150	R			From:	85-1326 Wunder St							NA	05/27/2008	
			To:			85-1320 R								NA	1999	
(1305) Lonas St	0.05	220	R			From:	85-1332 Swan Dr							NA	05/27/2008	
			To:			85-1306 Broad St								NA	05/27/2008	
(1305) Lonas St	0.12	200	R			From:	85-1301 Dutch Lane							NA	1999	
			To:			85-1324 Orkney Dr								NA	05/27/2008	
(1306) Broad St	0.42	400	R			From:	85-1305 Lonas St							NA	05/27/2008	
			To:			85-1302 Shannon Ave								NA	05/06/2002	
(1307) Shannon Ave	0.08	80	R			From:	Dead End								NA	05/06/2002
			To:			US 11 Main St										
(1308) Shenell Dr	0.25	210	R			From:	End Loop							NA	05/06/2002	
			To:			US 11 Main St										
(1309) Apple Ave	0.13	260	R			From:	85-1310 E, Dogwood Dr							NA	1999	
			To:			85-1312 W, Maple Ave										
(1310) Dogwood Dr	0.09	47	R			From:	85-1309 W, Apple Ave							NA	05/27/2008	
			To:			85-1309 E, Apple Ave								NA	1999	
(1310) Dogwood Dr	0.09	90	R			From:	85-1312 E, Maple Ave							NA	05/27/2008	
			To:			85-1312 Elm Dr								NA	1999	
(1310) Dogwood Dr	0.05	140	R			From:	85-1325 Elm Dr							NA	05/27/2008	
			To:			85-1316 East Avondale Ave								NA	05/27/2008	
(1311) Montvue Ave	0.10	130	R			From:	Dead End							NA	05/06/2002	
			To:			0.10 MN Dead End										
(1311) Montvue Ave	0.09	130	R			From:	US 11 Main St							NA	05/06/2002	
			To:			US 11 Main St										
(1312) Maple Ave	0.07	220	R			From:	US 11 Main St							NA	09/27/2005	
			To:			85-1310 W, Dogwood Dr										
(1312) Maple Ave	0.06	200	R			From:	85-1310 E, Dogwood Dr							NA	05/27/2008	
			To:			ECL Mount Jackson										

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Town of Mount Jackson															
(1313) Hopewell Ave	0.12	80	R			From:	85-1314 Nelson St				NA		NA		1999
						To:	Dead End								
(1314) Nelson St	0.13	110	R			From:	Dead End				NA		NA		05/27/2008
						To:	85-1313 Hopewell Ave								
(1314) Nelson St	0.21	410	R			From:	NA				NA		NA		1999
						To:	US 11 Main St								
(1315) Mill Creek Lane	0.15	46	R			From:	Dead End				NA		NA		05/27/2008
						To:	85-698 Orchard Dr								
(1316) East Avondale Ave	0.18	440	R			From:	Dead End				NA		NA		09/27/2005
						To:	US 11 Main St								
(1316) East Avondale Ave	0.17	320	R			From:	NA				NA		NA		05/27/2008
						To:	NCL Mt Jackson								
(1316) East Avondale Ave	0.14	100	R			From:	NA				NA		NA		05/06/2002
						To:	Cul-de-Sac								
Shenandoah County															
(1317) Cannon Hill Rd	0.37	30	R			From:	85-1318 Scothern Rd				NA		NA		09/27/2005
						To:	85-703 Mt Jackson Rd								
(1318) Scothern Rd	0.66	30	R			From:	Dead End				NA		NA		05/27/2008
						To:	85-1317 Cannon Hill Rd								
(1318) Scothern Rd	0.30	45	R			From:	NA				NA		NA		09/27/2005
						To:	85-703 Mt Jackson Rd								
(1318) Scothern Rd	0.53	120	R			From:	NA				NA		NA		05/27/2008
						To:	85-1319 Short Run Lane								
(1319) Short Run Lane	0.10	50	R			From:	Dead End				NA		NA		09/27/2005
						To:	85-1318 Scothern Rd								
(1319) Short Run Lane	0.06	10	R			From:	NA				NA		NA		05/27/2008
						To:	Dead End								
Town of Mount Jackson															
(1320) Moore Ave	0.04	30	R			From:	Dead End				NA		NA		05/27/2008
						To:	85-790 Center St								
(1320) Moore Ave	0.08	90	R			From:	NA				NA		NA		1999
						To:	85-1321 Craig St								
(1321) Craig St	0.08	90	R			From:	85-1320 Moore Ave				NA		NA		05/27/2008
						To:	85-1322 Randall St								
(1322) Randall St	0.06	70	R			From:	Dead End				NA		NA		09/27/2005
						To:	85-790 Center St								
(1322) Randall St	0.08	140	R			From:	NA				NA		NA		05/27/2008
						To:	85-1321 Craig St								
(1323) Medical Dr	0.06	190	R			From:	US 11 Main St				NA		NA		09/27/2005
						To:	Dead End								
(1324) Orkney Dr	0.03	660	R			From:	SR 263				NA		NA		05/27/2008
						To:	85-1306 Broad St								

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Town of Mount Jackson															
(1324) Orkney Dr	0.07	880	R								NA		NA		1999
(1324) Orkney Dr	0.16	680	R								NA		NA		05/27/2008
(1325) Elm Dr	0.13	110	R								NA		NA		1999
(1326) Wunder St	0.07	230	R								NA		NA		05/27/2008
(1326) Wunder St	0.05	230	R								NA		NA		05/27/2008
(1326) Wunder St	0.08	230	R								NA		NA		05/27/2008
(1327) Broad St	0.12	140	R								NA		NA		1999
(1328) Railroad St	0.03	20	R								NA		NA		05/27/2008
(1328) Railroad St	0.07	220	R								NA		NA		05/27/2008
(1328) Railroad St	0.13	310	R								NA		NA		1999
(1329) Second Ave	0.10	50	R								NA		NA		09/27/2005
(1330) First Ave	0.14	70	R								NA		NA		05/27/2008
(1330) First Ave	0.11	90	R								NA		NA		05/27/2008
(1331) Robin St	0.06	350	R								NA		NA		1999
(1332) Swan Dr	0.08	70	R								NA		NA		05/27/2008
(1333) Painters St	0.20	50	R								NA		NA		09/27/2005
(1334) Bridge St	0.19	180	R								NA		NA		05/27/2008
(1335)	0.05	NA									NA		NA		
Town of Edinburg															
(1401) Shenandoah Ave	0.27	550	R								NA		NA		1999
(1402) South High St	0.02	150	R								NA		NA		1991

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Town of Edinburg																
(1402) North High St	0.30	270	G	88%	1%	2%	5%	4%	0%	C	0.127	F	0.576	280	G	2009
(1403) Walnut St	0.08	290	R											NA		10/06/2005
(1404) Winfred St	0.15	60	R											NA		06/04/2008
(1405) Printz St	0.05	720	R											NA		06/04/2008
(1405) Printz St	0.09	310	R											NA		10/06/2005
(1406) South Wissen St	0.12	80	R											NA		1999
(1406) South Wissen St	0.21	90	R											NA		06/04/2008
(1407) Hisey St	0.04	530	R											NA		10/06/2005
(1408) Massanutten St	0.12	50	R											NA		06/04/2008
Shenandoah County																
(1409) Fry Rd	0.15	20	R											NA		04/07/2008
Town of Edinburg																
(1410) Windsor Knit Rd	0.34	960	R											NA		06/04/2008
Shenandoah County																
(1410) Windsor Knit Rd	0.16	70	R											NA		05/06/2002
(1410) Windsor Knit Rd	0.16	100	R											NA		10/06/2005
(1411) Henney Rd	0.21	80	R											NA		06/04/2008
(1412) Molneu Rd	0.09	230	R											NA		10/06/2005
Town of Edinburg																
(1413) Koontz St	0.05	80	R											NA		06/07/2008
(1414) Orchard St	0.04	70	R											NA		1999
(1415) Palmyra Rd Ext	0.06	8	R											NA		04/09/2008

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Shenandoah County																
(1416) Bottom Rd	0.20	80	R			From:	85-686 Ox Rd				NA		NA		10/06/2005	
						To:	Dead End									
(1417) Cooper St	0.04	70	R			From:	85-698				NA		NA		05/06/2002	
						To:	SCL Edinburg									
Town of Edinburg																
(1417) Cooper St	0.07	70	R			From:	SCL Edinburg				NA		NA		05/06/2002	
						To:	0.07 ME of SCL									
(1417) Cooper St	0.08	70	R			From:	85-1419 Palmyra Rd				NA		NA		05/06/2002	
						To:	Dead End									
(1418) Mill Rd	0.08	580	R			From:	NCL Edinburg				NA		NA		10/06/2005	
						To:	85-813 Taylortown Rd									
Shenandoah County																
(1418) Mill Rd	0.15	580	N			From:	NCL Edinburg				NA		NA		10/06/2005	
						To:	85-813 Taylortown Rd									
Town of Edinburg																
(1419) Palmyra Rd	0.10	260	G	98%	0%	1%	1%	0%	0%	F	0.115	F	0.569	270	G	2009
						To:	85-1417 Cooper St									
(1419) Palmyra Rd	0.30	420	G	98%	0%	1%	1%	0%	0%	C	0.1	F	0.556	440	G	2009
						To:	85-760 Water St									
(1420) Jackson St	0.13	130	R			From:	85-1401 Shenandoah Ave				NA		NA		06/04/2008	
						To:	Dead End									
Shenandoah County																
(1421) Cliffside Dr	0.24	180	R			From:	85-675 Stoney Creek Rd				NA		NA		10/06/2005	
						To:	85-1422 Sunset Court									
(1421) Cliffside Dr	0.29	120	R			From:	Cul-de-Sac				NA		NA		06/04/2008	
						To:	Cul-de-Sac									
(1422) Sunset Court	0.14	60	R			From:	85-1421 Cliffside Dr				NA		NA		10/06/2005	
						To:	85-1421 Cliffside Dr									
(1423) Manor Dr	0.24	110	R			From:	85-675 Stoney Creek Rd				NA		NA		10/06/2005	
						To:	Dead End									
(1424) Saum Court	0.06	30	R			From:	85-1423 Manor Dr				NA		NA		10/06/2005	
						To:	Dead End									
(1425)	0.09	49	R			From:	Dead End				NA		NA		04/09/2008	
						To:	85-1421 Cliffside Dr									
(1430) Crisman Rd	0.13	80	R			From:	85-1431 Crisman Rd				NA		NA		06/04/2008	
						To:	85-675 Stoney Creek Rd									
(1431) Crisman Rd	0.10	30	R			From:	85-1430 Crisman Rd				NA		NA		1999	
						To:	85-1432 Crisman Rd									
(1431) Crisman Rd	0.04	10	R			From:	Dead End				NA		NA		06/04/2008	
						To:	85-1431 Crisman Rd									
(1432) Crisman Rd	0.10	60	R			From:	85-675 Stoney Creek Rd				NA		NA		1999	
						To:	85-675 Stoney Creek Rd									

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Shenandoah County															
(1500) Jessica Place	0.15	180	R			From: Dead End					NA		NA		1999
			To: ECL Toms Brook												
Town of Toms Brook															
(1500) Jessica Place	0.05	180	R			From: ECL Toms Brook					NA		NA		1999
			To: US 11 Main St												
(1501) Hillcrest Rd	0.06	80	R			From: Dead End					NA		NA		06/04/2008
			To: US 11; 85-653												
Shenandoah County															
(1505)	0.32	330	R			From: 85-657 Powhatan Rd					NA		NA		04/16/2008
			To: 85-1506												
(1506)	0.27	180	R			From: 85-1505					NA		NA		04/16/2008
			To: 85-1505												
(1507)	0.10	90	R			From: Dead End					NA		NA		04/16/2008
			To: 85-1506												
(1520) Marguerie Dr	0.22	380	R			From: 85-651 Hanns Lane					NA		NA		12/02/2005
			To: 85-1524 Lambert Lane												
(1521) Cecilia St	0.11	40	R			From: 85-1520 Marguerie Dr					NA		NA		1999
			To: Cul-de-Sac												
(1522) Roberts Rd	0.22	180	R			From: 85-1520 Marguerie Dr					NA		NA		11/02/2005
			To: Cul-de-Sac												
(1523) Thorne Avenue	0.05	40	R			From: Cul-de-Sac					NA		NA		1999
			To: 85-1520 Marguerie Dr												
(1524) Lambert Lane	0.09	30	R			From: Cul-de-Sac					NA		NA		1999
			To: Dead End												
(1601) Courtland Way	0.11	30	R			From: 85-1602 Courtland Way					NA		NA		10/13/2005
			To: 85-1603 Rolling Hills Lane												
(1602) Courtland Way	0.05	90	R			From: 85-1601 Courtland Way					NA		NA		06/04/2008
			To: US 11 Old Valley Pike												
(1603) Rolling Hills Lane	0.10	10	R			From: Dead End					NA		NA		04/07/2008
			To: 0.10 ME Dead End												
(1603) Rolling Hills Lane	0.35	110	R			From: 0.10 ME Dead End					NA		NA		06/04/2008
			To: 85-1601 Courtland Way												
(1603) Rolling Hills Lane	0.05	180	R			From: 85-1601 Courtland Way					NA		NA		10/13/2005
			To: US 11 Old Valley Pike												
(1604) Wayne Rd	0.17	20	R			From: Dead End					NA		NA		06/04/2008
			To: 85-614 South Middle Rd												
(1604) Wayne Rd	0.27	140	R			From: 85-614 South Middle Rd					NA		NA		10/06/2005
			To: FR-241 Wayne Rd												
(9090)	0.38	2300	R			From: Dead End					NA		NA		05/28/2002
			To: 85-648 Sandy Hook Rd												

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Shenandoah County																
(9386) Ashby Lee Elementary S	0.26	690	R			From:	85-833 Stonewall Lane				NA			NA		1999
						To:	Cul-de-Sac									
(9387) North Fork Middle Scho	0.16	1000	R			From:	85-730 Caverns Rd				NA			NA		06/04/2008
						To:	85-730 Caverns Rd									
(9388)	0.16	1000	R			From:	85-648 SOUTH				NA			NA		06/04/2008
						To:	85-648 NORTH									
(9389) Stonewall Jackson High	0.08	80	R			From:	85-833 W, Stonewall Lane				NA			NA		06/04/2008
						To:	85-833 E, Stonewall Lane									
Town of Woodstock																
(9745) W W Robinson High Sc	0.71	2500	R			From:	SR 42 Reservoir Rd				NA			NA		05/02/2002
						To:	Cul-de-Sac									
Shenandoah County																
(9747) Stonewall Jackson High	0.23	1100	R			From:	85-833 Stonewall Lane				NA			NA		1999
						To:	Cul-de-Sac									
Town of Strasburg																
(1) Branch St	0.26	400	G	99%	0%	1%	0%	0%	0%	C	0.134	F	0.546	420	G	2009
						To:	Franklin St									
(2) Orchard St	0.18	370	G	99%	0%	1%	0%	0%	0%	F	0.11	F	0.596	380	G	2009
						To:	US 11 Stover Ave									
(3) Eberly St	0.10	430	G	99%	0%	1%	0%	0%	0%	F	0.122	F	0.743	450	G	2009
						To:	Washington St									
(4) Aileen Ave	0.28	370	G	99%	0%	1%	0%	0%	0%	F	0.124	F	0.529	380	G	2009
						To:	Dead End									
(5) Sharpe St	0.08	460	G	99%	0%	1%	0%	0%	0%	F	0.1	F	0.606	490	G	2009
						To:	Queen St									
(1966) Franklin St	0.18	470	G	95%	3%	1%	1%	0%	0%	C	0.113	F	0.509	500	G	2009
						To:	Branch St									
(1967) Ash St	0.77	1300	G	98%	1%	1%	0%	0%	0%	C	0.121	F	0.509	1400	G	2009
						To:	85-638 WCL Strasburg									
(1967) Washington St	0.37	2900	G	98%	0%	1%	1%	0%	0%	C	0.091	F	0.705	3100	G	2009
						To:	306-1971 Capon St									
(1967) Washington St	0.43	1900	G	99%	0%	0%	0%	0%	0%	C	0.092	F	0.586	2000	G	2009
						To:	US 11 N Massanutton St									
(1967) Washington St	0.18	810	G	98%	1%	1%	0%	0%	0%	C	0.094	F	0.506	850	G	2009
						To:	Virginia St									
(1971) Capon St	0.16	2600	G	98%	1%	1%	0%	0%	0%	F	0.096	F	0.629	2700	G	2009
						To:	Branch St									
(1971) Capon St	0.50	1700	G	98%	1%	1%	0%	0%	0%	C	0.105	F	0.563	1800	G	2009
						To:	SR 55 John Marshall Hwy									
(1974) Holliday St	0.30	1400	G			From:	85-648 SCL Strasburg				NA			1400	G	2009
						To:	High St									

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Town of Strasburg																
(1974) 306 Holliday St	0.07	3900	G							0.228	F	0.664	4100	G	2009	
(1974) 306 Holliday St	0.08	3600	G	95%	2%	1%	1%	1%	0%	C	0.121	F	0.645	3800	G	2009
(1974) 306 Holliday St	0.08	2000	G							0.096	F	0.573	2100	G	2009	
(1975) 306 Queen St	0.19	540	G	97%	1%	1%	0%	0%	0%	F	0.138	F	0.75	560	G	2009
(1975) 306 Queen St	1.10	2600	G	97%	1%	1%	0%	0%	0%	C	0.129	F	0.545	2700	G	2009
Town of Woodstock																
(1) 330 Indian Spring Rd	0.18	770	G	99%	0%	0%	0%	0%	0%	C	0.097	F	0.564	800	G	2009
(2) 330 Lakeview Dr	0.09	950	G	99%	0%	0%	0%	0%	0%	F	0.101	F	0.518	990	G	2009
(3) 330 Ox Rd	0.56	4200	G	99%	0%	0%	1%	0%	0%	C	0.094	F	0.517	4400	G	2009
(4) 330 Massanutten Heights R	0.33	1900	G	99%	0%	0%	0%	0%	0%	C	0.098	F	0.695	2000	G	2009
(5) 330 Commerce St	0.08	1900	G	99%	0%	0%	0%	0%	0%	C	0.108	F	0.627	2000	G	2009
(6) 330 Mill Rd	0.20	1400	G	99%	0%	0%	0%	0%	0%	F	0.096	F	0.607	1500	G	2009
(7) 330 E Reservoir Rd	0.20	4700	G	97%	0%	1%	0%	1%	0%	F	0.093	F		4900	G	2009
(7) 330 E Reservoir Rd	0.33	820	G	97%	0%	1%	0%	1%	0%	C	0.110	F	0.517	860	G	2009
(8) 330 Summit Ave	0.52	740	G	99%	0%	0%	0%	0%	0%	C	0.105	F	0.52	780	G	2009
(9) 330 Water St	0.51	2400	G	98%	0%	1%	0%	0%	0%	C	0.1	F	0.634	2500	G	2009
(9) 330 Water St	0.27	2700	G	98%	0%	1%	0%	0%	0%	F	0.092	F	0.625	2800	G	2009
(9) 330 Water St	0.22	3000	G	98%	0%	1%	0%	0%	0%	F	0.1	F	0.591	3200	G	2009
(9) 330 Water St	0.68	2300	G	98%	0%	1%	0%	0%	0%	F	0.102	F	0.528	2400	G	2009
(11) 330 Church St	0.12	160	G	98%	1%	1%	0%	0%	0%	C	0.142	F	0.56	170	G	2009
(12) 330 Hughes St	0.10	180	G	98%	1%	1%	0%	0%	0%	C	0.137	F	0.704	190	G	2009

Virginia Department of Transportation
Traffic Engineering Division

2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Shenandoah Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Town of Woodstock																
(13) Hollingsworth Rd	0.39	830	G	100%	0%	0%	0%	0%	0%	C	0.089	F	0.628	870	G	2009
						From: Water St	To: Lupton Rd									
(14) Lee St	0.35	330	G	98%	1%	1%	0%	0%	0%	C	0.125	F	0.605	340	G	2009
						From: North St	To: NCL Woodstock									
(1960) North St	0.33	1500	G	99%	0%	0%	1%	0%	0%	F	0.089	F	0.653	1500	G	2009
						From: WCL Woodstock	To: Summit Ave									
(1960) North St	0.43	2000	G	99%	0%	0%	1%	0%	0%	C	0.085	F	0.725	2100	G	2009
						From: Main St	To: WCL Woodstock									
(1961) W Spring St	0.36	1200	G	98%	0%	1%	1%	0%	0%	F	0.111	F	0.509	1300	G	2009
						From: Summit Ave	To: Main St									
(1961) W Spring St	0.52	1200	G	98%	0%	1%	1%	0%	0%	C	0.106	F	0.646	1200	G	2009
						From: US 11 Main St	To: Church St									
(1961) E Spring St	0.09	500	G	98%	0%	1%	1%	0%	0%	F	0.109	F	0.641	520	G	2009
						From: 330-11 Church St	To: 330-9 Water St									
(1961) E Spring St	0.10	270	G	98%	0%	1%	1%	0%	0%	F	0.113	F	0.627	280	G	2009
						From: 330-9 Water St	To: 330-11 Church St									
Town of Strasburg																
Fort St	160		G								0.141	F	0.682	160	G	2009
						From: High St	To: Queen St									
Massanutten Street	2700		G	97%	1%	1%	0%	0%	0%	C	0.095	F	0.589	2700	G	2009
						From: East Queen Street	To: SR 55 King Street									
Thompson Street	700		G	99%	0%	0%	0%	0%	0%	C	0.105	F	0.747	700	G	2009
						From: US 11	To: Lee Street									
Town of Woodstock																
Locust St	90		G								0.135	F	0.615	90	G	2009
						From: Summit Ave	To: Commerce St									