

2009

**Virginia Department of Transportation
Daily Traffic Volume Estimates
Including Vehicle Classification Estimates**

where available

Jurisdiction Report

98

Wythe County
Town of Wytheville
Town of Rural Retreat

Prepared By

**Virginia Department of Transportation
Traffic Engineering Division**

In Cooperation With

**U.S. Department of Transportation
Federal Highway Administration**

Virginia Department of Transportation
Traffic Engineering Division
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is “R”, the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems

 Interstate Route Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.

 US Route

 Virginia State Route

 Frontage Road (F precedes frontage route number)

 Secondary Route

Special Routes

 Bus - Business Route
 Bypas - Bypass Route
 Truck - Truck Route
 ALT - Alternate Route
 Wye - Wye Route connector

 P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.

 The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Wythe Maintenance Area

| Route | Jurisdiction | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | | | | | | | | | | | | | | |
|--|--------------------------------|---|---|-------------|----------|-----|-------|--------|--------|--------|----|----------|----|------------|-------|----|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | | | | | | | | | | | | | | |
|  W Lee Highway | Wythe County | From: Smyth County Line | 3.07 | 2100 | F | 97% | 1% | 1% | 1% | 1% | F | 0.089 | F | 0.563 | 2300 | F | | | | | | | | | | | | | | |
| | | To: SR 90 Blacklick Rd; N Main St | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|  W Lee Highway | Wythe County | From: SR 90 Black Lick Rd; N Main St | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | To: 98-663 East Bishop Thomas Ln | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|  W Lee Highway | Wythe County | From: WCL Wytheville | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | To: 24th St | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|  W Lee Hwy | Town of Wytheville | From: US 21 Main St | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | To: 12th St | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|   Main St | Town of Wytheville | From: 4th St | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | To: US 21, 4th St | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|  Main St | Town of Wytheville | From: 5th St | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | To: 11th St | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|  E Main St | Town of Wytheville | From: Liberty St | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | To: 139-3 Lithia Rd | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|  E Main St | Town of Wytheville (Maint: 98) | From: I-81 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | To: NCL Wytheville | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|     | Wythe County | 2.18 | See I-81 for directional traffic volume estimates for this segment. | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 49000 | B | 75% | 1% | 1% | 1% | 22% | 2% | C | 0.115 | A | 0.597 | 45000 | B | | | | | | | | | | | | | | |
|     | Wythe County | 2.61 | See I-81 for directional traffic volume estimates for this segment. | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 50000 | F | 74% | 1% | 1% | 1% | 22% | 2% | F | NA | NA | NA | 46000 | F | | | | | | | | | | | | | | |
|    | Wythe County | 1.44 | See I-81 for directional traffic volume estimates for this segment. | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | To: I-77 Fort Chiswell | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route Wythe Maintenance Area

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Wythe Maintenance Area

| Route | Jurisdiction | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | | | | | |
|--|--------------------------------|---|---|-------------|----------|-----|-------|--------|--------|--------|----------|----------|----------|------------|-------|----------|----------|----------|-------|----------|--|
| | | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | | | | | |
|  Fort Chiswell Rd | Wythe County | From: 98-619 Major Grahams Rd | 5.12 | 2500 | F | 97% | 0% | 1% | 1% | 1% | C | 0.095 | F | 0.570 | 2700 | F | | | | | |
| | | To: 98-736 Apache Run | | | | | | | | | | | | | | | | | | | |
|  Fort Chiswell Rd | Wythe County | From: S I-81 | 0.87 | 7300 | F | 97% | 0% | 1% | 1% | 0% | F | 0.090 | F | 0.584 | 7900 | F | | | | | |
| | | To: I-81 | | | | | | | | | | | | | | | | | | | |
|     | Wythe County | 2.31 | See I-81 for directional traffic volume estimates for this segment. | | | | | | | | | | | | | | | | | | |
| | | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 50000 | F | 74% | 1% | 1% | 1% | 22% | 2% | F | NA | | | | | 46000 | F | | | |
|     | Wythe County | 2.37 | See I-81 for directional traffic volume estimates for this segment. | | | | | | | | | | | | | | 45000 | B | | | |
| | | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 49000 | B | 75% | 1% | 1% | 1% | 22% | 2% | C | NA | | | | | 45000 | B | | | |
|     | Town of Wytheville (Maint: 98) | 0.93 | See I-81 for directional traffic volume estimates for this segment. | | | | | | | | | | | | | | 45000 | B | | | |
| | | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 49000 | B | 75% | 1% | 1% | 1% | 22% | 2% | C | 0.115 | A | 0.597 | | | | | 45000 | B | |
|    | Town of Wytheville (Maint: 98) | 1.29 | See I-81 for directional traffic volume estimates for this segment. | | | | | | | | | | | | | | 39000 | F | | | |
| | | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 42000 | F | 75% | 1% | 1% | 1% | 22% | 2% | F | NA | | | | | 39000 | F | | | |
|   | Town of Wytheville (Maint: 98) | 1.99 | See I-81 for directional traffic volume estimates for this segment. | | | | | | | | | | | | | | 26000 | F | | | |
| | | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 26000 | F | 80% | 1% | 1% | 1% | 17% | 1% | F | NA | | | | | 26000 | F | | | |
|  | Town of Wytheville | 1.89 | 2500 | F | 98% | 0% | 0% | 0% | 1% | 0% | C | 0.102 | F | 0.585 | | | | | 2600 | F | |
|  | Wythe County | From: WCL Wytheville | 2.67 | 1200 | F | 97% | 0% | 1% | 0% | 1% | C | 0.092 | F | 0.672 | 1300 | F | | | | | |
| | | To: 98-680 Black Lick Rd | | | | | | | | | | | | | | | | | | | |
|  | Wythe County | From: Bland County Line | 7.32 | 780 | F | 97% | 0% | 1% | 0% | 1% | F | 0.091 | F | 0.582 | 850 | F | | | | | |
| | | To: 98-636 Store Hill Rd | | | | | | | | | | | | | | | | | | | |
|  | Wythe County | From: Carroll County Line | 1.78 | 930 | F | 94% | 0% | 1% | 1% | 4% | F | 0.090 | F | 0.567 | 1000 | F | | | | | |
| | | To: Lead Mine Rd | | | | | | | | | | | | | | | | | | | |
|  | Wythe County | From: Carroll County Line | 0.25 | 930 | N | 94% | 0% | 1% | 1% | 4% | 0% | N | 0.090 | N | 0.567 | 1000 | N | | | | |
| | | To: Lead Mine Rd | | | | | | | | | | | | | | | | | | | |
|  | Wythe County | From: I-77 West of Poplar Camp | 1.26 | 1200 | F | 94% | 0% | 1% | 1% | 4% | 0% | C | 0.090 | F | 0.602 | 1300 | F | | | | |
| | | To: Wythe County | | | | | | | | | | | | | | | | | | | |
|  | Wythe County | From: US 52 Poplar Camp | 0.30 | 1700 | F | 93% | 1% | 2% | 3% | 1% | 0% | C | 0.087 | F | 0.524 | 1800 | F | | | | |
| | | To: Lead Mine Rd | | | | | | | | | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Wythe Maintenance Area

| Route | Jurisdiction | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW |
|--|---|--------|-------|-----|-------|-----|-------|--------|--------|--------|-------|----------|----|------------|-------|----|
| | | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | |
| North  | From: Carroll County Line | | | | | | | | | | | | | | | |
| | Wythe County | 7.85 | 17000 | F | 74% | 1% | 1% | 1% | 22% | 2% | F | 0.075 | F | | 15000 | F |
| | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 33000 | | F | 74% | 1% | 1% | 1% | 22% | 2% | F | NA | | | 29000 | F |
| North  | To: I-81 Fort Chiswell | | | | | | | | | | | | | | | |
| Ramp From I-77 N Exit 32 to I-81 S at Exit 81 | From: I-77 N | | | | | | | | | | | | | | | |
| | Wythe County | 1.32 | 9900 | F | 74% | 1% | 1% | 1% | 22% | 2% | F | 0.07 | F | | 8700 | F |
| | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 21000 | | F | 74% | 1% | 1% | 1% | 22% | 2% | F | NA | | | 18000 | F |
| North South    | To: I-81 S | | | | | | | | | | | | | | | |
| | From: I-81 Fort Chiswell | | | | | | | | | | | | | | | |
| | Wythe County | 0.93 | 21000 | F | 76% | 1% | 1% | 0% | 21% | 2% | F | 0.071 | F | | 19000 | F |
| | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 50000 | | F | 74% | 1% | 1% | 1% | 22% | 2% | F | NA | | | 46000 | F |
| North South     | To: US 52; SR 121 | | | | | | | | | | | | | | | |
| | From: Wythe County | | | | | | | | | | | | | | | |
| | 2.31 | 21000 | F | 76% | 1% | 1% | 0% | 21% | 2% | F | 0.069 | F | | | 20000 | F |
| | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 50000 | | F | 74% | 1% | 1% | 1% | 22% | 2% | F | NA | | | 46000 | F |
| North South     | To: FR-43 | | | | | | | | | | | | | | | |
| | From: Wythe County | | | | | | | | | | | | | | | |
| | 2.37 | 24000 | B | 76% | 1% | 1% | 0% | 21% | 2% | C | 0.118 | A | | | 23000 | B |
| | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 49000 | | B | 75% | 1% | 1% | 1% | 22% | 2% | C | NA | | | 45000 | B |
| North South     | To: NCL Wytheville | | | | | | | | | | | | | | | |
| | From: Town of Wytheville (Maint: 98) | | | | | | | | | | | | | | | |
| | 0.93 | 24000 | B | 76% | 1% | 1% | 0% | 21% | 2% | C | 0.118 | A | | | 23000 | B |
| | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 49000 | | B | 75% | 1% | 1% | 1% | 22% | 2% | C | 0.115 | A | 0.597 | 45000 | B |
| North South    | To: US 11 | | | | | | | | | | | | | | | |
| | From: Town of Wytheville (Maint: 98) | | | | | | | | | | | | | | | |
| | 1.29 | 21000 | F | 76% | 1% | 1% | 0% | 21% | 2% | F | NA | | | | 19000 | F |
| | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 42000 | | F | 75% | 1% | 1% | 1% | 22% | 2% | F | NA | | | 39000 | F |
| North  | To: I-81 Wytheville | | | | | | | | | | | | | | | |
| | From: I-81 S | | | | | | | | | | | | | | | |
| Ramp I-81 S Exit 72 to I-77 N at Exit 40 | Town of Wytheville (Maint: 98) | 0.28 | 11000 | F | 79% | 1% | 1% | 0% | 18% | 1% | F | 0.068 | F | | 9400 | F |
| | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 21000 | | F | 75% | 1% | 1% | 1% | 21% | 2% | F | NA | | | 18000 | F |
| North  | To: I-77 N | | | | | | | | | | | | | | | |
| | From: I-81 Wytheville | | | | | | | | | | | | | | | |
| | 0.31 | 13000 | F | 79% | 1% | 1% | 0% | 18% | 1% | F | NA | | | | 12000 | F |
| | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 25000 | | F | 75% | 1% | 1% | 1% | 21% | 2% | F | NA | | | 22000 | F |
| North  | To: Peppers Ferry Rd | | | | | | | | | | | | | | | |
| | From: Town of Wytheville (Maint: 98) | | | | | | | | | | | | | | | |
| | 0.23 | 14000 | F | 79% | 1% | 1% | 0% | 18% | 1% | F | NA | | | | 12000 | F |
| | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 27000 | | F | 75% | 1% | 1% | 1% | 21% | 2% | F | NA | | | 24000 | F |
| North  | To: NCL Wytheville | | | | | | | | | | | | | | | |
| | From: Wythe County | | | | | | | | | | | | | | | |
| | 4.57 | 14000 | F | 79% | 1% | 1% | 0% | 18% | 1% | F | NA | | | | 12000 | F |
| | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 26000 | | F | 75% | 1% | 1% | 1% | 21% | 2% | F | NA | | | 23000 | F |
| North  | To: Bland County Line | | | | | | | | | | | | | | | |
| | From: | | | | | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Wythe Maintenance Area

| Route | Jurisdiction | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | Dir Factor | AAWDT | QW | |
|---|--|--------------------------------|--------------|--------------|----------|-----|-------|--------|--------|--------|----|----------|------------|-------|-------|---|
| | | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | |
| North  Ramp From I-77 N Exit 32 to I-81 N at Exit 81 | Wythe County | 0.34 | 6500 | F | 74% | 1% | 1% | 1% | 22% | 2% | F | 0.075 | F | 5700 | F | |
| Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | | 12000 | F | 74% | 1% | 1% | 1% | 22% | 2% | F | NA | | 11000 | F | |
| To:  | | | | | | | | | | | | | | | | |
| South  | Wythe County | 0.33 | 19000 | G | 74% | 1% | 1% | 1% | 22% | 2% | F | 0.071 | F | 17000 | G | |
| Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | | 37000 | G | 77% | 1% | 1% | 0% | 19% | 2% | F | NA | | 36000 | G | |
| To:  | | | | | | | | | | | | | | | | |
| South  | Wythe County | 7.69 | 16000 | F | 74% | 1% | 1% | 1% | 22% | 2% | F | 0.067 | F | 14000 | F | |
| Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | | 33000 | F | 74% | 1% | 1% | 1% | 22% | 2% | F | NA | | 29000 | F | |
| To:  | | | | | | | | | | | | | | | | |
| South  | Ramp I-81 N Exit 81 to I-77 S at Exit 32 | Wythe County | 0.27 | 11000 | F | 74% | 1% | 1% | 1% | 22% | 2% | F | 0.087 | F | 9300 | F |
| Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | | 21000 | F | 74% | 1% | 1% | 1% | 22% | 2% | F | NA | | 18000 | F | |
| To:  | | | | | | | | | | | | | | | | |
| South North    | Wythe County | 1.44 | 29000 | F | 74% | 1% | 1% | 1% | 23% | 2% | F | 0.066 | F | 26000 | F | |
| Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | | 50000 | F | 74% | 1% | 1% | 1% | 22% | 2% | F | NA | | 46000 | F | |
| To:  | | | | | | | | | | | | | | | | |
| South North     | Wythe County | 2.61 | 29000 | F | 74% | 1% | 1% | 1% | 23% | 2% | F | 0.065 | F | 27000 | F | |
| Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | | 50000 | F | 74% | 1% | 1% | 1% | 22% | 2% | F | NA | | 46000 | F | |
| To:  | | | | | | | | | | | | | | | | |
| South North     | Wythe County | 2.18 | 25000 | A | 74% | 1% | 1% | 1% | 23% | 2% | C | 0.125 | A | 23000 | A | |
| Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | | 49000 | B | 75% | 1% | 1% | 1% | 22% | 2% | C | NA | | 45000 | B | |
| To:  | | | | | | | | | | | | | | | | |
| South North     | Wythe County | 0.96 | 25000 | A | 74% | 1% | 1% | 1% | 23% | 2% | C | 0.125 | A | 23000 | A | |
| Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | | 49000 | B | 75% | 1% | 1% | 1% | 22% | 2% | C | 0.115 | A | 45000 | B | |
| To:  | | | | | | | | | | | | | | | | |
| South North     | Town of Wytheville (Maint: 98) | 0.82 | 21000 | F | 74% | 1% | 1% | 1% | 23% | 2% | F | NA | | 20000 | F | |
| Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | | 42000 | F | 75% | 1% | 1% | 1% | 22% | 2% | F | NA | | 39000 | F | |
| To:  | | | | | | | | | | | | | | | | |
| South North    | Town of Wytheville (Maint: 98) | 0.66 | 9600 | F | 71% | 1% | 1% | 1% | 25% | 2% | F | 0.087 | F | 8500 | F | |
| Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | | 21000 | F | 75% | 1% | 1% | 1% | 21% | 2% | F | NA | | 18000 | F | |
| To:  | | | | | | | | | | | | | | | | |
| South  | Ramp I-77 S Exit 40 to 81 N Exit 72 | Town of Wytheville (Maint: 98) | 0.49 | 12000 | F | 71% | 1% | 1% | 1% | 25% | 2% | F | NA | | 11000 | F |
| Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | | 25000 | F | 75% | 1% | 1% | 1% | 21% | 2% | F | NA | | 22000 | F | |
| To:  | | | | | | | | | | | | | | | | |
| South  | Town of Wytheville (Maint: 98) | | | | | | | | | | | | | | | |
| Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | | | | | | | | | | | | | | | |
| To:  | | | | | | | | | | | | | | | | |



Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Wythe Maintenance Area

| Route | Jurisdiction | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | |
|--|---|--------------------------------|-------|------|-------|-----|-------|--------|--------|--------|----|----------|-------|------------|-------|------|---|
| | | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| South  | From: NCL Wytheville | | | | | | | | | | | | | | | | |
| | Wythe County | 0.02 | 12000 | F | 71% | 1% | 1% | 1% | 25% | 2% | F | NA | | | 11000 | F | |
| | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 26000 | | F | 75% | 1% | 1% | 1% | 21% | 2% | F | NA | | | 23000 | F | |
| South  | To: Peppers Ferry Rd | | | | | | | | | | | | | | | | |
| | Wythe County | 4.55 | 13000 | F | 71% | 1% | 1% | 1% | 25% | 2% | F | NA | | | 11000 | F | |
| | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 27000 | | F | 75% | 1% | 1% | 1% | 21% | 2% | F | NA | | | 24000 | F | |
| South  | To: Bland County Line | | | | | | | | | | | | | | | | |
| | From: I-77 S | | | | | | | | | | | | | | | | |
| | Ramp From I-77 S Exit 40 to I-81 S at Exit 72 | Town of Wytheville (Maint: 98) | 0.22 | 2400 | F | 71% | 1% | 1% | 1% | 25% | 2% | F | 0.097 | F | | 2100 | F |
| | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 4800 | | F | 75% | 1% | 1% | 1% | 21% | 2% | F | NA | | | 4200 | F | |
| North  | To: I-81 S | | | | | | | | | | | | | | | | |
| | From: Smyth County Line | | | | | | | | | | | | | | | | |
| | Wythe County | 3.07 | 12000 | F | 78% | 1% | 1% | 1% | 18% | 1% | F | NA | | | 12000 | F | |
| | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 23000 | | F | 80% | 1% | 1% | 1% | 17% | 1% | F | NA | | | 23000 | F | |
| North  | To: SR 90; 98-680 Black Lick Rd | | | | | | | | | | | | | | | | |
| | From: Wythe County | | | | | | | | | | | | | | | | |
| | 7.09 | 12000 | F | 78% | 1% | 1% | 1% | 1% | 18% | 1% | F | NA | | | 13000 | F | |
| | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 24000 | | F | 80% | 1% | 1% | 1% | 17% | 1% | F | NA | | | 25000 | F | |
| North  | To: US 11, W Lee Hwy | | | | | | | | | | | | | | | | |
| | From: Wythe County | | | | | | | | | | | | | | | | |
| | 1.57 | 13000 | F | 78% | 1% | 1% | 1% | 1% | 18% | 1% | F | NA | | | 13000 | F | |
| | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 24000 | | F | 80% | 1% | 1% | 1% | 17% | 1% | F | NA | | | 24000 | F | |
| North  | To: SCL Wytheville | | | | | | | | | | | | | | | | |
| | From: Town of Wytheville (Maint: 98) | | | | | | | | | | | | | | | | |
| | 2.03 | 13000 | F | 78% | 1% | 1% | 1% | 1% | 18% | 1% | F | NA | | | 13000 | F | |
| | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 24000 | | F | 80% | 1% | 1% | 1% | 17% | 1% | F | NA | | | 24000 | F | |
| North  | To: US 21; US 52, N Fourth St | | | | | | | | | | | | | | | | |
| | From: US 21, N Fourth St | | | | | | | | | | | | | | | | |
| | Town of Wytheville (Maint: 98) | | | | | | | | | | | | | | | | |
| | 2.27 | 14000 | F | 78% | 1% | 1% | 1% | 1% | 18% | 1% | F | NA | | | 14000 | F | |
| | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 26000 | | F | 80% | 1% | 1% | 1% | 17% | 1% | F | NA | | | 26000 | F | |
| North  North  North  | To: I-77 Wytheville | | | | | | | | | | | | | | | | |
| | From: Town of Wytheville (Maint: 98) | | | | | | | | | | | | | | | | |
| | 0.82 | 21000 | F | 74% | 1% | 1% | 1% | 1% | 23% | 2% | F | NA | | | 20000 | F | |
| | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 42000 | | F | 75% | 1% | 1% | 1% | 22% | 2% | F | NA | | | 39000 | F | |
| North  North  North  North  | To: US 11, E Main St | | | | | | | | | | | | | | | | |
| | From: E Main St | | | | | | | | | | | | | | | | |
| | Town of Wytheville (Maint: 98) | | | | | | | | | | | | | | | | |
| | 0.96 | 25000 | A | 74% | 1% | 1% | 1% | 1% | 23% | 2% | C | 0.125 | A | | 23000 | A | |
| | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 49000 | | B | 75% | 1% | 1% | 1% | 22% | 2% | C | 0.115 | A | 0.597 | 45000 | B | |
| North  North  North  North  | To: NCL Wytheville | | | | | | | | | | | | | | | | |
| | From: Wythe County | | | | | | | | | | | | | | | | |
| | 2.18 | 25000 | A | 74% | 1% | 1% | 1% | 1% | 23% | 2% | C | 0.125 | A | | 23000 | A | |
| | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 49000 | | B | 75% | 1% | 1% | 1% | 22% | 2% | C | NA | | | 45000 | B | |
| | To: FR 326; FR 42 Chapman Rd; FR 43 Lee Hwy | | | | | | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Wythe Maintenance Area

| Route | Jurisdiction | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW |
|--|---|---|------|-------|-------|-----|-------|--------|--------|--------|----|----------|-------|------------|-------|----|
| | | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | |
| North     | From: Wythe County | FR 326; FR 42 Chapman Rd; FR 43 Lee Hwy | 2.61 | 29000 | F | 74% | 1% | 1% | 1% | 23% | 2% | F | 0.065 | F | 27000 | F |
| | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 50000 | | F | 74% | 1% | 1% | 1% | 22% | 2% | F | NA | | | 46000 | F |
| North    | To: Wythe County | SR 121 Max Meadows Rd; Fort Chiswell Rd | 1.44 | 29000 | F | 74% | 1% | 1% | 1% | 23% | 2% | F | 0.066 | F | 26000 | F |
| | From: US 52 Fort Chiswell Rd; SR 121 Max Meadows Rd | | | | | | | | | | | F | NA | | 46000 | F |
| North   | To: I-77 Fort Chiswell | From: Wythe County | 2.31 | 17000 | F | 69% | 1% | 1% | 0% | 27% | 2% | F | 0.061 | F | 17000 | F |
| | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 33000 | | F | 73% | 1% | 1% | 1% | 24% | 2% | F | NA | | | 32000 | F |
| North   | To: 98-619 Major Grahams Rd | From: Wythe County | 1.99 | 17000 | F | 69% | 1% | 1% | 0% | 27% | 2% | F | 0.066 | F | 17000 | F |
| | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 32000 | | F | 73% | 1% | 1% | 1% | 24% | 2% | F | NA | | | 32000 | F |
| North   | To: 98-618 | From: Wythe County | 1.44 | 18000 | F | 69% | 1% | 1% | 0% | 27% | 2% | F | NA | | 17000 | F |
| | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 35000 | | F | 73% | 1% | 1% | 1% | 23% | 2% | F | NA | | | 35000 | F |
| North  | To: Pulaski County Line | From: I-81 N | | | | | | | | | | | | | | |
| Ramp From I-81 N Exit 72 to I-77 N at Exit 40 | Town of Wytheville (Maint: 98) | 0.54 | 2500 | F | 79% | 1% | 1% | 0% | 18% | 1% | F | 0.079 | F | | 2100 | F |
| | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 4800 | | F | 75% | 1% | 1% | 1% | 21% | 2% | F | NA | | | 4200 | F |
| South  | To: Smyth County Line | From: Wythe County | 3.33 | 11000 | F | 82% | 0% | 1% | 1% | 15% | 1% | F | NA | | 11000 | F |
| | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 23000 | | F | 80% | 1% | 1% | 1% | 17% | 1% | F | NA | | | 23000 | F |
| South  | To: SR 90; 98-680 Black Lick Rd | From: Wythe County | 6.54 | 12000 | F | 82% | 0% | 1% | 1% | 15% | 1% | F | NA | | 12000 | F |
| | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 24000 | | F | 80% | 1% | 1% | 1% | 17% | 1% | F | NA | | | 25000 | F |
| South  | To: US 11, W Lee Hwy | From: Wythe County | 1.08 | 11000 | F | 82% | 0% | 1% | 1% | 15% | 1% | F | NA | | 11000 | F |
| | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 24000 | | F | 80% | 1% | 1% | 1% | 17% | 1% | F | NA | | | 24000 | F |
| South  | To: SCL Wytheville | From: Town of Wytheville (Maint: 98) | 2.71 | 11000 | F | 82% | 0% | 1% | 1% | 15% | 1% | F | NA | | 11000 | F |
| | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 24000 | | F | 80% | 1% | 1% | 1% | 17% | 1% | F | NA | | | 24000 | F |
| South   | To: US 21; US 52, N Fourth St | From: Town of Wytheville (Maint: 98) | 1.99 | 12000 | F | 82% | 0% | 1% | 1% | 15% | 1% | F | 0.065 | F | 12000 | F |
| | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 26000 | | F | 80% | 1% | 1% | 1% | 17% | 1% | F | NA | | | 26000 | F |
| | To: I-77 Wytheville | | | | | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Wythe Maintenance Area

| Route | Jurisdiction | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | Dir Factor | AAWDT | QW | | |
|--|--|---|--------------|--------------|----------|-----|-------|--------|--------|--------|----------|----------|------------|----------|-------|------|---|
| | | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
|  South North | Town of Wytheville (Maint: 98) | From: I-77 Wytheville | 1.29 | 21000 | F | 76% | 1% | 1% | 0% | 21% | 2% | F | NA | 19000 | F | | |
| | | | | | | | | | | | | | | | | | |
|  South North | Town of Wytheville (Maint: 98) | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 42000 | F | 75% | 1% | 1% | 1% | 22% | 2% | F | NA | 39000 | F | | | |
| | | | | | | | | | | | | | | | | | |
|  South North | Wythe County | From: E Main St | 0.93 | 24000 | B | 76% | 1% | 1% | 0% | 21% | 2% | C | 0.118 | A | 23000 | B | |
| | | | | | | | | | | | | | | | | | |
|  South North | Wythe County | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 49000 | B | 75% | 1% | 1% | 1% | 22% | 2% | C | 0.115 | A | 0.597 | 45000 | B | |
| | | | | | | | | | | | | | | | | | |
|  South North | Wythe County | From: FR 326; FR 42 Chapman Rd; FR 43 Lee Hwy | 2.31 | 21000 | F | 76% | 1% | 1% | 0% | 21% | 2% | F | 0.069 | F | 20000 | F | |
| | | | | | | | | | | | | | | | | | |
|  South North | Wythe County | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 50000 | F | 74% | 1% | 1% | 1% | 22% | 2% | F | NA | 46000 | F | | | |
| | | | | | | | | | | | | | | | | | |
|  South North | Wythe County | From: US 52 Fort Chiswell Rd; SR 121 Max Meadows Rd | 0.93 | 21000 | F | 76% | 1% | 1% | 0% | 21% | 2% | F | 0.071 | F | 19000 | F | |
| | | | | | | | | | | | | | | | | | |
|  South | Wythe County | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 50000 | F | 74% | 1% | 1% | 1% | 22% | 2% | F | NA | 46000 | F | | | |
| | | | | | | | | | | | | | | | | | |
|  South | Wythe County | From: I-77 Fort Chiswell | 3.20 | 16000 | F | 76% | 1% | 1% | 1% | 20% | 2% | F | 0.068 | F | 16000 | F | |
| | | | | | | | | | | | | | | | | | |
|  South | Wythe County | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 33000 | F | 73% | 1% | 1% | 1% | 24% | 2% | F | NA | 32000 | F | | | |
| | | | | | | | | | | | | | | | | | |
|  South | Wythe County | From: 98-619 Major Grahams Rd | 1.96 | 15000 | F | 76% | 1% | 1% | 1% | 20% | 2% | F | 0.074 | F | 15000 | F | |
| | | | | | | | | | | | | | | | | | |
|  South | Wythe County | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 32000 | F | 73% | 1% | 1% | 1% | 24% | 2% | F | NA | 32000 | F | | | |
| | | | | | | | | | | | | | | | | | |
|  South | Wythe County | From: Pulaski County Line | 1.21 | 18000 | F | 76% | 1% | 1% | 1% | 20% | 2% | F | NA | 17000 | F | | |
| | | | | | | | | | | | | | | | | | |
| South | Ramp I-81 S Exit 81 to I-77 S at Exit 32 | From: I-81 S | 0.69 | 5800 | F | 74% | 1% | 1% | 1% | 22% | 2% | F | 0.076 | F | 5000 | F | |
| | | | | | | | | | | | | | | | | | |
| South | Wythe County | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 12000 | F | 74% | 1% | 1% | 1% | 22% | 2% | F | NA | 11000 | F | | | |
| | | | | | | | | | | | | | | | | | |
| South | Town of Rural Retreat (Maint: 98) | From: 98-616 | 0.60 | 6100 | F | 97% | 1% | 1% | 1% | 1% | 0% | C | 0.091 | F | 0.56 | 6700 | F |
| | | | | | | | | | | | | | | | | | |
| South | Wythe County | From: NCL Rural Retreat | 0.66 | 6100 | N | 97% | 1% | 1% | 1% | 1% | 0% | N | 0.091 | N | 0.56 | 6700 | N |
| | | | | | | | | | | | | | | | | | |
| South | Wythe County | From: US 11 Stakeys Cross Roads | 0.47 | 5700 | F | 97% | 1% | 1% | 1% | 1% | 0% | F | 0.092 | F | 0.595 | 6300 | F |
| | | | | | | | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division
2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Wythe Maintenance Area

| Route | Jurisdiction | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW |
|--------------------|--------------|--------|-------------|-----------|-------|-----|-------|-------|--------|--------|----|----------|----|------------|-------|----|
| | | | | | | | 2Axe | 3+Axe | 1Trail | 2Trail | | | | | | |
| 94 Ivanhoe Rd | Wythe County | 0.85 | 1200 | F | 96% | 1% | 1% | 0% | 1% | 0% | F | 0.099 | F | 0.523 | 1300 | F |
| 94 Ivanhoe Rd | Wythe County | 2.64 | 2100 | F | 96% | 1% | 1% | 0% | 1% | 0% | F | 0.098 | F | 0.609 | 2200 | F |
| 94 Ivanhoe Rd | Wythe County | 3.50 | 2300 | F | 96% | 1% | 1% | 0% | 1% | 0% | F | 0.084 | F | 0.595 | 2500 | F |
| 94 Ivanhoe Rd | Wythe County | 2.06 | 3600 | F | 96% | 1% | 1% | 0% | 1% | 0% | F | 0.093 | F | 0.653 | 3900 | F |
| 100 Wysor Hwy | Wythe County | 6.16 | 3100 | F | 94% | 0% | 1% | 4% | 2% | 0% | C | 0.085 | F | 0.542 | 3300 | F |
| 121 Max Meadows Rd | Wythe County | 1.83 | 3000 | F | 97% | 1% | 0% | 0% | 1% | 0% | C | 0.116 | F | 0.553 | 3300 | F |

Virginia Department of Transportation
Traffic Engineering Division

Annual Average Daily Traffic Volume Estimates By Section of Route
Wythe Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | Dir Factor | AAWDT | QW | Year |
|----------------------------|--------|-------|-----|-------|-----|-------------------------------|--------|--------|--------|----|----------|------------|-------|------------|------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | |
| Wythe County | | | | | | | | | | | | | | | |
| (F15) | 1.06 | 80 | R | | | From: Smyth County Line | | | | | NA | | NA | 09/26/2006 | |
| | | | To: | | | 98-682 | | | | | | | | | |
| Town of Wytheville | | | | | | | | | | | | | | | |
| (F36) | 0.21 | 7 | R | | | From: Dead End | | | | | NA | | NA | 11/28/2006 | |
| | | | To: | | | 139-5258 Peppers Ferry Rd | | | | | | | | | |
| Wythe County | | | | | | | | | | | | | | | |
| (F37) | 0.25 | 2000 | R | | | From: SR 90 | | | | | NA | | NA | 09/28/2006 | |
| | | | To: | | | Dead End | | | | | | | | | |
| (F38) A Frame Dr | 1.73 | 40 | R | | | From: 98-729 Race Track Rd | | | | | NA | | NA | 09/28/2006 | |
| | | | To: | | | Dead End | | | | | | | | | |
| (F39) Bald Tree Rd | 0.86 | 40 | R | | | From: Dead End | | | | | NA | | NA | 10/19/2006 | |
| | | | To: | | | 98-663 Bishop Thomas Rd | | | | | | | | | |
| Town of Wytheville | | | | | | | | | | | | | | | |
| (F41) Lithia Rd | 0.84 | 390 | R | | | From: Dead End | | | | | NA | | NA | 10/24/2006 | |
| | | | To: | | | FR-43 Lovers Lane | | | | | | | | | |
| (F42) Factory Outlet Dr | 1.36 | 1500 | R | | | From: Connector From US 11 NB | | | | | NA | | NA | 11/07/2006 | |
| | | | To: | | | ECL Wytheville | | | | | | | | | |
| Wythe County | | | | | | | | | | | | | | | |
| (F42) Factory Outlet Dr | 6.26 | 2300 | R | | | From: ECL Wytheville | | | | | NA | | NA | 11/07/2006 | |
| | | | To: | | | Dead End | | | | | | | | | |
| Town of Wytheville | | | | | | | | | | | | | | | |
| (F43) Lovers Lane | 0.87 | 2300 | R | | | From: FR-41 Lovers Lane | | | | | NA | | NA | 10/19/2006 | |
| | | | To: | | | NCL Wytheville | | | | | | | | | |
| Wythe County | | | | | | | | | | | | | | | |
| (F43) Lovers Lane | 4.83 | 10000 | R | | | From: NCL Wytheville | | | | | NA | | NA | 10/19/2006 | |
| | | | To: | | | FR-44; SR 121 | | | | | | | | | |
| (F44) E Lee Highway | 7.18 | 2500 | R | | | From: FR-43; SR 121 | | | | | NA | | NA | 10/19/2006 | |
| | | | To: | | | Pulaski County Line | | | | | | | | | |
| (F44) East Lee Highway | 0.90 | 910 | R | | | From: US 11 Lee Highway | | | | | NA | | NA | 02/06/2006 | |
| | | | To: | | | | | | | | | | | | |
| (F45) Topaz Dr | 2.01 | 410 | R | | | From: 98-619 | | | | | NA | | NA | 10/31/2006 | |
| | | | To: | | | 98-618 Reed Creek Dr | | | | | | | | | |
| (F45) (618) Reed Creek Dr | 0.17 | 160 | N | | | From: Topaz Dr | | | | | NA | | NA | 10/31/2006 | |
| | | | To: | | | Topaz Dr | | | | | | | | | |
| (F45) Topaz Dr | 0.42 | 6 | R | | | From: 98-618 Reed Creek Dr | | | | | NA | | NA | 10/31/2006 | |
| | | | To: | | | Dead End | | | | | | | | | |
| (F246) | 0.09 | 30 | R | | | From: Dead End | | | | | NA | | NA | 10/11/2006 | |
| | | | To: | | | 98-603 Cove Rd | | | | | | | | | |
| (F277) Chestnut Tower Lane | 0.23 | 6 | R | | | From: 98-619 Major Grahams Rd | | | | | NA | | NA | 10/31/2006 | |
| | | | To: | | | Dead End | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division

2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Wythe Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | Dir Factor | AAWDT | QW | Year | |
|---------------------------|--------|------|---|-------|-----|--|--------|--------|--------|----|----------|------------|-------|-----|------------|------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Town of Wytheville | | | | | | | | | | | | | | | | |
| (F324) Lithia Rd | 0.48 | 1800 | R | | | From: FR-41 Lithia Rd | | | | NA | | NA | | NA | 10/26/2006 | |
| Wythe County | | | | | | | | | | | | | | | | |
| (F326) | 0.11 | 1400 | R | | | From: FR-42 Factory Outlet Dr | | | | NA | | NA | | NA | 11/28/2006 | |
| | | | To: FR-43 Lovers Lane | | | | | | | | | | | | | |
| (612) ₈₆ | 0.10 | 470 | N | | | From: Wythe County Line | | | | NA | | NA | | NA | 07/11/2007 | |
| | | | To: 86-678; 98-612 | | | | | | | | | | | | | |
| (616) ₈₆ | 0.20 | 260 | N | 99% | 0% | 1% | 0% | 0% | 0% | N | 0.098 | N | 0.586 | 270 | N | 2009 |
| | | | To: Dead End | | | | | | | | | | | | | |
| (678) ₈₆ | 0.20 | 40 | R | | | From: Wythe County Line | | | | NA | | NA | | NA | 06/18/2001 | |
| | | | To: 86-612 EAST | | | | | | | | | | | | | |
| (600) Laurel Run | 2.90 | 130 | R | | | From: US 52 Stoney Fork Rd | | | | NA | | NA | | NA | 10/11/2006 | |
| | | | To: 98-661 W, Sally Run | | | | | | | | | | | | | |
| (600) Akers Rd | 0.40 | 80 | R | | | From: 98-656 Rose Hill Rd | | | | NA | | NA | | NA | 10/11/2006 | |
| | | | To: 98-656 S, Rockdale Rd | | | | | | | | | | | | | |
| (600) Rose Hill Rd | 0.60 | 70 | R | | | From: 98-661 S, Sally Run | | | | NA | | NA | | NA | 10/11/2006 | |
| | | | To: 98-661 N, Sally Run | | | | | | | | | | | | | |
| (600) Sharitz Rd | 1.40 | 70 | R | | | From: 98-659 S, Rockdale Rd | | | | NA | | NA | | NA | 10/11/2006 | |
| | | | To: 98-659 N, Rockdale Rd | | | | | | | | | | | | | |
| (600) | 1.20 | 160 | R | | | From: 98-658 O'Dell Rd | | | | NA | | NA | | NA | 10/30/2003 | |
| | | | To: 98-603 N, Smith Hollow Rd | | | | | | | | | | | | | |
| (600) Saint Lukes Rd | 1.30 | 60 | R | | | From: 98-603 S, Cove Rd | | | | NA | | NA | | NA | 10/11/2006 | |
| | | | To: 5.80 MN 98-603 Cove Rd | | | | | | | | | | | | | |
| (600) | 5.80 | 270 | R | | | From: 5.80 MN 98-603 Cove Rd | | | | NA | | NA | | NA | 10/30/2003 | |
| | | | To: 7.09 MN 98-603 Cove Rd | | | | | | | | | | | | | |
| (600) | 1.29 | 50 | R | | | From: Bland County Line | | | | NA | | NA | | NA | 10/30/2003 | |
| | | | To: Carroll County Line | | | | | | | | | | | | | |
| (601) Rakes Town Rd | 0.70 | 280 | R | | | From: 98-742 Painters Hill Rd | | | | NA | | NA | | NA | 11/11/2003 | |
| | | | To: Grayson County Line; Brush Crekk Rd | | | | | | | | | | | | | |
| (602) Cripple Creek Rd | 3.66 | 330 | R | | | From: 98-619 E, Gleaves Rd | | | | NA | | NA | | NA | 11/06/2003 | |
| | | | To: 98-619 W, St Peters Rd | | | | | | | | | | | | | |
| (602) Cripple Creek Rd | 2.15 | 280 | R | | | From: 98-690 W, Slate Spring Branch Rd | | | | NA | | NA | | NA | 11/06/2003 | |
| | | | To: 98-690 E, Slate Spring Branch Rd | | | | | | | | | | | | | |
| (602) Back Rd | 1.10 | 140 | R | | | From: 98-690 N, Cripple Creek Rd | | | | NA | | NA | | NA | 10/13/2006 | |
| | | | To: WCL Wytheville | | | | | | | | | | | | | |
| (603) Cove Rd | 3.42 | 480 | F | 98% | 0% | 0% | 1% | 0% | 0% | C | 0.103 | F | 0.685 | 530 | F | 2009 |
| | | | To: 98-600 South | | | | | | | | | | | | | |
| (603) | 0.30 | 210 | R | | | From: 98-600 N, Saint Lukes Rd | | | | NA | | NA | | NA | 10/30/2003 | |
| | | | To: 98-600 N, Saint Lukes Rd | | | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Wythe Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | Dir Factor | AAWDT | QW | Year | |
|--------------------------|--------|------|--------------------------------|-------|-----|--------------------------------|--------|--------|--------|----|----------|------------|-------|------|------------|------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Wythe County | | | | | | | | | | | | | | | | |
| (603) Smith Hollow Rd | 2.90 | 190 | R | | | From: 98-600 N, Saint Lukes Rd | | | | | NA | | NA | | 10/11/2006 | |
| | | | To: Bland County Line | | | | | | | | | | | | | |
| (604) Olive Branch Rd | 0.80 | 110 | R | | | From: 98-619 Austinville Rd | | | | | NA | | NA | | 11/09/2006 | |
| | | | To: 98-605 Dunford Rd | | | | | | | | | | | | | |
| (605) Dunford Rd | 0.53 | 320 | R | | | From: SR 94 | | | | | NA | | NA | | 11/06/2003 | |
| | | | To: 98-604 Olive Branch Rd | | | | | | | | | | | | | |
| (605) Dunford Rd | 1.60 | 300 | R | | | From: 98-606 Blair Rd | | | | | NA | | NA | | 12/19/2006 | |
| | | | To: SR 94 Ivanhoe Rd | | | | | | | | | | | | | |
| (606) Blair Rd | 0.60 | 50 | R | | | From: 98-605 Dunford Rd | | | | | NA | | NA | | 11/07/2006 | |
| | | | To: 98-634 Rickey Rd | | | | | | | | | | | | | |
| (607) Castleton Rd | 5.27 | 980 | F | 96% | 0% | 1% | 2% | 1% | 0% | C | 0.102 | F | 0.565 | 1100 | F | 2009 |
| | | | From: US 52 Fort Chiswell Rd | | | | | | | | | | | | | |
| | 1.84 | 330 | R | | | To: SR 100 Wysor Hwy | | | | | NA | | NA | | 11/11/2003 | |
| | | | To: Pulaski County Line | | | | | | | | | | | | | |
| (608) Riggins Rd | 0.04 | 40 | R | | | From: Carroll County Line | | | | | NA | | NA | | 11/07/2006 | |
| | | | To: SR 69 Lead Mine Rd | | | | | | | | | | | | | |
| (608) Pauley-Flatwood Rd | 2.40 | 220 | R | | | From: 98-624 | | | | | NA | | NA | | 11/07/2006 | |
| | | | To: US 52 N, Fort Chiswell Rd | | | | | | | | | | | | | |
| (608) Foster Falls Rd | 0.20 | 280 | R | | | From: US 52 Fort Chiswell Rd | | | | | NA | | NA | | 11/02/2006 | |
| | | | To: US 52 Fort Chiswell Rd | | | | | | | | | | | | | |
| (608) | 1.90 | 290 | R | | | From: 98-623 Orphanage Dr | | | | | NA | | NA | | 11/11/2003 | |
| | | | To: 98-703 Baker Island Rd | | | | | | | | | | | | | |
| (608) | 2.75 | 130 | R | | | From: 98-621 | | | | | NA | | NA | | 11/02/2006 | |
| | | | To: 98-795 Crawford Rd | | | | | | | | | | | | | |
| (608) Foster Falls Rd | 0.18 | 670 | R | | | From: 98-795 Crawford Rd | | | | | NA | | NA | | 10/31/2006 | |
| | | | To: 0.18 ME 98-795 Crawford Rd | | | | | | | | | | | | | |
| (608) Foster Falls Rd | 0.06 | 1400 | R | | | From: SR 100 Wysor Hwy | | | | | NA | | NA | | 10/31/2006 | |
| | | | To: Pulaski County Line | | | | | | | | | | | | | |
| (609) Stillwell Rd | 1.70 | 60 | R | | | From: 98-618 Reed Creek Dr | | | | | NA | | NA | | 12/19/2006 | |
| | | | To: Pulaski County Line | | | | | | | | | | | | | |
| (610) Peppers Ferry Rd | 1.00 | 2900 | F | 97% | 0% | 0% | 1% | 2% | 0% | F | 0.083 | F | 0.53 | 3100 | F | 2009 |
| | | | From: ECL Wytheville | | | | | | | | | | | | | |
| (610) Peppers Ferry Rd | 2.66 | 1100 | F | 97% | 0% | 0% | 1% | 2% | 0% | F | 0.098 | F | 0.661 | 1100 | F | 2009 |
| | | | To: 98-647 W, Lovers Lane | | | | | | | | | | | | | |
| (610) Peppers Ferry Rd | 1.52 | 990 | F | 97% | 0% | 0% | 1% | 2% | 0% | C | 0.097 | F | 0.642 | 1100 | F | 2009 |
| | | | From: Jefferson Forest Bndy | | | | | | | | | | | | | |
| | | | To: 98-716 Mabettown Rd | | | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Wythe Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | Dir Factor | AAWDT | QW | Year | |
|------------------------------|--------|------|----|-------|-----|-------|--------|--------|--------|----|----------|------------|-------|------|------|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Wythe County | | | | | | | | | | | | | | | | |
| (610) Peppers Ferry Rd | 1.31 | 1100 | F | 97% | 0% | 0% | 1% | 2% | 0% | F | 0.096 | F | 0.636 | 1100 | F | 2009 |
| (610) Peppers Ferry Rd | 0.87 | 1000 | R | | | | | | | | | | NA | | | 10/30/2003 |
| (610) Peppers Ferry Rd | 5.05 | 870 | R | | | | | | | | | | NA | | | 10/30/2003 |
| (611) Crockett Crossing | 1.55 | 20 | R | | | | | | | | | | NA | | | 10/31/2006 |
| (612) Dry Rd | 4.91 | 520 | R | | | | | | | | | | NA | | | 11/14/2003 |
| (613) | 2.10 | 540 | R | | | | | | | | | | NA | | | 10/30/2003 |
| (613) | 0.50 | 370 | R | | | | | | | | | | NA | | | 10/30/2003 |
| (613) | 1.50 | 170 | R | | | | | | | | | | NA | | | 10/30/2003 |
| (613) Gunton Park Rd | 1.50 | 210 | R | | | | | | | | | | NA | | | 10/26/2006 |
| (614) Ramsey Mountain Rd | 0.90 | 160 | R | | | | | | | | | | NA | | | 10/26/2006 |
| (614) Ramsey Mountain Rd | 0.50 | 130 | R | | | | | | | | | | NA | | | 10/26/2006 |
| (614) Ramsey Mountain Rd | 0.20 | 220 | R | | | | | | | | | | NA | | | 10/26/2006 |
| (614) Ramsey Mountain Rd | 1.10 | 430 | R | | | | | | | | | | NA | | | 10/26/2006 |
| (615) | 0.30 | 440 | R | | | | | | | | | | NA | | | 11/14/2003 |
| (615) | 2.18 | 650 | R | | | | | | | | | | NA | | | 11/14/2003 |
| Town of Rural Retreat | | | | | | | | | | | | | | | | |
| (615) | 0.58 | 650 | N | | | | | | | | | | NA | | | 11/14/2003 |
| Wythe County | | | | | | | | | | | | | | | | |
| (616) Murphyville Rd | 1.64 | 310 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.110 | F | 0.526 | 330 | F | 2009 |
| (616) Murphyville Rd | 0.15 | 820 | F | 99% | 0% | 0% | 0% | 0% | 0% | C | 0.095 | F | 0.533 | 890 | F | 2009 |
| Town of Rural Retreat | | | | | | | | | | | | | | | | |
| (616) | 0.26 | 820 | N | 99% | 0% | 0% | 0% | 0% | 0% | N | 0.095 | N | 0.533 | 890 | N | 2009 |
| (616) Parsonage Ave | 0.22 | 1000 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.095 | F | 0.541 | 1100 | F | 2009 |
| (616) | 0.32 | 250 | R | | | | | | | | | | NA | | | 11/14/2003 |

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Wythe Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | Dir Factor | AAWDT | QW | Year | |
|------------------------------|--------|------|----|-------|-----|-------|----------------------------|--------|--------|----|----------|------------|-------|------|------------|------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Town of Rural Retreat | | | | | | | | | | | | | | | | |
| (616) | 0.23 | 1100 | R | | | From: | SR 90; 98-749 | | | | NA | | NA | | 11/14/2003 | |
| | | | | | | To: | 98-674 S, Greever St | | | | | | | | | |
| (616) | 0.18 | 450 | R | | | From: | 98-674 N, Greever St | | | | NA | | NA | | 11/14/2003 | |
| | | | | | | To: | ECL Rural Retreat | | | | | | | | | |
| Wythe County | | | | | | | | | | | | | | | | |
| (616) | 0.72 | 450 | N | | | From: | ECL Rural Retreat | | | | NA | | NA | | 11/14/2003 | |
| | | | | | | To: | 98-675 | | | | | | | | | |
| (617) Dutton Hollow Rd | 0.90 | 80 | R | | | From: | Smyth County Line | | | | NA | | NA | | 09/26/2006 | |
| (617) Dutton Hollow Rd | 0.51 | 20 | R | | | From: | 98-683 Green Mountain Rd | | | | NA | | NA | | 09/26/2006 | |
| (617) Dutton Hollow Rd | 0.69 | 60 | R | | | From: | 98-706 Groundhog Lane | | | | NA | | NA | | 09/26/2006 | |
| (617) Dutton Hollow Rd | 2.30 | 590 | R | | | From: | 98-682 | | | | NA | | NA | | 11/04/2003 | |
| | | | | | | To: | 98-680 N, Black Lick Rd | | | | | | | | | |
| (617) | 1.50 | 490 | R | | | From: | 98-680 S, Black Lick Rd | | | | NA | | NA | | 09/26/2006 | |
| | | | | | | To: | Dead End | | | | | | | | | |
| (618) Reed Creek Dr | 1.09 | 240 | R | | | From: | SR 100 Wysor Hwy | | | | NA | | NA | | 11/11/2003 | |
| | | | | | | To: | 98-609 Stillwell Rd | | | | | | | | | |
| (618) Reed Creek Dr | 1.30 | 120 | R | | | From: | | | | | NA | | NA | | 11/11/2003 | |
| | | | | | | To: | | | | | | | | | | |
| (618) Reed Creek Dr | 3.12 | 160 | R | | | From: | 98-611 Crockett Crossing | | | | NA | | NA | | 10/31/2006 | |
| (618) Reed Creek Dr | 0.17 | 160 | N | | | From: | FR-45 Topaz Dr | | | | NA | | NA | | 10/31/2006 | |
| | | | | | | To: | FR-45 Topaz Dr | | | | | | | | | |
| (618) Reed Creek Dr | 0.10 | 2800 | R | | | From: | FR-44, E Lee Highway | | | | NA | | NA | | 11/11/2003 | |
| | | | | | | To: | | | | | | | | | | |
| (619) St Peters Rd | 2.14 | 600 | F | 99% | 0% | 1% | 0% | 0% | 0% | F | 0.118 | F | 0.592 | 650 | F | 2009 |
| | | | | | | From: | US 21 Grayson Tpke | | | | | | | | | |
| (619) St Peters Rd | 0.61 | 270 | F | 99% | 0% | 1% | 0% | 0% | 0% | F | 0.121 | F | 0.608 | 290 | F | 2009 |
| | | | | | | To: | Jefferson Forest Bndy | | | | | | | | | |
| (619) St Peters Rd | 1.60 | 220 | F | 99% | 0% | 1% | 0% | 0% | 0% | C | 0.122 | F | 0.539 | 240 | F | 2009 |
| | | | | | | From: | 98-707 Fleming Rd | | | | | | | | | |
| (619) St Peters Rd | | | | | | To: | 98-602 W, Cripple Creek Rd | | | | | | | | | |
| (619) Cripple Creek Rd | 0.47 | 220 | N | 99% | 0% | 1% | 0% | 0% | 0% | N | 0.122 | N | 0.539 | 240 | N | 2009 |
| | | | | | | From: | 98-602 W; St Peters Rd | | | | | | | | | |
| (619) Gleaves Rd | 0.64 | 250 | F | 99% | 0% | 1% | 0% | 0% | 0% | F | 0.125 | F | 0.6 | 270 | F | 2009 |
| | | | | | | To: | 98-602 E; Gleaves Rd | | | | | | | | | |
| (619) Gleaves Rd | 0.49 | 430 | F | 99% | 0% | 1% | 0% | 0% | 0% | F | 0.100 | F | 0.592 | 470 | F | 2009 |
| | | | | | | From: | 98-602 E, Cripple Creek Rd | | | | | | | | | |
| (619) Gleaves Rd | 1.75 | 180 | F | 99% | 0% | 1% | 0% | 0% | 0% | F | 0.114 | F | 0.531 | 200 | F | 2009 |
| | | | | | | To: | Jefferson Forest Bndy | | | | | | | | | |
| (619) Gleaves Rd | 4.79 | 520 | F | 99% | 0% | 1% | 0% | 0% | 0% | F | 0.088 | F | 0.544 | 570 | F | 2009 |
| | | | | | | From: | 98-646 W, Tank Rd | | | | | | | | | |
| (619) Austinville Rd | 3.50 | 620 | F | 98% | 0% | 0% | 1% | 1% | 0% | F | 0.089 | F | 0.583 | 680 | F | 2009 |
| | | | | | | To: | 98-642 W, Mule Hell Rd | | | | | | | | | |
| (619) Austinville Rd | 0.69 | 980 | F | 98% | 0% | 0% | 1% | 1% | 0% | F | 0.121 | F | 0.683 | 1100 | F | 2009 |
| | | | | | | From: | SR 94 Ivanhoe Rd | | | | | | | | | |
| (619) Austinville Rd | | | | | | To: | 98-631 Walton Furnace Rd | | | | | | | | | |
| | | | | | | From: | 98-636 Store Hill Rd | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division

2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Wythe Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | Dir Factor | AAWDT | QW | Year | |
|------------------------|--------|------|-------|----------------------------|-----|-------|--------|--------|--------|----|----------|------------|-------|------|------|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Wythe County | | | | | | | | | | | | | | | | |
| (619) Austinville Rd | 2.54 | 950 | F | 98% | 0% | 0% | 1% | 1% | 0% | C | 0.091 | F | 0.619 | 1000 | F | 2009 |
| | | | From: | 98-636 Store Hill Rd | | | | | | | | | | | | |
| | | | To: | US 52 N, Fort Chiswell Rd | | | | | | | | | | | | |
| (619) Major Grahams Rd | 1.87 | 260 | G | 98% | 0% | 0% | 1% | 1% | 0% | F | NA | | | NA | | 2009 |
| | | | From: | US 52 S, Fort Chiswell Rd | | | | | | | | | | | | |
| (619) Major Grahams Rd | 1.38 | 150 | R | | | | | | | | NA | | | NA | | 11/11/2003 |
| | | | To: | 98-752 Rose Rd | | | | | | | | | | | | |
| (619) Major Grahams Rd | 1.97 | 90 | R | | | | | | | | NA | | | NA | | 10/31/2006 |
| | | | To: | 98-626 Carters Ferry Rd | | | | | | | | | | | | |
| (619) Major Grahams Rd | 1.69 | 540 | R | | | | | | | | NA | | | NA | | 11/11/2003 |
| | | | To: | 98-629 Red Hollow Rd | | | | | | | | | | | | |
| (619) Major Grahams Rd | 0.22 | 8300 | R | | | | | | | | NA | | | NA | | 08/14/2007 |
| | | | To: | I-81, US 11 | | | | | | | | | | | | |
| (619) Major Grahams Rd | | | From: | FR-44 Lee Highway | | | | | | | | | | | | |
| (620) Depot St | 0.45 | 60 | R | | | | | | | | NA | | | NA | | 10/31/2006 |
| | | | To: | Dead End | | | | | | | | | | | | |
| (621) | 2.01 | 220 | R | | | | | | | | NA | | | NA | | 11/11/2003 |
| | | | To: | 98-608 | | | | | | | | | | | | |
| (622) Lone Ash Rd | 0.20 | NA | | | | | | | | | NA | | | NA | | |
| | | | From: | Dead End | | | | | | | | | | | | |
| (622) Lone Ash Rd | 1.42 | 540 | R | | | | | | | | NA | | | NA | | 11/11/2003 |
| | | | To: | 98-626 Carters Ferry Rd | | | | | | | | | | | | |
| (623) Orphanage Dr | 0.20 | 60 | R | | | | | | | | NA | | | NA | | 11/11/2003 |
| | | | To: | 98-608 | | | | | | | | | | | | |
| (624) | 0.10 | 180 | R | | | | | | | | NA | | | NA | | 11/11/2003 |
| | | | To: | US 52 Fort Chiswell Rd | | | | | | | | | | | | |
| (625) Kiser Rd | 2.40 | 40 | R | | | | | | | | NA | | | NA | | 10/13/2006 |
| | | | To: | 98-672 Ward Branch Rd | | | | | | | | | | | | |
| (625) Greek Miller Rd | 1.60 | 80 | R | | | | | | | | NA | | | NA | | 10/13/2006 |
| | | | To: | 98-670 Zion Church Rd | | | | | | | | | | | | |
| (625) Wywick Spring Rd | 1.90 | 70 | R | | | | | | | | NA | | | NA | | 10/13/2006 |
| | | | To: | 98-651 Spraker Rd | | | | | | | | | | | | |
| (625) Wywick Spring Rd | 0.10 | 250 | F | 97% | 0% | 1% | 1% | 1% | 0% | C | 0.125 | F | 0.514 | 270 | F | 2009 |
| | | | To: | 98-668 Kings Grove Lane | | | | | | | | | | | | |
| (625) Crockett Rd | 1.44 | 380 | F | 97% | 0% | 1% | 1% | 1% | 0% | F | 0.099 | F | 0.506 | 410 | F | 2009 |
| | | | To: | 98-690 S, Cripple Creek Rd | | | | | | | | | | | | |
| (625) Crockett Rd | 1.10 | 380 | F | 97% | 0% | 1% | 1% | 1% | 0% | F | 0.102 | F | 0.512 | 410 | F | 2009 |
| | | | To: | 98-666 Tabernacle Rd | | | | | | | | | | | | |
| (625) Apple House Rd | 1.70 | 280 | F | 97% | 0% | 1% | 1% | 1% | 0% | F | 0.109 | F | 0.754 | 300 | F | 2009 |
| | | | To: | US 11 E, W Lee Highway | | | | | | | | | | | | |
| (625) Gap of Ridge Rd | 0.32 | 410 | R | | | | | | | | NA | | | NA | | 09/28/2006 |
| | | | To: | US 11 W, W Lee Highway | | | | | | | | | | | | |
| (625) Gap of Ridge Rd | 0.65 | 80 | R | | | | | | | | NA | | | NA | | 09/26/2006 |
| | | | To: | FR-38, A Frame Dr | | | | | | | | | | | | |
| (625) Gap of Ridge Rd | 1.80 | 60 | R | | | | | | | | NA | | | NA | | 09/26/2006 |
| | | | To: | 98-665 Swallow Hollow Rd | | | | | | | | | | | | |
| (625) Gap of Ridge Rd | | | From: | 98-680 E, Black Lick Rd | | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division

2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Wythe Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year | |
|-------------------------|--------|------|------------------------------------|-------|-----|--------------------------------|--------|----------|--------|------------|-------|----|------------|------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | |
| Wythe County | | | | | | | | | | | | | | |
| (625) | 5.57 | 150 | R | | | From: 98-680 W, Black Lick Rd | | | | NA | | NA | 11/04/2003 | |
| | | | To: Dead End | | | | | | | | | | | |
| (626) Carters Ferry Rd | 1.90 | 46 | R | | | From: 98-619 Major Grahams Rd | | | | NA | | NA | 10/31/2006 | |
| | | | To: 98-611 Crockett Crossing | | | | | | | | | | | |
| (626) Carters Ferry Rd | 0.50 | 30 | R | | | From: 98-622 Lone Ash Rd | | | | NA | | NA | 10/31/2006 | |
| | | | To: 98-621 Lone Ash Rd | | | | | | | | | | | |
| (627) Archer Rd | 0.30 | 360 | R | | | From: US 52 Fort Chiswell Rd | | | | NA | | NA | 11/06/2003 | |
| | | | To: 98-698 Rome Rd | | | | | | | | | | | |
| (627) Archer Rd | 1.80 | 90 | R | | | From: 98-629 Red Hollow Rd | | | | NA | | NA | 11/07/2006 | |
| | | | To: 98-629 Red Hollow Rd | | | | | | | | | | | |
| (628) Jones Rd | 0.49 | 50 | R | | | From: Dead End | | | | NA | | NA | 10/31/2006 | |
| | | | To: 98-629 Red Hollow Rd | | | | | | | | | | | |
| (629) Red Hollow Rd | 2.90 | 710 | R | | | From: US 52 Fort Chiswell Rd | | | | NA | | NA | 11/06/2003 | |
| | | | To: 98-619 Major Grahams Rd | | | | | | | | | | | |
| (630) Sanders Mines Rd | 1.54 | 250 | R | | | From: 98-631 Walton Furnace Rd | | | | NA | | NA | 11/06/2003 | |
| | | | To: US 52 Fort Chiswell Rd | | | | | | | | | | | |
| (630) Sanders Mines Rd | 0.70 | 340 | R | | | From: 98-630 Sanders Mines Rd | | | | NA | | NA | 11/02/2006 | |
| | | | To: Dead End | | | | | | | | | | | |
| (631) Walton Furnace Rd | 1.90 | 60 | R | | | From: 98-619 Austinville Rd | | | | NA | | NA | 11/07/2006 | |
| | | | To: 98-630 Sanders Mines Rd | | | | | | | | | | | |
| (631) Walton Furnace Rd | 2.90 | 380 | R | | | From: SR 94 Ivanhoe Rd | | | | NA | | NA | 11/06/2003 | |
| | | | To: 98-634 Lots Gap Rd | | | | | | | | | | | |
| (631) Walton Furnace Rd | 0.70 | 60 | R | | | From: 98-634 Lots Gap Rd | | | | NA | | NA | 11/09/2006 | |
| | | | To: 98-634 Lots Gap Rd | | | | | | | | | | | |
| (632) Danner Rd | 1.60 | 370 | R | | | From: 98-634 Lots Gap Rd | | | | NA | | NA | 11/06/2003 | |
| | | | To: 98-736 Apache Run | | | | | | | | | | | |
| (633) Pres Jackson Rd | 0.40 | 180 | R | | | From: Dead End | | | | NA | | NA | 11/07/2006 | |
| | | | To: 98-790 Jacksonville Heights Rd | | | | | | | | | | | |
| (633) Pres Jackson Rd | 0.10 | 220 | R | | | From: 98-634 Lots Gap Rd | | | | NA | | NA | 11/06/2003 | |
| | | | To: 98-634 Lots Gap Rd | | | | | | | | | | | |
| (634) Rickey Rd | 2.00 | 220 | R | | | From: 98-619 Austinville Rd | | | | NA | | NA | 11/07/2006 | |
| | | | To: 98-606 Blair Rd | | | | | | | | | | | |
| (634) Rickey Rd | 1.80 | 2700 | R | | | From: SR 94 Ivanhoe Rd | | | | NA | | NA | 11/06/2003 | |
| | | | To: FR-42 Factory Outlet Dr | | | | | | | | | | | |
| (634) Lots Gap Rd | 2.60 | NA | | | | From: Carroll County Line | | | | NA | | NA | | |
| | | | To: Carroll County Line | | | | | | | | | | | |
| (635) Van Lue Rd | 0.65 | 40 | R | | | From: Dead End | | | | NA | | NA | 11/07/2006 | |
| | | | To: Carroll County Line | | | | | | | | | | | |
| (636) | 1.00 | 820 | R | | | From: SR 69 S, Lead Mine Rd | | | | NA | | NA | 11/11/2003 | |
| | | | To: SR 69 N, Lead Mine Rd | | | | | | | | | | | |
| (636) Store Hill Rd | 1.07 | 1100 | F | 96% | 0% | 1% | 2% | 1% | 0% | C | 0.085 | F | 0.52 | 1200 |
| | | | To: 98-619 Austinville Rd | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Wythe Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | Dir Factor | AAWDT | QW | Year | |
|-------------------------|--------|------|----|-------|-----|-------|-------------------------------|--------|--------|----|----------|------------|-------|-----|------------|------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Wythe County | | | | | | | | | | | | | | | | |
| (637) Greenbriar Rd | 1.40 | 50 | R | | | From: | Carroll County Line | | | | NA | | NA | | 11/02/2006 | |
| | | | | | | To: | SR 100 Wysor Hwy | | | | | | | | | |
| (638) Felts Lane | 0.10 | 110 | R | | | From: | Dead End | | | | NA | | NA | | 11/09/2006 | |
| | | | | | | To: | 0.10 ME Dead End | | | | | | | | | |
| (638) Felts Lane | 0.17 | 250 | R | | | From: | 0.27 ME Dead End | | | | NA | | NA | | 11/09/2006 | |
| | | | | | | To: | SR 94 Ivanhoe Rd | | | | | | | | | |
| (639) Riverview Rd | 0.34 | 160 | R | | | From: | 98-742 Painters Hill Rd | | | | NA | | NA | | 11/06/2003 | |
| | | | | | | To: | SR 94 Ivanhoe Rd | | | | | | | | | |
| (639) Riverview Rd | 0.17 | 120 | R | | | From: | SR 94 Ivanhoe Rd | | | | NA | | NA | | 11/06/2003 | |
| | | | | | | To: | 0.17 MN SR 94 | | | | | | | | | |
| (639) Riverview Rd | 1.22 | 70 | R | | | From: | 0.17 MN SR 94 | | | | NA | | NA | | 11/06/2003 | |
| | | | | | | To: | Dead End | | | | | | | | | |
| (640) Piney Mountain Rd | 1.00 | 1500 | R | | | From: | Old SR 94 Scheffey School Rd | | | | NA | | NA | | 11/06/2003 | |
| | | | | | | To: | 98-643 Old School Rd | | | | | | | | | |
| (640) Piney Mountain Rd | 1.00 | 430 | R | | | From: | 98-643 Old School Rd | | | | NA | | NA | | 11/06/2003 | |
| | | | | | | To: | 1.00 MN 98-643 | | | | | | | | | |
| (640) Broadway Rd | 3.90 | 80 | R | | | From: | 98-720 Whippoorwill Rd | | | | NA | | NA | | 11/06/2003 | |
| | | | | | | To: | 98-720; Broadway Rd | | | | | | | | | |
| (640) Whippoorwill Rd | 2.26 | 270 | R | | | From: | 98-696 Barrett Mill Rd | | | | NA | | NA | | 11/06/2003 | |
| | | | | | | To: | 98-696; Whippoorwill Rd | | | | | | | | | |
| (640) Barrett Mill Rd | 0.17 | 1900 | R | | | From: | 98-696; Whippoorwill Rd | | | | NA | | NA | | 11/06/2003 | |
| | | | | | | To: | SCL Wytheville | | | | | | | | | |
| (641) Bishop Rd | 1.00 | 60 | R | | | From: | Dead End | | | | NA | | NA | | 11/16/2006 | |
| | | | | | | To: | SR 94 Ivanhoe Rd | | | | | | | | | |
| (642) Mule Hell Rd | 0.70 | 150 | R | | | From: | End State Maintenance | | | | NA | | NA | | 10/17/2006 | |
| | | | | | | To: | 98-646 Davis Cemetery Rd | | | | | | | | | |
| (642) Mule Hell Rd | 1.10 | 60 | R | | | From: | 98-646 Davis Cemetery Rd | | | | NA | | NA | | 10/17/2006 | |
| | | | | | | To: | 98-690 Slate Spring Branch Rd | | | | | | | | | |
| (642) Mule Hell Rd | 0.30 | 260 | F | 88% | 1% | 1% | 9% | 1% | 0% | C | 0.134 | F | 0.528 | 290 | F | 2009 |
| | | | | | | To: | 98-619 W. Gleaves Rd | | | | | | | | | |
| (642) Pope Rd | 1.00 | 150 | R | | | From: | 98-619 E. Huddle Rd | | | | NA | | NA | | 11/06/2003 | |
| | | | | | | To: | 98-643 W. Cole Branch Dr | | | | | | | | | |
| (642) Pope Rd | 0.70 | 100 | R | | | From: | 98-643 W. Cole Branch Dr | | | | NA | | NA | | 11/09/2006 | |
| | | | | | | To: | 98-643 E. Silings Rd | | | | | | | | | |
| (642) Pope Rd | 0.95 | 120 | R | | | From: | 98-643 E. Silings Rd | | | | NA | | NA | | 11/09/2006 | |
| | | | | | | To: | 98-768 Guava Lane | | | | | | | | | |
| (642) Pope Rd | 0.95 | 80 | R | | | From: | 98-768 Guava Lane | | | | NA | | NA | | 11/09/2006 | |
| | | | | | | To: | 98-644 Powder Mill Rd | | | | | | | | | |
| (642) Pope Rd | 2.30 | 240 | R | | | From: | 98-644 Powder Mill Rd | | | | NA | | NA | | 11/16/2006 | |
| | | | | | | To: | SR 94 Ivanhoe Rd | | | | | | | | | |
| (643) Cole Branch Dr | 1.90 | 60 | R | | | From: | Dead End | | | | NA | | NA | | 11/09/2006 | |
| | | | | | | To: | 98-642 W. Pope Rd | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Wythe Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | Dir Factor | AAWDT | QW | Year |
|-------------------------|--------|------|----|-------|-----|-------|--|--------|--------|----|----------|------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | |
| Wythe County | | | | | | | | | | | | | | | |
| (643) Silings Rd | 0.60 | 110 | R | | | From: | 98-642 E, Pope Rd | | | | | | | NA | 11/09/2006 |
| | | | | | | To: | 98-619 W, Huddle Rd | | | | | | | | |
| (643) Old School Rd | 0.40 | 90 | R | | | From: | 98-619 E, Huddle Rd | | | | | | | NA | 11/06/2003 |
| | | | | | | To: | 98-751 Coley Rd | | | | | | | | |
| (643) Old School Rd | 0.20 | 100 | R | | | | | | | | | | | NA | 11/06/2003 |
| | | | | | | To: | 98-645 Umberger Rd | | | | | | | | |
| (643) Old School Rd | 3.40 | 690 | R | | | From: | 98-645 Umberger Rd | | | | | | | NA | 11/06/2003 |
| | | | | | | To: | 98-640 Piney Mountain Rd | | | | | | | | |
| (644) Powder Mill Rd | 2.90 | 60 | R | | | From: | 98-642 Pope Rd | | | | | | | NA | 11/09/2006 |
| | | | | | | To: | 98-745 Mount Caramel Dr | | | | | | | | |
| (644) Powder Mill Rd | 0.70 | 220 | R | | | From: | 98-745 Mount Caramel Dr | | | | | | | NA | 11/06/2003 |
| | | | | | | To: | 98-601 Rakes Town Rd | | | | | | | | |
| (645) Umberger Hill Rd | 0.70 | 30 | R | | | From: | 98-646 Sheffey Town Rd | | | | | | | NA | 10/17/2006 |
| | | | | | | To: | 98-643 Old School Rd | | | | | | | | |
| (646) Tank Rd | 1.30 | 40 | R | | | From: | 98-619 W, Gleves Rd; St Peters Rd | | | | | | | NA | 10/17/2006 |
| | | | | | | To: | 98-690 W, Slate Spring Branch Rd | | | | | | | | |
| (646) Davis Cemetery Rd | 1.80 | 160 | R | | | From: | 98-690 E, Slate Spring Branch Rd | | | | | | | NA | 10/17/2006 |
| | | | | | | To: | 98-642 Mule Hell Rd | | | | | | | | |
| (646) | 1.40 | 130 | R | | | From: | 98-642 Mule Hell Rd | | | | | | | NA | 10/17/2006 |
| | | | | | | To: | 98-645 Umberger Hill Rd | | | | | | | | |
| (646) Sheffey Town Rd | 0.70 | 80 | R | | | From: | 98-645 Umberger Hill Rd | | | | | | | NA | 10/17/2006 |
| | | | | | | To: | 98-619 E, Huddle Rd | | | | | | | | |
| (647) Lovers Lane | 1.39 | 440 | R | | | From: | ECL Wytheville | | | | | | | NA | 10/24/2006 |
| | | | | | | To: | 98-610 W, Peppers Ferry Rd | | | | | | | | |
| (647) Mudlick Rd | 1.70 | 120 | R | | | From: | 98-610 E, Peppers Ferry Rd | | | | | | | NA | 10/24/2006 |
| | | | | | | To: | Dead End | | | | | | | | |
| (648) Cody Lane | 0.30 | 80 | R | | | From: | Dead End | | | | | | | NA | 11/09/2006 |
| | | | | | | To: | 98-643 Old School Rd | | | | | | | | |
| (649) Atkins Mill Rd | 2.70 | 210 | R | | | From: | SECL Wytheville | | | | | | | NA | 10/19/2006 |
| | | | | | | To: | 98-720 Whippoorwill Rd | | | | | | | | |
| (649) Atkins Mill Rd | 0.80 | 1000 | R | | | From: | 98-720 Whippoorwill Rd | | | | | | | NA | 11/06/2003 |
| | | | | | | To: | FR-42 Factory Outlet Dr; Gap | | | | | | | | |
| (649) Atkins Mill Rd | 0.28 | 270 | R | | | From: | FR-43; Gap | | | | | | | NA | 10/30/2003 |
| | | | | | | To: | Dead End | | | | | | | | |
| (650) Rudisill Rd | 0.93 | 100 | R | | | From: | Dead End | | | | | | | NA | 11/14/2003 |
| | | | | | | To: | 98-773 Lanter Rd | | | | | | | | |
| (650) Rudisill Rd | 0.67 | 90 | R | | | From: | 98-773 Lanter Rd | | | | | | | NA | 10/13/2006 |
| | | | | | | To: | 98-684 | | | | | | | | |
| (651) Spraker Rd | 0.60 | 350 | R | | | From: | 98-669 | | | | | | | NA | 11/14/2003 |
| | | | | | | To: | 98-625 Wyrick Spring Rd; Greek Miller Rd | | | | | | | | |
| (651) Spraker Rd | 1.30 | 330 | R | | | From: | 98-625 Wyrick Spring Rd; Greek Miller Rd | | | | | | | NA | 11/14/2003 |
| | | | | | | To: | US 21 Grayson Tpke | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Wythe Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | Dir Factor | AAWDT | QW | Year |
|-----------------------|--------|------|----|-------|-----|-------|--------|--------|--------|----|----------|------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | |
| Wythe County | | | | | | | | | | | | | | | |
| (651) Farmview Rd | 1.40 | 160 | R | | | | | | | | NA | | NA | | 10/13/2006 |
| (651) Farmview Rd | 1.40 | 310 | R | | | | | | | | NA | | NA | | 10/13/2006 |
| (652) Johnny Lane | 1.00 | 110 | R | | | | | | | | NA | | NA | | 09/28/2006 |
| (652) Johnny Lane | 1.00 | 40 | R | | | | | | | | NA | | NA | | 09/28/2006 |
| (652) Cinnamon Run | 1.40 | 90 | R | | | | | | | | NA | | NA | | 09/28/2006 |
| (652) | 0.60 | 340 | R | | | | | | | | NA | | NA | | 11/14/2003 |
| (653) Greasy Creek Rd | 1.50 | 60 | R | | | | | | | | NA | | NA | | 09/28/2006 |
| (653) Greasy Creek Rd | 0.60 | 80 | R | | | | | | | | NA | | NA | | 09/28/2006 |
| (653) Greasy Creek Rd | 0.70 | 190 | R | | | | | | | | NA | | NA | | 11/14/2003 |
| (654) Berea Rd | 1.00 | 160 | R | | | | | | | | NA | | NA | | 11/14/2003 |
| (654) Berea Rd | 1.00 | 110 | R | | | | | | | | NA | | NA | | 11/14/2003 |
| (654) Berea Rd | 1.10 | 210 | R | | | | | | | | NA | | NA | | 11/14/2003 |
| (655) High Bridge Rd | 2.10 | 100 | R | | | | | | | | NA | | NA | | 11/14/2003 |
| (656) Rose Hill Rd | 1.31 | 420 | R | | | | | | | | NA | | NA | | 10/30/2003 |
| (658) O'Dell Rd | 0.60 | 20 | R | | | | | | | | NA | | NA | | 10/11/2006 |
| (659) Rockdale Rd | 5.89 | 320 | R | | | | | | | | NA | | NA | | 10/30/2003 |
| (660) | 0.70 | 820 | R | | | | | | | | NA | | NA | | 10/30/2003 |
| (661) Sally Run | 1.10 | 210 | R | | | | | | | | NA | | NA | | 10/30/2003 |
| (661) Sally Run | 0.50 | 140 | R | | | | | | | | NA | | NA | | 10/30/2003 |
| (661) Sally Run | 0.87 | 60 | R | | | | | | | | NA | | NA | | 10/30/2003 |
| (662) Walters Rd | 0.40 | 40 | R | | | | | | | | NA | | NA | | 10/19/2006 |

Virginia Department of Transportation
Traffic Engineering Division

2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Wythe Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | Dir Factor | AAWDT | QW | Year | |
|-------------------------|--------|------|----|-------|-----|-------|---|--------|--------|----|----------|------------|-------|------------|------|------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Wythe County | | | | | | | | | | | | | | | | |
| (663) | 1.10 | 380 | R | | | From: | 98-667 Old Stage Rd | | | | NA | | NA | 10/30/2003 | | |
| | | | | | | To: | US 11 E, W Lee Highway | | | | | | | | | |
| (663) | 0.42 | 110 | R | | | From: | US 11 W, W Lee Highway | | | | NA | | NA | 10/30/2003 | | |
| | | | | | | To: | FR-39 Bald Tree Rd | | | | | | | | | |
| (663) Bishop Thomas Rd | 0.56 | 20 | R | | | From: | | | | | NA | | NA | 10/19/2006 | | |
| | | | | | | To: | Dead End | | | | | | | | | |
| (664) Glade Rd | 0.40 | 120 | R | | | From: | 98-666 | | | | NA | | NA | 09/26/2006 | | |
| | | | | | | To: | | | | | | | | | | |
| (664) Glade Rd | 4.30 | 440 | R | | | From: | 98-711 King Neill Rd | | | | NA | | NA | 10/30/2003 | | |
| | | | | | | To: | US 52 Stoney Fork Rd | | | | | | | | | |
| (665) Swallow Hollow Rd | 0.76 | 30 | R | | | From: | 98-625 Gap of Ridge Rd | | | | NA | | NA | 09/26/2006 | | |
| | | | | | | To: | | | | | | | | | | |
| (665) Swallow Hollow Rd | 0.86 | 30 | R | | | From: | 0.76 MW 98-625 | | | | NA | | NA | 09/26/2006 | | |
| | | | | | | To: | | | | | | | | | | |
| (666) Tabernacle Rd | 1.00 | 250 | R | | | From: | 98-625 Crockett Rd | | | | NA | | NA | 09/28/2006 | | |
| | | | | | | To: | 98-667 E, Old Stage Rd | | | | | | | | | |
| (666) New Bethel Rd | 1.60 | 110 | R | | | From: | 98-667 W, Old Stage Rd | | | | NA | | NA | 09/28/2006 | | |
| | | | | | | To: | | | | | | | | | | |
| (666) | 0.15 | 350 | R | | | From: | US 11, W Lee Highway | | | | NA | | NA | 11/04/2003 | | |
| | | | | | | To: | | | | | | | | | | |
| (666) | 0.28 | 190 | R | | | From: | 98-665 Swallow Hollow Rd | | | | NA | | NA | 11/04/2003 | | |
| | | | | | | To: | | | | | | | | | | |
| (666) | 0.70 | 190 | R | | | From: | | | | | NA | | NA | 11/04/2003 | | |
| | | | | | | To: | 0.28 MN 98-665 | | | | | | | | | |
| (666) Hogback Rd | 1.29 | 150 | R | | | From: | 98-664 Glade Rd | | | | NA | | NA | 09/26/2006 | | |
| | | | | | | To: | | | | | | | | | | |
| (666) Hogback Rd | 0.15 | 30 | R | | | From: | 1.30 MN 98-664 | | | | NA | | NA | 09/26/2006 | | |
| | | | | | | To: | | | | | | | | | | |
| (666) Hogback Rd | 0.21 | 30 | R | | | From: | 1.44 MN 98-664 | | | | NA | | NA | 09/26/2006 | | |
| | | | | | | To: | 98-680 Black Lick Rd | | | | | | | | | |
| (667) | 0.80 | 500 | R | | | From: | US 11, W Lee Highway | | | | NA | | NA | 11/04/2003 | | |
| | | | | | | To: | 98-625 W, Apple House Rd | | | | | | | | | |
| (667) Old Stage Rd | 1.30 | 270 | F | 98% | 0% | 1% | 1% | 0% | 0% | F | 0.109 | F | 0.5 | 300 | F | 2009 |
| | | | | | | To: | 98-625 E, Apple House Rd; Crockett Rd | | | | | | | | | |
| (667) Old Stage Rd | 1.50 | 470 | F | 98% | 0% | 1% | 1% | 0% | 0% | F | 0.103 | F | 0.536 | 500 | F | 2009 |
| | | | | | | To: | 98-652 Johnny Lane | | | | | | | | | |
| (667) Old Stage Rd | 1.30 | 610 | F | 98% | 0% | 1% | 1% | 0% | 0% | C | 0.099 | F | 0.563 | 660 | F | 2009 |
| | | | | | | To: | 98-663 South Fork Dr | | | | | | | | | |
| (667) Old Stage Rd | 0.80 | 760 | F | 98% | 0% | 1% | 1% | 0% | 0% | F | 0.106 | F | 0.596 | 820 | F | 2009 |
| | | | | | | To: | 98-654 Berea Rd | | | | | | | | | |
| (667) Old Stage Rd | 0.60 | 890 | F | 98% | 0% | 1% | 1% | 0% | 0% | F | 0.095 | F | 0.606 | 960 | F | 2009 |
| | | | | | | To: | 98-655 High Bridge Rd | | | | | | | | | |
| (668) Kings Grove Lane | 1.70 | 180 | F | 96% | 2% | 2% | 0% | 1% | 0% | C | 0.118 | F | 0.64 | 200 | F | 2009 |
| | | | | | | To: | 98-669 Huckleberry Rd | | | | | | | | | |
| | | | | | | To: | 98-625 Kings Grove Lane; Wylick Spring Rd | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division

2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Wythe Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | Dir Factor | AAWDT | QW | Year | |
|---------------------------|--------|------|----|-------|-----|-------|--------|--------|--------|----|----------|------------|-------|-----|------------|------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Wythe County | | | | | | | | | | | | | | | | |
| (669) Old King Rd | 0.30 | 140 | R | | | | | | | | NA | | NA | | 10/13/2006 | |
| (669) Huckleberry Rd | 0.30 | 100 | R | | | | | | | | NA | | NA | | 10/13/2006 | |
| (669) | 2.70 | 320 | R | | | | | | | | NA | | NA | | 11/04/2003 | |
| (669) Huckleberry Rd | 0.30 | 430 | F | 98% | 0% | 1% | 0% | 1% | 0% | C | 0.099 | F | 0.571 | 470 | F | 2009 |
| (669) Windy Hill Dr | 0.70 | 30 | R | | | | | | | | NA | | NA | | 09/28/2006 | |
| (670) Scowanda Springs Rd | 1.10 | 80 | R | | | | | | | | NA | | NA | | 10/05/2006 | |
| (670) | 0.20 | 230 | R | | | | | | | | NA | | NA | | 11/04/2003 | |
| (670) | 2.73 | 460 | R | | | | | | | | NA | | NA | | 11/04/2003 | |
| (670) | 0.40 | 170 | R | | | | | | | | NA | | NA | | 11/04/2003 | |
| (670) | 0.90 | 90 | R | | | | | | | | NA | | NA | | 11/04/2003 | |
| (670) Sharons Dr | 2.20 | 110 | R | | | | | | | | NA | | NA | | 10/13/2006 | |
| (670) Zion Church Rd | 0.30 | 130 | R | | | | | | | | NA | | NA | | 10/13/2006 | |
| (670) Zion Church Rd | 2.10 | 80 | R | | | | | | | | NA | | NA | | 10/13/2006 | |
| (670) Zion Church Rd | 0.90 | 130 | R | | | | | | | | NA | | NA | | 10/13/2006 | |
| (671) Crigger Rd | 1.10 | 220 | R | | | | | | | | NA | | NA | | 10/05/2006 | |
| (671) Grey Branch Rd | 1.50 | 47 | R | | | | | | | | NA | | NA | | 10/05/2006 | |
| (672) Ward Branch Rd | 0.70 | 100 | R | | | | | | | | NA | | NA | | 10/05/2006 | |
| (672) Ward Branch Rd | 1.80 | 80 | R | | | | | | | | NA | | NA | | 10/13/2006 | |
| (673) Porter Rd | 1.30 | 40 | R | | | | | | | | NA | | NA | | 10/05/2006 | |
| (673) Hawthorne Hollow Rd | 2.30 | 110 | R | | | | | | | | NA | | NA | | 10/05/2006 | |
| (673) | 1.60 | 410 | R | | | | | | | | NA | | NA | | 11/04/2003 | |
| (673) | 1.90 | 60 | R | | | | | | | | NA | | NA | | 09/28/2006 | |
| (674) | 1.70 | 260 | R | | | | | | | | NA | | NA | | 11/04/2003 | |

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Wythe Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | Dir Factor | AAWDT | QW | Year | |
|------------------------------|--------|------|----|-------|-----|-------|--------|--------|--------|----|----------|------------|-------|------|------|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Wythe County | | | | | | | | | | | | | | | | |
| (674) Ridge Ave | 1.20 | 530 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.109 | F | 0.531 | 570 | F | 2009 |
| (674) Ridge Ave | 2.18 | 840 | F | 99% | 0% | 0% | 0% | 0% | 0% | C | 0.112 | F | 0.617 | 910 | F | 2009 |
| Town of Rural Retreat | | | | | | | | | | | | | | | | |
| (674) Greever St | 0.42 | 290 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.124 | F | 0.513 | 320 | F | 2009 |
| (674) Greever St | 0.21 | 430 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.113 | F | 0.519 | 460 | F | 2009 |
| (674) Greever St | 0.16 | 320 | R | | | | | | | | | | | NA | | 11/04/2003 |
| (674) Greever St | 0.11 | 320 | R | | | | | | | | | | | NA | | 11/04/2003 |
| Wythe County | | | | | | | | | | | | | | | | |
| (674) | 0.10 | 320 | N | | | | | | | | | | | NA | | 11/04/2003 |
| (675) Allis Chalmer Rd | 0.30 | 30 | R | | | | | | | | | | | NA | | 10/05/2006 |
| (675) Chinquapin Ave | 0.49 | 900 | F | 95% | 3% | 0% | 1% | 1% | 0% | F | 0.099 | F | 0.525 | 980 | F | 2009 |
| Town of Rural Retreat | | | | | | | | | | | | | | | | |
| (675) | 0.15 | 900 | N | 95% | 3% | 0% | 1% | 1% | 0% | N | 0.099 | N | 0.525 | 980 | N | 2009 |
| (675) Chinquapin Ave | 0.49 | 1200 | F | 95% | 3% | 0% | 1% | 1% | 0% | F | 0.100 | F | 0.523 | 1300 | F | 2009 |
| (675) Buck Ave | 0.07 | 300 | F | 95% | 3% | 0% | 1% | 1% | 0% | F | 0.102 | F | 0.686 | 320 | F | 2009 |
| (675) E Buck Ave | 0.23 | 1400 | F | 95% | 3% | 0% | 1% | 1% | 0% | C | 0.198 | F | 0.598 | 1500 | F | 2009 |
| (675) Buck St | 0.23 | 1400 | R | | | | | | | | | | | NA | | 11/04/2003 |
| Wythe County | | | | | | | | | | | | | | | | |
| (675) | 2.47 | 540 | R | | | | | | | | | | | NA | | 11/04/2003 |
| (676) Lake Mount Airy Rd | 0.60 | 70 | R | | | | | | | | | | | NA | | 10/05/2006 |
| (676) Lake Mount Airy Rd | 0.50 | 47 | R | | | | | | | | | | | NA | | 10/05/2006 |
| (677) | 0.50 | 470 | R | | | | | | | | | | | NA | | 11/04/2003 |
| (677) | 1.60 | 470 | R | | | | | | | | | | | NA | | 11/04/2003 |
| (677) | 1.10 | 140 | R | | | | | | | | | | | NA | | 09/28/2006 |

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Wythe Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | Dir Factor | AAWDT | QW | Year | |
|--------------------------|--------|------|-------------------------------|-------|-----|---------------------------------|--------|--------|--------|----|----------|------------|-------|------|------------|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Wythe County | | | | | | | | | | | | | | | | |
| (678) Fox Fire Rd | 0.53 | 90 | R | | | From: 98-813 W, Scheffey Sch Rd | | | | | NA | | NA | | 11/11/2003 | |
| | | | To: 98-813 E, Scheffey Sch Rd | | | | | | | | | | | | | |
| (679) Radio Dr | 1.44 | 370 | R | | | From: 98-680 Black Lick Rd | | | | | NA | | NA | | 11/04/2003 | |
| | | | To: FR-38; 98-729 | | | | | | | | | | | | | |
| (680) Black Lick Rd | 0.04 | 1500 | F | 96% | 0% | 1% | 1% | 2% | 0% | F | 0.095 | F | 0.518 | 1700 | F | 2009 |
| | | | To: I-81; SR 90 | | | | | | | | | | | | | |
| (680) Black Lick Rd | 0.09 | 1200 | F | 96% | 0% | 1% | 1% | 2% | 0% | C | 0.1 | F | 0.528 | 1300 | F | 2009 |
| | | | To: 98-617 S, Shoal Ridge Rd | | | | | | | | | | | | | |
| (680) Black Lick Rd | 0.43 | 980 | F | 96% | 0% | 1% | 1% | 2% | 0% | F | 0.087 | F | 0.523 | 1100 | F | 2009 |
| | | | To: 98-617 S, Shol Ridge Rd | | | | | | | | | | | | | |
| (680) Black Lick Rd | 1.80 | 560 | F | 96% | 0% | 1% | 1% | 2% | 0% | F | 0.097 | F | 0.656 | 610 | F | 2009 |
| | | | To: 98-617 W, Kimberling Rd | | | | | | | | | | | | | |
| (680) Black Lick Rd | 2.75 | 400 | F | 96% | 0% | 1% | 1% | 2% | 0% | F | 0.121 | F | 0.519 | 440 | F | 2009 |
| | | | To: 98-625 W, Crawfish Rd | | | | | | | | | | | | | |
| (680) Black Lick Rd | 2.27 | 430 | F | 96% | 0% | 1% | 1% | 2% | 0% | F | 0.102 | F | 0.516 | 470 | F | 2009 |
| | | | To: US 52 Stoney Fork Rd | | | | | | | | | | | | | |
| (681) Brushy Mountain Rd | 0.80 | 70 | R | | | From: Dead End | | | | | | NA | | NA | | 09/26/2006 |
| | | | To: 0.80 MS Dead End | | | | | | | | | | | | | |
| (681) Brushy Mountain Rd | 0.02 | 70 | R | | | From: 0.80 MS Dead End | | | | | NA | | NA | | 09/26/2006 | |
| | | | To: 98-680 Black Lick Rd | | | | | | | | | | | | | |
| (682) | 1.00 | 320 | R | | | From: US 11, W Lee Highway | | | | | NA | | NA | | 11/04/2003 | |
| | | | To: 98-617 Dutton Hollow Rd | | | | | | | | | | | | | |
| (683) Green Mountain Rd | 1.20 | 70 | R | | | From: 98-682 | | | | | NA | | NA | | 09/26/2006 | |
| | | | To: 98-617 Dutton Hollow Rd | | | | | | | | | | | | | |
| (684) | 0.79 | 180 | R | | | From: US 21 SW | | | | | NA | | NA | | 11/14/2003 | |
| | | | To: Dead End; Gap | | | | | | | | | | | | | |
| (684) Chaney Branch Rd | 2.00 | 230 | R | | | From: US 21 S; Gap | | | | | NA | | NA | | 10/13/2006 | |
| | | | To: 98-651 Spraker Rd | | | | | | | | | | | | | |
| (684) Old Mountain Rd | 1.60 | 30 | R | | | From: 98-690 Cripple Creek Rd | | | | | NA | | NA | | 10/13/2006 | |
| | | | To: US 21 S MID | | | | | | | | | | | | | |
| (684) | 3.50 | 230 | R | | | From: US 21 N MID | | | | | NA | | NA | | 11/14/2003 | |
| | | | To: US 21 N MID | | | | | | | | | | | | | |
| (684) | 1.00 | 170 | R | | | From: US 21 N, Grayson Tpke | | | | | NA | | NA | | 11/14/2003 | |
| | | | To: US 21 NE | | | | | | | | | | | | | |
| (684) Winding Rd | 1.16 | 130 | R | | | From: 1.16 MN US 21 | | | | | NA | | NA | | 10/19/2006 | |
| | | | To: Dead End | | | | | | | | | | | | | |
| (684) Pump Hollow Rd | 0.33 | 480 | R | | | From: Dead End | | | | | NA | | NA | | 10/19/2006 | |
| | | | To: 98-634 Lots Gap Rd | | | | | | | | | | | | | |
| (685) Shadow Lane | 0.80 | 210 | R | | | From: Dead End | | | | | NA | | NA | | 11/09/2006 | |
| | | | To: 98-634 Lots Gap Rd | | | | | | | | | | | | | |
| (686) Gillion Fork Rd | 1.30 | 230 | R | | | From: Dead End | | | | | NA | | NA | | 10/11/2006 | |
| | | | To: US 52 | | | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Wythe Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | Dir Factor | AAWDT | QW | Year | |
|--------------------------|--------|------|-------|--|-----|-------|--------|--------|--------|----|----------|------------|-------|------|------------|------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Wythe County | | | | | | | | | | | | | | | | |
| (687) Delby Terrace | 0.32 | 45 | R | | | | | | | | NA | | NA | | 11/16/2006 | |
| | | | From: | SR 94 Ivanhoe Rd | | | | | | | | | | | | |
| | | | To: | SR 94 Ivanhoe Rd | | | | | | | | | | | | |
| (688) Dry Pond Rd | 2.50 | 100 | R | | | | | | | | NA | | NA | | 11/02/2006 | |
| | | | From: | SR 100 Wysor Hwy | | | | | | | | | | | | |
| | | | To: | Pulaski County Line | | | | | | | | | | | | |
| (689) Sage Rd | 0.50 | 280 | R | | | | | | | | NA | | NA | | 10/05/2006 | |
| | | | From: | 98-615 | | | | | | | | | | | | |
| | | | To: | 98-616 Murphyville Rd | | | | | | | | | | | | |
| (690) Scenic Trail | 0.57 | 40 | R | | | | | | | | NA | | NA | | 09/28/2006 | |
| | | | From: | 98-625 N, Crockett Rd; 98-674 Ridge Lane | | | | | | | | | | | | |
| | | | To: | 98-625 MID, Crocket Rd | | | | | | | | | | | | |
| (690) Cripple Creek Rd | 1.94 | 550 | F | 98% | 0% | 1% | 0% | 1% | 0% | F | 0.112 | F | 0.515 | 590 | F | 2009 |
| | | | From: | 98-625 S, Crockett Rd; Wyrick Spring Rd | | | | | | | | | | | | |
| (690) Cripple Creek Rd | 1.68 | 1000 | F | 98% | 0% | 1% | 0% | 1% | 0% | C | 0.095 | F | 0.699 | 1100 | F | 2009 |
| | | | To: | US 21 Grayson Tpke | | | | | | | | | | | | |
| (690) Cripple Creek Rd | 0.56 | 890 | F | 98% | 0% | 1% | 0% | 1% | 0% | F | 0.096 | F | 0.674 | 960 | F | 2009 |
| | | | From: | 98-684 Old Mountain Rd | | | | | | | | | | | | |
| (690) Cripple Creek Rd | 1.40 | 680 | F | 98% | 0% | 1% | 0% | 1% | 0% | F | 0.096 | F | 0.698 | 740 | F | 2009 |
| | | | To: | 98-602 W, Back Rd | | | | | | | | | | | | |
| (690) Cripple Creek Rd | 3.34 | 390 | F | 98% | 0% | 1% | 0% | 1% | 0% | F | 0.109 | F | 0.563 | 420 | F | 2009 |
| | | | From: | 98-602 S, Slate Spring Branch Rd | | | | | | | | | | | | |
| | | | To: | 98-602 S, Cripple Creek Rd | | | | | | | | | | | | |
| (691) Fairview Church Rd | 1.20 | 30 | R | | | | | | | | NA | | NA | | 10/05/2006 | |
| | | | From: | 98-670 | | | | | | | | | | | | |
| (691) Fairview Church Rd | 0.20 | 70 | R | | | | | | | | NA | | NA | | 10/05/2006 | |
| | | | To: | 1.20 ME 98-670 | | | | | | | | | | | | |
| (692) Trout Farm Rd | 0.90 | 90 | R | | | | | | | | NA | | NA | | 10/05/2006 | |
| | | | To: | 98-749 Cedar Springs Rd | | | | | | | | | | | | |
| (693) Underpass Dr | 0.23 | 40 | R | | | | | | | | NA | | NA | | 11/14/2003 | |
| | | | To: | 98-666 | | | | | | | | | | | | |
| (694) Slab Town Rd | 1.00 | 490 | R | | | | | | | | NA | | NA | | 11/16/2006 | |
| | | | To: | Dead End | | | | | | | | | | | | |
| (695) Earles Rd | 0.36 | 100 | R | | | | | | | | NA | | NA | | 10/05/2006 | |
| | | | To: | 98-616 Murphyville Rd | | | | | | | | | | | | |
| (696) Barrett Mill Rd | 2.83 | 220 | R | | | | | | | | NA | | NA | | 10/19/2006 | |
| | | | To: | US 21 Grayson Tpke | | | | | | | | | | | | |
| (696) Carrington Lane | 0.08 | 60 | R | | | | | | | | NA | | NA | | 10/19/2006 | |
| | | | To: | 98-640 Whippoorwill Rd | | | | | | | | | | | | |
| (697) Carters Park Lane | 0.55 | 40 | R | | | | | | | | NA | | NA | | 10/26/2006 | |
| | | | To: | FR 44, E Lee Highway | | | | | | | | | | | | |
| (698) Rome Rd | 0.50 | 180 | R | | | | | | | | NA | | NA | | 11/07/2006 | |
| | | | To: | 98-627 Archer Rd | | | | | | | | | | | | |
| (698) Rome Rd | 0.50 | 30 | R | | | | | | | | NA | | NA | | 11/07/2006 | |
| | | | To: | 98-731 Doe Run | | | | | | | | | | | | |
| | | | To: | Dead End | | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division

2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Wythe Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | Dir Factor | AAWDT | QW | Year |
|-------------------------|--------|------|----|-------|-----|--|--------|--------|--------|----|----------|------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | |
| Wythe County | | | | | | | | | | | | | | | |
| (699) | 1.20 | 210 | R | | | From: 98-674 | | | | | NA | | NA | | 09/28/2006 |
| (699) | 1.00 | 130 | R | | | From: 98-669 Windy Hill Dr | | | | | NA | | NA | | 09/28/2006 |
| (699) | 1.90 | 310 | R | | | From: 98-675 | | | | | NA | | NA | | 09/28/2006 |
| (700) Brown Town Rd | 1.30 | 150 | R | | | To: US 52 Fort Chiswell Rd | | | | | NA | | NA | | 11/02/2006 |
| (701) Oglesby Rd | 1.20 | 40 | R | | | From: Dead End | | | | | NA | | NA | | 10/31/2006 |
| (702) Fox Mountain Rd | 0.90 | 170 | R | | | From: FR 44, E Lee Highway | | | | | NA | | NA | | 10/26/2006 |
| (703) Baker Island Rd | 0.53 | 100 | R | | | From: 98-608 | | | | | NA | | NA | | 11/02/2006 |
| (706) Groundhog Lane | 0.10 | 2 | R | | | From: 98-617 Dutton Hollow Rd | | | | | NA | | NA | | 09/26/2006 |
| (707) Fleming Rd | 3.30 | 70 | R | | | To: 98-651; 98-690 | | | | | NA | | NA | | 10/13/2006 |
| (708) Old King Rd | 1.20 | 160 | R | | | From: 98-669 Huckleberry Rd; Old King Rd | | | | | NA | | NA | | 10/13/2006 |
| (709) Crouse Hollow Rd | 2.60 | 70 | R | | | To: 98-673 Hawthorne Hollow Rd | | | | | NA | | NA | | 10/13/2006 |
| (711) King Neill Rd | 0.70 | 20 | R | | | From: 98-669 Huckleberry Rd | | | | | NA | | NA | | 09/26/2006 |
| (712) Millers Creek Rd | 7.40 | 250 | R | | | To: 98-674 Ridge Aux | | | | | NA | | NA | | 10/26/2006 |
| Pulaski County | | | | | | | | | | | | | | | |
| (712) Millers Creek Rd | 0.05 | 30 | R | | | From: Pulaski County Line | | | | | NA | | NA | | 10/26/2006 |
| (713) Armbrister Mtn Rd | 0.75 | 110 | R | | | To: Dead End | | | | | NA | | NA | | 10/26/2006 |
| (714) Fox Den Rd | 0.58 | 40 | R | | | From: Dead End | | | | | NA | | NA | | 11/09/2006 |
| (714) Fox Den Rd | 0.17 | 130 | R | | | To: 98-739 Harmon Rd | | | | | NA | | NA | | 11/09/2006 |
| (715) Cobb Rd | 0.90 | 80 | R | | | From: 98-643 Old School Rd | | | | | NA | | NA | | 09/26/2006 |
| (716) Mabtown Rd | 0.50 | 60 | R | | | To: 98-680 Black Lick Rd | | | | | NA | | NA | | 10/24/2006 |
| | | | | | | From: 98-610 Peppers Ferry Rd | | | | | NA | | NA | | |
| | | | | | | To: Dead End | | | | | NA | | NA | | |

Virginia Department of Transportation
Traffic Engineering Division

Annual Average Daily Traffic Volume Estimates By Section of Route
Wythe Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | Dir Factor | AAWDT | QW | Year | |
|------------------------------|--------|------|----|-------|-----|-------|--------|--------|--------|----|----------|------------|-------|-----|------------|------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Wythe County | | | | | | | | | | | | | | | | |
| (717) Krenning Rd | 4.33 | 250 | F | 95% | 1% | 1% | 2% | 2% | 0% | C | 0.118 | F | 0.613 | 270 | F | 2009 |
| | | | | | | | | | | | | | | | | |
| (718) Brim Lane | 0.37 | 80 | R | | | | | | | | | NA | | NA | 11/02/2006 | |
| | | | | | | | | | | | | | | | | |
| (719) Old 52 Rd | 0.45 | 280 | R | | | | | | | | | NA | | NA | 11/02/2006 | |
| | | | | | | | | | | | | | | | | |
| (720) Whippoorwill Rd | 0.40 | 180 | R | | | | | | | | | NA | | NA | 10/19/2006 | |
| | | | | | | | | | | | | | | | | |
| (720) Whippoorwill Rd | 1.45 | 310 | R | | | | | | | | | NA | | NA | 10/19/2006 | |
| | | | | | | | | | | | | | | | | |
| (721) Dr Moore Rd | 0.67 | 40 | R | | | | | | | | | NA | | NA | 10/17/2006 | |
| | | | | | | | | | | | | | | | | |
| (722) Vipperman Rd | 0.67 | 40 | R | | | | | | | | | NA | | NA | 10/05/2006 | |
| | | | | | | | | | | | | | | | | |
| Town of Rural Retreat | | | | | | | | | | | | | | | | |
| (723) Maple Ave | 0.38 | 560 | R | | | | | | | | | NA | | NA | 11/14/2003 | |
| | | | | | | | | | | | | | | | | |
| Wythe County | | | | | | | | | | | | | | | | |
| (724) | 0.18 | 10 | R | | | | | | | | | NA | | NA | 10/24/2006 | |
| | | | | | | | | | | | | | | | | |
| (724) | 0.12 | 20 | R | | | | | | | | | NA | | NA | 10/30/2003 | |
| | | | | | | | | | | | | | | | | |
| Town of Rural Retreat | | | | | | | | | | | | | | | | |
| (725) E Railroad Ave | 0.23 | 420 | R | | | | | | | | | NA | | NA | 10/13/2006 | |
| | | | | | | | | | | | | | | | | |
| Wythe County | | | | | | | | | | | | | | | | |
| (726) Conners Valley Rd | 1.33 | 120 | R | | | | | | | | | NA | | NA | 10/26/2006 | |
| | | | | | | | | | | | | | | | | |
| (726) Conners Valley Rd | 2.10 | 180 | R | | | | | | | | | NA | | NA | 10/26/2006 | |
| | | | | | | | | | | | | | | | | |
| Town of Rural Retreat | | | | | | | | | | | | | | | | |
| (727) Frye Ave | 0.13 | 50 | R | | | | | | | | | NA | | NA | 10/03/2006 | |
| | | | | | | | | | | | | | | | | |
| Wythe County | | | | | | | | | | | | | | | | |
| (728) Cline Rd | 0.60 | 100 | R | | | | | | | | | NA | | NA | 10/05/2006 | |
| | | | | | | | | | | | | | | | | |
| (729) Race Track Rd | 0.95 | 110 | R | | | | | | | | | NA | | NA | 09/28/2006 | |
| | | | | | | | | | | | | | | | | |
| (730) Sipe Lane | 0.25 | 100 | R | | | | | | | | | NA | | NA | 11/16/2006 | |
| | | | | | | | | | | | | | | | | |
| (731) Doe Run | 0.45 | 80 | R | | | | | | | | | NA | | NA | 11/07/2006 | |
| | | | | | | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Wythe Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | Dir Factor | AAWDT | QW | Year |
|-------------------------|--------|------|-----|------------------------------|-----|-------|------------------------------|--------|--------|----|----------|------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | |
| Wythe County | | | | | | | | | | | | | | | |
| (732) Poplar Dr | 0.12 | 30 | R | | | From: | 0.12 MS 98-742 | | | | NA | | NA | | 11/16/2006 |
| (732) Poplar Dr | 0.15 | 40 | R | | | From: | 98-742 Painters Hill Rd | | | | NA | | NA | | 11/16/2006 |
| | | | To: | Dead End | | | | | | | | | | | |
| (733) Bluebird Lane | 0.07 | 20 | R | | | From: | 98-742 Painters Hill Rd | | | | NA | | NA | | 11/16/2006 |
| (733) Bluebird Lane | 0.03 | 20 | R | | | From: | 0.07 ME 98-742 | | | | NA | | NA | | 11/16/2006 |
| | | | To: | 98-732 Poplar Dr | | | | | | | | | | | |
| (733) Bluebird Lane | 0.08 | 40 | R | | | From: | 98-744 Hilltop Rd | | | | NA | | NA | | 11/16/2006 |
| | | | To: | Dead End | | | | | | | | | | | |
| (734) Asbury Church Rd | 0.11 | 20 | R | | | From: | Dead End | | | | NA | | NA | | 10/05/2006 |
| | | | To: | 98-749 Cedar Springs Rd | | | | | | | | | | | |
| (735) Tobler Rd | 1.30 | 450 | R | | | From: | 98-617 Dutton Hollow Rd | | | | NA | | NA | | 09/26/2006 |
| | | | To: | Dead End | | | | | | | | | | | |
| (736) Apache Run | 0.57 | 370 | R | | | From: | US 52 S, Fort Chiswell Rd | | | | NA | | NA | | 11/07/2006 |
| | | | To: | US 52 N, Fort Chiswell Rd | | | | | | | | | | | |
| (737) Buckley Dr | 0.13 | 10 | R | | | From: | US 11, W Lee Highway | | | | NA | | NA | | 09/28/2006 |
| | | | To: | Dead End | | | | | | | | | | | |
| (738) Jonas Town Rd | 0.30 | 60 | R | | | From: | Dead End | | | | NA | | NA | | 10/17/2006 |
| | | | To: | 98-619 St Peters Rd | | | | | | | | | | | |
| (739) Harmon Rd | 0.60 | 60 | R | | | From: | Dead End | | | | NA | | NA | | 11/09/2006 |
| | | | To: | 98-714 Fox Den Rd | | | | | | | | | | | |
| (740) CC Camp Rd | 0.34 | 20 | R | | | From: | Dead End | | | | NA | | NA | | 10/17/2006 |
| | | | To: | 0.34 MN Dead End | | | | | | | | | | | |
| (740) CC Camp Rd | 0.21 | 40 | R | | | From: | NA | | | | NA | | NA | | 10/17/2006 |
| | | | To: | 98-602 | | | | | | | | | | | |
| (741) Red Bluff Rd | 0.26 | 30 | R | | | From: | 98-813 S, Scheffey School Rd | | | | NA | | NA | | 11/09/2006 |
| | | | To: | 98-813 N, Scheffey School Rd | | | | | | | | | | | |
| (742) Painters Hill Rd | 1.98 | 100 | R | | | From: | SR 94 S, Ivanhoe Rd | | | | NA | | NA | | 11/16/2006 |
| | | | To: | SR 94 N, Ivanhoe Rd | | | | | | | | | | | |
| (743) Holly Lane | 0.10 | 110 | R | | | From: | SR 94 Ivanhoe Rd | | | | NA | | NA | | 11/16/2006 |
| | | | To: | 98-764 Shady River Dr | | | | | | | | | | | |
| (744) Hilltop Rd | 0.07 | 410 | R | | | From: | 98-742 Painters Hill Rd | | | | NA | | NA | | 11/16/2006 |
| | | | To: | SR 94 Ivanhoe Rd | | | | | | | | | | | |
| (745) Mount Caramel Dr | 0.16 | 60 | R | | | From: | Dead End | | | | NA | | NA | | 11/16/2006 |
| | | | To: | 98-644 Powder Mill Rd | | | | | | | | | | | |
| (746) Imperial Lane | 0.13 | 7 | R | | | From: | US 11, W Lee Highway | | | | NA | | NA | | 09/28/2006 |
| | | | To: | Dead End | | | | | | | | | | | |
| (748) Dungeon Spring Rd | 0.55 | 120 | R | | | From: | Dead End | | | | NA | | NA | | 11/09/2006 |
| | | | To: | 98-765 Racoon Run | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Wythe Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | Dir Factor | AAWDT | QW | Year | |
|------------------------------|--------|------|----|-------|-----|-------|--------|--------|--------|----|----------|------------|-------|------|------------|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Wythe County | | | | | | | | | | | | | | | | |
| (748) Dungeon Spring Rd | 0.05 | 260 | R | | | | | | | | | | | NA | 11/09/2006 | |
| Town of Rural Retreat | | | | | | | | | | | | | | | | |
| (749) Cedar Springs Rd | 0.06 | 5200 | F | 98% | 0% | 1% | 0% | 1% | 0% | F | 0.087 | F | 0.606 | 5700 | F | 2009 |
| (749) Cedar Springs Rd | 0.21 | 4000 | F | 98% | 0% | 1% | 0% | 1% | 0% | C | 0.090 | F | 0.617 | 4300 | F | 2009 |
| (749) S Main St | 0.17 | 3400 | F | 98% | 0% | 1% | 0% | 1% | 0% | F | 0.094 | F | 0.617 | 3700 | F | 2009 |
| (749) Cedar Springs Rd | 0.03 | 2600 | F | 98% | 0% | 1% | 0% | 1% | 0% | F | 0.099 | F | 0.615 | 2800 | F | 2009 |
| Wythe County | | | | | | | | | | | | | | | | |
| (749) Cedar Springs Rd | 1.09 | 2600 | N | 98% | 0% | 1% | 0% | 1% | 0% | N | 0.099 | N | 0.615 | 2800 | N | 2009 |
| (749) Cedar Springs Rd | 3.15 | 1600 | F | 98% | 0% | 1% | 0% | 1% | 0% | F | 0.110 | F | 0.592 | 1800 | F | 2009 |
| Smyth County | | | | | | | | | | | | | | | | |
| (749) Cedar Springs Rd | 0.15 | 1600 | N | 98% | 0% | 1% | 0% | 1% | 0% | N | 0.110 | N | 0.592 | 1800 | N | 2009 |
| Wythe County | | | | | | | | | | | | | | | | |
| (749) Cedar Springs Rd | 5.13 | 540 | F | 95% | 2% | 1% | 1% | 1% | 0% | F | 0.098 | F | 0.619 | 580 | F | 2009 |
| (749) Cedar Springs Rd | 0.77 | 600 | F | 95% | 2% | 1% | 1% | 1% | 0% | F | 0.103 | F | 0.514 | 650 | F | 2009 |
| (749) Cedar Springs Rd | 1.39 | 850 | G | 95% | 2% | 1% | 1% | 1% | 0% | C | NA | | | 870 | G | 2009 |
| (750) Hagers Spring Rd | 0.65 | 450 | R | | | | | | | | | | | NA | | 10/19/2006 |
| (751) Coley Rd | 0.30 | 60 | R | | | | | | | | | | | NA | | 10/17/2006 |
| (751) Wilkins Lane | 0.95 | 120 | R | | | | | | | | | | | NA | | 11/09/2006 |
| (752) Rose Rd | 0.80 | 49 | R | | | | | | | | | | | NA | | 10/31/2006 |
| Town of Rural Retreat | | | | | | | | | | | | | | | | |
| (753) Cherry St | 0.20 | 110 | R | | | | | | | | | | | NA | | 10/03/2006 |
| Wythe County | | | | | | | | | | | | | | | | |
| (754) Red Hill Loop | 0.45 | 40 | R | | | | | | | | | | | NA | | 11/02/2006 |
| (755) Kings Chapel Rd | 0.40 | 170 | R | | | | | | | | | | | NA | | 11/16/2006 |
| (757) Wise Dr | 0.10 | 30 | R | | | | | | | | | | | NA | | 11/11/2003 |

Virginia Department of Transportation
Traffic Engineering Division

2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Wythe Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | Dir Factor | AAWDT | QW | Year |
|----------------------------|--------|------|----------------------------------|-------|-----|--------------------------------|--------|--------|--------|----|----------|------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | |
| Wythe County | | | | | | | | | | | | | | | |
| (758) Blue Sky Dr | 0.38 | 180 | R | | | Cul-de-Sac | | | | NA | | NA | | NA | 10/19/2006 |
| (758) Blue Sky Dr | 0.30 | 750 | R | | | From: 98-776 KOA Rd | | | | NA | | NA | | NA | 10/19/2006 |
| | | | To: FR 42 Factory Outlet Dr | | | | | | | | | | | | |
| (759) Haphazard Rd | 0.25 | 50 | R | | | From: SR 69 Lead Mine Rd | | | | NA | | NA | | NA | 11/07/2006 |
| | | | To: Dead End | | | | | | | | | | | | |
| (760) Fincastle Lane | 0.02 | 30 | R | | | From: Dead End | | | | NA | | NA | | NA | 11/07/2006 |
| | | | To: 98-619 Austinville Rd | | | | | | | | | | | | |
| (761) Pineview Dr | 0.30 | 90 | R | | | From: Dead End | | | | NA | | NA | | NA | 10/19/2006 |
| | | | To: US 11, W Lee Highway | | | | | | | | | | | | |
| (762) Coleman Rd | 0.20 | 90 | R | | | From: Dead End | | | | NA | | NA | | NA | 10/26/2006 |
| | | | To: FR 44, E Lee Highway | | | | | | | | | | | | |
| (763) Martin Rd | 0.15 | 70 | R | | | From: Dead End | | | | NA | | NA | | NA | 10/26/2006 |
| | | | To: 98-614 Ramsey Mountain Rd | | | | | | | | | | | | |
| (764) Shady River Dr | 0.75 | 40 | R | | | From: SR 94 Ivanhoe Rd | | | | NA | | NA | | NA | 11/16/2006 |
| | | | To: Dead End | | | | | | | | | | | | |
| (765) Racoons Run | 0.35 | 100 | R | | | From: 98-748 Dungeon Spring Rd | | | | NA | | NA | | NA | 11/09/2006 |
| | | | To: Dead End | | | | | | | | | | | | |
| (766) Nixon Rd | 0.56 | 140 | R | | | From: Dead End | | | | NA | | NA | | NA | 11/09/2006 |
| | | | To: 98-813 N. Scheffey School Rd | | | | | | | | | | | | |
| (767) Alford Rd | 0.08 | 30 | R | | | From: Dead End | | | | NA | | NA | | NA | 10/26/2006 |
| | | | To: 98-614 Ramsey Mountain Rd | | | | | | | | | | | | |
| (768) Guava Lane | 0.40 | 30 | R | | | From: Dead End | | | | NA | | NA | | NA | 11/09/2006 |
| | | | To: 98-642 Pope Rd | | | | | | | | | | | | |
| (769) Sunrise Dr | 0.08 | 40 | R | | | From: 98-694 Slab Town Rd | | | | NA | | NA | | NA | 11/16/2006 |
| | | | To: Dead End | | | | | | | | | | | | |
| (770) Milky Way Rd | 0.09 | 20 | R | | | From: Dead End | | | | NA | | NA | | NA | 11/02/2006 |
| | | | To: 98-630 Sanders Mines Rd | | | | | | | | | | | | |
| (771) Coxs Trailer Park Rd | 0.25 | 180 | R | | | From: US 11, W Lee Highway | | | | NA | | NA | | NA | 10/30/2003 |
| | | | To: Dead End | | | | | | | | | | | | |
| (772) Scratch Gravel Rd | 1.70 | 180 | R | | | From: Carroll County Line | | | | NA | | NA | | NA | 11/02/2006 |
| | | | To: 98-607 | | | | | | | | | | | | |
| (772) Payne Town Rd | 1.00 | 150 | R | | | From: Dead End | | | | NA | | NA | | NA | 11/02/2006 |
| | | | To: US 21 Grayson Tpke | | | | | | | | | | | | |
| (773) Lanter Rd | 0.75 | 250 | R | | | From: 98-650 Rudisill Rd | | | | NA | | NA | | NA | 10/13/2006 |
| | | | To: Dead End | | | | | | | | | | | | |
| (774) Marble Lane | 0.17 | 40 | R | | | From: 98-643 Old School Rd | | | | NA | | NA | | NA | 11/09/2006 |
| | | | To: Dead End | | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Wythe Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | Dir Factor | AAWDT | QW | Year |
|-------------------------------|--------|------|----|-------|-----|-------|--------------------------------|--------|--------|----|----------|------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | |
| Wythe County | | | | | | | | | | | | | | | |
| (776) KOA Rd | 0.17 | 270 | R | | | From: | Dead End | | | | NA | | NA | | 10/19/2006 |
| | | | | | | To: | 98-758 Blue Sky Dr | | | | | | | | |
| (777) Edgewood Rd | 0.15 | 60 | R | | | From: | US 21 Grayson Tpke | | | | NA | | NA | | 10/30/2006 |
| | | | | | | To: | Dead End | | | | | | | | |
| (778) Lake Rd | 0.74 | 190 | R | | | From: | Dead End | | | | NA | | NA | | 10/05/2006 |
| | | | | | | To: | 98-677 | | | | | | | | |
| (779) Francis Mill Rd | 0.55 | 120 | R | | | From: | 98-602 SOUTH | | | | NA | | NA | | 10/17/2006 |
| | | | | | | To: | 98-602 NORTH | | | | | | | | |
| (780) Whistpering Pines Rd | 1.01 | 230 | R | | | From: | US 52 S, Fort Chiswell Rd | | | | NA | | NA | | 11/07/2006 |
| | | | | | | To: | US 52 N, Fort Chiswell Rd | | | | | | | | |
| (781) Butterfly Lane | 0.20 | 40 | R | | | From: | Dead End | | | | NA | | NA | | 11/16/2006 |
| | | | | | | To: | 98-694 Slab Town Rd | | | | | | | | |
| (782) Crimson Lane | 0.54 | 230 | R | | | From: | FR-44, E Lee Highway | | | | NA | | NA | | 10/26/2006 |
| | | | | | | To: | Dead End | | | | | | | | |
| (783) Shady Forest Rd | 0.25 | 70 | R | | | From: | FR-44, E Lee Highway | | | | NA | | NA | | 10/26/2006 |
| | | | | | | To: | Dead End | | | | | | | | |
| (788) | 0.13 | NA | | | | From: | 98-608 | | | | NA | | NA | | |
| | | | | | | To: | Dead End | | | | | | | | |
| (789) Gilland Rd | 0.22 | 210 | R | | | From: | Dead End | | | | NA | | NA | | 11/09/2006 |
| | | | | | | To: | SR 94 Ivanhoe Rd | | | | | | | | |
| (790) Jacksonville Heights Rd | 0.04 | 49 | R | | | From: | Cul-de-Sac | | | | NA | | NA | | 11/07/2006 |
| | | | | | | To: | 98-791 Hill Circle | | | | | | | | |
| (790) Jacksonville Heights Rd | 0.09 | 140 | R | | | From: | 98-633 Pres Jackson Rd | | | | NA | | NA | | 11/07/2006 |
| | | | | | | To: | 98-790 Jacksonville Heights Rd | | | | | | | | |
| (791) Hill Circle | 0.13 | 60 | R | | | From: | 98-790 Jacksonville Heights Rd | | | | NA | | NA | | 11/07/2006 |
| | | | | | | To: | Cul-de-Sac | | | | | | | | |
| (792) E Lee Trinkle Dr | 0.59 | 1600 | R | | | From: | 98-803 | | | | NA | | NA | | 10/24/2006 |
| | | | | | | To: | 98-610 Peppers Ferry Rd | | | | | | | | |
| (794) | 0.41 | NA | | | | From: | FR-44 East Lee Highway | | | | NA | | NA | | |
| | | | | | | To: | Cul-de-Sac | | | | | | | | |
| (795) Crawford Rd | 1.13 | 150 | R | | | From: | 98-621 | | | | NA | | NA | | 10/31/2006 |
| | | | | | | To: | 98-608 Foster Falls Rd | | | | | | | | |
| (796) Lavender Rd | 0.23 | 270 | R | | | From: | US 52 Fort Chiswell Rd | | | | NA | | NA | | 11/07/2006 |
| | | | | | | To: | Cul-de-Sac | | | | | | | | |
| (797) Power Line Rd | 0.74 | 160 | R | | | From: | 98-619 Austinville Rd | | | | NA | | NA | | 11/02/2006 |
| | | | | | | To: | Dead End | | | | | | | | |
| (800) | 0.10 | NA | | | | From: | US 21 Grayson Tpke | | | | NA | | NA | | |
| | | | | | | To: | Cul-de-Sac | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division

2009
Annual Average Daily Traffic Volume Estimates By Section of Route
Wythe Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | Dir Factor | AAWDT | QW | Year |
|--------------------------|--------|------|----|-------|-----|---------------------------------|--------|--------|--------|----|----------|------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | |
| Wythe County | | | | | | | | | | | | | | | |
| (802) | 0.70 | NA | | | | From: 98-649 Atkins Mill Rd | | | | | NA | | NA | | |
| | | | | | | To: Cul-de-Sac | | | | | | | | | |
| (803) | 0.72 | NA | | | | From: 98-792, E Lee Trinkle Dr | | | | | NA | | NA | | |
| | | | | | | To: Cul-de-Sac | | | | | | | | | |
| (805) Apperson Dr | 0.18 | 100 | R | | | From: SR 94 Ivanhoe Rd | | | | | NA | | NA | | 11/16/2006 |
| | | | | | | To: Dead End | | | | | | | | | |
| (806) Deer Trail | 0.08 | 160 | R | | | From: 98-696 Barrett Mill Rd | | | | | NA | | NA | | 10/19/2006 |
| | | | | | | To: 98-807 | | | | | | | | | |
| (807) Lookout Dr | 0.60 | 110 | R | | | From: Dead End | | | | | NA | | NA | | 10/19/2006 |
| | | | | | | To: 98-806 | | | | | | | | | |
| (810) Loop Dr | 0.15 | 40 | R | | | From: 98-603 S. Cove Rd | | | | | NA | | NA | | 10/11/2006 |
| | | | | | | To: 98-603 N. Cove Rd | | | | | | | | | |
| (811) | 0.17 | NA | | | | From: SR 94 Ivanhoe Rd | | | | | NA | | NA | | |
| | | | | | | To: Dead End | | | | | | | | | |
| (812) | 0.18 | NA | | | | From: 98-619 Austinville Rd | | | | | NA | | NA | | |
| | | | | | | To: Dead End | | | | | | | | | |
| (813) Scheffey School Rd | 0.25 | NA | | | | From: Dead End | | | | | NA | | NA | | |
| | | | | | | To: 98-605 Dunford Rd | | | | | | | | | |
| (813) Scheffey School Rd | 1.15 | NA | | | | From: 98-640 Piney Mountain Rd | | | | | NA | | NA | | |
| | | | | | | To: SR 94 Ivanhoe Rd | | | | | | | | | |
| (814) | 0.07 | NA | | | | From: Dead End | | | | | NA | | NA | | |
| | | | | | | To: SR 94 Ivanhoe Rd | | | | | | | | | |
| (815) | 0.51 | NA | | | | From: 98-813 Scheffey School Rd | | | | | NA | | NA | | |
| | | | | | | To: Cul-de-Sac | | | | | | | | | |
| (820) | 0.89 | NA | | | | From: Cul-de-Sac | | | | | NA | | NA | | |
| | | | | | | To: 98-821 | | | | | | | | | |
| (821) | 0.21 | NA | | | | From: Cul-de-Sac | | | | | NA | | NA | | |
| | | | | | | To: 98-640 Whippoorwill Rd | | | | | | | | | |
| (830) Creek Side Rd | 0.03 | 20 | R | | | From: 98-680 Black Lick Rd | | | | | NA | | NA | | 09/26/2006 |
| | | | | | | To: Dead End | | | | | | | | | |
| (831) | 0.28 | NA | | | | From: Cul-de-Sac | | | | | NA | | NA | | |
| | | | | | | To: SR 100 Wysor Hwy | | | | | | | | | |
| (832) | 0.66 | NA | | | | From: Cul-de-Sac | | | | | NA | | NA | | |
| | | | | | | To: 98-831 | | | | | | | | | |
| (834) | 0.75 | NA | | | | From: 98-659 Rockdale Rd | | | | | NA | | NA | | |
| | | | | | | To: Cul-de-Sac | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Wythe Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | Dir Factor | AAWDT | QW | Year | |
|-------------------------------|--------|------|----|-------|-----|-------------------------------|--------|--------|--------|----|----------|------------|-------|------|------------|------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Wythe County | | | | | | | | | | | | | | | | |
| (840) Country View Rd | 0.60 | 130 | R | | | From: 98-670 | | | | | | | NA | NA | 11/14/2003 | |
| | | | | | | To: 98-749 Cedar Springs Rd | | | | | | | | | | |
| (1001) School St | 0.32 | 360 | R | | | From: 98-610; 98-1007 | | | | | | | NA | NA | 10/24/2006 | |
| | | | | | | To: 98-1005 Brock Ave | | | | | | | | | | |
| (1002) Grove St | 0.31 | 270 | R | | | From: 98-1006 Max Meadows Rd | | | | | | | NA | NA | 10/24/2006 | |
| | | | | | | To: Dead End | | | | | | | | | | |
| (1003) Cleveland Ave | 0.25 | 130 | R | | | From: 98-1005 Brock Ave | | | | | | | NA | NA | 10/24/2006 | |
| | | | | | | To: 0.25 MN 98-1005 | | | | | | | | | | |
| (1003) Denniston Ave | 0.20 | 30 | R | | | From: 98-610 Peppers Ferry Rd | | | | | | | NA | NA | 10/24/2006 | |
| | | | | | | To: 98-610 Peppers Ferry Rd | | | | | | | | | | |
| (1004) Ayers St | 0.22 | 1300 | R | | | From: SR 121; 98-1007 | | | | | | | NA | NA | 10/24/2006 | |
| | | | | | | To: 98-610 Peppers Ferry Rd | | | | | | | | | | |
| (1005) Grove St | 0.65 | 120 | R | | | From: 98-610 Peppers Ferry Rd | | | | | | | NA | NA | 10/24/2006 | |
| | | | | | | To: Dead End | | | | | | | | | | |
| (1006) Max Meadows Rd | 0.06 | 1800 | F | 97% | 1% | 0% | 0% | 1% | 0% | F | 0.14 | F | 0.52 | 2000 | F | 2009 |
| | | | | | | From: 98-610 Peppers Ferry Rd | | | | | | | | | | |
| (1006) Max Meadows Rd | 0.08 | 540 | R | | | From: 98-1002 Grove St | | | | | | | NA | NA | 10/24/2006 | |
| | | | | | | To: Dead End | | | | | | | | | | |
| (1007) Horseshoe Dr | 0.50 | 230 | R | | | From: 98-610; 98-1001 | | | | | | | NA | NA | 10/24/2006 | |
| | | | | | | To: Dead End | | | | | | | | | | |
| (1008) Brock Ave | 0.03 | 20 | R | | | From: 98-1002; 98-1005 | | | | | | | NA | NA | 10/24/2006 | |
| | | | | | | To: Dead End | | | | | | | | | | |
| (1009) Well Lane | 0.14 | 160 | R | | | From: SR 121 | | | | | | | NA | NA | 10/24/2006 | |
| | | | | | | To: Dead End | | | | | | | | | | |
| (1010) Mayapple Lane | 0.25 | 70 | R | | | From: 98-610 Peppers Ferry Rd | | | | | | | NA | NA | 10/24/2006 | |
| | | | | | | To: Dead End | | | | | | | | | | |
| (1011) Clark Ave | 0.13 | 30 | R | | | From: 98-1009 Well Lane | | | | | | | NA | NA | 10/24/2006 | |
| | | | | | | To: Dead End | | | | | | | | | | |
| (1012) Carterville Heights Rd | 1.44 | 330 | R | | | From: 98-610 Peppers Ferry Rd | | | | | | | NA | NA | 10/24/2006 | |
| | | | | | | To: Dead End | | | | | | | | | | |
| (1015) Jewel Lane | 0.21 | 60 | R | | | From: SR 94 Ivanhoe Rd | | | | | | | NA | NA | 11/09/2006 | |
| | | | | | | To: 98-1016 Wildwood Lane | | | | | | | | | | |
| (1016) Wildwood Lane | 0.13 | 50 | R | | | From: 98-1015 Jewel Lane | | | | | | | NA | NA | 11/09/2006 | |
| | | | | | | To: Dead End | | | | | | | | | | |
| (1020) | 0.46 | NA | | | | From: Cul-de-Sac | | | | | | | NA | NA | | |
| | | | | | | To: 98-632 Danner Rd | | | | | | | | | | |
| (1021) | 0.26 | NA | | | | From: 98-1020 | | | | | | | NA | NA | | |
| | | | | | | To: Cul-de-Sac | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Wythe Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | Dir Factor | AAWDT | QW | Year | |
|------------------------------|--------|------|----|-------|-----|-----------------------------|--------|--------|--------|----|----------|------------|-------|------|------------|------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Wythe County | | | | | | | | | | | | | | | | |
| (1030) | 0.33 | NA | | | | From: 98-636 | | | | | NA | | NA | | | |
| | | | | | | To: Dead End | | | | | | | | | | |
| (1031) | 0.11 | NA | | | | From: Dead End | | | | | NA | | NA | | | |
| | | | | | | To: 98-1030 | | | | | | | | | | |
| (1032) | 0.13 | NA | | | | From: 98-1030 | | | | | NA | | NA | | | |
| | | | | | | To: Dead End | | | | | | | | | | |
| (1033) | 0.11 | NA | | | | From: 98-1030 | | | | | NA | | NA | | | |
| | | | | | | To: Dead End | | | | | | | | | | |
| (1034) | 0.07 | NA | | | | From: Dead End | | | | | NA | | NA | | | |
| | | | | | | To: 98-1030 | | | | | | | | | | |
| (1041) | 0.41 | 230 | R | | | From: Cul-de-Sac | | | | | NA | | NA | | 10/31/2006 | |
| | | | | | | To: FR-45 Topaz Dr | | | | | | | | | | |
| (1044) McGavock Lane | 0.36 | 100 | R | | | From: Cul-de-Sac | | | | | NA | | NA | | 10/31/2006 | |
| | | | | | | To: FR-45 Topaz Dr | | | | | | | | | | |
| Town of Rural Retreat | | | | | | | | | | | | | | | | |
| (1101) Parsonage Ave | 0.27 | 1000 | F | 99% | 0% | 0% | 0% | 0% | 0% | C | 0.113 | F | 0.6 | 1100 | F | 2009 |
| | | | | | | From: 98-616 Miller St | | | | | | | | | | |
| | | | | | | To: 98-749, S Main St | | | | | | | | | | |
| (1102) Oak St | 0.04 | 130 | R | | | From: 98-723 Maple Ave | | | | | NA | | NA | | 10/13/2006 | |
| | | | | | | To: 98-616 | | | | | | | | | | |
| (1103) Pine Ave | 0.07 | 150 | R | | | From: 98-1118 Varnelle Ave | | | | | NA | | NA | | 10/03/2006 | |
| | | | | | | To: 98-1117 Gap | | | | | | | | | | |
| (1103) Baughman St | 0.05 | 50 | R | | | From: 98-1101 Gap | | | | | NA | | NA | | 10/03/2006 | |
| | | | | | | To: 98-616 | | | | | | | | | | |
| Wythe County | | | | | | | | | | | | | | | | |
| (1104) Westfield Ave | 0.08 | 70 | R | | | From: 98-1119 | | | | | NA | | NA | | 10/03/2006 | |
| | | | | | | To: WCL Rural Retreat | | | | | | | | | | |
| Town of Rural Retreat | | | | | | | | | | | | | | | | |
| (1104) Westfield Ave | 0.11 | 150 | R | | | From: WCL Rural Retreat | | | | | NA | | NA | | 10/03/2006 | |
| | | | | | | To: 98-727 Frye Ave | | | | | | | | | | |
| (1105) Mountain View Ave | 0.05 | 100 | R | | | From: Dead End | | | | | NA | | NA | | 10/03/2006 | |
| | | | | | | To: 98-615 | | | | | | | | | | |
| (1106) Evergreen Ave | 0.03 | 520 | R | | | From: 98-674 Greever St | | | | | NA | | NA | | 10/13/2006 | |
| | | | | | | To: 98-9424 | | | | | | | | | | |
| (1107) Hemlock St | 0.05 | 90 | R | | | From: Dead End | | | | | NA | | NA | | 10/03/2006 | |
| | | | | | | To: 98-616 | | | | | | | | | | |
| (1108) Beech St | 0.10 | 90 | R | | | From: 98-675 Chinquapin Ave | | | | | NA | | NA | | 10/03/2006 | |
| | | | | | | To: 98-1109 Jefferson Ave | | | | | | | | | | |
| (1109) Jefferson Ave | 0.02 | 70 | R | | | From: Dead End | | | | | NA | | NA | | 10/03/2006 | |
| | | | | | | To: 98-1108 Beech St | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Wythe Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | Dir Factor | AAWDT | QW | Year | |
|------------------------------|--------|------|-------------------------------------|-------|-----|-----------------------------|--------|--------|--------|----|----------|------------|-------|-----|------------|------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Town of Rural Retreat | | | | | | | | | | | | | | | | |
| (1109) Jefferson Ave | 0.02 | 30 | R | | | From: 98-1108 Beech St | | | | | NA | | NA | | 10/03/2006 | |
| | | | To: Dead End | | | | | | | | | | | | | |
| (1110) Chestnut Ave | 0.05 | 30 | R | | | From: 0.05 MW 98-674 | | | | | NA | | NA | | 10/13/2006 | |
| | | | To: 98-674 Greever St | | | | | | | | | | | | | |
| (1110) Chestnut Ave | 0.10 | 70 | R | | | From: 98-674 Greever St | | | | | NA | | NA | | 10/13/2006 | |
| | | | To: Dead End | | | | | | | | | | | | | |
| (1111) Delp Ave | 0.16 | 49 | R | | | From: SR 90 Main St | | | | | NA | | NA | | 10/03/2006 | |
| | | | To: 98-675 Buck Ave; Chinquapin Ave | | | | | | | | | | | | | |
| (1112) Ridge Ave | 0.10 | 830 | F | 99% | 0% | 1% | 0% | 0% | 0% | C | 0.095 | F | 0.547 | 900 | F | 2009 |
| | | | To: 98-749, S Main St | | | | | | | | | | | | | |
| | | | To: 98-674, S Greever St | | | | | | | | | | | | | |
| (1113) Elm Ave | 0.12 | 120 | R | | | From: 98-727 Frye Ave | | | | | NA | | NA | | 10/03/2006 | |
| | | | To: WCL Rural Retreat | | | | | | | | | | | | | |
| Wythe County | | | | | | | | | | | | | | | | |
| (1113) Elm Ave | 0.11 | 120 | R | | | From: WCL Rural Retreat | | | | | NA | | NA | | 10/03/2006 | |
| | | | To: 98-1114 | | | | | | | | | | | | | |
| (1114) Hickory Ave | 0.09 | 170 | R | | | From: 98-1119 | | | | | NA | | NA | | 10/03/2006 | |
| | | | To: WCL Rural Retreat | | | | | | | | | | | | | |
| Town of Rural Retreat | | | | | | | | | | | | | | | | |
| (1114) | 0.07 | 220 | R | | | From: WCL Rural Retreat | | | | | NA | | NA | | 11/13/2000 | |
| | | | To: 98-675 Chinquapin Ave | | | | | | | | | | | | | |
| (1115) Catron St | 0.15 | 100 | R | | | From: 98-725 E Railroad Ave | | | | | NA | | NA | | 10/13/2006 | |
| | | | To: 98-675 E Buck Ave | | | | | | | | | | | | | |
| (1116) Valleyview Ave | 0.15 | 80 | R | | | From: Dead End | | | | | NA | | NA | | 10/13/2006 | |
| | | | To: 98-674 Greever St | | | | | | | | | | | | | |
| (1117) Williams Ave | 0.13 | 310 | R | | | From: 98-1103 Pine Ave | | | | | NA | | NA | | 10/03/2006 | |
| | | | To: 98-749 Cedar Springs Rd | | | | | | | | | | | | | |
| (1118) Varnelle Ave | 0.21 | 190 | R | | | From: Dead End | | | | | NA | | NA | | 10/03/2006 | |
| | | | To: 98-1103 Pine Ave | | | | | | | | | | | | | |
| Wythe County | | | | | | | | | | | | | | | | |
| (1119) Westfield Ave | 0.32 | 160 | R | | | From: Dead End | | | | | NA | | NA | | 10/03/2006 | |
| | | | To: 98-1114 Hickory Ave | | | | | | | | | | | | | |
| (1120) Briarwood Lane | 0.23 | 120 | R | | | From: US 11, W Lee Highway | | | | | NA | | NA | | 10/03/2006 | |
| | | | To: Dead End | | | | | | | | | | | | | |
| (1121) Orchard Hills Rd | 0.27 | 340 | R | | | From: 98-675 Chinquapin Ave | | | | | NA | | NA | | 10/03/2006 | |
| | | | To: US 11, W Lee Highway | | | | | | | | | | | | | |
| (1122) Sunset View Rd | 0.26 | 150 | R | | | From: 98-675 Chinquapin Ave | | | | | NA | | NA | | 10/03/2006 | |
| | | | To: 98-1121 Orchard Hills Rd | | | | | | | | | | | | | |
| (1123) Walnut Ave | 0.10 | 70 | R | | | From: 98-1114 | | | | | NA | | NA | | 10/03/2006 | |
| | | | To: Cul-de-Sac | | | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Wythe Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | Dir Factor | AAWDT | QW | Year | |
|------------------------------|--------|------|----|-------|-----|---------------------------|--------|--------|--------|----|----------|------------|-------|------|------------|------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Wythe County | | | | | | | | | | | | | | | | |
| (1124) | 0.23 | 130 | R | | | From: Dead End | | | | | NA | | NA | | 10/03/2006 | |
| Town of Rural Retreat | | | | | | | | | | | | | | | | |
| (1125) | 0.06 | NA | | | | From: 98-1126 | | | | | NA | | NA | | | |
| Town of Monterey | | | | | | | | | | | | | | | | |
| (1126) | 0.29 | NA | | | | From: 98-1125 | | | | | NA | | NA | | | |
| Wythe County | | | | | | | | | | | | | | | | |
| (1130) Brooke Elyse Lane | 0.48 | 100 | R | | | From: 98-634 S, Rickey Rd | | | | | NA | | NA | | 11/07/2006 | |
| Town of Rural Retreat | | | | | | | | | | | | | | | | |
| (9421) | 0.08 | 190 | R | | | From: Speedwell Elem Sch | | | | | NA | | NA | | 10/13/2006 | |
| Town of Wytheville | | | | | | | | | | | | | | | | |
| (9507) | 0.07 | 170 | R | | | From: Austinville Elem | | | | | NA | | NA | | 1994 | |
| Town of Wytheville | | | | | | | | | | | | | | | | |
| (9508) | 0.04 | 330 | R | | | From: Robert S Sheffey | | | | | NA | | NA | | 11/09/2006 | |
| Town of Wytheville | | | | | | | | | | | | | | | | |
| (9774) | 0.21 | 650 | R | | | From: US 52; Fort | | | | | NA | | NA | | 11/07/2006 | |
| Town of Wytheville | | | | | | | | | | | | | | | | |
| (139) Fairview Rd | 1.19 | 930 | F | 91% | 1% | 1% | 1% | 2% | 4% | C | 0.103 | F | 0.664 | 1000 | F | 2009 |
| Town of Wytheville | | | | | | | | | | | | | | | | |
| (2) Holston Rd | 1.24 | 2600 | F | 97% | 0% | 1% | 2% | 0% | 0% | F | 0.097 | F | 0.570 | 2800 | F | 2009 |
| Town of Wytheville | | | | | | | | | | | | | | | | |
| (4) Nye Rd | 0.96 | 1400 | F | 87% | 1% | 2% | 2% | 8% | 0% | C | 0.089 | F | 0.525 | 1500 | F | 2009 |
| Town of Wytheville | | | | | | | | | | | | | | | | |
| (5250) Old Stage Rd | 1.63 | 1200 | F | 99% | 0% | 1% | 0% | 0% | 0% | C | 0.092 | F | 0.715 | 1300 | F | 2009 |
| Town of Wytheville | | | | | | | | | | | | | | | | |
| (5252) W Ridge St | 1.55 | 1100 | F | 97% | 0% | 1% | 2% | 0% | 0% | C | 0.110 | F | 0.523 | 1200 | F | 2009 |

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Wythe Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | Dir Factor | AAWDT | QW | Year | |
|---------------------------|--------|------|-------|------------------|-----|-------|--------|--------|--------|----|----------|------------|-------|------|------|------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Town of Wytheville | | | | | | | | | | | | | | | | |
| (5252) W Ridge Rd | 0.49 | 4100 | F | 99% | 0% | 0% | 0% | 0% | 0% | C | 0.096 | F | 0.605 | 4400 | F | 2009 |
| | | | From: | 18th St | | | | | | | | | | | | |
| | | | To: | US 21 4th St | | | | | | | | | | | | |
| (5253) Withers Rd | 0.25 | 3400 | F | 98% | 0% | 1% | 0% | 0% | 0% | F | 0.097 | F | 0.514 | 3700 | F | 2009 |
| | | | From: | US 11 Main St | | | | | | | | | | | | |
| | | | To: | 11th St | | | | | | | | | | | | |
| (5253) 11th St | 0.31 | 2200 | G | 98% | 0% | 1% | 0% | 0% | 0% | C | NA | | | 2400 | G | 2009 |
| | | | From: | Withers St | | | | | | | | | | | | |
| (5253) 11th St | 0.06 | 7400 | F | 98% | 0% | 1% | 0% | 0% | 0% | F | 0.094 | F | 0.525 | 8000 | F | 2009 |
| | | | From: | US 11 Main St | | | | | | | | | | | | |
| (5253) North St | 0.13 | 2300 | F | 98% | 0% | 1% | 0% | 0% | 0% | F | 0.104 | F | 0.539 | 2500 | F | 2009 |
| | | | From: | Monroe St | | | | | | | | | | | | |
| (5253) Fisher Rd | 0.14 | 1500 | F | 98% | 0% | 1% | 0% | 0% | 0% | F | 0.099 | F | 0.503 | 1600 | F | 2009 |
| | | | From: | North St | | | | | | | | | | | | |
| | | | To: | Pine St | | | | | | | | | | | | |
| (5255) Cove Rd | 0.52 | 2900 | F | 98% | 0% | 0% | 1% | 0% | 0% | C | 0.095 | F | 0.5 | 3100 | F | 2009 |
| | | | From: | Peppers Ferry Rd | | | | | | | | | | | | |
| (5255) Cove Rd | 0.32 | 1200 | F | 98% | 0% | 0% | 1% | 0% | 0% | F | 0.093 | F | 0.523 | 1200 | F | 2009 |
| | | | From: | Holston Rd | | | | | | | | | | | | |
| (5255) Cove Rd | 0.29 | 720 | F | 98% | 0% | 0% | 1% | 0% | 0% | F | 0.105 | F | 0.515 | 760 | F | 2009 |
| | | | From: | Wytheview Dr | | | | | | | | | | | | |
| (5255) Spring St | 0.30 | 1500 | F | 98% | 0% | 0% | 1% | 0% | 0% | F | 0.109 | F | 0.688 | 1500 | F | 2009 |
| | | | From: | 12th St | | | | | | | | | | | | |
| (5256) Spring St | 0.54 | 1700 | F | 98% | 0% | 0% | 1% | 0% | 0% | F | 0.1 | F | 0.624 | 1800 | F | 2009 |
| | | | To: | 4th St | | | | | | | | | | | | |
| | | | From: | 11th St | | | | | | | | | | | | |
| (5257) Tazewell St | 0.06 | 1500 | F | 98% | 0% | 0% | 1% | 0% | 0% | F | 0.113 | F | 0.606 | 1500 | F | 2009 |
| | | | From: | Main St | | | | | | | | | | | | |
| (5258) Monroe St | 0.31 | 3200 | F | 98% | 0% | 1% | 1% | 1% | 0% | F | 0.095 | F | 0.558 | 3400 | F | 2009 |
| | | | To: | 12th St US 11 | | | | | | | | | | | | |
| (5258) Monroe St | 0.19 | 5600 | F | 98% | 0% | 1% | 1% | 1% | 0% | F | 0.095 | F | 0.584 | 6000 | F | 2009 |
| | | | From: | 4th St US 21 | | | | | | | | | | | | |
| (5258) Monroe St | 0.15 | 5600 | F | 98% | 0% | 1% | 1% | 1% | 0% | F | 0.092 | F | 0.605 | 5800 | F | 2009 |
| | | | To: | US 21 4th St | | | | | | | | | | | | |
| (5258) Monroe St | 0.19 | 5500 | F | 99% | 0% | 0% | 0% | 0% | 0% | C | 0.090 | F | 0.604 | 5800 | F | 2009 |
| | | | From: | 1st Street | | | | | | | | | | | | |
| (5258) Monroe St | 0.59 | 5300 | F | 95% | 0% | 1% | 2% | 1% | 0% | C | 0.087 | F | 0.516 | 5600 | F | 2009 |
| | | | To: | N 1st Street | | | | | | | | | | | | |
| (5258) Monroe St | 0.21 | 3100 | N | 96% | 0% | 1% | 1% | 3% | 0% | N | 0.083 | N | 0.526 | 3200 | N | 2009 |
| | | | From: | Ramp from I-77 | | | | | | | | | | | | |
| (5258) Peppers Ferry Rd | 0.53 | 3100 | F | 96% | 0% | 1% | 1% | 3% | 0% | C | 0.083 | F | 0.526 | 3200 | F | 2009 |
| | | | To: | ECL Wytheville | | | | | | | | | | | | |
| (5260) 12th St | 0.29 | 2300 | F | 98% | 0% | 1% | 0% | 0% | 0% | F | 0.100 | F | 0.542 | 2400 | F | 2009 |
| | | | From: | Main St US 11 | | | | | | | | | | | | |
| (5260) Union St | 0.30 | 1900 | F | 98% | 0% | 1% | 0% | 0% | 0% | F | 0.104 | F | 0.535 | 2000 | F | 2009 |
| | | | To: | Union St | | | | | | | | | | | | |
| | | | From: | 12th St | | | | | | | | | | | | |
| | | | To: | 4th St | | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division

2009

Annual Average Daily Traffic Volume Estimates By Section of Route
Wythe Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | Dir Factor | AAWDT | QW | Year | | | | |
|---------------------------|--------|------|-------|-------------------|-----|-------|--------|--------|--------|----|----------|------------|-------------------|-------|------|-------|------|---|------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | | | | |
| Town of Wytheville | | | | | | | | | | | | | | | | | | | |
| (5260) 139 Withers St | 0.56 | 2700 | F | 98% | 0% | 1% | 0% | 0% | 0% | C | 0.095 | F | 0.558 | 2900 | F | 2009 | | | |
| | | | From: | 4th St | | | | | | | | To: | 11th St | | | | | | |
| (5261) 139 4th St | 0.31 | 1900 | F | 94% | 0% | 1% | 3% | 2% | 0% | F | 0.105 | F | 0.506 | 2000 | F | 2009 | | | |
| | | | From: | Marshall St | | | | | | | | To: | Withers St | | | | | | |
| (5261) 139 4th St | 0.30 | 2200 | F | 94% | 0% | 1% | 3% | 2% | 0% | F | 0.097 | F | 0.567 | 2400 | F | 2009 | | | |
| | | | From: | US 11 Main St | | | | | | | | To: | | | | | | | |
| (5262) 139 Marshall St | 0.91 | 1400 | F | 94% | 0% | 1% | 3% | 2% | 0% | C | 0.101 | F | 0.637 | 1400 | F | 2009 | | | |
| | | | From: | 4th St | | | | | | | | To: | Main St US 11 | | | | | | |
| (5264) 139 Pine St | 0.38 | 4000 | F | 99% | 0% | 0% | 0% | 0% | 0% | C | 0.092 | F | 0.61 | 4200 | F | 2009 | | | |
| | | | From: | US 11 Lee Highway | | | | | | | | To: | US 21 4th St | | | | | | |
| (5264) 139 Pine St | 0.44 | 480 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.109 | F | 0.532 | 510 | F | 2009 | | | |
| | | | From: | Fisher Rd | | | | | | | | To: | | | | | | | |
| 10th St | 140 | G | | | | | | | | | | | | NA | 140 | G | 2009 | | |
| | | | From: | Franklin Street | | | | | | | | To: | Washington Street | | | | | | |
| 16th St | 100 | G | | | | | | | | | | | | NA | 110 | G | 2009 | | |
| | | | From: | Spring St | | | | | | | | To: | Franklin St | | | | | | |
| 3rd St | 370 | G | | | | | | | | | | | | NA | 370 | G | 2009 | | |
| | | | From: | Ridge Street | | | | | | | | To: | Reservoir Street | | | | | | |
| Church St | 660 | F | | | | | | | | | | | | 0.143 | F | 0.5 | 700 | F | 2009 |
| | | | From: | Washington St | | | | | | | | To: | Withers St | | | | | | |
| Mountain View Dr | 800 | F | | | | | | | | | | | | 0.102 | F | 0.511 | 840 | F | 2009 |
| | | | From: | 11th St | | | | | | | | To: | 13th St | | | | | | |
| Spiller St | 140 | F | | | | | | | | | | | | NA | 140 | F | 2009 | | |
| | | | From: | 5th St | | | | | | | | To: | 3rd St | | | | | | |
| Tazewell St | 2800 | G | 99% | 1% | 0% | 0% | 0% | 0% | 0% | C | NA | | | | 2800 | G | 2009 | | |
| | | | From: | US 21 | | | | | | | | To: | Umberger St | | | | | | |