

2010

**Virginia Department of Transportation
Daily Traffic Volume Estimates
Including Vehicle Classification Estimates**

where available

Jurisdiction Report

24

Cumberland County

Prepared By

**Virginia Department of Transportation
Traffic Engineering Division**

In Cooperation With

**U.S. Department of Transportation
Federal Highway Administration**

Virginia Department of Transportation
Traffic Engineering Division
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is “R”, the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems

 Interstate Route Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.

 US Route

 Virginia State Route

 Frontage Road (F precedes frontage route number)

 Secondary Route

Special Routes

 Bus - Business Route
 Bypas - Bypass Route
 Truck - Truck Route
 ALT - Alternate Route
 Wye - Wye Route connector

 P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.

 The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation
Traffic Engineering Division
2010
Annual Average Daily Traffic Volume Estimates By Section of Route
Cumberland Maintenance Area

| Route | Jurisdiction | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW |
|----------------------|-------------------|--------|------|----|-------|-----|-------|--------|--------|--------|----|----------|----|------------|-------|----|
| | | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | |
| 13 Old Buckingham Rd | Cumberland County | 7.19 | 720 | G | 89% | 2% | 1% | 2% | 6% | 0% | C | 0.092 | F | 0.573 | 770 | G |
| 45 Cumberland Rd | Cumberland County | 3.54 | 4700 | G | 96% | 1% | 1% | 1% | 2% | 0% | F | 0.095 | F | | 4900 | G |
| 45 Cumberland Rd | Cumberland County | 4.66 | 3600 | G | 96% | 1% | 1% | 1% | 2% | 0% | F | 0.085 | F | 0.524 | 3800 | G |
| 45 Cumberland Rd | Cumberland County | 5.82 | 3400 | A | 96% | 1% | 1% | 1% | 2% | 0% | C | 0.106 | A | 0.572 | 3600 | A |
| 45 60 Anderson Hwy | Cumberland County | 2.42 | 6200 | G | 92% | 1% | 1% | 1% | 5% | 0% | F | NA | | | 6600 | G |
| 45 60 Anderson Hwy | Cumberland County | 1.09 | 7000 | G | 92% | 1% | 1% | 1% | 4% | 0% | C | 0.083 | F | | 7500 | G |
| 45 60 Anderson Hwy | Cumberland County | 1.34 | 5500 | G | 92% | 1% | 1% | 2% | 5% | 0% | C | 0.081 | F | | 5800 | G |
| 45 Cartersville Rd | Cumberland County | 4.85 | 1400 | G | 93% | 2% | 1% | 1% | 3% | 0% | F | 0.093 | F | 0.508 | 1500 | G |
| 45 Cartersville Rd | Cumberland County | 6.60 | 1200 | G | 93% | 2% | 1% | 1% | 3% | 0% | C | 0.101 | F | 0.511 | 1300 | G |
| 45 Cartersville Rd | Cumberland County | 2.20 | 1600 | G | 93% | 2% | 1% | 1% | 3% | 0% | F | 0.102 | F | 0.584 | 1800 | G |
| 45 Cartersville Rd | Cumberland County | 0.75 | 900 | G | 93% | 2% | 1% | 1% | 3% | 0% | F | 0.107 | F | 0.546 | 960 | G |
| 60 Anderson Hwy | Cumberland County | 4.06 | 2400 | G | 88% | 1% | 2% | 2% | 7% | 0% | C | 0.085 | F | 0.557 | 2600 | G |
| 60 45 Anderson Hwy | Cumberland County | 2.42 | 6200 | G | 92% | 1% | 1% | 1% | 5% | 0% | F | NA | | | 6600 | G |
| 60 45 Anderson Hwy | Cumberland County | 1.09 | 7000 | G | 92% | 1% | 1% | 1% | 4% | 0% | C | 0.083 | F | | 7500 | G |
| 60 45 Anderson Hwy | Cumberland County | 1.34 | 5500 | G | 92% | 1% | 1% | 2% | 5% | 0% | C | 0.081 | F | | 5800 | G |
| 60 Anderson Hwy | Cumberland County | 6.05 | 4400 | A | 94% | 0% | 1% | 1% | 4% | 0% | C | 0.105 | A | 0.543 | 4400 | A |

Virginia Department of Transportation
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route
Cumberland Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | Dir Factor | AAWDT | QW | Year | |
|--------------------------|--------|------|-------|-------------------------------|-----|-------|--------------------------|--------|--------|----|----------|------------|-------|------|------------|------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Cumberland County | | | | | | | | | | | | | | | | |
| (734) Town & Country Rd | 0.50 | 60 | R | | | From: | 24-610 Duncan Store Rd | | | | | | | NA | 04/04/2006 | |
| | | | To: | Cumberland County Line | | | | | | | | | | | | |
| (600) Court House Circle | 0.14 | 150 | R | | | From: | US 60 E, Anderson Hwy | | | | | | | NA | 03/31/2005 | |
| | | | To: | US 60 Mid, Anderson Hwy | | | | | | | | | | | | |
| (600) Stoney Point Rd | 1.37 | 1000 | G | 98% | 0% | 0% | 0% | 1% | 0% | F | 0.093 | F | 0.603 | 1100 | G | 2010 |
| | | | To: | US-60 W, Anderson Hwy | | | | | | | | | | | | |
| (600) Stoney Point Rd | 0.86 | 720 | G | 98% | 0% | 0% | 0% | 1% | 0% | F | 0.102 | F | 0.567 | 770 | G | 2010 |
| | | | To: | 24-642 Clements Rd | | | | | | | | | | | | |
| (600) Stoney Point Rd | 1.58 | 540 | G | 98% | 0% | 0% | 0% | 1% | 0% | F | 0.103 | F | 0.508 | 570 | G | 2010 |
| | | | To: | 24-643 Motley Mill Rd | | | | | | | | | | | | |
| (600) Stoney Point Rd | 1.90 | 510 | R | | | From: | 24-654 Sunnyside Rd | | | | | | | NA | 03/22/2005 | |
| | | | To: | 24-620 Stoney Point Mill Lane | | | | | | | | | | | | |
| (600) Stoney Point Rd | 3.64 | 260 | R | | | From: | 24-638 Guinea Rd | | | | | | | NA | 03/22/2005 | |
| | | | To: | 24-653 Cooks Rd; High Hill Rd | | | | | | | | | | | | |
| (600) River Rd | 5.27 | 160 | R | | | From: | 24-677 Brown Branch Rd | | | | | | | NA | 03/22/2005 | |
| | | | To: | 24-657 Jamestown Rd | | | | | | | | | | | | |
| (600) River Rd | 1.97 | 660 | G | 96% | 0% | 1% | 2% | 0% | 0% | C | 0.094 | F | 0.616 | 700 | G | 2010 |
| | | | To: | 24-702 Burks Rd | | | | | | | | | | | | |
| (600) River Rd | 0.80 | 820 | G | 98% | 0% | 0% | 0% | 1% | 0% | F | 0.083 | F | 0.682 | 880 | G | 2010 |
| | | | To: | ECL Farmville | | | | | | | | | | | | |
| | | | From: | WCL Farmville | | | | | | | | | | | | |
| (600) River Rd | 1.83 | 1400 | G | 98% | 0% | 0% | 0% | 1% | 0% | C | 0.1 | F | 0.636 | 1500 | G | 2010 |
| | | | To: | 24-637, S Airport Rd | | | | | | | | | | | | |
| (600) Plank Rd | 2.34 | 1100 | R | | | From: | 24-636 Raines Tavern Rd | | | | | | | NA | 03/29/2005 | |
| | | | To: | Buckingham County Line | | | | | | | | | | | | |
| (601) Ashburn Rd | 1.50 | 140 | R | | | From: | 24-626 Meador Rd | | | | | | | NA | 05/06/2008 | |
| | | | To: | SR 45 N, Cartersville Rd | | | | | | | | | | | | |
| (601) Clinton Rd | 1.40 | 360 | R | | | From: | SR 45 S, Cartersville Rd | | | | | | | NA | 03/29/2005 | |
| | | | To: | 24-647 Brown Rd | | | | | | | | | | | | |
| (601) Clinton Rd | 1.75 | 370 | R | | | From: | US 60 Anderson Hwy | | | | | | | NA | 03/29/2005 | |
| | | | To: | SR 45 Cartersville Rd | | | | | | | | | | | | |
| (602) Ampt Hill Rd | 5.39 | 200 | R | | | From: | 24-603 Island Rd | | | | | | | NA | 04/11/2005 | |
| | | | To: | SR 45 Cartersville Rd | | | | | | | | | | | | |
| (602) Ampt Hill Rd | 1.20 | 190 | R | | | From: | 24-605 Boston Hill Rd | | | | | | | NA | 04/11/2005 | |
| | | | To: | SR 45 Cartersville Rd | | | | | | | | | | | | |
| (602) Ampt Hill Rd | 0.80 | 290 | R | | | From: | 24-711 Crump Rd | | | | | | | NA | 04/11/2005 | |
| | | | To: | SR 45 Cartersville Rd | | | | | | | | | | | | |
| (602) Ampt Hill Rd | 0.20 | 300 | R | | | From: | 24-690 Columbia Rd | | | | | | | NA | 04/11/2005 | |
| | | | To: | SR 45 Cartersville Rd | | | | | | | | | | | | |
| (603) Island Rd | 0.80 | 4 | R | | | From: | 24-602 Ampt Hill Rd | | | | | | | NA | 05/12/2008 | |
| | | | To: | Goochland County Line | | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route
Cumberland Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | Dir Factor | AAWDT | QW | Year | |
|--------------------------|--------|------|----|-------|-----|-------|----------------------------------------|--------|--------|----|----------|------------|-------|-----|------------|------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Cumberland County | | | | | | | | | | | | | | | | |
| (604) Cedar Plains Rd | 0.80 | 30 | R | | | From: | 24-686 Cedar Plains Rd; White Rd | | | | | | | NA | 05/12/2008 | |
| | | | | | | To: | Dead End | | | | | | | | | |
| (605) Boston Hill Rd | 3.40 | 60 | R | | | From: | 24-690 Columbia Rd | | | | | | | NA | 05/12/2008 | |
| | | | | | | To: | 3.40 MN 24-690 Columbia Rd | | | | | | | | | |
| (605) Boston Hill Rd | 1.00 | 60 | R | | | From: | | | | | | | | NA | 05/12/2008 | |
| | | | | | | To: | 24-602 Amt Hill Rd | | | | | | | | | |
| (606) Blenheim Rd | 0.90 | 150 | R | | | From: | Powhatan County Line | | | | | | | NA | 05/07/2008 | |
| | | | | | | To: | US 60 Anderson Hwy | | | | | | | | | |
| (607) Jennings Rd | 1.40 | 270 | R | | | From: | SR 45 Cartersville Rd | | | | | | | NA | 05/06/2008 | |
| | | | | | | To: | 24-616 Deep Run Rd | | | | | | | | | |
| (608) Sugarfork Rd | 1.45 | 90 | R | | | From: | 24-624 Sugarfork Rd; Jenkins Church Rd | | | | | | | NA | 04/29/2008 | |
| | | | | | | To: | 24-615 Game Farm Rd | | | | | | | | | |
| (608) Sugarfork Rd | 1.47 | 60 | R | | | From: | | | | | | | | NA | 04/29/2008 | |
| | | | | | | To: | 24-613 Sports Lake Rd | | | | | | | | | |
| (608) Sports Lake Rd | 1.22 | 100 | R | | | From: | | | | | | | | NA | 05/12/2008 | |
| | | | | | | To: | 24-612 Trices Lake Rd | | | | | | | | | |
| (608) Sports Lake Rd | 0.80 | 60 | R | | | From: | | | | | | | | NA | 05/12/2008 | |
| | | | | | | To: | 24-609 Sports Lake Rd | | | | | | | | | |
| (608) Royal Oak Rd | 0.10 | 40 | R | | | From: | | | | | | | | NA | 05/12/2008 | |
| | | | | | | To: | Dead End | | | | | | | | | |
| (609) Sportslake Rd | 1.25 | 90 | R | | | From: | 24-610 Duncan Store Rd | | | | | | | NA | 04/11/2005 | |
| | | | | | | To: | 1.25 MS 24-610 | | | | | | | | | |
| (609) Sportslake Rd | 0.35 | 90 | R | | | From: | | | | | | | | NA | 04/11/2005 | |
| | | | | | | To: | 24-608 Royal Oak Rd; Sportslake Rd | | | | | | | | | |
| (610) Duncan Store Rd | 2.90 | 480 | G | 93% | 1% | 1% | 3% | 2% | 0% | C | 0.107 | F | 0.727 | 510 | G | 2010 |
| | | | | | | | | | | | | | | | | |
| (611) Morningside Rd | 2.50 | 280 | R | | | From: | SR 45 Cartersville Rd | | | | | | | NA | 05/06/2008 | |
| | | | | | | To: | 24-690 Columbia Rd | | | | | | | | | |
| (612) Trices Lake Rd | 2.50 | 100 | R | | | From: | 24-608 Sports Lake Rd | | | | | | | NA | 05/12/2008 | |
| | | | | | | To: | 2.50 MN 24-608 | | | | | | | | | |
| (612) Trices Lake Rd | 0.82 | 100 | R | | | From: | | | | | | | | NA | 05/12/2008 | |
| | | | | | | To: | 24-714 Amos Rd | | | | | | | | | |
| (612) Flanagan Mill Rd | 0.18 | 20 | R | | | From: | | | | | | | | NA | 04/11/2005 | |
| | | | | | | To: | 24-690 Columbia Rd | | | | | | | | | |
| (613) Petersville Rd | 1.50 | 20 | R | | | From: | Buckingham County Line | | | | | | | NA | 04/29/2008 | |
| | | | | | | To: | 24-672 Sports Lake Rd | | | | | | | | | |
| (613) Sports Lake Rd | 1.55 | 40 | R | | | From: | | | | | | | | NA | 04/29/2008 | |
| | | | | | | To: | 24-608 Sports Lake Rd; Sugarfork Rd | | | | | | | | | |
| (614) Taylor Rd | 0.90 | 140 | R | | | From: | Dead End O.90 MW SR 45 | | | | | | | NA | 05/06/2008 | |
| | | | | | | To: | SR 45 Cartersville Rd | | | | | | | | | |
| (614) Bradley Rd | 1.20 | 7 | R | | | From: | | | | | | | | NA | 05/06/2008 | |
| | | | | | | To: | Dead End | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route
Cumberland Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | Dir Factor | AAWDT | QW | Year | |
|------------------------------|--------|------|----|-------|-----|-------|--------|--------|--------|----|----------|------------|-------|------|------------|------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Cumberland County | | | | | | | | | | | | | | | | |
| (615) Game Farm Rd | 1.80 | 48 | R | | | | | | | | NA | | NA | | 04/29/2008 | |
| (615) Whiteville Rd | 0.10 | 60 | R | | | | | | | | NA | | NA | | 04/29/2008 | |
| (615) Whiteville Rd | 1.77 | 40 | R | | | | | | | | NA | | NA | | 04/29/2008 | |
| (615) Whiteville Rd | 0.03 | 60 | R | | | | | | | | NA | | NA | | 05/06/2008 | |
| (616) Deep Run Rd | 2.40 | 160 | R | | | | | | | | NA | | NA | | 03/29/2005 | |
| (616) Deep Run Rd | 4.08 | 80 | R | | | | | | | | NA | | NA | | 03/29/2005 | |
| (616) Deep Run Rd | 2.30 | 420 | R | | | | | | | | NA | | NA | | 03/31/2005 | |
| (617) Sport Lake Rd | 0.25 | 490 | R | | | | | | | | NA | | NA | | 04/29/2008 | |
| (618) Perkins Rd | 0.34 | 20 | R | | | | | | | | NA | | NA | | 05/06/2008 | |
| (619) Fleming Rd | 0.36 | 90 | R | | | | | | | | NA | | NA | | 04/29/2008 | |
| (620) Stoney Point Mill Lane | 0.80 | 80 | R | | | | | | | | NA | | NA | | 05/05/2008 | |
| (621) Brook Hill | 2.00 | 50 | R | | | | | | | | NA | | NA | | 05/07/2008 | |
| (622) Trents Mill Rd | 3.33 | 1700 | G | 93% | 1% | 3% | 2% | 2% | 0% | C | 0.086 | F | 0.615 | 1800 | G | 2010 |
| (622) Trents Mill Rd | 1.61 | 1000 | G | 93% | 1% | 3% | 2% | 2% | 0% | F | 0.099 | F | 0.504 | 1100 | G | 2010 |
| (622) Trents Mill Rd | 0.57 | 820 | G | 93% | 1% | 3% | 2% | 2% | 0% | F | 0.104 | F | 0.545 | 880 | G | 2010 |
| (622) Trents Mill Rd | 1.14 | 400 | R | | | | | | | | NA | | NA | | 03/29/2005 | |
| (623) Quarry Rd | 1.95 | 90 | R | | | | | | | | NA | | NA | | 04/29/2008 | |
| (623) Sugar Fork Rd | 2.60 | 290 | R | | | | | | | | NA | | NA | | 03/31/2005 | |
| (623) Sugar Fork Rd | 0.22 | 680 | R | | | | | | | | NA | | NA | | 03/29/2005 | |
| (624) Jenkins Church Rd | 2.20 | 60 | R | | | | | | | | NA | | NA | | 04/29/2008 | |
| (624) Jenkins Church Rd | 0.80 | 80 | R | | | | | | | | NA | | NA | | 04/29/2008 | |
| (624) Jenkins Church Rd | 2.35 | 80 | R | | | | | | | | NA | | NA | | 04/29/2008 | |

Virginia Department of Transportation
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route
Cumberland Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | Dir Factor | AAWDT | QW | Year | |
|--------------------------|--------|------|----|-------|-----|-------|----------------------------------------------|--------|--------|----|----------|------------|-------|-----|------------|------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Cumberland County | | | | | | | | | | | | | | | | |
| (624) Jenkins Church Rd | 0.35 | 80 | R | | | From: | 2.35 MN 24-626 Meador Rd | | | | | NA | | NA | 04/29/2008 | |
| (624) Sugarfork Rd | 0.80 | 200 | R | | | To: | 24-608 Sugarfork Rd | | | | | NA | | NA | 03/31/2005 | |
| (624) Sugarfork Rd | 1.50 | 230 | R | | | From: | 24-696 Bonbrook Rd | | | | | NA | | NA | 03/31/2005 | |
| | | | | | | To: | 24-623 Sugar Fork Rd; Quarry Rd | | | | | | | | | |
| (625) Barber Rd | 1.10 | 40 | R | | | From: | Dead End | | | | | NA | | NA | 05/06/2008 | |
| | | | | | | To: | SR 45 Cartersville Rd | | | | | | | | | |
| (626) Bonbrook Creek Rd | 2.30 | 210 | R | | | From: | 24-623 Sugar Fork Rd | | | | | NA | | NA | 04/29/2008 | |
| | | | | | | To: | 24-624 S, Jenkins Church Rd | | | | | | | | | |
| (626) Meador Rd | 1.19 | 70 | R | | | From: | 24-624 N, Jenkins Church Rd | | | | | NA | | NA | 05/06/2008 | |
| | | | | | | To: | 24-601 Ashburn Rd | | | | | | | | | |
| (626) Meador Rd | 1.20 | 30 | R | | | From: | SR 45 Cartersville Rd | | | | | NA | | NA | 05/06/2008 | |
| | | | | | | | | | | | | | | | | |
| (627) Barter Hill Rd | 0.25 | 40 | R | | | From: | 24-622 E, Bear Creek Lake Rd | | | | | NA | | NA | 04/29/2008 | |
| | | | | | | To: | 24-730 Qimby Rd | | | | | | | | | |
| (627) Barter Hill Rd | 1.05 | 70 | R | | | From: | 24-622 W, Bear Creek Lake Rd | | | | | NA | | NA | 04/29/2008 | |
| | | | | | | | | | | | | | | | | |
| (628) Forest View Rd | 3.86 | 130 | R | | | From: | US 60 Anderson Hwy | | | | | NA | | NA | 04/29/2008 | |
| | | | | | | To: | 24-629 Oak Hill Rd | | | | | | | | | |
| (629) Oak Hill Rd | 0.92 | 220 | R | | | From: | US 60 Anderson Hwy | | | | | NA | | NA | 03/29/2005 | |
| | | | | | | To: | 24-633 Rock Creek Rd | | | | | | | | | |
| (629) Oak Hill Rd | 3.28 | 45 | R | | | From: | 24-628 Forest View Rd | | | | | NA | | NA | 04/29/2008 | |
| | | | | | | | | | | | | | | | | |
| (629) Oak Hill Rd | 0.80 | 170 | R | | | From: | 24-666 Bear Creek Lake Rd | | | | | NA | | NA | 03/29/2005 | |
| | | | | | | To: | 24-622 Trents Mill Rd; 24-627 Barter Hill Rd | | | | | | | | | |
| (630) School Rd | 0.10 | 1700 | R | | | From: | 24-9111 School Rd | | | | | NA | | NA | 04/11/2005 | |
| | | | | | | To: | US 60 Anderson Hwy | | | | | | | | | |
| (631) Davenport Rd | 0.50 | 690 | G | 88% | 3% | 1% | 2% | 8% | 0% | C | 0.097 | F | 0.649 | 740 | G | 2010 |
| | | | | | | | | | | | | | | | | |
| (631) Davenport Rd | 3.60 | 220 | R | | | From: | 24-639 Putney Rd | | | | | NA | | NA | 04/18/2005 | |
| | | | | | | | | | | | | | | | | |
| (631) Davenport Rd | 0.80 | 50 | R | | | From: | 24-644 Forest Hill | | | | | NA | | NA | 05/12/2008 | |
| | | | | | | To: | 24-600 Stoney Point Rd | | | | | | | | | |
| (632) CA IRA Rd | 2.80 | 150 | R | | | From: | Buckingham County Line | | | | | NA | | NA | 03/29/2005 | |
| | | | | | | | | | | | | | | | | |
| (632) CA IRA Rd | 0.40 | 20 | R | | | From: | 24-652 CA IRA Rd | | | | | NA | | NA | 05/07/2008 | |
| | | | | | | To: | Dead End | | | | | | | | | |
| (633) Agee Lane | 1.87 | 100 | R | | | From: | Dead End | | | | | NA | | NA | 04/18/2005 | |
| | | | | | | To: | SR 45 N, Cumberland Rd | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route
Cumberland Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | Dir Factor | AAWDT | QW | Year |
|--------------------------|--------|------|----|-------|-----|-------|--------|--------|--------|-------------------------|----------|------------|-------|-----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | |
| Cumberland County | | | | | | | | | | | | | | | |
| (633) Vogel Rd | 2.09 | 190 | R | | | | | | | | | | | NA | 03/29/2005 |
| (633) Rock Creek Rd | 1.04 | 30 | R | | | | | | | | | | | NA | 04/29/2008 |
| (634) Salem Church Rd | 3.45 | 360 | R | | | | | | | | | | | NA | 05/07/2008 |
| (635) Pleasant Valley Rd | 2.80 | 190 | R | | | | | | | | | | | NA | 03/22/2005 |
| (635) Pleasant Valley Rd | 1.40 | 140 | R | | | | | | | | | | | NA | 04/29/2008 |
| (636) Cedar Lane | 1.20 | 370 | R | | | | | | | | | | | NA | 03/22/2005 |
| (636) Raines Tavern Rd | 1.00 | 380 | G | 97% | 1% | 1% | 0% | 1% | 0% | F | 0.1 | F | 0.585 | 410 | G 2010 |
| (636) Raines Tavern Rd | 1.80 | 400 | G | 97% | 1% | 1% | 0% | 1% | 0% | C | 0.123 | F | 0.529 | 430 | G 2010 |
| (636) Raines Tavern Rd | 0.30 | 120 | R | | | | | | | | | | | NA | 04/29/2008 |
| (637) S Airport Rd | 1.42 | 210 | R | | | | | | | | | | | NA | 03/22/2005 |
| (637) S Airport Rd | 0.15 | 390 | R | | | | | | | | | | | NA | 03/22/2005 |
| (637) S Airport Rd | 0.90 | 170 | G | 97% | 1% | 1% | 1% | 1% | 0% | C | 0.129 | F | 0.539 | 180 | G 2010 |
| (638) John Randolph Rd | 2.50 | 770 | G | 97% | 0% | 1% | 1% | 1% | 0% | C | 0.100 | F | 0.706 | 820 | G 2010 |
| (638) Guinea Rd | 3.20 | 360 | G | 97% | 0% | 1% | 1% | 1% | 0% | F | 0.102 | F | 0.518 | 390 | G 2010 |
| (638) Guinea Rd | 2.49 | 230 | G | 97% | 0% | 1% | 1% | 1% | 0% | F | 0.137 | F | 0.580 | 250 | G 2010 |
| (639) Putney Rd | 4.64 | 260 | G | 85% | 2% | 2% | 5% | 6% | 0% | C | 0.106 | F | 0.647 | 280 | G 2010 |
| (640) Holman Mill Rd | 4.20 | 440 | R | | | | | | | | | | | NA | 04/14/2004 |
| (641) Simms Rd | 1.80 | 460 | R | | | | | | | | | | | NA | 05/05/2008 |
| (642) Clements Rd | 0.40 | 70 | R | | | | | | | | | | | NA | 05/05/2008 |
| (642) Clements Rd | 0.40 | 580 | R | | | | | | | | | | | NA | 05/05/2008 |
| (643) Motley Mill Rd | 2.50 | 240 | R | | | | | | | | | | | NA | 05/07/2008 |
| | | | | | | | | | | SR 13 Old Buckingham Rd | | | | | |

Virginia Department of Transportation
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route
Cumberland Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | Dir Factor | AAWDT | QW | Year | |
|--------------------------|--------|------|----|-------|-----|-------|----------------------------|--------|--------|----|----------|------------|-------|-----|------------|------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Cumberland County | | | | | | | | | | | | | | | | |
| (644) Forest Hill | 1.20 | 30 | R | | | From: | 24-600 Stoney Point Rd | | | | NA | | NA | | 05/05/2008 | |
| | | | | | | To: | 24-631 Davenport Rd | | | | | | | | | |
| (645) Goshen Rd | 0.80 | 260 | R | | | From: | SR 13 Old Buckingham Rd | | | | NA | | NA | | 03/29/2005 | |
| | | | | | | To: | 24-646 Maxeys Mill Rd | | | | | | | | | |
| (645) Goshen Rd | 1.95 | 170 | R | | | From: | 24-646 Maxeys Mill Rd | | | | NA | | NA | | 03/29/2005 | |
| | | | | | | To: | 24-654 Frenchs Store Rd | | | | | | | | | |
| (646) Maxeys Mill Rd | 1.69 | 30 | R | | | From: | 24-645 Goshen Rd | | | | NA | | NA | | 05/07/2008 | |
| | | | | | | To: | US 60 W, Anderson Hwy | | | | | | | | | |
| (646) Oak Forest Rd | 1.10 | 40 | R | | | From: | US 60 E, Anderson Hwy | | | | NA | | NA | | 05/06/2008 | |
| | | | | | | To: | SR 45 Cartersville Rd | | | | | | | | | |
| (647) Brown Rd | 2.50 | 20 | R | | | From: | 24-601 Clinton Rd | | | | NA | | NA | | 05/12/2008 | |
| | | | | | | To: | 24-654 Pinegrove Rd | | | | | | | | | |
| (648) Parker Rd | 0.15 | 20 | R | | | From: | Dead End | | | | NA | | NA | | 05/06/2008 | |
| | | | | | | To: | 24-616 Deep Run Rd | | | | | | | | | |
| (649) High St | 0.10 | 47 | G | 98% | 2% | 0% | 0% | 0% | 0% | C | 0.174 | F | 0.625 | 50 | G | 2010 |
| | | | | | | To: | SR-45 N, Cartersville Rd | | | | | | | | | |
| (649) High St | 0.25 | 160 | G | 98% | 2% | 0% | 0% | 0% | 0% | F | 0.129 | F | 0.764 | 170 | G | 2010 |
| | | | | | | To: | SR-45 S, Cartersville Rd | | | | | | | | | |
| (650) Belle Rd | 2.13 | 280 | G | 94% | 0% | 4% | 1% | 1% | 0% | C | 0.105 | F | 0.618 | 300 | G | 2010 |
| | | | | | | To: | Buckingham County Line | | | | | | | | | |
| | | | | | | To: | 24-622 Bear Creek Lake Rd | | | | | | | | | |
| (651) Raines Tavern Rd | 0.50 | 60 | R | | | From: | Dead End | | | | NA | | NA | | 04/29/2008 | |
| | | | | | | To: | 24-636 Cedar Lane | | | | | | | | | |
| (652) CA IRA Rd | 0.10 | 220 | R | | | From: | 24-632 CA IRA Rd | | | | NA | | NA | | 03/29/2005 | |
| | | | | | | To: | US 60 Anderson Hwy | | | | | | | | | |
| (653) High Hill Rd | 1.70 | 150 | R | | | From: | Dead End | | | | NA | | NA | | 04/29/2008 | |
| | | | | | | To: | 24-600 River Rd | | | | | | | | | |
| (653) Cooks Rd | 4.70 | 250 | R | | | From: | 24-600 River Rd | | | | NA | | NA | | 04/29/2008 | |
| | | | | | | To: | 24-638 John Randolph Rd | | | | | | | | | |
| (654) Sunnyside Rd | 0.50 | 290 | R | | | From: | 24-600 Stoney Point Rd | | | | NA | | NA | | 03/22/2005 | |
| | | | | | | To: | 24-674 Edge Hill Rd | | | | | | | | | |
| (654) Sunnyside Rd | 2.60 | 240 | R | | | From: | SR 13 W, Old Buckingham Rd | | | | NA | | NA | | 03/22/2005 | |
| | | | | | | To: | SR 13 E, Old Buckingham Rd | | | | | | | | | |
| (654) Frenchs Store Rd | 6.00 | 270 | R | | | From: | SR 13 E, Old Buckingham Rd | | | | NA | | NA | | 03/29/2005 | |
| | | | | | | To: | US 60 Anderson Hwy | | | | | | | | | |
| (654) Pinegrove Rd | 0.90 | 290 | R | | | From: | US 60 Anderson Hwy | | | | NA | | NA | | 03/29/2005 | |
| | | | | | | To: | 24-685 Miller Lane | | | | | | | | | |
| (654) Pinegrove Rd | 1.20 | 280 | R | | | From: | 24-685 Miller Lane | | | | NA | | NA | | 05/06/2008 | |
| | | | | | | To: | 24-647 Brown Rd | | | | | | | | | |
| (654) Pinegrove Rd | 0.60 | 230 | R | | | From: | 24-647 Brown Rd | | | | NA | | NA | | 05/06/2008 | |
| | | | | | | To: | 24-661 Locust Grove | | | | | | | | | |
| (654) Pinegrove Rd | 1.50 | 80 | R | | | From: | 24-661 Locust Grove | | | | NA | | NA | | 05/06/2008 | |
| | | | | | | To: | 24-616 Deep Run Rd | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route
Cumberland Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | Dir Factor | AAWDT | QW | Year |
|--------------------------|--------|------|-------------------------------------------|-------|-----|-------------------------------|--------|--------|--------|----|----------|------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | |
| Cumberland County | | | | | | | | | | | | | | | |
| (655) Oak Lane Rd | 0.40 | 30 | R | | | From: 24-616 Deep Run Rd | | | | | NA | | NA | | 05/06/2008 |
| | | | To: Dead End | | | | | | | | | | | | |
| (656) Church St | 0.15 | 30 | R | | | From: 24-649 W, High St | | | | | NA | | NA | | 04/18/2005 |
| | | | To: 24-649 E, High St | | | | | | | | | | | | |
| (657) Jamestown Rd | 3.57 | 160 | R | | | From: 24-600 River Rd | | | | | NA | | NA | | 04/29/2008 |
| | | | To: SR 45 Cumberland Rd | | | | | | | | | | | | |
| (658) Ingles Rd | 0.10 | 80 | R | | | From: 24-657 Jamestown Rd | | | | | NA | | NA | | 04/29/2008 |
| | | | To: Dead End | | | | | | | | | | | | |
| (659) Tamworth Rd | 0.43 | 30 | R | | | From: 24-684 Cartersville Ext | | | | | NA | | NA | | 05/06/2008 |
| | | | To: Dead End | | | | | | | | | | | | |
| (660) Horsepen Rd | 1.00 | 220 | R | | | From: 24-640 Holman Mill Rd | | | | | NA | | NA | | 04/14/2005 |
| | | | To: 1.00 ME 24-640 | | | | | | | | | | | | |
| (660) Horsepen Rd | 2.00 | 90 | R | | | From: 24-639 Putney Rd | | | | | NA | | NA | | 04/14/2005 |
| | | | To: 24-654 Pinegrove Rd | | | | | | | | | | | | |
| (661) Locust Grove | 1.40 | 120 | R | | | From: 24-616 Deep Run Rd | | | | | NA | | NA | | 05/06/2008 |
| | | | To: Dead End | | | | | | | | | | | | |
| (662) Strawberry Hill | 0.20 | 40 | R | | | From: 0.20 MN Dead End | | | | | NA | | NA | | 05/07/2008 |
| | | | To: SR 13 Old Buckingham Rd | | | | | | | | | | | | |
| (663) Game Farm Rd | 1.90 | 120 | R | | | From: SR 45 Cartersville Rd | | | | | NA | | NA | | 04/05/2005 |
| | | | To: 24-615 W, Whiteville Rd; Game Farm Rd | | | | | | | | | | | | |
| (663) Bigger Rd | 1.00 | 70 | R | | | From: 24-615 E, Whiteville Rd | | | | | NA | | NA | | 04/29/2008 |
| | | | To: Dead End | | | | | | | | | | | | |
| (664) Angola Rd | 1.10 | 70 | R | | | From: 24-600 River Rd | | | | | NA | | NA | | 05/05/2008 |
| | | | To: 24-679 Angola Lane | | | | | | | | | | | | |
| (664) Angola Rd | 2.20 | 70 | R | | | From: 24-638 Guinea Rd | | | | | NA | | NA | | 04/14/2005 |
| | | | To: SR 45 Cartersville Rd | | | | | | | | | | | | |
| (665) Tavern Rd | 0.07 | 30 | R | | | From: 24-649 High St | | | | | NA | | NA | | 04/18/2005 |
| | | | To: Dead End | | | | | | | | | | | | |
| (665) High St | 0.06 | 20 | R | | | From: Dead End | | | | | NA | | NA | | 04/18/2005 |
| | | | To: 24-649 High St | | | | | | | | | | | | |
| (666) Bear Creek Lake Rd | 0.77 | 70 | R | | | From: Dead End | | | | | NA | | NA | | 05/06/2008 |
| | | | To: 24-629 Oak Hill Rd | | | | | | | | | | | | |
| (667) Carter Rd | 1.12 | 130 | R | | | From: Dead End | | | | | NA | | NA | | 05/05/2008 |
| | | | To: 24-654 Sunnyside Rd | | | | | | | | | | | | |
| (668) S Airport Rd | 1.05 | 110 | R | | | From: 24-637, S Airport Rd | | | | | NA | | NA | | 03/22/2005 |
| | | | To: 24-716 Wedgewood Dr | | | | | | | | | | | | |
| (668) N Airport Rd | 0.25 | 30 | R | | | From: 0.25 ME 24-716 | | | | | NA | | NA | | 03/22/2005 |
| | | | To: Dead End | | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route
Cumberland Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | Dir Factor | AAWDT | QW | Year |
|--------------------------|--------|------|----|-------|-----|-------|-------------------------------------------|--------|--------|----|----------|------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | |
| Cumberland County | | | | | | | | | | | | | | | |
| (668) N Airport Rd | 1.01 | 30 | R | | | From: | 0.25 ME 24-716 | | | | | | | NA | 03/22/2005 |
| | | | | | | To: | 24-635 Pleasant Valley Rd | | | | | | | | |
| (669) Tarwallet Rd | 1.90 | 450 | R | | | From: | SR 45 Cumberland Rd | | | | | | | NA | 03/31/2005 |
| | | | | | | To: | US 60 E, Anderson Hwy | | | | | | | | |
| (669) Criss Rd | 0.60 | 210 | R | | | From: | US 60 W, Anderson Hwy | | | | | | | NA | 04/29/2008 |
| | | | | | | To: | Dead End | | | | | | | | |
| (670) Wilson Russell Dr | 0.40 | 280 | R | | | From: | SR 45 Cumberland Rd | | | | | | | NA | 05/07/2008 |
| | | | | | | To: | US 60 Anderson Hwy | | | | | | | | |
| (671) Summerset Rd | 0.60 | 60 | R | | | From: | 24-696 Bonbrook Rd | | | | | | | NA | 04/29/2008 |
| | | | | | | To: | 24-672 Sports Lake Rd | | | | | | | | |
| (672) Sports Lake Rd | 3.38 | 260 | R | | | From: | 24-622 Trents Mill Rd; Bear Creek Lake Rd | | | | | | | NA | 03/31/2005 |
| | | | | | | To: | 24-694 Henderson Rd | | | | | | | | |
| (672) Sports Lake Rd | 0.80 | 110 | R | | | From: | 24-708 Journeys End Rd | | | | | | | NA | 03/31/2005 |
| | | | | | | To: | 0.75 MN 24-708 | | | | | | | | |
| (672) Sports Lake Rd | 0.75 | 80 | R | | | From: | 24-613 Sports Lake Rd; Petersville | | | | | | | NA | 03/31/2005 |
| | | | | | | To: | 24-600 River Rd | | | | | | | | |
| (673) Ligontown Rd | 2.60 | 70 | R | | | From: | 24-638 Guinea Rd | | | | | | | NA | 05/05/2008 |
| | | | | | | To: | Dead End | | | | | | | | |
| (674) Edge Hill Rd | 0.40 | 110 | R | | | From: | 24-719 Hobson Rd | | | | | | | NA | 05/05/2008 |
| | | | | | | To: | 24-654 Sunnyside Rd | | | | | | | | |
| (675) Crowder Rd | 1.70 | 70 | R | | | From: | Dead End | | | | | | | NA | 05/05/2008 |
| | | | | | | To: | 24-638 Guinea Rd | | | | | | | | |
| (676) Asai Rd | 0.75 | 260 | R | | | From: | SR 45 Cumberland Rd | | | | | | | NA | 03/29/2005 |
| | | | | | | To: | 24-692 Briar Creek Rd | | | | | | | | |
| (676) Asai Rd | 2.00 | 170 | R | | | From: | Dead End | | | | | | | NA | 05/07/2008 |
| | | | | | | To: | 24-600 River Rd | | | | | | | | |
| (677) Brown Branch Rd | 1.00 | 90 | R | | | From: | Dead End | | | | | | | NA | 04/29/2008 |
| | | | | | | To: | 24-638 Guinea Rd | | | | | | | | |
| (678) Cotton Town Rd | 0.50 | 80 | R | | | From: | Dead End | | | | | | | NA | 05/05/2008 |
| | | | | | | To: | 24-664 Angola Rd | | | | | | | | |
| (679) Angola Lane | 2.00 | 120 | R | | | From: | 24-638 Guinea Rd | | | | | | | NA | 05/05/2008 |
| | | | | | | To: | Dead End | | | | | | | | |
| (680) Coffeys Rd | 0.80 | 50 | R | | | From: | SR 45 Cumberland Rd | | | | | | | NA | 05/05/2008 |
| | | | | | | To: | 24-654 Frenchs Store Rd | | | | | | | | |
| (681) Bransford Rd | 1.00 | 110 | R | | | From: | Dead End | | | | | | | NA | 05/07/2008 |
| | | | | | | To: | 24-654 Frenchs Store Rd | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route
Cumberland Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | Dir Factor | AAWDT | QW | Year |
|--------------------------|--------|------|-----------------------------------------------|-------|-----|-------------------------------|--------|--------|--------|----|----------|------------|-------|------|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | |
| Cumberland County | | | | | | | | | | | | | | | |
| (682) Northfield Rd | 0.50 | 330 | R | | | From: SR 13 Old Buckingham Rd | | | | | NA | | NA | | 05/07/2008 |
| | | | To: US 60 Anderson Hwy; SR 45 Cartersville Rd | | | | | | | | | | | | |
| (683) Jefferson Rd | 0.40 | 50 | R | | | From: Dead End | | | | | NA | | NA | | 05/06/2008 |
| | | | To: SR 45 Cartersville Rd | | | | | | | | | | | | |
| (684) Cartersville Ext | 1.03 | 1100 | G | 97% | 0% | 2% | 1% | 0% | 0% | C | 0.109 | F | 0.702 | 1200 | G 2010 |
| | | | To: Powhatan County Line | | | | | | | | | | | | |
| (685) Miller Lane | 1.00 | 150 | R | | | From: 24-654 Pinegrov Rd | | | | | NA | | NA | | 05/06/2008 |
| | | | To: Dead End | | | | | | | | | | | | |
| (686) White Rd | 2.80 | 60 | R | | | From: 24-610 Duncan Store Rd | | | | | NA | | NA | | 05/12/2008 |
| | | | To: 24-604 Cedar Plains Rd | | | | | | | | | | | | |
| (686) Cedar Plains Rd | 0.90 | 40 | R | | | From: 24-690 Columbia Rd | | | | | NA | | NA | | 05/07/2008 |
| | | | To: Dead End | | | | | | | | | | | | |
| (687) Sherwood Rd | 2.20 | 140 | R | | | From: Dead End | | | | | NA | | NA | | 05/06/2008 |
| | | | To: 24-616 Deep Run Rd | | | | | | | | | | | | |
| (688) Garnett Rd | 1.10 | 50 | R | | | From: 24-639 Putney Rd | | | | | NA | | NA | | 05/05/2008 |
| | | | To: Dead End | | | | | | | | | | | | |
| (689) Cedar Spring Rd | 0.50 | 100 | R | | | From: Dead End | | | | | NA | | NA | | 05/06/2008 |
| | | | To: SR 45 Cartersville Rd; 24-690 Columbia Rd | | | | | | | | | | | | |
| (690) Columbia Rd | 2.94 | 550 | G | 97% | 0% | 1% | 1% | 1% | 0% | C | 0.117 | F | 0.662 | 590 | G 2010 |
| | | | To: SR 45 Cartersville Rd | | | | | | | | | | | | |
| (690) Columbia Rd | 3.89 | 600 | G | 97% | 0% | 1% | 1% | 1% | 0% | F | 0.097 | F | 0.511 | 640 | G 2010 |
| | | | To: 24-714 Amos Rd | | | | | | | | | | | | |
| (690) Columbia Rd | 4.53 | 510 | G | 97% | 0% | 1% | 1% | 1% | 0% | F | 0.099 | F | 0.723 | 540 | G 2010 |
| | | | To: 24-686 Cedar Plains Rd | | | | | | | | | | | | |
| | | | From: Buckingham County Line | | | | | | | | | | | | |
| (691) Blanton Farm Rd | 0.50 | 60 | R | | | From: Dead End | | | | | NA | | NA | | 05/12/2008 |
| | | | To: SR 45 Cumberland Rd | | | | | | | | | | | | |
| (692) Briar Creek Rd | 0.65 | 60 | R | | | From: Dead End | | | | | NA | | NA | | 05/07/2008 |
| | | | To: 24-676 Asai Rd | | | | | | | | | | | | |
| (693) Swann Rd | 1.30 | 90 | R | | | From: Dead End | | | | | NA | | NA | | 05/05/2008 |
| | | | To: 24-639 Putney Rd | | | | | | | | | | | | |
| (694) Henderson Rd | 0.60 | 110 | R | | | From: 24-672 Sportslake Rd | | | | | NA | | NA | | 04/29/2008 |
| | | | To: Buckingham County Line | | | | | | | | | | | | |
| (695) Lewis Rd | 0.25 | 60 | R | | | From: Dead End | | | | | NA | | NA | | 04/29/2008 |
| | | | To: 24-699 Thompson Dr | | | | | | | | | | | | |
| (696) Tatum Rd | 0.70 | 40 | R | | | From: Buckingham County Line | | | | | NA | | NA | | 03/31/2005 |
| | | | To: 24-672 Sports Lake Rd | | | | | | | | | | | | |
| (696) Bonbrook Rd | 0.70 | 60 | R | | | From: 24-672 Sports Lake Rd | | | | | NA | | NA | | 04/29/2008 |
| | | | To: 24-671 Summerset Rd | | | | | | | | | | | | |
| (696) Bonbrook Rd | 1.00 | 90 | R | | | From: 24-624 Sugarfork Rd | | | | | NA | | NA | | 03/31/2005 |
| | | | To: 24-624 Sugarfork Rd | | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route
Cumberland Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | Dir Factor | AAWDT | QW | Year |
|--------------------------|--------|------|----------------------------|-------|-----|-----------------------------------------------|--------|--------|--------|----|----------|------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | |
| Cumberland County | | | | | | | | | | | | | | | |
| (697) Jenkins Ridge Rd | 1.20 | 60 | R | | | From: SR 45 Cartersville Rd | | | | | NA | | NA | | 05/06/2008 |
| | | | To: Dead End | | | | | | | | | | | | |
| (698) Cuffie Rd | 0.25 | 20 | R | | | From: Dead End | | | | | NA | | NA | | 04/29/2008 |
| | | | To: 24-657 Jamestown Rd | | | | | | | | | | | | |
| (699) Thompson Dr | 0.60 | 90 | R | | | From: Dead End | | | | | NA | | NA | | 04/29/2008 |
| | | | To: 24-695 Lewis Rd | | | | | | | | | | | | |
| (699) Thompson Dr | 0.20 | 170 | R | | | From: SR 45 Cumberland Rd | | | | | NA | | NA | | 04/29/2008 |
| | | | To: Dead End | | | | | | | | | | | | |
| (700) Mt Elba Rd | 0.70 | 60 | R | | | From: Dead End | | | | | NA | | NA | | 05/12/2008 |
| | | | To: 24-690 Columbia Rd | | | | | | | | | | | | |
| (701) Atkins Rd | 1.00 | 60 | R | | | From: Dead End | | | | | NA | | NA | | 04/29/2008 |
| | | | To: SR 45 Cumberland Rd | | | | | | | | | | | | |
| (702) Burks Rd | 0.50 | 20 | R | | | From: 24-600 River Rd | | | | | NA | | NA | | 04/29/2008 |
| | | | To: Dead End | | | | | | | | | | | | |
| (703) Hunters Trail | 1.05 | 140 | R | | | From: Dead End | | | | | NA | | NA | | 05/05/2008 |
| | | | To: 24-631 Davenport Rd | | | | | | | | | | | | |
| (704) Bear Branch Rd | 0.25 | 20 | R | | | From: 24-600 Plank Rd | | | | | NA | | NA | | 04/29/2008 |
| | | | To: Dead End | | | | | | | | | | | | |
| (705) Stone Dr | 0.30 | 30 | R | | | From: SR 45 Cumberland Rd | | | | | NA | | NA | | 05/07/2008 |
| | | | To: Dead End | | | | | | | | | | | | |
| (706) High Pockets Rd | 0.40 | 80 | R | | | From: SR 45 Cartersville Rd | | | | | NA | | NA | | 05/06/2008 |
| | | | To: Dead End | | | | | | | | | | | | |
| (707) Spillman Rd | 0.40 | 260 | R | | | From: 24-657 Jamestown Rd | | | | | NA | | NA | | 04/29/2008 |
| | | | To: Dead End | | | | | | | | | | | | |
| (708) Journeys End Rd | 0.40 | 30 | R | | | From: Dead End | | | | | NA | | NA | | 04/29/2008 |
| | | | To: 24-672 Sports Lake Rd | | | | | | | | | | | | |
| (709) Bent Lane | 0.40 | 130 | R | | | From: Dead End | | | | | NA | | NA | | 04/29/2008 |
| | | | To: SR 45 Cumberland Rd | | | | | | | | | | | | |
| (710) Fitzgerald Rd | 0.17 | 270 | R | | | From: US 60 Anderson Hwy | | | | | NA | | NA | | 05/05/2008 |
| | | | To: 24-600 Stoney Point Rd | | | | | | | | | | | | |
| (711) Crump Rd | 0.95 | 45 | R | | | From: 24-602 Amt Hill Rd | | | | | NA | | NA | | 05/12/2008 |
| | | | To: Dead End | | | | | | | | | | | | |
| (712) Mahan Rd | 1.60 | 290 | R | | | From: SR 45 Cumberland Rd | | | | | NA | | NA | | 04/29/2008 |
| | | | To: 24-657 Jamestown Rd | | | | | | | | | | | | |
| (713) Saw Mill Rd | 0.93 | 70 | R | | | From: Dead End | | | | | NA | | NA | | 05/12/2008 |
| | | | To: 24-690 Columbia Rd | | | | | | | | | | | | |
| (714) Trices Lake Rd | 0.20 | 70 | R | | | From: 24-612 Flanagan Mill Rd; Trices Lake Rd | | | | | NA | | NA | | 04/14/2005 |
| | | | To: 24-690 Columbia Rd | | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route
Cumberland Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | Dir Factor | AAWDT | QW | Year |
|--------------------------|--------|------|-----------------------------|-------|-----|--------------------------------|--------|--------|--------|----|----------|------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | |
| Cumberland County | | | | | | | | | | | | | | | |
| (715) Giles Rd | 0.45 | 60 | R | | | From: Dead End | | | | | NA | | NA | | 05/12/2008 |
| | | | To: 24-690 Columbia Rd | | | | | | | | | | | | |
| (716) Wedgewood Dr | 0.34 | 110 | R | | | From: Dead End | | | | | NA | | NA | | 03/22/2005 |
| | | | To: 24-668 Airport Rd | | | | | | | | | | | | |
| (717) Langhorne Rd | 0.63 | 160 | R | | | From: Dead End | | | | | NA | | NA | | 05/05/2008 |
| | | | To: 24-600 Stoney Point Rd | | | | | | | | | | | | |
| (718) Amos Rd | 0.30 | 70 | R | | | From: 24-640 Holman Mill Rd | | | | | NA | | NA | | 05/05/2008 |
| | | | To: Dead End | | | | | | | | | | | | |
| (719) Hobson Rd | 0.32 | 80 | R | | | From: 24-674 Edge Hill Rd | | | | | NA | | NA | | 05/05/2008 |
| | | | To: Dead End | | | | | | | | | | | | |
| (720) Randolph Terrace | 0.25 | 70 | R | | | From: Dead End | | | | | NA | | NA | | 04/29/2008 |
| | | | To: 24-653 Cooks Rd | | | | | | | | | | | | |
| (721) Pip Junge Rd | 0.18 | 40 | R | | | From: SR 45 Cartersville Rd | | | | | NA | | NA | | 05/06/2008 |
| | | | To: Dead End | | | | | | | | | | | | |
| (722) Bolden Rd | 0.05 | 30 | R | | | From: 24-650 Bolden Rd | | | | | NA | | NA | | 04/29/2008 |
| | | | To: Dead End | | | | | | | | | | | | |
| (723) Hatcher Rd | 0.40 | 50 | R | | | From: Dead End | | | | | NA | | NA | | 05/07/2008 |
| | | | To: SR 13 Old Buckingham Rd | | | | | | | | | | | | |
| (724) Ayers Rd | 0.50 | 50 | R | | | From: Dead End | | | | | NA | | NA | | 05/07/2008 |
| | | | To: US 60 Anderson Hwy | | | | | | | | | | | | |
| (725) Woodland Dr | 0.35 | 70 | R | | | From: Dead End | | | | | NA | | NA | | 05/05/2008 |
| | | | To: 24-638 John Randolph Rd | | | | | | | | | | | | |
| (726) Foster Rd | 0.31 | 200 | R | | | From: 24-600 Courthouse Circle | | | | | NA | | NA | | 05/12/2008 |
| | | | To: Dead End | | | | | | | | | | | | |
| (727) Hill Crest Rd | 0.08 | 90 | R | | | From: SR 45 Cumberland Rd | | | | | NA | | NA | | 03/29/2005 |
| | | | To: Dead End | | | | | | | | | | | | |
| (728) Poor House Rd | 0.65 | 480 | R | | | From: US 60 Anderson Hwy | | | | | NA | | NA | | 04/29/2008 |
| | | | To: Dead End | | | | | | | | | | | | |
| (729) Streets Place | 0.33 | 2 | R | | | From: Dead End | | | | | NA | | NA | | 03/29/2005 |
| | | | To: 24-602 Ampthill Rd | | | | | | | | | | | | |
| (730) Qimby Rd | 0.25 | 60 | R | | | From: Dead End | | | | | NA | | NA | | 04/29/2008 |
| | | | To: 24-627 Barter Hill Rd | | | | | | | | | | | | |
| (731) Milden Rd | 0.39 | 40 | R | | | From: Cul-de-Sac | | | | | NA | | NA | | 05/05/2008 |
| | | | To: 24-600 Stoney Point Rd | | | | | | | | | | | | |
| (732) Hauschild Dr | 0.20 | NA | | | | From: 24-600 River Rd | | | | | NA | | NA | | |
| | | | To: Dead End | | | | | | | | | | | | |
| (733) Allen Dr | 0.20 | 40 | R | | | From: Dead End | | | | | NA | | NA | | 04/29/2008 |
| | | | To: 24-657 Jamestown Rd | | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route
Cumberland Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | Dir Factor | AAWDT | QW | Year |
|--------------------------|--------|------|----------------------------|-------|-----|----------------------------|--------|--------|--------|----|----------|------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | |
| Cumberland County | | | | | | | | | | | | | | | |
| (734) Town & Country Rd | 0.24 | 20 | R | | | From: Dead End | | | | | NA | | NA | | 05/12/2008 |
| | | | To: 24-600 Stoney Point Rd | | | | | | | | | | | | |
| (735) Mt Airy Lane | 1.00 | 100 | R | | | From: 24-626 Meador Rd | | | | | NA | | NA | | 05/06/2008 |
| | | | To: Cul-de-Sac | | | | | | | | | | | | |
| (737) Joggers Trail | 0.33 | 60 | R | | | From: Cul-de-Sac | | | | | NA | | NA | | 03/22/2005 |
| | | | To: 24-600 Stoney Point Rd | | | | | | | | | | | | |
| (1008) Church View Est | 0.46 | 120 | R | | | From: SR 45 Cumberland Rd | | | | | NA | | NA | | 05/05/2008 |
| | | | To: Dead End | | | | | | | | | | | | |
| (1009) Edgewood Dr | 0.10 | 90 | R | | | From: 24-1013 Dana Dr | | | | | NA | | NA | | 03/22/2005 |
| | | | To: 24-1010 Virginia Ave | | | | | | | | | | | | |
| (1009) Edgewood Dr | 0.10 | 160 | R | | | From: SR 45 Cumberland Rd | | | | | NA | | NA | | 04/29/2008 |
| | | | To: 24-1009 Edgewood Dr | | | | | | | | | | | | |
| (1010) Virginia Ave | 0.17 | 60 | R | | | From: 24-1009 Edgewood Dr | | | | | NA | | NA | | 03/22/2005 |
| | | | To: 24-1011 Lynn Dr | | | | | | | | | | | | |
| (1010) Virginia Ave | 0.13 | 40 | R | | | From: 24-1012 Lake View Dr | | | | | NA | | NA | | 03/22/2005 |
| | | | To: 24-1012 Lake View Dr | | | | | | | | | | | | |
| (1011) Lynn Dr | 0.09 | 50 | R | | | From: 24-1013 Dana Dr | | | | | NA | | NA | | 03/22/2005 |
| | | | To: 24-1010 Virginia Ave | | | | | | | | | | | | |
| (1011) Lynn Dr | 0.08 | 150 | R | | | From: SR 45 Cumberland Rd | | | | | NA | | NA | | 03/22/2005 |
| | | | To: Dead End | | | | | | | | | | | | |
| (1012) Lake View Dr | 0.12 | 30 | R | | | From: 24-1014 Beechwood Dr | | | | | NA | | NA | | 04/29/2008 |
| | | | To: 24-1014 Beechwood Dr | | | | | | | | | | | | |
| (1012) Lake View Dr | 0.08 | 90 | R | | | From: 24-1013 Dana Dr | | | | | NA | | NA | | 04/29/2008 |
| | | | To: 24-1013 Dana Dr | | | | | | | | | | | | |
| (1012) Lake View Dr | 0.09 | 130 | R | | | From: 24-1010 Virginia Ave | | | | | NA | | NA | | 04/29/2008 |
| | | | To: SR 45 Cumberland Rd | | | | | | | | | | | | |
| (1012) Lake View Dr | 0.11 | 180 | R | | | From: 24-1009 Edgewood Dr | | | | | NA | | NA | | 04/29/2008 |
| | | | To: SR 45 Cumberland Rd | | | | | | | | | | | | |
| (1013) Dana Dr | 0.22 | 90 | R | | | From: 24-1010 Virginia Ave | | | | | NA | | NA | | 03/22/2005 |
| | | | To: SR 45 Cumberland Rd | | | | | | | | | | | | |
| (1013) Dana Dr | 0.12 | 48 | R | | | From: 24-1011 Lynn Dr | | | | | NA | | NA | | 03/22/2005 |
| | | | To: 24-1012 Lake View Dr | | | | | | | | | | | | |
| (1014) Beechwood Dr | 0.07 | 40 | R | | | From: 24-1012 Lake View Dr | | | | | NA | | NA | | 03/22/2005 |
| | | | To: 24-1015 Kevin Dr | | | | | | | | | | | | |
| (1015) Kevin Dr | 0.11 | 4 | R | | | From: Cul-de-Sac | | | | | NA | | NA | | 03/22/2005 |
| | | | To: 24-1014 Beechwood Dr | | | | | | | | | | | | |
| (1015) Kevin Dr | 0.17 | 30 | R | | | From: Cul-de-Sac 0.17 ME | | | | | NA | | NA | | 03/22/2005 |
| | | | To: Cul-de-Sac | | | | | | | | | | | | |
| (1020) Fletcher Dr | 0.30 | 160 | R | | | From: SR 45 Cumberland Rd | | | | | NA | | NA | | 04/29/2008 |
| | | | To: SR 45 Cumberland Rd | | | | | | | | | | | | |
| (9111) School Rd | 0.13 | 1700 | R | | | From: 24-630 School Rd | | | | | NA | | NA | | 04/11/2005 |
| | | | To: US 60 Anderson Hwy | | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route
Cumberland Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | Dir Factor | AAWDT | QW | Year |
|--------------------------|--------|------|----|-------|-----|-------|--------|--------|--------|----|----------|------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | |
| Cumberland County | | | | | | | | | | | | | | | |
| 9780 | 0.09 | 50 | R | | | | | | | NA | | | NA | | 03/29/2005 |