

**2010**

**Virginia Department of Transportation  
Daily Traffic Volume Estimates  
Including Vehicle Classification Estimates**

where available

**Jurisdiction Report**

**50**

King William County  
Town of West Point

Prepared By

**Virginia Department of Transportation  
Traffic Engineering Division**

In Cooperation With

**U.S. Department of Transportation  
Federal Highway Administration**

Virginia Department of Transportation  
Traffic Engineering Division  
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

## **Publication Notes**

### **Parallel Roads**

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

---

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

**Route:** The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

**Length:** Length of the traffic segment in miles.

**AADT:** Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

**QA:** Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

**4Tire:** Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

**Bus:** Percentage of the traffic volume made up of busses.

**2Axle Truck:** Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

**3+Axle Truck:** Percentage of the traffic volume made up of single unit trucks with three or more axles.

**1Trail Truck:** Percentage of the traffic volume made up of units with a single trailer.

**2Trail Truck:** Percentage of the traffic volume made up of units with more than one trailer.

**QC:** Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

**K Factor:** The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

**QK:** Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

**Dir Factor:** The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

**AAWDT:** Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

**QW:** Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

**Year:** Year for which the published values are appropriate. If the Quality of AADT (QA) is “R”, the year is the year that the raw traffic count was collected, and if available,

## Route Shield Legend

### Route Systems

 Interstate Route      Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.

 US Route

 Virginia State Route

 Frontage Road (F precedes frontage route number)

 Secondary Route

### Special Routes

 Bus - Business Route  
 Bypas - Bypass Route  
 Truck - Truck Route  
 ALT - Alternate Route  
 Wye - Wye Route connector

 P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.

 The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
King William Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
30 King William Rd	King William County	7.75	3300	F	78%	1%	1%	3%	17%	0%	C	0.092	F	0.619	3400	F
30 King William Rd	King William County	4.37	4600	F	79%	2%	1%	5%	14%	0%	C	0.089	F	0.53	4700	F
30 King William Rd	King William County	8.39	5400	F	87%	2%	1%	1%	9%	0%	C	0.111	F	0.549	5500	F
30 King William Rd	King William County	8.34	2700	F	75%	1%	1%	3%	19%	0%	C	0.084	F	0.53	2800	F
30 King William Rd	King William County	5.62	4100	F	87%	2%	1%	1%	9%	0%	F	0.078	F	0.668	4200	F
30 Main St	Town of West Point (Maint: 50)	2.19	3900	G	77%	1%	1%	4%	17%	0%	C	0.078	N	0.668	3900	G
30 33 14th St	Town of West Point (Maint: 50)	0.25	17000	F	89%	1%	1%	2%	8%	0%	C	0.091	F	0.640	17000	F
33 30 14th St	Town of West Point (Maint: 50)	0.25	17000	F	89%	1%	1%	2%	8%	0%	C	0.091	F	0.640	17000	F
33 14th St	Town of West Point (Maint: 50)	0.48	16000	F	92%	0%	1%	2%	5%	0%	F	0.085	F	0.672	17000	F
296 Kirby St	Town of West Point (Maint: 50)	0.22	670	F	97%	1%	1%	0%	1%	0%	C	0.114	F	0.638	690	F
296 10th St	Town of West Point (Maint: 50)	0.17	240	F	97%	1%	1%	0%	1%	0%	F	0.141	F	0.632	250	F
298 5th St	Town of West Point (Maint: 50)	0.24	80	F	98%	1%	1%	0%	0%	0%	F	0.258	F	0.544	80	F
298 Lee St	Town of West Point (Maint: 50)	0.29	1200	F	98%	1%	1%	0%	0%	0%	C	0.101	F	0.6	1200	F
298 Lee St	Town of West Point (Maint: 50)	0.22	1500	F	98%	1%	1%	0%	0%	0%	F	0.098	F	0.573	1500	F
360 Richmond Tappahannock Hwy	King William County	2.32	18000	F	95%	0%	1%	1%	3%	0%	F	0.095	F	0.7	19000	F
360 Richmond Tappahannock Hwy	King William County	2.77	17000	F	95%	0%	1%	1%	3%	0%	C	0.098	F	0.684	17000	F

Virginia Department of Transportation  
 Traffic Engineering Division  
 2010  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 King William Maintenance Area

Route	Jurisdiction	Length	<b>AADT</b>	<b>QA</b>	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW
							2Axe	3+Axe	1Trail	2Trail					
360 Richmond Tappahannock Hwy	King William County	3.34	<b>12000</b>	<b>F</b>	95%	0%	1%	1%	3%	0%	F	0.086	F	0.618	13000 F

Virginia Department of Transportation  
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route  
King William Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>King William County</b>																
(600) E River Rd	1.30	40	R											NA	04/13/2010	
(600) E River Rd	4.35	350	R											NA	04/13/2010	
(600) E River Rd	2.40	420	R											NA	03/23/2010	
(600) W River Rd	2.75	420	F	86%	0%	1%	11%	2%	0%	F	0.098	F		430	F	2010
(600) W River Rd	1.86	410	F	86%	0%	1%	11%	2%	0%	F	0.104	F	0.509	420	F	2010
(600) W River Rd	2.39	1700	F	86%	0%	1%	11%	2%	0%	C	0.079	F	0.635	1700	F	2010
(600) W River Rd	2.68	1300	F	86%	0%	1%	11%	2%	0%	F	0.092	F	0.527	1300	F	2010
(600) W River Rd	2.87	720	F	86%	0%	1%	11%	2%	0%	F	0.107	F	0.635	740	F	2010
(600) W River Rd	3.24	410	F	86%	0%	1%	11%	2%	0%	F	0.1	F	0.702	420	F	2010
(601) Calno Rd	2.80	760	R											NA	04/17/2007	
(601) Edgar Rd	1.00	380	R											NA	04/09/2007	
(602) Landing Rd	0.18	9	R											NA	04/17/2007	
(602) Landing Rd	0.30	20	R											NA	03/17/2010	
(603) Dover Lane	1.25	90	R											NA	04/20/2007	
(604) North Carolina Rd	0.68	240	R											NA	04/05/2007	
(604) Dabneys Mill Rd	5.95	370	R											NA	04/17/2007	
(604) Dabneys Mill Rd	0.86	520	R											NA	04/17/2007	
(604) Dabneys Mill Rd	1.88	610	F	98%	1%	0%	1%	1%	0%	F	0.122	F	0.692	630	F	2010
(604) Dabneys Mill Rd	2.70	280	F	94%	2%	1%	1%	2%	0%	C	0.105	F	0.508	290	F	2010
(604) Herring Creek Rd	2.85	990	F	98%	1%	0%	1%	1%	0%	C	0.111	F	0.966	1000	F	2010
(604) Herring Creek Rd	3.50	220	R											NA	04/19/2007	
(605) Old Newcastle Rd	0.60	20	R											NA	03/17/2010	
(605) Old Newcastle Rd	2.60	210	R											NA	03/17/2010	

Virginia Department of Transportation  
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route  
King William Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>King William County</b>																
(605) Manfield Rd	2.92	1700	F	99%	0%	0%	0%	0%	0%	C	0.108	F	0.635	1800	F	2010
(605) Manfield Rd	2.37	1100	F	99%	0%	0%	0%	0%	0%	F	0.11	F	0.527	1100	F	2010
(606) Commins Rd	0.20	40	R											NA		03/25/2010
(606) Commins Rd	0.86	2000	F	97%	1%	0%	0%	1%	0%	C	0.118	F	0.65	2100	F	2010
(606) Commins Rd	1.27	600	F	97%	1%	0%	0%	1%	0%	F	0.103	F	0.536	610	F	2010
(607) Beadles Rd	0.50	460	R											NA		03/17/2010
(607) Millwood Rd	1.68	80	R											NA		03/17/2010
(607) Millwood Rd	0.03	40	R											NA		03/17/2010
(608) Hazelwood Rd	1.75	100	R											NA		03/17/2010
(608) Locust Hill Rd	2.40	140	R											NA		03/17/2010
(608) Globe Rd	3.30	530	F	98%	0%	1%	0%	0%	0%	C	0.125	F	0.613	540	F	2010
(608) Upshaw Rd	1.10	400	F	98%	0%	1%	0%	0%	0%	F	0.139	F	0.597	410	F	2010
(608) Upshaw Rd	3.63	550	F	98%	0%	1%	0%	0%	0%	F	0.121	F	0.671	570	F	2010
(609) Smokey Rd	2.23	300	F	97%	2%	0%	1%	0%	0%	C	0.159	F	0.729	310	F	2010
(609) Smokey Rd	3.62	210	R											NA		04/19/2007
(610) Enfield Rd	3.70	200	R											NA		04/17/2007
(610) Epworth Rd	1.60	320	R											NA		04/09/2007
(610) Mitchells Mill Rd	2.79	120	R											NA		04/19/2007
(610) Mitchells Mill Rd	0.71	20	R											NA		04/19/2007
(611) Venter Rd	2.84	1100	F	99%	0%	0%	0%	0%	0%	C	0.106	F	0.535	1100	F	2010
(611) Venter Rd	0.70	1200	F	99%	0%	0%	0%	0%	0%	F	0.103	F	0.511	1200	F	2010
(611) Venter Rd	0.76	2300	F	99%	0%	0%	0%	0%	0%	C	0.103	F	0.658	2400	F	2010

Virginia Department of Transportation  
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route  
King William Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>King William County</b>																
(611) Walnut Lane	0.62	260	R			From: US 360 Richmond Tappahannock Hwy								NA	04/09/2007	
			To:	Dead End												
(612) Kelley Rd	0.75	100	R			From: SR 30 W, King William Rd								NA	04/09/2007	
			To:	SR 30 E, King William Rd												
(613) Dunluce Rd	1.60	170	R			From: 50-618 Acquinton Church Rd								NA	04/05/2007	
			To:	1.60 MN 50-618 Acquinton Church Rd												
(613) Dunluce Rd	0.58	910	R			From: SR 30 King William Rd								NA	04/05/2007	
			To:	Hanover County Line												
(614) Etna Mills Rd	2.28	1000	F	99%	0%	1%	0%	0%	0%	C	0.118	F	0.837	1100	F	2010
			To:	50-601 Calno Rd												
(614) Etna Mills Rd	2.00	620	F	99%	0%	1%	0%	0%	0%	F	0.130	F	0.775	630	F	2010
			To:	50-615 Nelsons Bridge Rd												
(614) Etna Mills Rd	1.39	460	R			From: 50-604 Dabneys Mill Rd								NA	04/17/2007	
			To:	Hanover County Line												
(615) Nelsons Bridge Rd	2.88	550	F	98%	0%	1%	1%	0%	0%	F	0.111	F	0.788	570	F	2010
			To:	50-652 Mahixon Rd												
(615) Nelsons Bridge Rd	3.52	260	F	98%	0%	1%	1%	0%	0%	C	0.140	F	0.564	270	F	2010
			To:	50-604 Dabneys Mill Rd												
(616) Chinquapin Rd	1.10	290	R			From: Dead End								NA	04/13/2010	
			To:	SR 30 King William Rd												
(616) E Chinquapin Rd	0.85	140	R			From: 50-617, E Spring Forest Rd								NA	04/13/2010	
			To:	0.85 MN 05-617												
(616) E Chinquapin Rd	0.35	20	R			From: Dead End								NA	04/09/2007	
			To:	SR 30 W, King William Rd												
(617) E Spring Forest Rd	0.50	210	R			From: 50-616 E, Chinquapin Rd								NA	04/13/2010	
			To:	SR 30 MID, King William Rd												
(617) E Spring Forest Rd	0.66	100	R			From: SR 30 E, King William Rd								NA	04/13/2010	
			To:	NA												
(617) W Spring Forest Rd	0.74	60	R			From: US 360 Richmond Tappahannock Hwy								NA	04/09/2007	
			To:	50-661 Acquinton Church Rd												
(618) Mount Pleasant Rd	0.49	1400	F	97%	0%	1%	1%	1%	0%	F	0.105	F	0.721	1400	F	2010
			To:	50-661 Mount Pleasant Rd												
(618) Acquinton Church Rd	1.77	1700	F	97%	0%	1%	1%	1%	0%	C	0.111	F	0.596	1800	F	2010
			To:	50-613 Dunluce Rd												
(618) Acquinton Church Rd	0.99	1300	F	97%	0%	1%	1%	1%	0%	F	0.108	F	0.796	1300	F	2010
			To:	50-600, E River Rd												
(618) Acquinton Church Rd	3.10	860	F	97%	0%	1%	1%	1%	0%	F	0.104	F	0.755	870	F	2010
			To:	50-629 Jacks Creek Rd												
(619) Horse Landing Rd	0.06	630	R			From: SR 30 King William Rd								NA	04/02/2007	
			To:	50-1301 Courthouse Lane												
(619) Horse Landing Rd	2.10	460	R			From: 50-670 Horse Landing Rd								NA	04/13/2010	

Virginia Department of Transportation  
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route  
King William Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>King William County</b>																
(620) Black Gum Rd	0.50	60	R			From: SR 30 W, King William Rd					NA		NA		04/07/2010	
			To: SR 30 MID, King William Rd													
(620) Scotland Landing Rd	0.50	100	R			From: SR 30 E, King William Rd					NA		NA		04/02/2007	
			To: Dead End													
(621) Green Level Rd	0.70	10	R			From: Dead End					NA		NA		04/05/2007	
			To: 50-600, E River Rd													
(621) Green Level Rd	2.09	60	R			From: 50-632 Mt Olive-Cohoke Rd					NA		NA		04/05/2007	
			To: 50-633 Powhatan Trail													
(621) Green Level Rd	3.80	160	R			From: 50-632 Mt Olive-Cohoke Rd					NA		NA		04/13/2010	
			To: 50-633 Powhatan Trail													
(622) Hills Fork Rd	0.80	60	R			From: 50-632 Mt Olive-Cohoke Rd					NA		NA		03/13/2007	
			To: Dead End													
(623) Union Hope Rd	2.00	160	R			From: 50-633 Powhatan Trail					NA		NA		03/13/2007	
			To: 50-632 Mt Olive-Cohoke Rd													
(624) Trimmers Shop Rd	1.11	90	R			From: 50-640 Wakema Rd					NA		NA		04/07/2010	
			To: Dead End													
(625) Custis Millpond Rd	0.65	580	R			From: SR 30 King William Rd					NA		NA		04/05/2010	
			To: 50-634 W, Seatons Lane													
(625) Custis Millpond Rd	1.77	380	R			From: 50-640 Wakema Rd					NA		NA		04/05/2010	
			To: 50-640 Wakema Rd													
(625) Custis Millpond Rd	2.40	100	R			From: 2.40 MN 50-640					NA		NA		04/02/2007	
			To: 50-626, E Rose Garden Rd													
(625) Custis Millpond Rd	1.00	220	R			From: 50-626, E Rose Garden Rd					NA		NA		04/02/2007	
			To: 50-640 Wakema Rd													
(625) Indian Town Rd	1.81	180	F	94%	4%	1%	0%	0%	0%	C	0.148	F	0.593	190	F	2010
			To: End of Loop													
(626) W Rose Garden Rd	2.57	230	F	95%	3%	2%	0%	1%	0%	F	0.12	F	0.8	230	F	2010
			To: SR 30 King William Rd													
(626) E Rose Garden Rd	1.00	150	F	95%	3%	2%	0%	1%	0%	C	0.135	F	0.6	160	F	2010
			To: 50-625 Custis Millpond Rd													
(626) E Rose Garden Rd	0.11	30	R			From: 50-640 Wakema Rd					NA		NA		04/02/2007	
			To: 50-640 Wakema Rd													
(627) E St Johns Church Rd	0.70	60	R			From: SR 30 W, King William Rd					NA		NA		03/13/2007	
			To: SR 30 E, King William Rd													
(627) E St Johns Church Rd	0.30	50	R			To: Dead End					NA		NA		03/13/2007	
			To: 50-604 Herring Creek Rd													
(628) Dorrell Rd	2.18	230	F	88%	2%	0%	2%	8%	0%	F	0.143	F	0.857	240	F	2010
			To: 50-608 W, Hazelwood Rd													
(628) Dorrell Rd	2.70	150	F	88%	2%	0%	2%	8%	0%	F	0.127	F	0.523	150	F	2010
			To: 50-600, W River Rd													
(628) Dorrell Rd	2.36	430	F	88%	2%	0%	2%	8%	0%	C	0.111	F	0.830	440	F	2010
			To: King & Queen County Line													

Virginia Department of Transportation  
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route  
King William Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>King William County</b>																
(629) Jacks Creek Rd	1.80	190	R											NA	04/05/2007	
						From:	50-600, E River Rd									
(629) Jacks Creek Rd	1.62	710	R											NA	04/05/2007	
						To:	50-632 Mt Olive-Cohoke Rd									
(629) Acquinton Church Rd	1.78	840	F	94%	1%	1%	0%	4%	0%	F	0.107	F	0.642	850	F	2010
						To:	SR 30 E, King William Rd									
(629) Walkerton Rd	2.21	1900	F	94%	1%	1%	0%	4%	0%	C	0.113	F	0.703	2000	F	2010
						To:	King & Queen County Line									
(630) Smith Ferry Rd	1.20	70	R											NA	03/13/2007	
						From:	Dead End									
(630) Churchville Rd	2.52	160	R											NA	03/13/2007	
						To:	50-632 N, Mt Olive-Cohoke Rd									
(631) Marl Hill Rd	1.40	70	R											NA	03/13/2007	
						To:	SR 30 King William Rd									
(632) Mt Olive-Cohoke Rd	2.60	370	R											NA	03/13/2007	
						From:	SR 30 King William Rd									
(632) Mt Olive-Cohoke Rd	3.50	110	R											NA	03/13/2007	
						To:	50-630 S, Smith Ferry Rd									
(632) Mt Olive-Cohoke Rd	6.26	320	R											NA	03/13/2007	
						From:	50-633 Powhatan Trail									
(632) Mt Olive-Cohoke Rd	1.30	560	R											NA	04/05/2007	
						To:	50-629 Jacks Creek Rd									
(633) Powhatan Trail	0.10	60	R											NA	03/13/2007	
						To:	Dead End									
(633) Powhatan Trail	3.05	160	F	99%	0%	0%	0%	1%	0%	C	0.109	F	0.619	160	F	2010
						From:	50-673 Pocahontas Trail									
(633) Powhatan Trail	4.75	180	F	99%	0%	0%	0%	1%	0%	F	0.123	F	0.52	180	F	2010
						To:	SR 30 King William Rd									
(634) Sweet Hall Rd	1.90	160	R											NA	04/05/2010	
						To:	SR 30 W, King William Rd									
(634) Seatons Lane	1.30	80	R											NA	04/05/2010	
						From:	SR 30 E, King William Rd									
(634) Kentucky Rd	0.68	40	R											NA	04/05/2010	
						To:	Dead End									
(635) Romancoke Rd	0.40	4	R											NA	04/02/2007	
						From:	Dead End									
(635) Chelsea Rd	1.40	110	R											NA	04/02/2007	
						To:	SR 30 King William Rd									
<b>Town of West Point</b>																
(636) VFW Rd	0.19	450	R											NA	03/28/2007	
						To:	NCL West Point									
<b>King William County</b>																
(636) VFW Rd	1.70	100	R											NA	03/28/2007	
						To:	SR 30 King William Rd									

Virginia Department of Transportation  
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route  
King William Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>King William County</b>															
(637) White Oak Landing Rd	0.70	60	R			From:	50-619 Horse Landing Rd					NA		NA	04/02/2007
(637) White Oak Landing Rd	0.60	6	R			To:	50-642 White Oak Landing Lane					NA		NA	04/02/2007
						To:	Dead End								
(638) Mangohick Church Rd	0.10	30	R			From:	Dead End					NA		NA	03/13/2007
						To:	SR 30 King William Rd								
(639) Mt Columbia Rd	1.10	130	R			From:	Dead End					NA		NA	04/17/2007
						To:	50-604 Dabneys Mill Rd								
(640) Wakema Rd	4.82	140	R			From:	50-625 E, Custis Millpond Rd					NA		NA	04/02/2007
						To:	50-625 W, Indian Town Rd; Custis Millpond Rd								
(640) Wakema Rd	1.20	450	R			From:	SR 30 King William Rd					NA		NA	04/02/2007
						To:	SR 30 King William Rd								
(641) Sandy Point Rd	0.70	70	R			From:	SR 30 King William Rd					NA		NA	04/02/2007
						To:	Dead End								
(642) White Oak Landing Lan	0.50	10	R			From:	50-637 White Oak Landing Rd					NA		NA	04/02/2007
						To:	Dead End								
(643) Millwood Ct	0.03	30	R			From:	50-607 Millwood Rd					NA		NA	04/19/2007
						To:	50-600 West River Rd								
(644) Olde Footpath Rd	0.85	70	R			From:	SR 30 W, King William Rd					NA		NA	03/13/2007
						To:	SR 30 E, King William Rd								
(645) Moorefield Rd	1.55	220	R			From:	50-636 VFW Rd					NA		NA	03/28/2007
						To:	Dead End								
(646) Winchester Rd	0.93	60	R			From:	Dead End					NA		NA	03/13/2007
						To:	50-623 Union Hope Rd								
(647) Mill Rd	1.40	530	R			From:	US 360 Richmond Tappahannock Hwy					NA		NA	04/09/2007
						To:	50-600, W River Rd								
(648) White Bank Rd	0.15	200	R			From:	SR 30 King William Rd					NA		NA	04/02/2007
						To:	SR 30 King William Rd								
(648) White Bank Rd	0.85	110	R			From:	0.15 MN SR 30					NA		NA	04/02/2007
						To:	Dead End								
(649) Brandywine Rd	0.50	40	R			From:	Dead End					NA		NA	03/17/2010
						To:	50-605 Manfield Rd								
(649) Brandywine Rd	0.11	40	R			From:	US 360 Richmond Tappahannock Hwy					NA		NA	03/17/2010
						To:	US 360 Richmond Tappahannock Hwy								
(650) Roane Oak Rd	1.07	70	R			From:	SR 30 King William Rd					NA		NA	04/09/2007
						To:	Dead End								
(651) Shooting Box Rd	1.00	40	R			From:	Dead End					NA		NA	03/13/2007
						To:	50-632 Mt Olive-Cohoke Rd								
(652) Mahixon Rd	2.98	360	R			From:	50-615 Nelsons Bridge Rd					NA		NA	04/17/2007
						To:	50-604 Dabneys Mill Rd								

Virginia Department of Transportation  
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route  
King William Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>King William County</b>															
(653) Towlisque Farm Rd	0.65	70	R			From: Dead End					NA		NA		04/17/2007
			To: 50-656 Oak Grove Lane												
(654) Pampatike Rd	2.30	130	R			From: Dead End					NA		NA		04/05/2007
			To: 50-618 Acquinton Church Rd												
(655) Ayletts Rd	0.50	230	R			From: Dead End					NA		NA		04/09/2007
			To: 50-600, W River Rd												
(656) Oak Grove Lane	0.08	80	R			From: 50-615 S, Nelsons Bridge Rd					NA		NA		03/17/2010
			To: 50-653 Towlisque Farm Rd												
(656) Oak Grove Lane	0.08	70	R			From: 50-615 Nelsons Bridge Rd					NA		NA		03/17/2010
			To: 50-615 S, Nelsons Bridge Rd												
(657) Elsassar Rd	0.80	10	R			From: Dead End					NA		NA		03/13/2007
			To: 50-632 Mt Olive-Cohoke Rd												
(658) Indian Church Rd	0.55	110	R			From: SR 30 King William Rd					NA		NA		04/09/2007
			To: Dead End												
(659) Vessels Lane	0.25	140	R			From: Dead End					NA		NA		04/19/2007
			To: 50-608 Upshaw Rd												
(660) Canaan Rd	0.25	60	R			From: 50-632 Mt Olive-Cohoke Rd					NA		NA		03/13/2007
			To: Dead End												
(661) Mt Pleasant Rd	0.86	520	R			From: 50-618 Acquinton Church Rd; Mount Pleasant Rd					NA		NA		04/05/2007
			To: US 360 Richmond Tappahannock Hwy												
(662) Sharon Rd	1.14	1500	R			From: US 360 W, Richmond Tappahannock Hwy					NA		NA		04/05/2007
			To: SR 30 King William Rd												
(662) Sharon Rd	0.21	740	R			From: US 360 E, Richmond Tappahannock Hwy					NA		NA		04/05/2007
			To: US 360 E, Richmond Tappahannock Hwy												
(663) Jackson Rd	0.20	20	R			From: 50-629 Jacks Creek Rd					NA		NA		04/05/2007
			To: Dead End												
(664) Woodbury Rd	1.52	160	R			From: 50-629 Walkerton Rd					NA		NA		04/02/2007
			To: Dead End												
(665) Belmont Lane	0.24	48	R			From: Dead End					NA		NA		04/13/2010
			To: 50-600, E River Rd												
(667) Horse Alley	0.08	70	R			From: US 360 Richmond Tappahannock Hwy					NA		NA		04/05/2007
			To: 50-662 Sharon Rd												
(668) Episcopal Rd	0.15	20	R			From: 50-630 Churchville Rd					NA		NA		03/13/2007
			To: Dead End												
(669) St Johns Church Lane	0.10	10	R			From: Dead End					NA		NA		03/13/2007
			To: SR 30 King William Rd												
(670) Horse Landing Rd	0.25	140	R			From: 50-619 Horse Landing Rd					NA		NA		04/02/2007
			To: Dead End												

Virginia Department of Transportation  
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route  
King William Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>King William County</b>																
(671) Mangohick Circle	0.90	80	R			From: SR 30 S, King William Rd					NA		NA		03/13/2007	
			To: SR 30 N, King William Rd													
(672)	0.35	20	R			From: Dead End					NA		NA		03/13/2007	
			To: 50-633 Powhatan Trail													
(673) Pamunkey River Rd	0.50	60	R			From: End Loop					NA		NA		04/13/2010	
			To: 50-1401 Lay Landing Rd													
(673) Lay Landing Rd	0.25	50	R			From: 50-1403 Cornfield Rd					NA		NA		04/13/2010	
			To: 50-1402 Spring Creek Rd													
(673) Pocahontas Trail	0.30	90	R			From: 50-1402 Spring Creek Rd					NA		NA		04/13/2010	
			To: Begin Loop													
(673) Pocahontas Trail	0.05	140	R			From: Begin Loop					NA		NA		04/13/2010	
			To: 50-1400 Pocket Rd													
(673) Pocahontas Trail	1.00	130	F	100%	0%	0%	0%	0%	0%	C	0.119	F	0.765	130	F	2010
			To: 50-633 Powhatan Trail													
(674) McPherson Dr	0.20	20	R			From: 50-605 Manfield Rd					NA		NA		04/17/2007	
			To: Dead End													
(675) Corinth Dr	0.21	110	R			From: 50-604 Dabneys Mill Rd					NA		NA		03/17/2010	
			To: 50-676 Hill Dr													
(676) Hill Dr	0.39	80	R			From: 50-604 Dabneys Mill Rd					NA		NA		03/17/2010	
			To: 50-675 Corinth Dr													
(677) Recycle Rd	0.07	420	R			From: Dead End					NA		NA		04/05/2007	
			To: SR 30 King William Rd													
(678) Flotbeck Rd	0.60	20	R			From: Dead End					NA		NA		04/05/2007	
			To: 50-629 Acquinton Church Rd													
(679) Mt Rose Rd	0.70	30	R			From: 50-633 Powhatan Trail					NA		NA		03/13/2007	
			To: Dead End													
(680) Garlick Rd	0.18	40	R			From: SR 30 King William Rd					NA		NA		04/02/2007	
			To: Dead End													
(681) Hybla Farm Rd	0.31	80	R			From: Dead End					NA		NA		04/05/2007	
			To: 50-629 Jacks Creek Rd													
(682) Tidy Cat Rd	0.14	370	R			From: Cul-de-Sac					NA		NA		03/23/2010	
			To: 50-613 Dunlucce Rd													
(701) Euclid Heights Blvd	0.40	50	R			From: Dead End					NA		NA		03/22/2007	
			To: WCL West Point													
<b>Town of West Point</b>																
(701) Euclid Heights Blvd	0.20	60	R			From: WCL West Point					NA		NA		05/17/2001	
			To: 50-1026 Dogwood Dr													
(701) Euclid Heights Blvd	0.58	860	F	97%	1%	1%	0%	1%	0%	C	0.105	F	0.576	880	F	2010
			To: SR 30 King William Ave													

Virginia Department of Transportation  
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route  
King William Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of West Point</b>																
(702) Industrial Pkwy	0.07	830	R											NA	03/28/2007	
			From:	SR 30 Main St												
			To:	50-636 VFW Rd												
(1000) Azalea Cresent	0.28	80	R											NA	04/07/2010	
			From:	50-1013 N, River Rd												
			To:	50-1013 S, River Rd												
(1001) Bond St	0.50	220	R											NA	03/22/2007	
			From:	50-1002, E Magnolia Dr												
			To:	Dead End												
(1002) E Magnolia Dr	0.20	410	R											NA	03/22/2007	
			From:	50-1010 Southern Ave												
(1002) E Magnolia Dr	1.02	1200	F	98%	1%	0%	0%	0%	0%	C	0.121	F	0.545	1200	F	2010
			From:	SR 30 King William Ave												
(1002) E Magnolia Dr	0.09	30	R											NA	03/22/2007	
			From:	50-1003 Chelsea Rd												
			To:	0.09 MN 50-1003 Chelsea Rd												
(1003)	0.12	NA												NA		
			From:	SR 33, 14th St												
(1003) Chelsea Rd	1.05	1800	F	99%	0%	0%	0%	0%	0%	C	0.134	F	0.516	1800	F	2010
			From:	50-1130 Glass Island Rd												
(1003) Chelsea Rd	0.30	1100	F	99%	0%	0%	0%	0%	0%	F	0.139	F	0.538	1100	F	2010
			From:	50-1004 Mattaponi Ave												
(1003) Chelsea Rd	0.75	830	F	99%	0%	0%	0%	0%	0%	F	0.126	F	0.658	850	F	2010
			From:	50-1006 Thompson Ave												
(1003) Chelsea Rd	0.28	700	R											NA	04/05/2010	
			From:	50-1002, E Magnolia Dr												
(1003) Chelsea Rd	0.15	150	R											NA	04/05/2010	
			From:	50-1014, E Euclid Blvd												
(1003) Chelsea Rd	0.24	70	R											NA	03/22/2007	
			From:	0.15 MN 50-1014												
(1004) Mattaponi Ave	0.70	780	R											NA	03/28/2007	
			From:	50-1002, E Magnolia Dr												
(1004) Mattaponi Ave	0.20	800	R											NA	03/28/2007	
			From:	50-1006 Thompson Ave												
			To:	50-1003 Chelsea Rd												
(1005) Odi St	0.07	47	R											NA	04/13/2010	
			From:	50-1002, E Magnolia Dr												
			To:	Dead End; Gap												
(1005) Odi St	0.45	440	R											NA	03/28/2007	
			From:	50-1030 Bagby St												
(1005) Odi St	0.20	80	R											NA	03/28/2007	
			From:	50-1006 Thompson Ave												
			To:	Dead End												
(1006) Thompson Ave	0.93	1700	F	98%	1%	1%	0%	0%	0%	C	0.109	F	0.574	1800	F	2010
			From:	SR 30 Main St												
			To:	50-1003 Chelsea Rd												
(1007) Lyndale St	0.13	120	R											NA	03/22/2007	
			From:	50-1108, C St												
(1007) Ogden St	0.20	200	R											NA	03/22/2007	
			From:	SR 30 Main St												
			To:	Dead End												
(1008) Dupont St	0.20	330	R											NA	03/22/2007	
			From:	SR 30 Main St												
			To:	Dead End												

Virginia Department of Transportation  
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route  
King William Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Town of West Point</b>															
(1009) W Oak Grove St	0.16	70	R								NA		NA		03/22/2007
(1009) Oak Grove St	0.06	1300	R								NA		NA		03/22/2007
(1010) Southern Ave	0.25	140	R								NA		NA		03/22/2007
(1010) Southern Ave	0.20	180	R								NA		NA		03/22/2007
(1010) Pamunkey Ave	0.20	400	R								NA		NA		03/22/2007
(1011) Romancoke Ave	0.05	90	R								NA		NA		03/22/2007
(1012) Berkley St	0.13	140	R								NA		NA		03/22/2007
(1013) Pine Lane	0.50	100	R								NA		NA		04/07/2010
(1013) Camelia Dr	0.33	250	R								NA		NA		04/07/2010
(1014) E Euclid Blvd	0.24	290	R								NA		NA		04/05/2010
(1014) E Euclid Blvd	0.03	120	R								NA		NA		04/05/2010
(1015) Newman Rd	0.17	90	R								NA		NA		04/05/2010
(1016) Romancoke Ave	0.05	10	R								NA		NA		03/22/2007
(1017) Taylor Ave	0.06	50	R								NA		NA		03/22/2007
(1018) Camelia Dr	0.07	30	R								NA		NA		04/01/2010
(1019) Romancoke Ave	0.10	70	R								NA		NA		04/07/2010
(1020) Cypress Ave	0.08	40	R								NA		NA		04/07/2010
(1020) Cypress Ave	0.08	40	R								NA		NA		04/07/2010
(1021) Cheatham Dr	0.07	180	R								NA		NA		03/22/2007
(1022) Bellwood St	0.12	100	R								NA		NA		03/22/2007

Virginia Department of Transportation  
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route  
King William Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Town of West Point</b>															
(1023) Fort St	0.13	80	R			From:	50-1108, C St				NA		NA		04/01/2010
						To:	SR 30 Main St								
(1024) Glenn St	0.12	170	R			From:	50-1108, C St				NA		NA		03/22/2007
						To:	SR 30 Main St								
(1024) Thompson St	0.12	2200	R			From:	50-1006 Thompson Ave				NA		NA		03/22/2007
						To:	50-1021 Cheatham Dr								
(1025) Cheatham Dr	0.08	90	R			From:	50-1021 Cheatham Dr				NA		NA		03/22/2007
						To:	Dead End								
(1026) Dogwood Dr	0.17	190	R			From:	50-701 Euclid Heights Blvd				NA		NA		04/07/2010
						To:	50-1028 Tanager Ct								
(1026) Dogwood Dr	0.11	80	R			From:	50-1028 Tanager Ct				NA		NA		04/07/2010
						To:	50-1027 Mockingbird Ct								
(1026) Dogwood Dr	0.02	100	R			From:	50-1027 Mockingbird Ct				NA		NA		04/07/2010
						To:	50-1013 River Rd								
(1026) Dogwood Dr	0.14	60	R			From:	50-1013 River Rd				NA		NA		04/07/2010
						To:	Dead End								
(1027) Mockingbird Ct	0.06	30	R			From:	Dead End				NA		NA		04/07/2010
						To:	50-1026 Dogwood Dr								
(1028) Tanager Ct	0.06	40	R			From:	50-1026 Dogwood Dr				NA		NA		04/07/2010
						To:	Dead End								
(1029) Taylor Ave	0.08	150	R			From:	50-1002, E Magnolia Dr				NA		NA		03/22/2007
						To:	50-1010 Pamunkey Ave; Southern Ave								
(1030) Bagby St	0.28	210	R			From:	50-1005 Odi St				NA		NA		03/28/2007
						To:	50-1004 Mattaponi Ave								
(1030) Bagby St	0.29	200	R			From:	50-1003 Chelsea Rd				NA		NA		03/28/2007
						To:	50-1003 Chelsea Rd								
(1031) Riverview Dr	0.11	150	R			From:	50-1032 Shoreline Dr				NA		NA		04/05/2010
						To:	50-1032 Shoreline Dr								
(1032) Shoreline Dr	0.04	30	R			From:	Dead End				NA		NA		04/05/2010
						To:	50-1031 Riverview Dr								
(1032) Shoreline Dr	0.12	40	R			From:	50-1014, E Euclid Blvd				NA		NA		04/05/2010
						To:	50-1014, E Euclid Blvd								
(1033) E Oak Lane	0.22	160	R			From:	50-1006 Thompson Ave				NA		NA		04/05/2010
						To:	Cul-de-Sac								
(1034) Sandy Creek	0.08	60	R			From:	50-1036 Blue Heron Rd				NA		NA		03/22/2007
						To:	50-1015 Newman Rd								
(1036) Blue Heron Rd	0.14	90	R			From:	50-1014, E Euclid Blvd				NA		NA		03/22/2007
						To:	50-1034 Sandy Creek								

Virginia Department of Transportation  
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route  
King William Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Town of West Point</b>															
(1037) Westwood Ct	0.16	170	R			From:	Dead End							NA	04/05/2010
						To:	50-1004 Mattaponi Ave								
(1038) N Oak Lane	0.12	70	R			From:	Dead End							NA	04/05/2010
						To:	50-1006 Thompson Ave								
(1039) Briarwood Lane	0.16	80	R			From:	50-1014, E Euclid Blvd							NA	03/22/2007
						To:	Dead End								
(1040) Winter St	0.13	1100	R			From:	SR 30 Main St							NA	03/22/2007
						To:	Dead End								
(1041) Chelsea Run	0.12	90	R			From:	50-1004 Mattaponi Ave							NA	03/28/2007
						To:	Dead End								
(1042) Cressfield Dr	0.25	210	R			From:	50-1005 Odi St							NA	03/28/2007
						To:	Dead End								
(1043) York St	0.09	20	R			From:	Dead End							NA	04/05/2010
						To:	50-1001 Bond St								
(1044) Cherokee St	0.08	40	R			From:	50-1004 Mattaponi Ave							NA	04/05/2010
						To:	Cul-de-Sac								
(1045) Ball Park Dr	0.11	90	R			From:	Dead End							NA	04/05/2010
						To:	50-1003 Chelsea Rd								
(1046)	0.14	NA				From:	50-1047							NA	
						To:	50-1005 Odi St								
(1047)	0.10	NA				From:	50-1046							NA	
						To:	50-1005 Odi St								
(1101) Lee St	0.22	1200	R			From:	SR 33, 14th St							NA	03/26/2007
						To:	50-1114, 18th St								
(1101) Lee St	0.29	390	R			From:	50-1120, 23rd St							NA	03/26/2007
						To:	Dead End								
(1102) 13th St	0.06	40	R			From:	SR 296 Kirby St							NA	04/13/2010
						To:	Dead End								
(1102) 13th St	0.08	150	R			From:	50-1129 Main St							NA	04/13/2010
						To:	Dead End								
(1102) 13th St	0.03	1300	R			From:	Dead End							NA	04/15/2010
						To:	Dead End								
(1103) 12th St	0.05	10	R			From:	SR 296 Kirby St							NA	04/01/2010
						To:	Dead End								
(1103) 12th St	0.17	130	R			From:	SR 298 Lee St							NA	07/27/2010
						To:	Dead End								
(1103) 12th St	0.06	90	R			From:	SR 298 Lee St							NA	04/01/2010
						To:	Dead End								
(1104) 11th St	0.09	120	R			From:	Dead End							NA	04/01/2010
						To:	SR 298 Lee St								

Virginia Department of Transportation  
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route  
King William Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Town of West Point</b>															
(1104) 11th St	0.17	210	R								NA		NA		07/27/2010
(1104) 11th St	0.02	20	R								NA		NA		04/01/2010
(1105) 9th St	0.03	2	R								NA		NA		04/08/2004
(1105) 9th St	0.17	420	R								NA		NA		04/15/2010
(1105) 9th St	0.02	10	R								NA		NA		04/15/2010
(1106) 7th St	0.08	20	R								NA		NA		07/27/2010
(1106) 7th St	0.17	230	R								NA		NA		04/15/2010
(1106) 7th St	0.08	90	R								NA		NA		07/27/2010
(1107) Kirby St	0.21	190	R								NA		NA		07/27/2010
(1107) Kirby St	0.06	260	R								NA		NA		07/27/2010
(1107) Kirby St	0.23	870	R								NA		NA		07/27/2010
(1108) Kirby St	0.24	1800	R								NA		NA		04/01/2010
(1108) C St	0.06	80	R								NA		NA		04/01/2010
(1108) C St	0.25	45	R								NA		NA		04/01/2010
(1109) Lee St	0.23	360	R								NA		NA		07/27/2010
(1110) 6th St	0.09	130	R								NA		NA		07/27/2010
(1110) 6th St	0.08	220	R								NA		NA		07/27/2010
(1111) 4th St	0.25	110	R								NA		NA		04/15/2010
(1112) 2nd St	0.03	10	R								NA		NA		07/27/2010
(1112) 2nd St	0.16	140	R								NA		NA		04/15/2010
(1112) 2nd St	0.05	20	R								NA		NA		04/01/2010
(1113) 17th St	0.15	220	R								NA		NA		04/01/2010

Virginia Department of Transportation  
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route  
King William Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Town of West Point</b>															
(1114) 18th St	0.15	230	R								NA		NA		04/01/2010
(1114) 18th St	0.05	110	R								NA		NA		03/26/2007
(1115) 19th St	0.15	200	R								NA		NA		04/01/2010
(1116) 21st St	0.16	330	R								NA		NA		04/01/2010
(1116) 21st St	0.05	30	R								NA		NA		04/01/2010
(1117) 3rd St	0.16	90	R								NA		NA		04/15/2010
(1118) 16th St	0.08	40	R								NA		NA		04/01/2010
(1118) 16th St	0.07	170	R								NA		NA		04/01/2010
(1118) 16th St	0.14	360	R								NA		NA		04/15/2004
(1119) 20th St	0.14	90	R								NA		NA		03/26/2007
(1120) 23rd St	0.08	460	R								NA		NA		03/26/2007
(1120) 23rd St	0.08	80	R								NA		NA		03/26/2007
(1121) 1st St	0.08	120	R								NA		NA		03/26/2007
(1121) 1st St	0.08	200	R								NA		NA		03/26/2007
(1122) 15th St	0.08	49	R								NA		NA		04/23/2007
(1122) 15th St	0.08	710	R								NA		NA		04/23/2007
(1122) 15th St	0.13	340	R								NA		NA		04/23/2007
(1122) 15th St	0.02	70	R								NA		NA		04/03/2001
(1123) 8th St	0.16	160	R								NA		NA		03/26/2007
(1123) 8th St	0.02	30	R								NA		NA		03/26/2007
(1124) Prospect St	0.09	40	R								NA		NA		04/05/2010

Virginia Department of Transportation  
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route  
King William Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of West Point</b>																
(1125) 22nd St	0.08	280	R								NA		NA		04/01/2010	
(1125) 22nd St	0.14	20	R								NA		NA		03/26/2007	
(1126) 10th St	0.02	9	R								NA		NA		03/26/2007	
(1126) 10th St	0.05	90	R								NA		NA		03/26/2007	
(1127) F St	0.01	10	R								NA		NA		04/01/2010	
(1127) F St	0.23	880	R								NA		NA		04/01/2010	
(1127) F St	0.18	240	R								NA		NA		03/26/2007	
(1127) F St	0.06	190	R								NA		NA		04/01/2010	
(1128) 5th St	0.05	30	G								NA		30	G	2010	
(1129) Main St	0.23	610	R								NA		NA		03/26/2007	
(1129) Main St	0.10	1100	R								NA		NA		03/26/2007	
(1129) Main St	0.17	2300	R								NA		NA		03/26/2007	
(1129) Main St	0.22	2300	F	98%	1%	1%	0%	0%	0%	C	0.093	F	0.511	2400	F	2010
(1130) Glass Island Rd	0.25	470	R								NA		NA		03/26/2007	
<b>King William County</b>																
(1135) Parkwood Dr	1.01	570	R								NA		NA		03/17/2010	
(1136) White Pine Court	0.11	80	R								NA		NA		03/17/2010	
(1150)	0.36	NA									NA		NA			
(1151)	0.22	NA									NA		NA			
(1152)	0.07	NA									NA		NA			
(1153)	0.11	NA									NA		NA			

Virginia Department of Transportation  
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route  
King William Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>King William County</b>															
(1154)	0.23	NA				From:	50-1151				NA		NA		
						To:	Cul-de-Sac								
(1201) Terra Alta Dr	0.05	40	R			From:	Dead End				NA		NA		03/30/2010
						To:	50-1203 Newton Dr								
(1201) Terra Alta Dr	0.51	100	R			From:	50-1202 Carey Brook Lane				NA		NA		03/30/2010
						To:	50-611 Venter Rd								
(1201) Terra Alta Dr	0.24	160	R			From:	50-611 Venter Rd				NA		NA		03/30/2010
						To:	50-1201 Terra Alta Dr								
(1202) Carey Brook Lane	0.09	30	R			From:	50-611 Venter Rd				NA		NA		03/30/2010
						To:	50-1201 Terra Alta Dr								
(1203) Newton Dr	0.24	150	R			From:	50-611 Venter Rd				NA		NA		03/30/2010
						To:	50-1201 Terra Alta Dr								
(1205) Ayletts Mill Dr	0.16	70	R			From:	50-600, W River Rd				NA		NA		03/30/2010
						To:	Cul-de-Sac								
(1206) Windsor Rd	0.21	120	R			From:	Cul-de-Sac				NA		NA		03/30/2010
						To:	50-647 Mill Rd								
<b>Town of West Point</b>															
(1207) 14th St	0.17	1300	R			From:	Dead End				NA		NA		04/13/2010
						To:	SR 30 Main St; SR 33; 14th St								
<b>King William County</b>															
(1210) Oxford Lane	0.37	300	R			From:	50-1211 Lancaster Rd				NA		NA		03/25/2010
						To:	US 360; 50-662								
(1211) Lancaster Rd	0.04	90	R			From:	50-1210 Oxford Lane				NA		NA		03/25/2010
						To:	50-1212 Essex Rd								
(1211) Lancaster Rd	0.30	130	R			From:	50-1212 Essex Rd				NA		NA		03/25/2010
						To:	US 360; 50-667								
(1212) Essex Rd	0.09	60	R			From:	50-1211 Lancaster Rd				NA		NA		03/25/2010
						To:	50-1213 Essex Court								
(1212) Essex Rd	0.07	30	R			From:	50-1213 Essex Court				NA		NA		03/25/2010
						To:	Cul-de-Sac								
(1213) Essex Court	0.07	20	R			From:	50-1212 Essex Rd				NA		NA		03/25/2010
						To:	Cul-de-Sac								
(1214) Choctaw Ridge	0.21	220	R			From:	Cul-de-Sac				NA		NA		03/23/2010
						To:	US 360 Richmond Tappahannock Hwy								
(1215) Clark Lane	0.12	110	R			From:	50-1214 Choctaw Ridge				NA		NA		03/23/2010
						To:	Cul-de-Sac								
(1216) Newman Dr	0.42	230	R			From:	50-606 Commins Rd				NA		NA		03/17/2010
						To:	50-1217 Martins Branch Dr								
(1217) Martins Branch Dr	0.11	40	R			From:	Dead End				NA		NA		03/17/2010
						To:	50-1216 Newman Dr								

Virginia Department of Transportation  
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route  
King William Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>King William County</b>															
(1217) Martins Branch Dr	0.12	40	R			From: 50-1216 Newman Dr					NA		NA		03/17/2010
			To: Dead End												
(1218) Lame Court	0.04	30	R			From: 50-1242 Lamee Circle					NA		NA		03/25/2010
			To: Cul-de-Sac												
(1219) Holly Court	0.04	45	R			From: Cul-de-Sac					NA		NA		03/25/2010
			To: 50-1241 Holly Rd												
(1220) Edge Hill Farms Dr	0.28	140	R			From: Dead End					NA		NA		03/17/2010
			To: 50-600, W River Rd												
(1222) Poplar Pl	0.04	40	R			From: 50-1242 Poplar Rd					NA		NA		04/09/2007
			To: Cul-de-Sac												
(1223) Rosebud Run	0.49	330	R			From: Beginning of Loop					NA		NA		04/09/2007
			To: Loop Intersection												
(1223) Rosebud Run	0.69	820	R			From: 50-606 Commins Rd					NA		NA		04/09/2007
			To: SR 30 King William Rd												
(1224) Mayfair Trace	0.26	80	R			From: 50-608 Upshaw Rd					NA		NA		04/19/2007
			To: Cul-de-Sac												
(1225) Cherry Hill Dr	0.12	420	R			From: SR 30 King William Rd					NA		NA		03/23/2010
			To: 50-1226 Cherry Hill Ct												
(1225) Cherry Hill Dr	0.17	320	R			From: 50-1226 Cherry Hill Ct					NA		NA		03/23/2010
			To: 50-1227 Cherry Hill Circle												
(1225) Cherry Hill Dr	0.34	90	R			From: 50-1227 Cherry Hill Circle					NA		NA		03/23/2010
			To: Cul-de-Sac												
(1226) Cherry Hill Ct	0.09	60	R			From: Dead End					NA		NA		03/23/2010
			To: 50-1225 Cherry Hill Dr												
(1226) Cherry Hill Ct	0.11	30	R			From: 50-1225 Cherry Hill Dr					NA		NA		03/23/2010
			To: Dead End												
(1227) Cherry Hill Circle	0.35	90	R			From: Dead End					NA		NA		03/23/2010
			To: 50-1225 Cherry Hill Dr												
(1227) Cherry Hill Circle	0.45	160	R			From: 50-1225 Cherry Hill Dr					NA		NA		03/23/2010
			To: Dead End												
(1228) Gwynne Dr	0.15	80	R			From: Dead End					NA		NA		03/23/2010
			To: 50-1229 Pin Oak Ct												
(1228) Gwynne Dr	0.16	300	R			From: 50-1229 Pin Oak Ct					NA		NA		03/23/2010
			To: 50-1231 Oak Springs Circle												
(1229) Pin Oak Ct	0.12	90	R			From: Cul-de-Sac					NA		NA		03/23/2010
			To: 50-1228 Gwynne Dr												
(1230) Oak Springs Dr	0.84	560	R			From: Dead End					NA		NA		03/23/2010
			To: 50-606 Commins Rd												
(1231) Oak Springs Circle	0.05	360	R			From: Dead End					NA		NA		03/23/2010
			To: 50-1228 Gwynne Dr												

Virginia Department of Transportation  
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route  
King William Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>King William County</b>															
(1231) Oak Springs Circle	0.11	60	R			From:	50-1228 Gwynne Dr				NA		NA		03/23/2010
(1231) Oak Springs Circle	0.17	160	R			From:	50-1230 Oak Springs Dr				NA		NA		03/23/2010
			To:	Cul-de-Sac											
(1232) Willow Oak Court	0.08	60	R			From:	50-1231 Oak Springs Circle				NA		NA		03/23/2010
			To:	Cul-de-Sac											
(1233) Corann Dr	0.41	170	R			From:	50-1230 Oak Springs Dr				NA		NA		03/23/2010
			To:	Cul-de-Sac											
(1234) Manquin Ct	0.13	60	R			From:	Cul-de-Sac				NA		NA		04/17/2007
			To:	50-1235 Manquin Dr											
(1235) Manquin Dr	0.10	580	R			From:	50-605 Manfield Rd				NA		NA		03/30/2010
			To:	50-1239 Wysor Dr											
(1235) Manquin Dr	0.23	520	R			From:	50-1236 S, Rainwater Dr				NA		NA		03/30/2010
			To:	50-1236 N, N Moncuin Dr; Rainwater Dr											
(1236) Rainwater Dr	0.45	140	R			From:	50-1235 S, Manquin Dr				NA		NA		03/30/2010
			To:	50-1235 N, Manquin Dr											
(1236) N Moncuin Dr	0.13	80	R			From:	Cul-de-Sac				NA		NA		03/30/2010
			To:	50-605 Manfield Rd											
(1237) Kendall Dr	0.12	190	R			From:	50-605 Manfield Rd				NA		NA		03/30/2010
			To:	50-1238 Devonshire Dr											
(1238) Devonshire Dr	0.32	150	R			From:	Cul-de-Sac				NA		NA		03/30/2010
			To:	50-1237 Kendall Dr											
(1239) Wysor Dr	0.17	70	R			From:	Cul-de-Sac				NA		NA		03/30/2010
			To:	50-1235 Manquin Dr											
(1240) Maple Rd	0.18	110	R			From:	SR 30 King William Rd				NA		NA		04/09/2007
			To:	50-611 Venter Rd											
(1241) Holly Rd	0.09	630	R			From:	SR 30 King William Rd				NA		NA		04/09/2007
			To:	50-1242 S, Poplar Rd; Lameae Circle											
(1241) Holly Rd	0.12	450	R			From:	50-1242 MID				NA		NA		04/09/2007
			To:	50-1242 N, Poplar Rd											
(1241) Holly Rd	0.08	390	R			From:	50-1242 MID				NA		NA		04/09/2007
			To:	50-611 Venter Rd											
(1242) Lameae Circle	0.37	110	R			From:	50-1241 MID				NA		NA		04/09/2007
			To:	50-1241 S, Holly Rd											
(1242) Poplar Rd	0.21	60	R			From:	50-1241 N, Holly Rd				NA		NA		04/09/2007
			To:	Cul-de-Sac											
(1242) Poplar Rd	0.22	170	R			From:	Cul-de-Sac				NA		NA		04/09/2007

Virginia Department of Transportation  
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route  
King William Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>King William County</b>															
(1243) Rosewood Court	0.14	50	R			From:	50-1223 Rosebud Run				NA		NA		03/23/2010
						To:	Cul-de-Sac								
(1244) Dogwood Ct	0.18	310	R			From:	50-1223 Rosebud Run				NA		NA		03/23/2010
						To:	Cul-de-Sac								
(1245) Courtney Lane	0.49	230	R			From:	50-1244 Dogwood Ct				NA		NA		03/23/2010
						To:	Cul-de-Sac								
(1246) Breezwood Court	0.07	40	R			From:	Cul-de-Sac				NA		NA		03/23/2010
						To:	50-1245 Courtney Lane								
(1247) Willow Court	0.03	30	R			From:	Cul-de-Sac				NA		NA		03/23/2010
						To:	Cul-de-Sac								
(1250) McCauley Pkwy	0.58	310	R			From:	Cul-de-Sac				NA		NA		03/30/2010
						To:	SR 30 King William Rd								
(1251) Pollard Place	0.57	220	R			From:	Cul-de-Sac				NA		NA		03/30/2010
						To:	SR 30 King William Rd								
(1252) McCauley Court	0.04	40	R			From:	Cul-de-Sac				NA		NA		03/30/2010
						To:	50-1250 McCauley Pkwy								
(1253) Carlton Court	0.13	60	R			From:	Cul-de-Sac				NA		NA		03/30/2010
						To:	50-1250 McCauley Pkwy								
(1254) Wilt Way	0.04	30	R			From:	Cul-de-Sac				NA		NA		03/30/2010
						To:	Cul-de-Sac								
(1255) Eliza Lane	0.10	40	R			From:	Cul-de-Sac				NA		NA		03/30/2010
						To:	50-1251 Pollard Place								
(1256) Shelby Court	0.14	40	R			From:	Cul-de-Sac				NA		NA		03/30/2010
						To:	Cul-de-Sac								
(1257) Eula Court	0.04	30	R			From:	Cul-de-Sac				NA		NA		03/30/2010
						To:	50-1251 Pollard Place								
(1268)	0.42	NA				From:	50-1270; 50-1271				NA		NA		
						To:	SR 30 King William Rd								
(1269)	0.07	NA				From:	50-1268				NA		NA		
						To:	Cul-de-Sac								
(1270)	0.05	NA				From:	50-1268				NA		NA		
						To:	Cul-de-Sac								
(1271)	0.14	NA				From:	Cul-de-Sac				NA		NA		
						To:	50-1268								
(1272)	0.02	NA				From:	50-1271				NA		NA		
						To:	Cul-de-Sac								
(1275)	0.16	NA				From:	Cul-de-Sac				NA		NA		
						To:	SR 30 King William Rd								

Virginia Department of Transportation  
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route  
King William Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>King William County</b>															
(1276)	0.19	NA				From: Cul-de-Sac					NA		NA		
						To: 50-1275									
(1277)	0.10	NA				From: Cul-de-Sac					NA		NA		
						To: 50-1275									
(1278)	0.06	NA				From: Cul-de-Sac					NA		NA		
						To: 50-1277									
(1301) Courthouse Lane	0.21	140	R			From: SR 30 W, King William Rd					NA		NA		04/02/2007
						To: 50-619 Horse Landing Rd									
(1301) Courthouse Lane	0.21	200	R			From: 50-619 Horse Landing Rd					NA		NA		04/02/2007
						To: SR 30 E, King William Rd									
(1400) Pocket Rd	0.68	60	R			From: Dead End					NA		NA		04/13/2010
						To: 50-673 Pocahontas Trail									
(1401) Lay Landing Rd	0.35	100	R			From: 50-673 Lay Landing Rd; Pamunkey River Rd					NA		NA		04/13/2010
						To: Cul-de-Sac									
(1402) Spring Creek Rd	0.30	60	R			From: Cul-de-Sac					NA		NA		04/13/2010
						To: 50-673 Pocahontas Trail; Lay Landing Rd									
(1403) Cornfield Rd	0.30	30	R			From: Cul-de-Sac					NA		NA		04/13/2010
						To: 50-673 Lay Landing Rd									
<b>Town of West Point</b>															
(9205) West Point Elem Sch	0.11	340	R			From: 50-1006 Thompson Ave					NA		NA		03/28/2007
						To: West Point Schools									
<b>King William County</b>															
(9214) King William HS	0.19	280	R			From: SR 30 King William Rd					NA		NA		04/23/2007
						To: King William HS									
<b>Town of West Point</b>															
(9406) West Point HS	0.11	300	R			From: 50-1004 Mattaponi Ave					NA		NA		03/28/2007
						To: West Point HS									
(9407) West Point Elem Sch	0.05	120	R			From: 50-1006 Thompson Ave					NA		NA		04/15/2010
						To: 50-1006 Thompson Ave									
<b>King William County</b>															
(9466) Hamilton Holmes Middle	0.14	240	R			From: SR 30 King William Rd					NA		NA		04/13/2010
						To: SR 30 King William Rd									
(9470) Acquinton Church Rd	0.17	200	R			From: 50-629 Acquinton Church Rd					NA		NA		04/13/2010
						To: SR 30 King William Rd									