

**2010**

**Virginia Department of Transportation  
Daily Traffic Volume Estimates  
Including Vehicle Classification Estimates**

where available

**Jurisdiction Report**

**90**

Surry County  
Town of Claremont  
Town of Dendron  
Town of Surry

Prepared By

**Virginia Department of Transportation  
Traffic Engineering Division**

In Cooperation With

**U.S. Department of Transportation  
Federal Highway Administration**

Virginia Department of Transportation  
Traffic Engineering Division  
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

## **Publication Notes**

### **Parallel Roads**

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

---

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

**Route:** The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

**Length:** Length of the traffic segment in miles.

**AADT:** Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

**QA:** Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

**4Tire:** Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

**Bus:** Percentage of the traffic volume made up of busses.

**2Axle Truck:** Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

**3+Axle Truck:** Percentage of the traffic volume made up of single unit trucks with three or more axles.

**1Trail Truck:** Percentage of the traffic volume made up of units with a single trailer.

**2Trail Truck:** Percentage of the traffic volume made up of units with more than one trailer.

**QC:** Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

**K Factor:** The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

**QK:** Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

**Dir Factor:** The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

**AAWDT:** Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

**QW:** Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

**Year:** Year for which the published values are appropriate. If the Quality of AADT (QA) is “R”, the year is the year that the raw traffic count was collected, and if available,

## Route Shield Legend

### Route Systems

 Interstate Route      Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.

 US Route

 Virginia State Route

 Frontage Road (F precedes frontage route number)

 Secondary Route

### Special Routes

 Bus - Business Route  
 Bypas - Bypass Route  
 Truck - Truck Route  
 ALT - Alternate Route  
 Wye - Wye Route connector

 P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.

 The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation  
Traffic Engineering Division  
2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Surry Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
10 Colonial Trail	Surry County	5.45	2200	G	93%	0%	1%	1%	5%	0%	F	0.087	F	0.508	2200	G
10 Colonial Trail	Surry County	7.90	2500	A	93%	0%	1%	1%	5%	0%	C	0.112	A	0.558	2400	A
10 31 Colonial Trail	Surry County	0.47	4300	G	93%	0%	1%	1%	5%	0%	F	0.089	F	0.559	4500	G
10 31 Colonial Trail	Town of Surry (Maint: 90)	0.57	4300	N	93%	0%	1%	1%	5%	0%	N	0.089	N	0.559	4500	N
10 Colonial Trail	Town of Surry (Maint: 90)	0.72	4800	G	93%	0%	1%	1%	5%	0%	F	0.093	F	0.503	5100	G
10 Colonial Trail	Surry County	6.02	4800	N	93%	0%	1%	1%	5%	0%	N	0.093	N	0.503	5100	N
10 Colonial Trail	Surry County	3.14	3700	G	93%	0%	1%	1%	5%	0%	F	0.097	F	0.54	3900	G
31 Rolfe Hwy	Surry County	1.93	1800	G	96%	1%	1%	1%	1%	0%	F	0.107	F	0.578	1800	G
31 Rolfe Hwy	Town of Dendron (Maint: 90)	0.70	1800	N	96%	1%	1%	1%	1%	0%	N	0.107	N	0.578	1800	N
31 Rolfe Hwy	Town of Dendron (Maint: 90)	0.89	1500	G	96%	1%	1%	1%	1%	0%	F	0.095	F	0.576	1500	G
31 Rolfe Hwy	Surry County	7.47	1500	N	96%	1%	1%	1%	1%	0%	N	0.095	N	0.576	1500	N
31 10 Colonial Trail	Surry County	0.47	4300	G	93%	0%	1%	1%	5%	0%	F	0.089	F	0.559	4500	G
31 10 Colonial Trail	Town of Surry (Maint: 90)	0.57	4300	N	93%	0%	1%	1%	5%	0%	N	0.089	N	0.559	4500	N
31 Rolfe Hwy	Town of Surry (Maint: 90)	0.41	2000	G	97%	1%	0%	1%	0%	0%	C	0.105	F	0.648	2100	G
31 Rolfe Hwy	Surry County	4.00	2000	N	97%	1%	0%	1%	0%	0%	N	0.105	N	0.648	2100	N
40 Martin Luther King Hwy	Surry County	5.97	930	G	92%	1%	1%	2%	5%	0%	C	0.092	F	0.522	970	G
40 Martin Luther King Hwy	Surry County	3.04	840	G	92%	1%	1%	2%	5%	0%	F	0.092	F	0.572	870	G

Virginia Department of Transportation  
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route  
Surry Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Surry County</b>																
(600) Montpelier Rd	1.20	130	R			From:	90-602 Laurel Springs Rd				NA		NA		01/24/2006	
						To:	Prince George County Line									
(601) Laurel Rd	0.40	80	R			From:	Prince George County Line				NA		NA		01/24/2006	
						To:	90-602 W, Laurel Springs Rd									
(601) Huntington Rd	3.80	150	R			From:	90-602 E, Laurel Springs Rd				NA		NA		01/24/2006	
						To:	90-607 Huntington Rd									
(601) Huntington Rd	1.80	190	R			From:	SR 40 S, Martin Luther King Hwy				NA		NA		01/24/2006	
						To:	SR 40 N, Martin Luther King Hwy									
(601) Camera Rd	3.53	100	R			From:	SR 40 N, Martin Luther King Hwy				NA		NA		01/24/2006	
						To:	90-614 Three Bridge Rd									
(602) Laurel Springs Rd	1.80	40	R			From:	Sussex County Line				NA		NA		01/24/2006	
						To:	90-601 E, Huntington Rd									
(602) Laurel Springs Rd	4.70	110	R			From:	90-601 E, Huntington Rd				NA		NA		02/07/2006	
						To:	90-608 Oak Hill Rd									
(602) Laurel Springs Rd	3.10	40	R			From:	90-608 Oak Hill Rd				NA		NA		02/07/2006	
						To:	90-611 Salisbury Rd									
(603) Three Bridges Rd	0.70	30	R			From:	Sussex County Line				NA		NA		02/07/2006	
						To:	90-614 S, Three Bridge Rd									
(603) Three Bridges Rd	0.30	20	R			From:	90-614 S, Three Bridge Rd				NA		NA		02/07/2006	
						To:	90-614 N, Three Bridge Rd									
(603) Three Bridges Rd	1.50	8	R			From:	90-614 N, Three Bridge Rd				NA		NA		02/24/2009	
						To:	90-615 Carsley Rd									
(604) Owens Grove Rd	3.00	80	R			From:	Southampton County Line				NA		NA		03/02/2006	
						To:	90-617 E, White Marsh Rd									
(604) Owens Grove Rd	3.14	110	R			From:	90-617 E, White Marsh Rd				NA		NA		03/02/2006	
						To:	SR 31 S, Rolfe Hwy									
(604) Owens Grove Rd	0.07	560	G	96%	1%	1%	1%	1%	0%	C	0.114	F	0.636	580	G	2010
						To:	Sussex County Line									
(605) Walkers Rd	2.35	100	R			From:	90-618 Southwick Rd				NA		NA		03/02/2006	
						To:	90-622 Runnymede Rd									
(606) Averys Mill Pond Rd	0.80	2	R			From:	90-601 Huntington Rd				NA		NA		02/24/2009	
						To:	Dead End									
(607) Huntington Rd	5.73	40	R			From:	90-601 Huntington Rd				NA		NA		03/02/2006	
						To:	90-611 Salisbury Rd									
(608) Oak Hill Rd	3.40	70	R			From:	90-602 Laurel Springs Rd				NA		NA		02/14/2006	
						To:	SR 40 Martin Luther King Hwy									
(609) River Rd	0.80	60	R			From:	90-610 Swanns Point Rd				NA		NA		02/08/2006	
						To:	90-626 Holybush Rd									
(609) River Rd	3.14	46	R			From:	90-626 Holybush Rd				NA		NA		02/08/2006	
						To:	ECL Claremont									

Virginia Department of Transportation  
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route  
Surry Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Claremont</b>																
(609) River Rd	0.92	30	R								NA		NA		02/08/2006	
(609) River Rd	0.07	20	R								NA		NA		02/15/2006	
(609) River Rd	0.07	20	R								NA		NA		02/15/2006	
(609) River Rd	0.07	20	R								NA		NA		02/15/2006	
(609) River Rd	0.18	20	R								NA		NA		02/15/2006	
<b>Surry County</b>																
(610) Swanns Point Rd	2.20	80	R								NA		NA		02/14/2006	
(610) Swanns Point Rd	5.00	46	R								NA		NA		02/08/2006	
(610) Swanns Point Rd	2.94	90	R								NA		NA		02/08/2006	
(611) Salisbury Rd	2.41	70	R								NA		NA		02/27/2009	
(611) Salisbury Rd	3.40	120	R								NA		NA		02/16/2006	
(611) Salisbury Rd	2.33	360	G	98%	1%	1%	0%	1%	0%	F	0.11	F	0.523	380	G	2010
(611) Salisbury Rd	0.77	380	G	98%	1%	1%	0%	1%	0%	C	NA		390	G	2010	
(612) Otterdam Rd	2.40	40	R								NA		NA		02/15/2006	
(612) Otterdam Rd	2.10	90	R								NA		NA		02/15/2006	
(612) Otterdam Rd	2.23	70	R								NA		NA		02/15/2006	
(613) Cabin Point Rd	4.12	470	G	97%	1%	1%	0%	1%	0%	C	NA		500	G	2010	
<b>Town of Claremont</b>																
(613) Cabin Point Rd	0.43	470	N	97%	1%	1%	0%	1%	0%	N	NA		500	N	2010	
(613) Spring Grove Rd	0.72	750	G	97%	1%	1%	1%	1%	0%	C	0.104	F	0.692	780	G	2010
(613) Mancha Ave	0.11	280	G	97%	1%	1%	1%	1%	0%	F	0.122	F	0.685	300	G	2010
(613) Mancha Ave	0.70	20	R								NA		NA		02/22/2006	
<b>Surry County</b>																
(614) Three Bridge Rd	1.20	60	R								NA		NA		02/22/2006	

Virginia Department of Transportation  
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route  
Surry Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Surry County</b>																
(614) Three Bridge Rd	1.20	60	R											NA	02/22/2006	
			From:	90-601 Camera Rd												
			To:	90-603 S, Three Bridges Rd												
(614) Three Bridge Rd	1.58	50	R											NA	02/24/2009	
			From:	90-603 N, Three Bridges Rd												
			To:	90-615 E, Carsley Rd												
(614) New Design Rd	1.95	10	R											NA	02/22/2006	
			From:	90-615 MID												
			To:	90-630 Mill Rd; Spatley Rd												
(615) Carsley Rd	7.20	390	G	93%	4%	1%	1%	1%	0%	C	NA		410	G	2010	
			From:	SR 31 Rolfe Hwy												
			To:	SR 40 Martin Luther King Hwy												
(616) New Design Rd	3.22	90	R											NA	02/16/2006	
			From:	90-615 Carsley Rd												
			To:	90-630 E, Mill Rd												
(616) New Design Rd	1.08	90	R											NA	02/16/2006	
			From:	90-618 Southwick Rd												
(616) New Design Rd	1.34	120	R											NA	02/16/2006	
			To:	SR 31 Rolfe Hwy												
(616) Golden Hill Rd	2.00	100	R											NA	02/16/2006	
			From:	90-622 S, Runnymead Rd												
			To:	90-622 N, Runnymead Rd												
(616) Golden Hill Rd	2.10	100	R											NA	02/16/2006	
			To:	90-626 W, Beachland Rd												
			From:	90-626 S, Beachland Rd												
(616) Golden Hill Rd	3.00	390	G	93%	0%	2%	0%	4%	0%	C	0.12	F	0.58	410	G	2010
			To:	SR 10 Colonial Trail												
(616) Golden Hill Rd	0.55	130	R											NA	02/16/2006	
			From:	Sussex County Line												
(617) White Marsh Rd	1.57	570	G	90%	1%	1%	1%	8%	0%	F	0.113	F	0.503	600	G	2010
			To:	90-629 Terrapin Swamp Rd												
(617) White Marsh Rd	6.41	330	G	90%	1%	1%	1%	8%	0%	C	0.130	F	0.511	340	G	2010
			From:	90-622 W, Runnymead Rd												
(617) White Marsh Rd	1.12	540	G	90%	1%	1%	1%	8%	0%	F	0.119	F	0.676	560	G	2010
			To:	90-622 E, Aberdeen Rd												
(617) White Marsh Rd	2.73	520	G	90%	1%	1%	1%	8%	0%	F	0.125	F	0.613	550	G	2010
			From:	90-626 Bellevue Rd												
(617) White Marsh Rd	5.57	100	R											NA	03/02/2006	
			To:	SR 10 Colonial Trail												
(617) Bacons Castle Terrace	1.35	1100	G	99%	1%	1%	0%	0%	0%	C	NA		1200	G	2010	
			To:	90-650 Hog Island Rd												
(618) Southwick Rd	2.00	30	R											NA	02/27/2009	
			From:	90-621 Aberdeen Rd												
			To:	90-617 W, White Marsh Rd												
(618) Southwick Rd	3.08	50	R											NA	03/02/2006	
			From:	90-617 E, White Marsh Rd												
(618) Southwick Rd	1.80	70	R											NA	03/02/2006	
			To:	SR 31 Rolfe Hwy												
(618) Southwick Rd	4.00	80	R											NA	03/02/2006	
			From:	90-616 Golden Hill Rd												
(618) Southwick Rd	2.30	60	R											NA	02/08/2006	
			To:	SR 10 Colonial Trail												
(618) Holybush Rd	0.38	80	R											NA	02/08/2006	
			From:	90-626 S, Holybush Rd												
			To:	90-626 N, Lebanon Rd												

Virginia Department of Transportation  
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route  
Surry Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year		
						2Axle	3+Axle	1Trail	2Trail								
<b>Surry County</b>																	
(618) Holybush Rd	2.00	80	R											NA	02/08/2006		
			From:	90-626 N, Lebanon Rd													
			To:	90-610 Swanns Point Rd													
(619) Grayland Dr	0.34	10	R											NA	02/27/2009		
			From:	Dead End													
			To:	90-618 Southwick Rd													
(620) Rocky Bottom Rd	1.18	60	R											NA	02/08/2006		
			From:	90-626 Lebanon Rd													
			To:	SR 31 Rolfe Hwy													
(621) Aberdeen Rd	1.00	30	R											NA	03/02/2006		
			From:	Southampton County Line													
			To:	90-618 Southwick Rd													
(621) Aberdeen Rd	1.40	70	R											NA	03/02/2006		
			From:	90-618 Southwick Rd													
			To:	90-617 White Marsh Rd													
(622) Aberdeen Rd	1.32	40	R											NA	03/02/2006		
			From:	Isle of Wight County Line													
			To:	90-623 Mill Swamp Rd													
(622) Aberdeen Rd	0.56	60	R											NA	03/02/2006		
			From:	90-617 E, White Marsh Rd													
			From:	90-617 W, White Marsh Rd													
(622) Runnymead Rd	0.84	410	G	99%	0%	1%	0%	0%	0%	0%	F	0.122	F	0.529	430	G	2010
			To:	90-605 Walkers Rd													
(622) Runnymead Rd	1.53	360	G	99%	0%	1%	0%	0%	0%	0%	F	0.126	F	0.515	380	G	2010
			To:	90-616 S, Golden Hill Rd													
(622) Runnymead Rd	2.48	330	G	99%	0%	1%	0%	0%	0%	C	NA			340	G	2010	
			To:	SR 31 Rolfe Hwy													
(623) Mill Swamp Rd	1.00	30	R											NA	02/08/2006		
			From:	Isle of Wight County Line													
			To:	90-622 Runnymead Rd													
(624) Southampton Rd	2.50	70	R											NA	02/23/2006		
			From:	90-617 White Marsh Rd													
			To:	Southampton County Line													
(625) Bellevue Rd	1.62	100	R											NA	02/23/2006		
			From:	Isle of Wight County Line													
			To:	90-617 White Marsh Rd													
(626) Bellevue Rd	1.57	90	R											NA	02/23/2006		
			From:	Isle of Wight County Line													
			To:	90-617 White Marsh Rd													
(626) Bellevue Rd	3.29	120	R											NA	02/23/2006		
			From:	90-616 E, Golden Hill Rd													
(626) Beachland Rd	3.46	230	G	99%	0%	0%	0%	0%	0%	F	0.115	F	0.655	240	G	2010	
			To:	SCL Surry													
<b>Town of Surry</b>																	
(626) Beachland Rd	0.35	400	R								0.115	N	0.655	NA	11/26/2000		
			From:	SCL Surry													
			To:	SR 10 S, Colonial Trail													
(626) Lebanon Rd	0.42	1600	G	99%	0%	0%	0%	0%	0%	C	0.107	F	0.638	1700	G	2010	
			From:	SR 10 N, Colonial Trail													
			To:	NCL Surry													
<b>Surry County</b>																	
(626) Lebanon Rd	1.40	440	R								0.107	N	0.638	NA	11/26/2000		
			From:	NCL Surry													
			To:	90-620 Rocky Bottom Rd													
(626) Lebanon Rd	0.93	530	G	99%	0%	0%	0%	0%	0%	F	0.114	F	0.656	550	G	2010	
			From:	90-618 N, Holybush Rd													

Virginia Department of Transportation  
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route  
Surry Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Surry County</b>															
(626) Holybush Rd	3.97	90	R								NA		NA		02/14/2006
(626) Holybush Rd	0.70	90	R								NA		NA		02/14/2006
(626) Holybush Rd	2.80	60	R								NA		NA		02/14/2006
(627) Mantura Rd	3.10	150	R								NA		NA		03/02/2006
(627) Mantura Rd	0.68	90	R								NA		NA		03/02/2006
(627) Mantura Rd	0.32	50	R								NA		NA		02/27/2009
(627) Mantura Rd	0.20	130	R								NA		NA		03/02/2006
(628) Burnt Mill Rd	1.80	90	R								NA		NA		03/02/2006
(628) Burnt Mill Rd	0.10	90	R								NA		NA		03/02/2006
(629) Terrapin Swamp Rd	1.90	70	R								NA		NA		02/27/2009
(630) Spatley Rd	1.43	80	R								NA		NA		02/28/2006
(630) Mill Rd	1.71	20	R								NA		NA		02/28/2006
(630) Mill Rd	2.90	60	R								NA		NA		02/24/2009
(631) Green Swamp Rd	1.31	60	R								NA		NA		03/07/2006
(632) Chapel Bottom Rd	1.59	110	R								NA		NA		03/07/2006
(633) Chippokes Farm Rd	1.80	48	R								NA		NA		03/07/2006
(633) Chippokes Farm Rd	0.20	610	G	99%	1%	0%	0%	0%	0%	C	NA		630	G	2010
(633) Chippokes Farm Rd	1.46	70	R								NA		NA		03/07/2006
(633) Chippokes Farm Rd	0.06	80	R								NA		NA		03/07/2006
(633) Chippokes Farm Rd	0.07	80	R								NA		NA		03/07/2006
(634) Alliance Rd	0.74	10	R								NA		NA		03/07/2006
(634) Alliance Rd	0.70	150	R								NA		NA		03/07/2006

Virginia Department of Transportation  
Traffic Engineering Division

2010  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Surry Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Surry County</b>																
(634) Alliance Rd	1.44	730	G	98%	1%	1%	0%	0%	0%	C	NA		760	G	2010	
(634) Alliance Rd	1.00	240	G	98%	1%	1%	0%	0%	0%	F	0.138	F	0.508	250	G	2010
(634) Alliance Rd	1.24	600	G	98%	1%	1%	0%	0%	0%	F	0.139	F	0.74	620	G	2010
(634) Alliance Rd	0.96	590	G	98%	1%	1%	0%	0%	0%	F	0.139	F	0.741	620	G	2010
(634) Highgate Rd	1.14	630	G	98%	1%	1%	0%	0%	0%	F	0.138	F	0.726	650	G	2010
(635) College Run Dr	1.20	100	R										NA		03/07/2006	
(636) Cobham Wharf Rd	1.25	90	R										NA		03/01/2006	
(636) Cobham Wharf Rd	0.80	160	R										NA		03/01/2006	
(636) Cobham Wharf Rd	0.40	90	R										NA		03/01/2006	
(637) Poplar Lawn Rd	0.89	110	R										NA		03/01/2006	
(637) Pleasant Point Rd	1.40	170	R										NA		03/01/2006	
(637) Pleasant Point Rd	0.04	90	R										NA		03/01/2006	
(637) Pleasant Point Rd	0.06	80	R										NA		03/01/2006	
(638) Timberneck Rd	1.34	90	R										NA		03/01/2006	
(639) Freemans Pond Rd	0.60	110	R										NA		02/27/2009	
(640) Crosscreek Trail	1.05	10	R										NA		02/27/2009	
(641) Smith Fort Lane	0.22	30	R										NA		02/08/2006	
(642) Cool Spring Rd	0.68	20	R										NA		02/24/2009	
<b>Town of Claremont</b>																
(642) Cool Spring Rd	0.45	40	R										NA		11/28/2000	
<b>Town of Dendron</b>																
(643) James St	0.18	120	R										NA		02/28/2006	

Virginia Department of Transportation  
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route  
Surry Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Surry County</b>																
(643) James St	2.00	100	R											NA	02/28/2006	
			From:	NCL Dendron												
			To:	90-614 New Design Rd												
(644) Moorings Rd	0.90	50	R											NA	02/28/2006	
			From:	SR 31 Rolfe Hwy												
			To:	90-622 Runnymede Rd												
(645) Milltown Rd	0.82	90	R											NA	02/28/2006	
			From:	90-615 Carsley Rd												
			To:	NCL Dendron												
(646) Swanns Point Rd/Spring	0.25	590	G	91%	2%	1%	2%	5%	0%	C	NA			610	G	2010
			From:	SR 10 Colonial Trail												
			To:	90-610 Swanns Point Rd												
(646) Spring Grove Ave	3.49	440	G	91%	2%	1%	2%	5%	0%	F	0.101	F	0.505	460	G	2010
			From:	SCL Claremont												
			To:	90-613 Spring Grove Rd; Cabin Point Rd												
<b>Town of Claremont</b>																
(646) Spring Grove Ave	0.20	510	R								0.101	N	0.505	NA	12/06/2000	
			From:	SCL Claremont												
			To:	90-613 Spring Grove Rd; Cabin Point Rd												
<b>Surry County</b>																
(647) Cypress Swamp Lane	2.20	50	R											NA	02/24/2009	
			From:	SR 40 Martin Luther King Hwy												
			To:	Dead End												
(648) Gilpark Rd	2.22	240	R											NA	02/22/2006	
			From:	90-618 Southwick Rd												
			To:	SR 31 Rolfe Hwy												
(649) River View Dr	0.45	360	R											NA	03/01/2006	
			From:	Dead End												
			To:	SR 31 Rolfe Hwy												
(650) Mount Ray Dr	1.20	140	R											NA	03/01/2006	
			From:	Dead End												
			To:	SR 10 Colonial Trail												
(650) Hog Island Rd	1.40	460	G	94%	1%	2%	2%	2%	0%	C	0.295	F	0.93	480	G	2010
			From:	90-617 Bacons Castle Terrace												
(650) Hog Island Rd	4.75	2000	G	94%	1%	2%	2%	2%	0%	F	0.276	F	0.943	2100	G	2010
			To:	Dead End												
(651) Gravel Pit Dr	0.35	20	R											NA	02/24/2009	
			From:	Dead End												
			To:	90-626 Holybush Rd												
(652) Chanco Dr	0.13	70	R											NA	02/23/2006	
			From:	90-637 Pleasant Point Rd												
			To:	Dead End												
(653) Edgar Lane	0.60	230	R											NA	02/23/2006	
			From:	90-616 Golden Hill Rd												
			To:	Dead End												
(654) Flying Point Rd	1.20	40	R											NA	02/27/2009	
			From:	90-613 Cabin Point Rd												
			To:	Dead End												
(655) Saints Rd	0.60	100	R											NA	02/23/2006	
			From:	90-617 White Marsh Rd												
			To:	Dead End												
(656) Short Dr	0.04	1200	R											NA	03/02/2006	
			From:	90-637 Pleasant Point Rd												
			To:	SR 31 Rolfe Hwy												
(657) Chestnut Farm Circle	0.24	50	R											NA	03/02/2006	
			From:	90-634 Alliance Rd												
			To:	Dead End												

Virginia Department of Transportation  
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route  
Surry Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Surry County</b>															
(658) (Chippokes State Park)	0.02	40	R			Line D					NA		NA		03/02/2006
			To:			Line A									
(658) (Chippokes State Park)	0.02	30	R			Line A NORTH					NA		NA		03/02/2006
			To:			Line E									
(658) (Chippokes State Park)	0.09	30	R			Line A SOUTH					NA		NA		03/02/2006
			To:			Line A									
(658) (Chippokes State Park)	0.08	9	R			Loop NORTH					NA		NA		03/02/2006
			To:			Dead End									
(658) (Chippokes State Park)	0.26	20	R			End Line D					NA		NA		03/02/2006
			To:			Begin Line E									
(658) (Chippokes State Park)	0.06	10	R			Begin Line D					NA		NA		03/02/2006
			To:			90-633 Chippokes Farm Rd									
(658) (Chippokes State Park)	0.04	10	R			Begin Line F					NA		NA		03/02/2006
			To:			Dead End									
(659) Marina Rd	0.61	180	R			Cul-de-Sac					NA		NA		02/27/2009
			To:			SR 31 Rolfe Hwy									
(660) Goodson Path	0.30	180	R			SR 10 Colonial Trail					NA		NA		02/28/2006
			To:			Dead End									
(661) Pineview Rd	0.08	130	R			SR 40 Martin Luther King Hwy					NA		NA		02/24/2009
			To:			Dead End									
(662) Melville Dr	0.65	140	R			Dead End					NA		NA		02/27/2009
			To:			90-634									
(663) Tower Dr	0.21	20	R			Dead End					NA		NA		03/01/2006
			To:			90-663 East Leg									
(663) Tower Dr	0.17	20	R			Dead End					NA		NA		02/27/2009
			To:			SR 31 Rolfe Hwy									
(665) Chippokes Park Rd	0.58	60	R			90-634 Alliance Rd					NA		NA		02/22/2006
			To:			90-783 Plantation Rd									
(665) Chippokes Park Rd	0.19	60	R			Dead End					NA		NA		02/22/2006
			To:			Cul-de-Sac									
(666) Elberon Heights Rd	0.12	100	R			SR 31 Rolfe Hwy					NA		NA		02/22/2006
			To:			Dead End									
(670) Surry Village Dr	0.10	580	R			90-626 Lebanon Rd					NA		NA		02/22/2006
			To:			SR 40 Martin Luther King Hwy									
(674) Spring Water Dr	0.18	1	R			Dead End					NA		NA		02/22/2006
			To:												

Virginia Department of Transportation  
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route  
Surry Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Surry County</b>															
(680)	0.40	NA				From:	Cul-de-Sac				NA		NA		
						To:	SR 10 Colonial Trail								
(684) Mullet Dr	0.35	130	R			From:	Isle of Wight County Line				NA		NA		02/22/2006
						To:	Dead End								
(700) Rolfe Court	0.27	70	R			From:	SR 31 Rolfe Hwy				NA		NA		03/02/2006
						To:	SR 31 Rolfe Hwy								
(783) Plantation Rd	1.40	40	R			From:	90-665 Chippokes Park Rd				NA		NA		02/28/2006
						To:	Dead End								
<b>Town of Surry</b>															
(1001) Bank St	0.11	360	R			From:	90-626 Beachland Rd				NA		NA		02/21/2006
						To:	90-1002 School St								
(1001) Bank St	0.32	780	R			From:	SR 10 Colonial Trail				NA		NA		03/02/2006
						To:	SR 10 Colonial Trail								
(1002) School St	0.14	490	R			From:	SR 10 Colonial Trail				NA		NA		02/28/2006
						To:	90-1001 Bank St								
(1002) School St	0.23	30	R			From:	90-1001 Bank St				NA		NA		02/22/2006
						To:	Dead End								
(1003) Church St	0.14	110	R			From:	90-1002 School St				NA		NA		02/28/2006
						To:	90-1004 Oak St								
(1003) Church St	0.07	20	R			From:	90-1004 Oak St				NA		NA		02/28/2006
						To:	90-1005 Academy St								
(1003) Church St	0.07	120	R			From:	90-1005 Academy St				NA		NA		02/28/2006
						To:	SR 10 Colonial Trail								
(1004) Oak St	0.03	40	R			From:	SR 10 Colonial Trail				NA		NA		02/28/2006
						To:	90-1003 Church St								
(1006)	0.09	NA				From:	SR 10 Colonial Trail				NA		NA		
						To:	Cul-de-Sac								
<b>Surry County</b>															
(1010) Enos Farm Dr	0.41	350	R			From:	SR 10 Colonial Trail				NA		NA		03/01/2006
						To:	Cul-de-Sac								
(1020)	0.55	NA				From:	SR 31 Rolfe Hwy				NA		NA		
						To:	Dead End								
(1021)	0.20	NA				From:	90-1020				NA		NA		
						To:	Dead End								
(1022)	0.13	NA				From:	Dead End				NA		NA		
						To:	90-1020								
(1023)	0.19	NA				From:	Dead End				NA		NA		
						To:	90-1020								
(1030)	0.10	NA				From:	90-634 Highgate Rd				NA		NA		
						To:	Dead End								

Virginia Department of Transportation  
Traffic Engineering Division

## Annual Average Daily Traffic Volume Estimates By Section of Route Surry Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck	QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail				
<b>Surry County</b>													
(1035)	0.62	NA				From Cul-de-Sac				NA		NA	
			To SR 31 Rolfe Hwy										
<b>Town of Dendron</b>													
(1101) First Church St	0.20	40	R			From SR 31 Rolfe Hwy				NA		NA	02/22/2006
			To 90-1107 Liberty St										
(1102) Faison St	0.20	20	R			From SR 31 Rolfe Hwy				NA		NA	02/22/2006
			To 90-1107 Liberty St										
(1103) Devany St	0.10	30	R			From 90-1106 Railroad Ave				NA		NA	02/28/2006
			To SR 31 Rolfe Hwy										
(1104) Park Ave	0.15	50	R			From Dead End				NA		NA	02/22/2006
			To 90-1106 Railroad Ave										
(1104) Park Ave	0.15	90	R			From 90-1106 Railroad Ave				NA		NA	02/22/2006
			To SR 31 Rolfe Hwy										
(1105) Smith St	0.20	190	R			From 90-1106 Railroad Ave				NA		NA	02/22/2006
			To SR 31; 90-9401										
(1106) Railroad Ave	0.35	80	R			From WCL Dendron				NA		NA	02/28/2006
			To 90-1105 Smith St										
(1106) Railroad Ave	0.50	110	R			From 90-1105 Smith St				NA		NA	02/28/2006
			To 90-1104 Park Ave										
(1106) Railroad Ave	0.17	30	R			From 90-1104 Park Ave				NA		NA	02/28/2006
			To 90-1103 Devany St										
(1107) Liberty St	0.25	70	R			From SR 31 Rolfe Hwy				NA		NA	02/28/2006
			To 90-1101 First Church St										
(1107) Liberty St	0.15	47	R			From 90-1101 First Church St				NA		NA	02/28/2006
			To 90-1102 Faison St										
(1107) Liberty St	0.50	40	R			From 90-1102 Faison St				NA		NA	02/28/2006
			To 90-630 Spatley Rd										
(1108) Bradley St	0.03	80	R			From SR 31 Rolfe Hwy				NA		NA	02/28/2006
			To Dead End										
<b>Town of Claremont</b>													
(1201) Old Church St	0.10	10	R			From SCL Claremont				NA		NA	02/28/2006
			To 90-1215 Pennsylvania Ave										
(1201) Old Church St	0.22	60	R			From 90-1215 Pennsylvania Ave				NA		NA	02/28/2006
			To 90-613 Spring Grove Rd										
(1202) Villa Rd	0.44	120	R			From 90-613 Mancha Ave				NA		NA	02/24/2009
			To Dead End										
(1203) Spring Grove Rd	0.46	160	R			From 90-1207 Cool Spring Rd				NA		NA	02/28/2006
			To 90-1207 Cool Spring Rd										
(1203) Spring Grove Rd	0.04	100	R			From 90-1216 Montclare Rd				NA		NA	02/28/2006
			To 90-1216 Montclare Rd										
(1203) Spring Grove Rd	0.14	130	R			From 90-609 River Rd				NA		NA	02/28/2006
			To 90-609 River Rd										
(1203) Spring Grove Rd						From 90-613 Mancha Ave; Spring Grove Rd							

Virginia Department of Transportation  
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route  
Surry Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Town of Claremont</b>															
(1204) Sloope Point Rd	0.25	120	R			From:	90-609 River Rd				NA		NA		02/28/2006
						To:	Dead End								
(1205) Bethany Ave	0.31	140	R			From:	Dead End				NA		NA		02/28/2006
						To:	90-613 Spring Grove Rd								
(1206) Flying Point Bridge Rd	0.75	40	R			From:	Dead End				NA		NA		02/28/2006
						To:	90-642; 90-1207 Cool Spring Rd								
(1207) Cool Spring Rd	0.30	120	R			From:	90-642; 90-1206 Flying Point Rd				NA		NA		02/28/2006
						To:	90-1203 Spring Grove Rd								
(1208) Mystic Ave	0.10	140	R			From:	90-613 Spring Grove Rd				NA		NA		02/28/2006
						To:	90-609 River Rd								
(1209) Dillard St	0.10	140	R			From:	90-613 Spring Grove Rd				NA		NA		02/28/2006
						To:	90-609 River Rd								
(1210) Atlantic Ave	0.09	7	R			From:	Dead End				NA		NA		02/28/2006
						To:	90-1214 Roysue St								
(1210) Atlantic Ave	0.08	40	R			From:	90-1214 Roysue St				NA		NA		02/28/2006
						To:	90-613 Spring Grove Rd								
(1211) Aldrich Ave	0.10	50	R			From:	Dead End				NA		NA		02/28/2006
						To:	0.10 ME Dead End								
(1211) Aldrich Ave	0.17	60	R			From:	90-1214 Roysue St				NA		NA		02/28/2006
						To:	90-613 Spring Grove Rd								
(1212) Virginia Ave	0.35	160	R			From:	90-609 River Rd				NA		NA		02/28/2006
						To:	Dead End								
(1213) Minnesota Ave	0.11	80	R			From:	0.11 MW 90-613 Spring Grove Rd				NA		NA		02/28/2006
						To:	90-613 Spring Grove Rd								
(1213) Minnesota Ave	0.20	20	R			From:	90-613 Spring Grove Rd				NA		NA		02/28/2006
						To:	Dead End								
(1214) Roysue St	0.05	10	R			From:	90-1210 Atlantic Ave				NA		NA		02/28/2006
						To:	90-1211 Aldrich Ave								
(1215) Pennsylvania Ave	0.36	80	R			From:	90-1201 Old Church St				NA		NA		02/28/2006
						To:	Dead End								
(1216) Montclare Rd	0.25	90	R			From:	90-1203 Spring Grove Rd				NA		NA		02/28/2006
						To:	Dead End								
(1217) Eagle Bluff Rd	0.30	40	R			From:	90-1204 Sloope Point Rd				NA		NA		02/24/2009
						To:	Dead End								
(1220) Villa Rd	0.03	80	R			From:	90-1202 Villa Rd				NA		NA		02/28/2006
						To:	Dead End								

Virginia Department of Transportation  
Traffic Engineering Division

2010

Annual Average Daily Traffic Volume Estimates By Section of Route  
Surry Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Town of Dendron</b>															
9401	0.15	130	R								NA		NA		02/24/2009
<b>Surry County</b>															
9404	0.21	230	R								NA		NA		02/24/2009
			From:	SR 31 Rolfe Hwy											
			To:	L P Jackson School											
				Surry High School											
				90-618 Southwick Rd											