2003

Virginia Department of Transportation Daily Traffic Volume Estimates

Jurisdiction Report

24

Cumberland County

Prepared By

Virginia Department of Transportation Mobility Management Division

In Cooperation With

U.S. Department of Transportation Federal Highway Administration

Virginia Department of Transportation Mobility Management Division Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled "Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes" includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled "Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99".

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people at VDOT Mobility Management's Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a "Combined Traffic Estimates for Parallel Roadways on this Route" or "Combined Traffic" identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate "NA" for not available.

VDOT's traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating "NA" for not available. It is the intention of the VDOT's Mobility Management Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate "NA" for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the Peak Hour estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Peak Hour Factor of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems

North
81 Interstate Route Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.

(29) US Route

7 Virginia State Route

(600) Secondary Route

Special Routes

Bus Bus - Business Route
Bypas - Bypass Route
Truck - Truck Route
ALT ALT - Alternate Route
Wve - Wve Route connector

P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.

The VDOT Maintainenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

	T QA	Year	Route	Length AA	DT QA	Year
			Cumberland County			
			From:			
	G	2003	(600)	5.27 22	20 R	1999
•			To: From:	24-653		
			(600)	1.58 42	20 R	1999
3.54 520	0 G	2003	To	24-677		
24-636 Raines Tavern					0 G	2003
4.66 390	0 G	2003	To:	24.657		
24-634			From:		n G	2003
	D A	2003	(600)			2003
			From:			
		2002	(600)		60 G	2003
		2003	From:			
24-600 Cumberland CH			600		00 G	2003
1.09 660	0 G	2003	(000)			
SP 12 Old Pugkingham Pd			From:			4000
		2003	(600)	2.34 11	00 K	1999
		2000	From:	24-636		
US 60 East of Cumberland					00 R	1999
4.85 140	0 G	2003	To:	Buckingham County Line; 14-600	J	
24-616			From	24-626		
	G	2003	(601)		00 R	03/06/2002
24-690 North of Whiteville			To:			
24-690 North of Whiteville			_		B	1999
2.20 160	0 G	2003	(601)		.U K	1999
24-649	\neg \vdash		From:			
	G	2003	(601)		20 R	1999
Goochland County Line				US 60		
Buckingham County Line				SR 45		
	0 G	2003	(602)	5.39 17	'0 R	1999
CD 45 West of Countries and CH			From:	24-603		
		2003		1.20 2 4	10 R	1999
		2003	To:	24-605		
					30 R	1999
1.09 660) G	2003	To:			
SR 13 Old Buckingham Rd			From:		D D	1999
1.34 550	0 G	2003	(602)		· ·	1999
SR 45 East of Cumberland CH	\neg \vdash		Erom			
	0 G	2003	$\widehat{}$			03/06/2002
Powhatan County Line			(603)		``	03/00/2002
24-610			From:	4	1	
0.50 80	R	03/04/2003			 0 ₽	03/06/2002
Cumberland County Line			(604)		<u> </u>	00/00/2002
US 60 NORTH			From:			
0.14 380	R	1999				03/06/2002
US 60 SOUTH			(605)	3.40	<u> </u>	03/00/2002
	0 G	2003	From:	3.40 MS 24-690		1000
			(605)		0 R	1999
		2002		24-602		
1.33 100	<u> </u>	2003		•		
24-642	_]-		(606)		R R	03/11/2002
0.86 69 0	G	2003				
24-643			From:	SR 45		
1.58 580	G	2003	(607)		N R	03/11/2002
24-654	— —			24-616		
	R	1999	From:	24-624		
			(608)		0 R	03/04/2002
24 (20			To	24.615		
24-620 3.64 23 0	R	1999		24-615		
	Powhatan County Line NCL Farmville 3.54 5200 24-636 Raines Tavern 4.66 3900 24-634 5.82 3500 US 60 West of Cumberland C.H. 2.42 6200 24-600 Cumberland C.H. 24-600 Cumberland C.H. US 60 East of Cumberland 4.85 1400 24-616 6.60 1100 24-690 North of Whiteville 2.20 1600 24-690 North of Whiteville 2.20 1600 SR 45 West of Cumberland C.H 2.42 6200 SR 45 West of Cumberland C.H 2.42 6200 SR 45 East of Cumberland C.H 2.460 Cumberland C.H 2.470 Cumberland C.H 380 6600 SR 45 East of Cumberland C.H 1.09 6600 SR 45 East of Cumberland C.H 2.4600 Cumberland C.H 380 6600 SR 45 East of Cumberland C.H 380 6600 AND Cumberland C.H AND AND East of Cum	7.19 790 G Powhatan County Line	Powhatan County Line	Vis 60	US 60 To To To To To To To T	US 60 For Fo

Route	Length	AADT	QA	Year	Route	Length	AADT	QA	Year
Cumberland County	24-615		1		Cumberland County	Buckingham County Line		1	
	1.47	60	┙ R	03/04/2002		0.25	300	┙╻	03/04/2002
(608)		00	_ ``	03/04/2002	(617)	24-622	300	٦ ``	03/04/2002
From:	24-613		┵		From:			+	
608)	1.22	100	R	03/06/2002		SR 45 0.34	20	┙╻	03/06/2002
10.	24-612]—		(618) _{To:}	Dead End	20	٦ ٦	03/06/2002
608)	0.80	70	R	03/06/2002	From:			1	
10:	24-609		1—		$\widehat{}$	US 60 WEST 0.36	70	┙╻	03/06/3003
608) From:	0.10	30	R	03/06/2002	(619) _{To:}	US 60 EAST	70	٦ ^۲	03/06/2002
То:	Dead End		7						
From:	24-610				From:	Amelia County Line		٦ू	00/44/0000
600	1.25	90	R	1999	(620)	0.80	50	R ¬	03/11/2002
609			_			24-600		1	
From:	1.25 MS 24-610	60	┵	1000	From:	Amelia County Line		┛	
609 From:	0.35 24-608	60	¬ R	1999	(621)	2.00	60	¬ R	03/11/2002
					10:	SR 13			
From:	Buckingham County Line		╛		From:	US 60		_	
(610)	2.90	450	¬ G	2003	(622)	3.33	1800	G	2003
	24-690				From:	24-627; 24-629		1—	
From:	SR 45		┚		(622)	1.61	1100	G	2003
(611)	2.50	310	_ R	03/06/2002		24-650		1	
To:	24-690				From	0.57	840	∟ G	2003
From:	24-608				(622)	24-672 EAST	040	٦Ŭ	2000
(612)	2.50	80	R	03/06/2002	From:	24-672 WEST			
To:	2.50 MN 24-608		1—		(622)	1.14	370	R	1999
612	0.82	180	R	1999	To:	Buckingham County Line			
	24-714				From:	24-622 North			
From:	0.18	20	∟ R	03/06/2002	(623)	1.95	90	R	03/04/2002
(612)	24-690	20	┐ '`	03/00/2002		24-624		7	
From:					From:	2.60	470	R	1999
	Buckingham County Line 1.50	20	⊢ R	03/04/2002	(623)		7/0	- '`	1000
613	1.50	20	_ ``	03/04/2002	From:	24-626		╧	1000
From:	24-672		┵		(623)	0.22	690	R	1999
(613)	1.55	40	_ R	03/04/2002		24-622 South			
To:	24-608				From:	SR 45		_ ا	
From:	Dead End .90 MW 45				(624)	2.20	70	R	03/04/2002
(614)	0.90	80	R	1999	To: From:	24-626 SOUTH]	
To:	SR 45		1—		(624)	0.80	80	R	03/04/2002
(614)	1.20	30	R	03/06/2002	To:	24-626 NORTH		1	
То:	Dead End				(624)	2.35	40	R	03/04/2002
From:	24-608				To:			7	
615)	1.80	40	R	03/04/2002	From:	2.35 MS 24-626 0.35	60	_	02/04/2002
	24-663 WEST				<u>624</u>)	0.33	60	_ ĸ	03/04/2002
615	0.10	60	┙ R	03/06/2002	From:	24-608		᠆	
013			_ ``	00,00,200	(624)	0.80	140	R	1999
From:	24-663 EAST		┵	00/00/0000	From:	24-696]—	
615	1.77	30	K	03/06/2002	(624)	1.50	240	R	1999
To:	1.78 ME 24-663 EAST		_		To:	24-623			
615) _{To:}	0.03	50	_ R	03/06/2002	From:	Dead End			
To:	SR 45				(625)	1.10	30	R	03/06/2002
From:	SR 45 SOUTH		_		To:	SR 45			
616	2.40	220	R	1999	From:	24-623		1	
To:	24-654		—		(626)	2.30	110	R	03/04/2002
616)	4.08	150	R	1999	To:	24-624 SOUTH		1	
		-	-L		From:	24-624 NORTH			
From:	24-607 2.30	250	R	1999	(626)	1.19	50	R	03/04/2002
(616)	SR 45 NORTH	200	¬ ~	1999	To- From:	24-601		1—	
	SK 43 NOKIII				(626)	1.20	50	R	03/04/2002
					To:	SR 45			
								_	

Route	Length	AADT	QA	Year	Route	Length A	AADT	QA	Year
Cumberland County	24 (22 F 4 CT		1		Cumberland County	CD 45		1	
From:	24-622 EAST 0.25	60	⅃ R	1999	From:	SR 45 0.30	40	J	03/05/2002
(627)		60	_ ^	1999	(636)	Dead End	40	1	03/03/2002
From:	24-730		┵	1000	From:	24-668		l	
627) To:	1.05 24-622 WEST	60	R ¬	1999		1.42	270	I R	1999
•			+		(637)		270	. '`	1000
From:	US 60	420	٦ू	02/04/2002	From:	24-635	400	┪	4000
628) _{To:}	3.86 24-629	130	¬ R	03/04/2002	(637)	0.15	460	R	1999
			<u> </u>		From:	24-600		}	
From:	US 60	240	┙	4000	(637)	0.90	190	G	2003
629	0.92	210	R	1999	To:	SR 45			
From:	24-633		}—		From:	SR 45			
629	3.28	60	R	03/04/2002	(638)	2.50	750	G	2003
To:	24-628		1—		To: From:	24-640		 	
629)	0.80	150	R	1999	(638)	3.20	360	G	2003
	24-666				To:	24-639		1	
629 To:	0.75	200	_ G	2003	(638)	2.49	170	G	2003
023) To:	24-622; 24-627		1		To:	24-600		1	
From:	24-9111				From:	24-638			
(630)	0.10	210	R	1999	(639)	4.64	210	G	2003
To:	US 60		٦		To:	24-631		1	
From:	SR 45		i		From:	24-638			
(631)	0.50	610	G	2003	(640)	4.20	320	R	1999
(031)			¬ -		To:	SR 45		1	
From	24-639 3.60	260	R	1999	From:	24-631			
631)	3.00	260	_ ĸ	1999	(641)	1.80	120	R	1999
From:	24-644		$oldsymbol{\bot}$		To:	24-642		1	
(631)	0.80	80	_ R	03/11/2002	From:	Dead End			
To-	24-600				(642)	0.40	30	ı R	03/06/2002
From:	Buckingham County Line				(642)				00/00/2002
(632)	2.80	150	R	1999	From:	24-641	450	一	4000
From:	24-652		1—		(642)	0.40	150	R	1999
632) _{To}	0.40	20	R	03/04/2002		24-600			
To:	US 60				From:	24-600	100	J _	00/44/0000
From:	Dead End				(643)	2.50	190	ı K	03/11/2002
(633)	1.87	110	R	1999		SR 13			
To:	SR 45 NORTH				From:	24-600	00	l –	00/44/0000
From:	SR 45 SOUTH		」_	4000	644) _{To:}	1.20	30	ı K	03/11/2002
(633)	2.09	260	R	1999		24-631			
To: From:	US 60]—		From:	SR 13	222	J _	1000
(633)	1.04	30	_ R	03/04/2002	(645)	0.80	260	R	1999
To:	24-629				To: From:	24-646		 	
From:	Buckingham County Line				(645)	1.95	210	R	1999
634) _{To}	3.45	590	R	03/06/2002	To:	24-654			
Tn·	SR 45				From:	24-645			
From:	24-637			-	(646)	1.69	50	R	03/11/2002
(635)	2.80	240	R	1999	To:	US 60 WEST			
To:	24-636		Ъ—			US 60 EAST	EO]	02/11/2000
From:	1.40	60	R	03/06/2002	(646)	1.10	50	ı K	03/11/2002
635) From:	Dead End		7			SR 45			
From:	Buckingham County Line		Ī		From:	24-601	20	۱ ^۲	02/44/0000
(636)	1.20	420	┙ R	1999	(647)	2.50	20	K I	03/11/2002
636)			¬ · ·			24-654			
From:	24-635	350		2002	From:	Dead End		1	00/44/0000
636)	1.00	350	_ G	2003	(648) _{To:}	0.15	8	R I	03/11/2002
From:	24-600		$ar{}$			24-616			
(636)	1.80	460	_ G	2003	From:	SR 45 NORTH	•		
To:	SR 45		<u> </u>		(649)	0.10	60	G	2003
					To:	24-665			

Cumberland County	Route	Length	AADT	QA	Year	Route	Length	AADT	QA	Year
Section Sect	Cumberland County			-		Cumberland County				
SR. 45 SOCITIES SR. 45 SOC	From:		E 0	┙	2002	From:		400	┚	1000
Second S	(649)		50	٦	2003	(662)	0.20	100	_ K	1999
				+					⊢	
Second S			270	┙	2002	(662)		170	¬ R	1999
Second S	(650)		2/0	¬ "	2003					
683									J _	
Second S			20	┙╻	03/06/2002	(663)		130	¬ R	1999
Section Sect	(651)		30	¬ ``	03/00/2002				1	
Section Sect	P					(663)		30	R	03/06/2002
			200	┙╻	02/04/2002				7 ``	00/00/200
Book First Book	(652)		200	¬ ~	03/04/2002	From:			; 	
1.70 60 R 03/05/2002 664 24-678 70 R 1999 665 24-688 70 R 1999 666 70 70 R 1999 667 70 R 1999 668 70 70 R 1999 70 70 70 70 70 70 70				+				30	A B	03/12/200
663				┙	00/05/0000	(664)		30	- '\	03/12/2002
663	(653)	1.70	60	R	03/05/2002				┶	4000
Column C	To: From:			_				70	¬ R	1999
SR 45	(653)	4.70	170	_ R	03/05/2002	10:	24-638			
654	To:	24-638							_	
654 2.60 230 R 1999 1.00		24-600				(665)	0.07	120	R	1999
654 2.60 230 R 1999 1.00	(654)	0.50	170	R	1999	To	24-649		1	
SR 13 WEST	To:	24 674		٦				30	R	1999
SR 13 PEST	(GEA)		230	┙ _R	1999		Dead End			
SR 13 EAST SR 13 EAST SR 10	To:		200	¬ '`	1000	From:	Dead End			
Column C					-	(666)		160	R	08/19/2003
Column C	(654)	6.00	240	R	1999				1	
654 0.90 220 R 1999 667 1.12 70 R 03/11/2002 654 1.20 100 R 1999 655 0.40 30 R 03/11/2002 656 0.40 30 R 03/11/2002 657 0.4649 East 0.4654 668 0.10 20 R 03/04/2002 669 0.43 40 R 03/04/2002 660 0.40 30 R 03/04/2002 660 0.40 0.00 0.00 0.00 660 0.40 0.00 0.00 660 0.40 0.00 0.00 660 0.40 0.00 0.00 660 0.40 0.00 660	To:	US 60				From:			Ì	
654	From:		220	٦ _P	1000			70	」 R	03/11/2003
654	(654)		220	- '`	1555				ר`` ד	00/11/2002
Column C	From:			┵	1000	From			+	
Column C	(654)	1.20	100	R	1999			100	┙╻	1000
Column C	From:	24-647		_		(668)	1.05	190	_ K	1999
\$\begin{array}{ c c c c c c c c c c c c c c c c c c c	(654)	0.60	90	R	1999				_	4000
1.50 100 R 03/11/2002 668 1.01 50 R 1999 6669 1.90 470 R 1999 672 1.90 470 R 1999 672 1.90 470 R 1999 672 1.90 470 470 R 1999 672 1.90 470	To:	24-661				(668)	0.25	40	R	1999
Column C	From:		100	R	03/11/2002	To- From:	0.25 ME 24-716		1	
Column C	To:			7			1.01	50	R	1999
Column C	From:					То:	24-635			
Dead End Dead End SR 45 SR 45 SR 45 Sr 45 Dead End SR 45 Sr 45 Dead End Sr 4694 Sr 4694 Sr 4696 Sr 4694 Sr 4696 Sr 4694 Sr 4696 Sr			30	┙╻	03/11/2002	From:	SR 45			
Trum	(000)		- 50	¬ '`	00/11/2002	(669)		470	R	1999
Color Colo	From:			-			US 60 EAST		1	
Tell 24-649 EAST Tell 24-600 SR 45			90	┙╻	1000	From:	US 60 WEST			
Seed End Seed End	(656)		30	¬ ``	1999			50	R	03/06/2002
SR 45	P					То:	Dead End			
SR 45			170	┙╻	02/05/2002	From:	SR 45			
Column C	(657)		170	¬ ~	03/05/2002	(670)	0.40	280	R	03/11/2002
Color Colo						To	US 60			
To Dead End To Dead En				┙	00/04/0000	From:	24-696			
To Dead End To Dead En	(658)		20	¬ K	03/04/2002	(671)	0.60	40	R	03/04/2002
659	- ""	Dead End					24-672			
659				_		From:	24-622		1	
Column Dead End	(659)		40	_ R	03/11/2002	672		240	┙ R	1999
660 1.00 120 R 1999 672 0.80 140 R 1999 660 1.00 ME 24-640	To:	Dead End				Tar	24.604		7	
Column C								140	¬ R	1000
Column C	(660)	1.00	120	R	1999	(6/2)		140	- K	1333
Column C	To:	1.00 ME 24-640		—		From:			_	
Column C	(660)		90	R	1999	(672)	0.75	80	R 1999	1999
(661) 24-654 (672) To: 0.40 30 R 03/04/2002	To:		-			To	0.75 MN 24-708			
(661) 1.40 30 R 03/11/2002	From:	24_654						30	R 03/04/200	
To 24-616	(661)		30	┙ R	03/11/2002	To:	24-613			
	(661)	24-616		¬ ``	JJ 1/2002				-	

Route	Length	AADT	QA		Route	Length	AADT	QA	Year
Cumberland County	-				Cumberland County				
From:	24-600				From:	Dead End]	
(673)	2.60	40	, R	03/06/2002	(689)	0.50	70	R	1999
"	24-638				To	SR 45; 24-690			
From:	Dead End			<u> </u>	From:	SR 45; 24-689			
674	0.40	70	R	1999	(690)	2.94	610	G	2003
From:	24-719		}—		To: From:	24-714		}—	
(674)	0.80	140	R	1999	(690)	3.89	630	G	2003
To:	24-654				From:	24-686		1—	
From:	Dead End		1		(690)	4.53	590	G	2003
675) _{To:}	1.70	20	R	03/06/2002	To:	Buckingham County Line			
To:	24-638				From:	Dead End			
From:	SR 45				(691)	0.50	40	R	03/06/2002
676	0.75	300	R	1999	To:	SR 45			
To:	24-692		1—		From:	Dead End			
676) From:	2.00	130	R	1999	(692)	0.65	20	R	03/06/2002
To:	Dead End				To:	24-676			
From:	Dead End				From:	Dead End			
(677)	1.00	20	R	03/05/2002	(693)	1.30	50	R	03/06/2002
To:	24-600				To:	24-639			
From:	24-638; 24-679				From:	24-672			
(678)	0.50	50	R	03/06/2002	(694)	0.60	170	R	03/04/2002
To:	Dead End				To:	Buckingham County Line			
From:	24-664				From:	Dead End			
(679)	2.00	50	R	03/06/2002	(695)	0.25	20	R	03/06/2002
To:	24-638; 24-678				To:	24-699			
From:	Dead End			-	From:	Buckingham County Line			
(680)	0.80	30	R	03/06/2002	(696)	0.70	60	R	1999
To:	SR 45				To:	24-672		1	
From:	Dead End			-	(696)	0.70	40 R	R	03/04/2002
(681)	1.00	60	_ R	03/11/2002	To:	24-671		1	
To:	24-654				From:	1.00	120	J R	1999
From:	SR 13				(696)	24-624		1 ``	1000
(682)	0.50	260	R	03/11/2002	From:	SR 45		i i	
To:	US 60; SR 45				(697)	1.20	30	R	03/06/2002
From:	Dead End				To:	Dead End		1	
(683)	0.40	10	R R	03/06/2002	From:	Dead End			
To:	SR 45				(698)	0.25	50	R	03/04/2002
From:	SR 45; 24-616			<u> </u>	To:	24-657]	
(684)	1.00	1100	G	2003	From:	Dead End			
To: From:	24-659		}—		(699)	0.60	140	R	1999
684)	0.03	1100	G	2003	Too	24-695		1	
To:	Powhatan County Line				(699)	0.20	170	R	1999
From:	24-654				To:	SR 45		1	
(685)	1.00	60	R	03/11/2002	From:	Dead End		i i	
To:	Dead End				(700)	0.70	40	R	03/06/2002
From:	24-610				To:	24-690		1	
(686)	2.80	80	R	03/06/2002	From:	Dead End		+	
To- From:	24-604		1—		(701)	1.00	20	R	03/06/2002
(686)	0.90	40	R	03/06/2002	Tn·	SR 45		¬ ¨ `	00/00/2002
To:	24-690				From:	24-600		i -	
From:	Dead End			,	(702)	0.50	20	R	03/05/2002
(687)	2.20	70	R	03/11/2002	To:	Dead End		1_	
To:	24-616				From	Dead End			
From:	24-639			,	(703)	1.05	60	R	03/06/2002
688) _{To:}	1.10	40	R	03/06/2002	То:	24-631		1_	
To:	Dead End								

Route	Length AAD	- QA	Year	Route	Length AAD	T QA	Year
Cumberland County	24.600	- i		Cumberland County	D 15.1		
rrom:	24-600	ᆜᅟ	02/06/2002	rrom:	Dead End		02/44/2002
704) _{то}	0.25 30	— ^к	03/06/2002	(723) _{To:}	0.40 70	—, ĸ	03/11/2002
	Dead End				SR 13		
From:	SR 45	ᆜᅟ	00/00/0000	From:	Dead End	ᆜ _	00/04/0000
705) _{To:}	0.30 20	_, R	03/06/2002	(724) _{To:}	0.50 50	R	03/04/2002
	Dead End				US 60		
From:	SR 45	┙_		From:	Dead End		
706) _{To:}	0.40 2	R	03/06/2002	(725)	0.35 50	—, ^R	03/12/2002
<u>'</u>	Dead End				24-638		
From:	24-657			From:	24-600		
707) _{To:}	0.40 100	R	03/04/2002	(726)	0.31 60	R	03/11/2002
To:	Dead End			To:	Dead End		
From:	Dead End			From:	SR 45		
708) To:	0.40 50	R	03/04/2002	(727) <u> </u>	0.08 110	R	1999
To:	24-672			To:	Dead End		
From:	Dead End			From:	US 60		
709) To:	0.40 40	R	03/05/2002	(728)	0.65 50	R	1999
To:	SR 45			То:	Dead End		
From:	US 60		-	From:	Dead End/		
(710) _{To}	0.17 200	R	03/11/2002	(729)	0.33 NA		
To:	24-600			To:	24-00602(B)/		
From:	24-602		_	From:	Dead End	Ī	-
(711) To:	0.95 30	R	03/06/2002	(730)	0.25 40	R	03/04/2002
To:	Dead End			To:	24-627		
From:	SR 45			From:	Cul-de-Sac		
(712)	1.60 370	R	03/04/2002	(731)	0.39 40	R	03/11/2002
(712) To:	24-657			To:	24-600		
From:	Dead End	i		From:	Dead End		
712	0.93 70	R	1999	(733)	0.20 50	R	03/04/2002
713) _{To:}	24-690	╗ ``	.000	To:	24-657	一	00/0 // 2002
From:	24-612			From:	24-626		
744	0.20 260	┙╻	08/19/2003		1.00 30	ᆜᇕ	03/06/2002
(714) To:	24-690	一 '`	00/10/2000	(735)	Cul-de-Sac	一 ``	00/00/2002
From:		1		From:			:
	Dead End 0.45 50	┙╻	03/06/2002	_	Cul-de-Sac/ 0.33 NA		
(715) _{To:}	24-690	→ ``	03/00/2002	(737)	24-00600(B)/24-00643(U)/	<u> </u>	
From:				From:			
	Dead End	ᆜᇟ	1000		SR 45		1000
716) _{To:}	0.34 170	¬ R	1999	(1008)	0.46 100 Dead End	R	1999
From:	Dead End	ᆜᆺ	00/44/0000	From:	24-1013		4000
717) _{To:}	0.63 60	\neg κ	03/11/2002	(1009)	0.10 130	R	1999
				From:	24-1010	\Box	
From:	24-640	ᆜᆫ	00/44/0000	(1009)	0.10 80	R	03/04/2002
718) To:	0.30 30	_ K	03/11/2002	To:	SR 45		
	Dead End			From:	24-1009		
From:	24-674			(1010)	0.17 80	R	1999
719) _{To}	0.32 40	R	03/11/2002	To:	24-1011		
To:	Dead End			(1010) From:	0.13 40	R	1999
From:	Dead End			To	24-1012		
720) To:	0.25 40	R	03/05/2002	From:	24-1013		
To:	24-653			(1011)	0.09 90	_R	1999
From:	SR 45			1011)		``	1999
(721) _{To:}	0.18 20	R	03/06/2002	From:	24-1010		1999
To:	Dead End			(1011)	0.08 230	R	
From:	24-650				SR 45		
(722)	0.05 40	R	03/04/2002	From:	Dead End		
To:	Dead End			(1012)	0.12 30	R	1999
				To:	24-1014		

Route	Length	AADT	QA	Year
Cumberland Cou	ntv			
From:	24-1014		」	4000
(1012)	0.08	80	R	1999
To:	24-1013			
(1012)	0.09	40	R	03/04/2002
To:	24-1010		1	
(1012)	0.11	60	R	03/04/2002
To:	SR 45			
From:	24-1009			
(1013)	0.22	90	R	1999
To- From:	24-1011		1—	
(1013)	0.12	60	R	1999
To:	24-1012			
From:	24-1012			
(1014)	0.07	70	R	1999
To:	24-1015			
From:	Cul-de-Sac		1	
(1015)	0.11	20	R	1999
To:	24-1014		1	
(1015)	0.17	20	R	1999
To:	Cul-de-Sac .17ME			
From:	Cul-de-Sac			
(1020)	0.30	90	R	03/06/2002
To:	SR 45			
From:	24-630			
(9111)	0.13	1400	R	1999
To:	US 60			
From:	US 60			
(9780)	0.09	70	R	1999
To:	24-628			