

**2008**

**Virginia Department of Transportation  
Daily Traffic Volume Estimates  
Including Vehicle Classification Estimates**

where available

**Jurisdiction Report**

**26**

Dinwiddie County  
City of Petersburg  
Town of McKenney

Prepared By

**Virginia Department of Transportation  
Traffic Engineering Division**

In Cooperation With

**U.S. Department of Transportation  
Federal Highway Administration**

Virginia Department of Transportation  
Traffic Engineering Division  
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

## **Publication Notes**

### **Parallel Roads**

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

---

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

**Route:** The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

**Length:** Length of the traffic segment in miles.

**AADT:** Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

**QA:** Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

**4Tire:** Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

**Bus:** Percentage of the traffic volume made up of busses.

**2Axle Truck:** Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

**3+Axle Truck:** Percentage of the traffic volume made up of single unit trucks with three or more axles.

**1Trail Truck:** Percentage of the traffic volume made up of units with a single trailer.

**2Trail Truck:** Percentage of the traffic volume made up of units with more than one trailer.

**QC:** Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

**K Factor:** The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

**QK:** Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

**Dir Factor:** The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

**AAWDT:** Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

**QW:** Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

**Year:** Year for which the published values are appropriate. If the Quality of AADT (QA) is “R”, the year is the year that the raw traffic count was collected, and if available,

## Route Shield Legend

### Route Systems

 Interstate Route      Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.

 US Route

 Virginia State Route

 Frontage Road (F precedes frontage route number)

 Secondary Route

### Special Routes

 Bus - Business Route  
 Bypas - Bypass Route  
 Truck - Truck Route  
 ALT - Alternate Route  
 Wye - Wye Route connector

 P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.

 The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation  
Traffic Engineering Division  
2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Jurisdiction	Length	<b>AADT</b>	<b>QA</b>	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
1 Boydton Plank Rd	Dinwiddie County	2.46	<b>1400</b>	F	96%	1%	1%	1%	1%	0%	F	NA			1500	F
1 Boydton Plank Rd	Town of McKenney (Maint: 26)	0.23	<b>1400</b>	N	96%	1%	1%	1%	1%	0%	N	NA			1500	N
1 Boydton Plank Rd	Town of McKenney (Maint: 26)	0.33	<b>2000</b>	F	96%	1%	1%	1%	1%	0%	F	0.093	F		2100	F
1 Boydton Plank Rd	Dinwiddie County	4.05	<b>2000</b>	N	96%	1%	1%	1%	1%	0%	N	0.093	N		2100	N
1 Boydton Plank Rd	Dinwiddie County	5.65	<b>2200</b>	F	96%	1%	1%	1%	1%	0%	F	0.098	F	0.689	2400	F
1 Boydton Plank Rd	Dinwiddie County	2.48	<b>3900</b>	F	96%	1%	1%	1%	1%	0%	C	0.099	F		4200	F
1 Boydton Plank Rd	Dinwiddie County	3.61	<b>5400</b>	F	96%	1%	1%	1%	1%	0%	F	0.101	F		5800	F
1 Boydton Plank Rd	Dinwiddie County	3.09	<b>8000</b>	F	96%	1%	1%	1%	1%	0%	F	0.093	F		8700	F
1 Bus 460 Boydton Plank Rd	Dinwiddie County	1.70	<b>12000</b>	F	96%	1%	1%	1%	1%	0%	F	0.090	F		13000	F
1 Bus 460 Boydton Plank Rd	Dinwiddie County	1.22	<b>15000</b>	F	97%	0%	1%	1%	1%	0%	C	0.098	F		15000	F
1 Bus 460	Dinwiddie County	0.45	<b>13000</b>	A	98%	0%	1%	1%	1%	0%	C	0.105	A	0.524	14000	A
1 Bus 460 Washington St	City of Petersburg	0.40	<b>13000</b>	F	98%	0%	1%	1%	1%	0%	F	NA			14000	F
1 Bus 460 Washington St	City of Petersburg	0.18	<b>13000</b>	F	98%	0%	1%	1%	1%	0%	F	NA			14000	F
1 Bus 460 Washington St	City of Petersburg	0.57	<b>14000</b>	F	96%	1%	1%	1%	1%	0%	F	0.085	F		16000	F
1 Bus 460 Wythe St	City of Petersburg	1.08	<b>7700</b>	F	96%	1%	1%	1%	1%	0%	C	0.082	F		8300	F
Combined Traffic Estimates for 2 Parallel Roadways on this Route:		<b>16000</b>	<b>F</b>	96%	1%	1%	1%	1%	1%	0%	F	0.083	F		18000	F
1 Bus 460 Wythe St	City of Petersburg	0.15	<b>9300</b>	F	96%	1%	1%	1%	1%	0%	F	NA			10000	F
Combined Traffic Estimates for 2 Parallel Roadways on this Route:		<b>19000</b>	<b>F</b>	96%	1%	1%	1%	1%	1%	0%	F	NA			20000	F
To:		SR 36 Market St														

Virginia Department of Transportation  
Traffic Engineering Division  
2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
1 Bus 460 36 Wythe St	City of Petersburg	0.20	10000	F	96%	1%	1%	1%	1%	0%	F	NA			11000	F
1 ALT Bus 301 460 36 Wythe St	City of Petersburg	0.20	12000	F	96%	1%	1%	1%	1%	0%	F	NA			13000	F
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			27000	F	96%	1%	2%	1%	1%	0%	F	NA			29000	F
1 ALT 301 Jefferson St	City of Petersburg	0.09	3900	F	96%	1%	1%	1%	1%	0%	F	0.082	F	0.687	4300	F
1 ALT 301 Jefferson St	City of Petersburg	0.26	800	F	96%	1%	1%	1%	1%	0%	F	0.096	F	0.674	870	F
1 ALT 301 3rd St	City of Petersburg	0.05	330	F	96%	1%	1%	1%	1%	0%	F	0.115	F	0.573	360	F
1 ALT 301 3rd St	City of Petersburg	0.05	400	F	96%	1%	1%	1%	1%	0%	F	0.11	F	0.634	440	F
1 ALT 301 301 36 Bollingbrook St	City of Petersburg	0.08	4700	F	98%	0%	1%	0%	0%	0%	F	0.122	F	0.85	5100	F
1 ALT 301 2nd St	City of Petersburg	0.35	13000	F	99%	0%	0%	0%	0%	0%	F	0.111	F	0.694	13000	F
1 Bus 460 Washington St	City of Petersburg	0.31	8600	F	97%	1%	1%	1%	1%	0%	F	0.089	F		9300	F
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			16000	F	96%	1%	1%	1%	1%	0%	F	0.083	F		18000	F
1 Bus 460 Washington St	City of Petersburg	0.40	9200	F	97%	1%	1%	1%	1%	0%	F	0.089	F		10000	F
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			17000	F	97%	1%	1%	1%	1%	0%	F	NA			18000	F
1 Bus 460 Washington St	City of Petersburg	0.27	9500	F	97%	1%	1%	1%	1%	0%	C	0.087	F		10000	F
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			19000	F	96%	1%	1%	1%	1%	0%	F	NA			20000	F
1 Bus 460 Washington St	City of Petersburg	0.24	9600	F	97%	1%	1%	1%	1%	0%	F	0.088	F		10000	F
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			19000	F	96%	1%	1%	1%	1%	0%	F	NA			20000	F
1 36 Market St	City of Petersburg	0.38	3300	F	97%	1%	1%	0%	0%	0%	C	0.089	F		3600	F
1 36 Old St	City of Petersburg	0.13	3500	F	97%	1%	1%	0%	0%	0%	F	0.094	F		3800	F

Virginia Department of Transportation  
Traffic Engineering Division  
2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
  Sycamore St	City of Petersburg	0.04	<b>3400</b>	<b>F</b>	97%	1%	1%	0%	0%	0%	<b>F</b>	0.094	<b>F</b>	3700	<b>F</b>	
  Bollingbrook St	City of Petersburg	0.10	<b>3500</b>	<b>F</b>	97%	1%	1%	0%	0%	0%	<b>F</b>	0.088	<b>F</b>	0.772	3800	<b>F</b>
 Fleet St	City of Petersburg	0.12	<b>7900</b>	<b>F</b>	99%	0%	0%	0%	0%	0%	<b>C</b>	0.088	<b>F</b>	8500	<b>F</b>	
 Grove Ave	City of Petersburg	0.54	<b>3000</b>	<b>F</b>	97%	0%	1%	1%	0%	0%	<b>C</b>	0.101	<b>F</b>	0.609	3300	<b>F</b>
  Market St	City of Petersburg	0.38	<b>3300</b>	<b>F</b>	97%	1%	1%	0%	0%	0%	<b>C</b>	0.089	<b>F</b>	3600	<b>F</b>	
 Market St	City of Petersburg	0.11	<b>5700</b>	<b>F</b>	99%	0%	1%	0%	0%	0%	<b>F</b>	0.09	<b>F</b>	0.769	6100	<b>F</b>
  Bus Wythe St	City of Petersburg	0.20	<b>10000</b>	<b>F</b>	96%	1%	1%	1%	0%	<b>F</b>	NA			11000	<b>F</b>	
    Wythe St	City of Petersburg	0.20	<b>12000</b>	<b>F</b>	96%	1%	1%	1%	0%	<b>F</b>	NA			13000	<b>F</b>	
Combined Traffic Estimates for 2 Parallel Roadways on this Route: <b>27000</b> <b>F</b> 96% 1% 2%																
  Wythe St	City of Petersburg	0.20	<b>16000</b>	<b>F</b>	97%	1%	1%	1%	0%	<b>C</b>	0.087	<b>F</b>		17000	<b>F</b>	
Combined Traffic Estimates for 2 Parallel Roadways on this Route: <b>31000</b> <b>F</b> 95% 1% 1%																
  Wythe St	City of Petersburg	0.30	<b>11000</b>	<b>F</b>	97%	1%	1%	1%	2%	0%	<b>F</b>	0.079	<b>F</b>		34000	<b>F</b>
  Wythe St	City of Petersburg	0.30	<b>11000</b>	<b>F</b>	97%	1%	1%	1%	2%	0%	<b>F</b>	NA			26000	<b>F</b>
 Wythe St	City of Petersburg	0.43	<b>9800</b>	<b>F</b>	97%	0%	0%	1%	1%	0%	<b>F</b>	NA			10000	<b>F</b>
Combined Traffic Estimates for 2 Parallel Roadways on this Route: <b>21000</b> <b>F</b> 97% 0% 0%																
 Washington St	City of Petersburg	0.87	<b>20000</b>	<b>F</b>	97%	0%	0%	1%	1%	0%	<b>F</b>	0.081	<b>F</b>		22000	<b>F</b>
 Washington St	City of Petersburg	0.58	<b>16000</b>	<b>F</b>	97%	0%	0%	1%	1%	0%	<b>F</b>	0.079	<b>F</b>		17000	<b>F</b>
 Old St	City of Petersburg	0.13	<b>3500</b>	<b>F</b>	97%	1%	1%	0%	0%	<b>F</b>	0.094	<b>F</b>		3800	<b>F</b>	

Virginia Department of Transportation  
Traffic Engineering Division  
2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
36 p 1 Sycamore St	City of Petersburg	0.04	3400	F	97%	1%	1%	0%	0%	0%	F	0.094	F		3700	F	
	From: Old St																
	To: Bollingbrook St																
36 p 1 Bollingbrook St	City of Petersburg	0.10	3500	F	97%	1%	1%	0%	0%	0%	F	0.088	F	0.772	3800	F	
	From: Sycamore St																
	To: US 1, US 301 2nd St																
36 301 1 ALT 301 Bollingbrook St	City of Petersburg	0.08	4700	F	98%	0%	1%	0%	0%	0%	F	0.122	F	0.85	5100	F	
	From: US 1, Par, 2nd St																
	To: US 1, ALT US 301 3rd St																
36 301 Bollingbrook St	City of Petersburg	0.15	4400	F	98%	0%	1%	0%	0%	0%	F	0.108	F	0.786	4800	F	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	6200		F	98%	0%	1%	0%	1%	0%	F	NA			6700	F	
36 301 Bollingbrook St	City of Petersburg	0.23	4200	F	98%	0%	1%	0%	0%	0%	C	0.116	F		4600	F	
	From: 5th St																
	To: Crater Rd																
36 301 Crater Rd	City of Petersburg	0.14	3700	F	98%	0%	1%	0%	0%	0%	F	0.115	F	0.839	4000	F	
	From: Bollingbrook St																
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	7700		G	97%	1%	1%	1%	1%	0%	F	NA			8400	G	
36 301 Crater Rd	City of Petersburg	0.18	3900	F	97%	1%	1%	0%	0%	0%	F	NA			4200	F	
	From: US 301 Par, Bank St																
36 Washington St	City of Petersburg	0.18	10000	F	97%	0%	0%	1%	1%	0%	F	0.09	F		11000	F	
	From: US 301, BUS US 460 Crater Rd																
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	20000		F	97%	0%	0%	1%	1%	0%	F	NA			22000	F	
36 Washington St	City of Petersburg	0.25	11000	F	97%	0%	0%	1%	1%	0%	F	0.091	F		12000	F	
	From: Burch St																
	To: SR 36 Wythe St; Amelia St																
40 Darvills Rd	Dinwiddie County	4.90	1000	F	88%	1%	1%	1%	9%	0%	F	0.102	F	0.640	1000	F	
	From: Nottoway County Line																
40 Old Cryors Rd	Dinwiddie County	6.15	990	A	88%	1%	1%	1%	9%	0%	C	0.113	A	0.55	980	A	
	From: 26-644 Brills Rd																
40 McKenney Hwy	Dinwiddie County	2.46	1600	F	88%	1%	1%	1%	9%	0%	F	0.089	F	0.552	1500	F	
	From: 26-610 Old White Oak Rd																
40 Doyle Blvd	Town of McKenney (Maint: 26)	0.34	1600	N	88%	1%	1%	1%	9%	0%	N	0.089	N	0.552	1500	N	
	From: WCL McKenney																
40 Doyle Blvd	Town of McKenney (Maint: 26)	0.57	2500	F	88%	1%	1%	1%	9%	0%	F	0.097	F	0.543	2500	F	
	From: 26-1002 Railroad St																
40 Doyle Blvd	Town of McKenney (Maint: 26)	0.43	2800	F											0.1	F	
	From: US 1 Boydton Plank Rd																
40 Doyle Blvd	Town of McKenney (Maint: 26)														0.523	3000	F
	To: ECL McKenney																

Virginia Department of Transportation  
Traffic Engineering Division  
2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW		
							2Axle	3+Axle	1Trail	2Trail								
40	McKenney Hwy	From: [REDACTED] ECL McKenney										0.1	N	0.523	3000	N		
40	Dinwiddie County	0.14	2800	N														
40	McKenney Hwy	To: [REDACTED] I-85											F	0.093	F	0.613	2000	F
40	Dinwiddie County	0.56	2000	F	88%	1%	1%		1%	9%	0%							
40	McKenney Hwy	To: [REDACTED] 26-692 Spony Church Rd											C	0.117	A	0.568	1000	A
40	Dinwiddie County	5.15	1000	A	88%	1%	1%		1%	9%	0%							
40	McKenney Hwy	To: [REDACTED] 26-609 Old Stage Rd																
40	Dinwiddie County	2.04	1100	F	88%	1%	1%		1%	9%	0%		F	0.083	F	0.502	1100	F
40	McKenney Hwy	To: [REDACTED] 26-609 Cherry Hill Rd																
40	Dinwiddie County	5.19	1100	F	88%	1%	1%		1%	9%	0%		F	0.101	F	0.658	1100	F
40	McKenney Hwy	To: [REDACTED] Sussex County Line																
North	[REDACTED] Brunswick County Line																	
85	Dinwiddie County	2.38	11000	F	77%	1%	1%		1%	19%	2%		F	NA			9400	F
Combined Traffic Estimates for 2 Parallel Roadways on this Route:							22000	F	77%	1%	1%		F	NA			19000	F
North	[REDACTED] SR 40																	
85	Dinwiddie County	5.95	11000	F	82%	1%	1%		1%	15%	1%		F	NA			9600	F
Combined Traffic Estimates for 2 Parallel Roadways on this Route:							21000	F	82%	1%	1%		F	NA			20000	F
North	[REDACTED] 26-650																	
85	Dinwiddie County	4.88	11000	F	82%	1%	1%		1%	15%	1%		F	NA			10000	F
Combined Traffic Estimates for 2 Parallel Roadways on this Route:							23000	F	82%	1%	1%		F	NA			21000	F
North	[REDACTED] 26-703																	
85	Dinwiddie County	8.81	13000	A	82%	1%	1%		1%	15%	1%		C	0.125	A		12000	A
Combined Traffic Estimates for 2 Parallel Roadways on this Route:							26000	A	82%	1%	1%		C	0.115	A		23000	A
North	[REDACTED] US 460																	
85	Dinwiddie County	1.48	20000	F	82%	1%	1%		1%	15%	1%		F	NA			18000	F
Combined Traffic Estimates for 2 Parallel Roadways on this Route:							40000	F	82%	1%	1%		F	NA			36000	F
North	[REDACTED] US 1																	
85	Dinwiddie County	1.18	26000	G	82%	1%	1%		1%	15%	1%		F	NA			24000	G
Combined Traffic Estimates for 2 Parallel Roadways on this Route:							52000	G	82%	1%	1%		F	NA			47000	G
North	[REDACTED] SCL Petersburg																	
85	City of Petersburg (Maint: 26)	1.01	26000	G	82%	1%	1%		1%	15%	1%		F	NA			24000	G
Combined Traffic Estimates for 2 Parallel Roadways on this Route:							52000	G	82%	1%	1%		F	NA			47000	G
North	[REDACTED] Squirrel Level Road																	
85	City of Petersburg (Maint: 26)	2.57	31000	F	82%	1%	1%		1%	15%	1%		F	NA			29000	F
Combined Traffic Estimates for 2 Parallel Roadways on this Route:							61000	F	82%	1%	1%		F	NA			56000	F
	[REDACTED] I-95																	

Virginia Department of Transportation  
Traffic Engineering Division  
2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
North  Ramp	City of Petersburg (Maint: 26)	From: I-95 N Exit 50D & I-85 N Exit 69 To: Wythe St & Washington St	0.22	NA											NA	NA
South 	Dinwiddie County	From: Brunswick County Line Combined Traffic Estimates for 2 Parallel Roadways on this Route:	2.78	11000	F	76%	1%	1%	0%	20%	2%	F	NA		9600	F
South 	Dinwiddie County	From: SR 40 Combined Traffic Estimates for 2 Parallel Roadways on this Route:	5.95	11000	F	81%	1%	1%	1%	15%	1%	F	NA		9900	F
South 	Dinwiddie County	From: 26-650 Combined Traffic Estimates for 2 Parallel Roadways on this Route:	4.95	11000	F	81%	1%	1%	1%	15%	1%	F	NA		10000	F
South 	Dinwiddie County	From: 26-703 Combined Traffic Estimates for 2 Parallel Roadways on this Route:	8.36	13000	A	81%	1%	1%	1%	15%	1%	C	0.117	A	12000	A
South  	Dinwiddie County	From: US 460 Combined Traffic Estimates for 2 Parallel Roadways on this Route:	1.83	20000	F	81%	1%	1%	1%	15%	1%	F	NA		18000	F
South  	Dinwiddie County	From: US 1 Combined Traffic Estimates for 2 Parallel Roadways on this Route:	0.81	26000	F	81%	1%	1%	1%	15%	1%	F	NA		23000	F
South  	Dinwiddie County	From: SCL Petersburg Combined Traffic Estimates for 2 Parallel Roadways on this Route:	1.25	26000	F	81%	1%	1%	1%	15%	1%	F	NA		23000	F
South  	City of Petersburg (Maint: 26)	From: Squirrel Level Road Combined Traffic Estimates for 2 Parallel Roadways on this Route:	2.72	30000	F	81%	1%	1%	1%	15%	1%	F	NA		27000	F
North 	City of Petersburg (Maint: 26)	From: I-95 Combined Traffic Estimates for 2 Parallel Roadways on this Route:	61000	F	82%	1%	1%	1%	15%	1%	F	NA		56000	F	
North 	City of Petersburg (Maint: 74)	From: Rives Rd Combined Traffic Estimates for 2 Parallel Roadways on this Route:	1.15	15000	G	83%	1%	1%	0%	14%	0%	F	NA		13000	G
North 	City of Petersburg (Maint: 74)	From: Wagner Rd Combined Traffic Estimates for 2 Parallel Roadways on this Route:	2.79	20000	G	83%	1%	1%	0%	14%	0%	F	NA		17000	G
		To: US 460 West St													33000	G

Virginia Department of Transportation  
Traffic Engineering Division  
2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
North 		From:	US 460 West St													
	City of Petersburg (Maint: 74)	0.50	<b>20000</b>	N	83%	1%	1%	0%	14%	0%	N	NA			17000	N
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	<b>39000</b>	<b>N</b>	84%	1%	1%	1%	14%	0%	N	NA				33000	N
North 		To:	I-85													
	City of Petersburg (Maint: 26)	0.44	<b>42000</b>	G	90%	1%	1%	1%	8%	0%	F	NA			42000	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	<b>80000</b>	<b>G</b>	90%	1%	1%	1%	8%	0%	F	NA				80000	G
North 		To:	US 301, Bus US 460 Washington St													
	City of Petersburg (Maint: 26)	0.64	<b>53000</b>	G	90%	1%	1%	1%	8%	0%	F	NA			53000	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	<b>100000</b>	<b>G</b>	90%	1%	1%	1%	8%	0%	F	NA				100000	G
North 		To:	SCL Colonial Heights													
	City of Petersburg (Maint: 74)	0.17	<b>NA</b>													
Ramp		From:	I-95 North													
	City of Petersburg (Maint: 74)	0.17	<b>NA</b>													
North 		To:	123-9008 Rives Rd													
Ramp		From:	I-95 North													
	City of Petersburg (Maint: 74)	0.35	<b>NA</b>													
	To:	123-9010 Wagner Rd														
North 		From:	Ramp From US 301													
Ramp		City of Petersburg (Maint: 74)	0.14	<b>NA</b>												
	To:	Ramp to Wythe & Washington Streets														
South 		From:	SCL Petersburg													
	City of Petersburg (Maint: 74)	0.34	<b>13000</b>	G	84%	1%	1%	1%	14%	0%	F	NA			11000	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	<b>24000</b>	<b>G</b>	84%	1%	1%	1%	14%	0%	F	NA				20000	G
South 		To:	Rives Rd													
	City of Petersburg (Maint: 74)	1.22	<b>15000</b>	G	84%	1%	1%	1%	14%	0%	F	NA			13000	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	<b>30000</b>	<b>G</b>	84%	1%	1%	1%	14%	0%	F	NA				26000	G
South 		To:	Wagner Rd													
	City of Petersburg (Maint: 74)	2.29	<b>19000</b>	G	84%	1%	1%	1%	14%	0%	F	NA			16000	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	<b>39000</b>	<b>G</b>	84%	1%	1%	1%	14%	0%	F	NA				33000	G
South 		To:	US 460 County Rd; US 301 Crater Rd													
	City of Petersburg (Maint: 74)	0.53	<b>19000</b>	N	84%	1%	1%	1%	14%	0%	N	NA			16000	N
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	<b>39000</b>	<b>N</b>	84%	1%	1%	1%	14%	0%	N	NA				33000	N
South 		To:	I-85													
	City of Petersburg (Maint: 26)	0.66	<b>39000</b>	G	89%	1%	1%	1%	8%	0%	F	NA			38000	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	<b>80000</b>	<b>G</b>	90%	1%	1%	1%	8%	0%	F	NA				80000	G
	To:	US 301, Bus US 460 Washington St														

Virginia Department of Transportation  
Traffic Engineering Division  
2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail						
South 95		From:	US 301, Bus US 460 Washington St													
	City of Petersburg (Maint: 26)	0.48	<b>47000</b>	<b>G</b>	89%	1%	1%	1%	8%	0%	F	NA		47000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	<b>100000</b>	<b>G</b>	90%	1%	1%	1%	8%	0%		F	NA		100000	G	
	To:	SCL Colonial Heights														
South 95 Ramp		From:	I-95 South											NA	NA	
	City of Petersburg (Maint: 74)	0.31	<b>NA</b>													
	To:	123-9010 Wagner Rd														
South 95 Bus 460 460	Ramp from I-85 N to I-95 S	From:	Ramp from US 301											NA	12000	F
	City of Petersburg (Maint: 74)	0.27	<b>12000</b>	<b>F</b>												
	To:	US 460 Ramp														
106 Courthouse Rd		From:	US 460 County Rd													
	City of Petersburg	0.10	<b>7500</b>	<b>F</b>	95%	1%	1%	1%	2%	0%	F	0.089	F		8200	F
	To:	ECL Petersburg														
109 Hickory Hill Rd		From:	US 460 County Rd													
	City of Petersburg	0.88	<b>6600</b>	<b>F</b>	98%	0%	0%	1%	0%	0%	C	0.124	F		7200	F
	To:	ECL Petersburg														
109 Hickory Hill Rd		From:	City of Petersburg													
	0.03	<b>6600</b>	<b>N</b>	98%	0%	0%	1%	0%	0%	N	0.124	N		7200	N	
	To:	Dead End; Fort Lee Military Reservation, Mahone Av														
142 Simpson Rd		From:	US 1 Boydton Plank Rd													
	Dinwiddie County	1.27	<b>3100</b>	<b>F</b>	96%	0%	0%	1%	2%	0%	C	0.102	F	0.674	3300	F
	To:	WCL Petersburg														
142 Boydton Plank Rd		From:	City of Petersburg													
	0.16	<b>3400</b>	<b>F</b>	98%	0%	0%	0%	1%	0%	F	0.096	F		3700	F	
	To:	Dupuy Rd														
142 Boydton Plank Rd		From:	City of Petersburg													
	1.24	<b>3100</b>	<b>F</b>	98%	0%	0%	0%	1%	0%	C	0.083	F		3400	F	
	To:	Rt 604 Halifax Rd														
142 Halifax Rd		From:	City of Petersburg													
	0.06	<b>5800</b>	<b>F</b>	98%	0%	0%	0%	1%	0%	F	0.079	F	0.524	6400	F	
	To:	CSX RR														
226 Cox Rd		From:	US 460 Cox Rd													
	Dinwiddie County	3.38	<b>9900</b>	<b>F</b>	97%	0%	1%	1%	1%	0%	C	0.099	F		11000	F
	To:	US 1 West of Petersburg														
301 Crater Rd		From:	SCL Petersburg													
	City of Petersburg	0.21	<b>8700</b>	<b>F</b>	99%	0%	0%	0%	0%	0%	F	0.096	F		9400	F
	To:	Rives Rd														
301 Crater Rd		From:	City of Petersburg													
	0.90	<b>9800</b>	<b>F</b>	99%	0%	0%	0%	0%	0%	C	0.091	F		11000	F	
	To:	Wagner Rd														
301 Crater Rd		From:	City of Petersburg													
	0.43	<b>21000</b>	<b>F</b>	99%	0%	0%	0%	0%	0%	F	NA				23000	F
	To:	Flank Rd														
301 Crater Rd		From:	City of Petersburg													
	0.87	<b>23000</b>	<b>F</b>	99%	0%	0%	0%	0%	0%	F	0.084	F		25000	F	
	To:	ALT US 301 Sycamore St														

Virginia Department of Transportation  
Traffic Engineering Division  
2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
301 Crater Rd	City of Petersburg	0.26	16000	F	98%	0%	1%	0%	0%	0%	C	0.088	F		17000	F
301 Crater Rd	City of Petersburg	0.73	22000	F	98%	0%	1%	0%	0%	0%	F	0.084	F		24000	F
301 Bus 460 Crater Rd	City of Petersburg (Maint: 26)	0.09	11000	N	97%	1%	1%	0%	0%	0%	N	0.087	N		12000	N
301 Bus 460 Crater Rd	Maintenance Jurisdiction Change															
301 Bus 460 Crater Rd	City of Petersburg	0.98	11000	F	97%	1%	1%	0%	0%	0%	C	0.087	F		12000	F
301 Bus 460 Crater Rd	SR 36, Bus US 460 Wythe St															
301 36 Crater Rd	City of Petersburg	0.10	7900	F	97%	1%	1%	0%	0%	0%	F	0.087	F		8600	F
301 36 Crater Rd	SR 36 Par, Bus US 460 Par, Washington St															
301 36 Crater Rd	US 301 Par, Bank St															
301 36 Crater Rd	City of Petersburg	0.14	3700	F	98%	0%	1%	0%	0%	0%	F	0.115	F	0.839	4000	F
Combined Traffic Estimates for 2 Parallel Roadways on this Route:		7700	G	97%	1%	1%	1%	1%	0%		F	NA			8400	G
301 36 Bollingbrook St	Crater Rd															
301 36 Bollingbrook St	City of Petersburg	0.23	4200	F	98%	0%	1%	0%	0%	0%	C	0.116	F		4600	F
Combined Traffic Estimates for 2 Parallel Roadways on this Route:		6400	F	98%	0%	1%	0%	0%	1%	0%	C	0.108	F		6900	F
301 36 Bollingbrook St	5th St															
301 36 Bollingbrook St	City of Petersburg	0.15	4400	F	98%	0%	1%	0%	0%	0%	F	0.108	F	0.786	4800	F
Combined Traffic Estimates for 2 Parallel Roadways on this Route:		6200	F	98%	0%	1%	0%	0%	1%	0%	F	NA			6700	F
301 ALT 301 36 Bollingbrook St	US 1, ALT US 301 3rd St															
301 1 301 36 Bollingbrook St	City of Petersburg	0.08	4700	F	98%	0%	1%	0%	0%	0%	F	0.122	F	0.85	5100	F
301 1 2nd St	US 1 Par, 2nd St															
301 1 2nd St	N RT 1															
301 1 2nd St	SCL Colonial Heights															
301 36 Bank St	US 301 Crater St															
301 36 Bank St	City of Petersburg	0.24	2100	F	96%	1%	1%	1%	1%	0%	C	0.102	F		2300	F
Combined Traffic Estimates for 2 Parallel Roadways on this Route:		6400	F	98%	0%	1%	0%	0%	1%	0%	C	0.108	F		6900	F
301 36 Bank St	5th St															
301 36 Bank St	City of Petersburg	0.15	1700	F	96%	1%	1%	1%	1%	0%	F	0.105	F		1900	F
Combined Traffic Estimates for 2 Parallel Roadways on this Route:		6200	F	98%	0%	1%	0%	0%	1%	0%	F	NA			6700	F
301 ALT 301 36 Bank St	3rd St															
301 1 301 36 Bank St	City of Petersburg	0.09	1700	F	96%	1%	1%	1%	1%	0%	F	0.100	F		1800	F
Combined Traffic Estimates for 2 Parallel Roadways on this Route:		6300	F	98%	0%	1%	0%	0%	1%	0%	F	NA			6900	F
301 1 301 36 Bank St	ALT US 301 Par, 2nd St															

Virginia Department of Transportation  
Traffic Engineering Division  
2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
ALT 301 Sycamore St	City of Petersburg	0.30	7600	F	99%	0%	0%	0%	0%	0%	F	NA			8300	F	
ALT 301 Sycamore St	City of Petersburg	0.95	5000	F	99%	0%	0%	0%	0%	0%	C	0.084	F		5500	F	
ALT 301 Sycamore St	City of Petersburg	0.42	7400	F	99%	0%	0%	0%	0%	0%	F	0.075	F		8000	F	
ALT 301 Sycamore St	City of Petersburg	0.56	9600	F	99%	0%	0%	0%	0%	0%	F	0.078	F		10000	F	
ALT 301 Bus 1 460 36 Wythe St	City of Petersburg	0.20	12000	F	96%	1%	1%	1%	1%	0%	F	NA			13000	F	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:							27000	F	96%	1%	2%					29000	F
ALT 301 1 Jefferson St	City of Petersburg	0.09	3900	F	96%	1%	1%	1%	1%	0%	F	0.082	F	0.687	4300	F	
ALT 301 1 Jefferson St	City of Petersburg	0.26	800	F	96%	1%	1%	1%	1%	0%	F	0.096	F	0.674	870	F	
ALT 301 1 3rd St	City of Petersburg	0.05	330	F	96%	1%	1%	1%	1%	0%	F	0.115	F	0.573	360	F	
ALT 301 1 3rd St	City of Petersburg	0.05	400	F	96%	1%	1%	1%	1%	0%	F	0.11	F	0.634	440	F	
ALT 301 301 1 36 Bollingbrook St	City of Petersburg	0.08	4700	F	98%	0%	1%	0%	0%	0%	F	0.122	F	0.85	5100	F	
ALT 301 Sycamore St	City of Petersburg	0.09	6800	F	99%	0%	0%	0%	0%	0%	F	NA			7300	F	
ALT Bus 460 460 36 Washington St	City of Petersburg	0.09	15000	F	95%	1%	2%	1%	1%	0%	F	0.079	F		16000	F	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:							27000	F	96%	1%	2%					29000	F
ALT 301 Adams St	City of Petersburg	0.06	7600	F	99%	0%	0%	0%	0%	0%	F	NA			8300	F	
ALT 301 Adams St	City of Petersburg	0.16	7400	F	99%	0%	0%	0%	0%	0%	C	0.088	F	0.625	8000	F	
460	Dinwiddie County	6.80	6000	F	87%	1%	1%	1%	11%	0%	F	0.076	F		6000	F	

Virginia Department of Transportation  
Traffic Engineering Division  
2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Jurisdiction	Length	<b>AADT</b>	<b>QA</b>	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
460	Dinwiddie County	2.99	<b>6200</b>	<b>F</b>	87%	1%	1%	1%	11%	0%	F	0.08	F	6200	F	
460	Dinwiddie County	2.32	<b>6600</b>	<b>A</b>	87%	1%	1%	1%	11%	0%	C	0.101	A	6600	A	
460	Dinwiddie County	3.29	<b>7200</b>	<b>F</b>	87%	1%	1%	1%	11%	0%	F	0.076	F	7300	F	
460	New Cox Rd	2.36	<b>7600</b>	<b>F</b>	87%	1%	1%	1%	11%	0%	F	0.079	F	7700	F	
460	Cox Rd	2.12	<b>9800</b>	<b>F</b>	87%	1%	1%	1%	11%	0%	F	0.082	F	9900	F	
460	Cox Rd	0.25	<b>13000</b>	<b>F</b>	87%	1%	1%	1%	11%	0%	F	0.088	F	13000	F	
460	Cox Rd	2.00	<b>13000</b>	<b>F</b>	87%	1%	1%	1%	11%	0%	F	0.086	F	13000	F	
460	Cox Rd	0.61	<b>17000</b>	<b>F</b>	87%	1%	1%	1%	11%	0%	F	0.08	F	17000	F	
460	Cox Rd	0.18	<b>17000</b>	<b>F</b>	87%	1%	1%	1%	11%	0%	F	0.081	F	17000	F	
460	Airport St	1.21	<b>16000</b>	<b>F</b>	87%	1%	1%	1%	11%	0%	F	0.076	F	16000	F	
460	Dinwiddie County	1.48	See I-85 for directional traffic volume estimates for this segment.											36000	F	
460	Dinwiddie County	1.18	See I-85 for directional traffic volume estimates for this segment.											47000	G	
460	City of Petersburg (Maint: 26)	1.01	See I-85 for directional traffic volume estimates for this segment.											47000	G	
460	City of Petersburg (Maint: 26)	2.57	See I-85 for directional traffic volume estimates for this segment.											56000	F	
460	Ramp from I-85 N to I-95 S	0.27	See I-95 for directional traffic volume estimates for this segment.											20000	F	
460	County Dr	0.60	<b>19000</b>	<b>F</b>	92%	0%	1%	1%	6%	0%	C	0.096	F			
			SR 109 Hickory Hill Rd													

Virginia Department of Transportation  
Traffic Engineering Division  
2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Jurisdiction	Length	<b>AADT</b>	<b>QA</b>	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW																
							2Axle	3+Axle	1Trail	2Trail																						
460 County Dr	City of Petersburg	2.16	<b>9500</b>	<b>A</b>	88%	1%	1%	1%	9%	0%	C	0.099	A	0.535	10000	A																
460 County Dr	City of Petersburg	0.34	<b>13000</b>	<b>F</b>	88%	1%	1%	1%	9%	0%	F	0.087	F		14000	F																
Bus 460 Airport St	Dinwiddie County	0.17	<b>7100</b>	<b>F</b>	98%	0%	1%	1%	1%	0%	F	0.086	F		7700	F																
Bus 460 1 Boydton Plank Rd	Dinwiddie County	1.70	<b>12000</b>	<b>F</b>	96%	1%	1%	1%	1%	0%	F	0.090	F		13000	F																
Bus 460 1 Boydton Plank Rd	Dinwiddie County	1.22	<b>15000</b>	<b>F</b>	97%	0%	1%	1%	1%	0%	C	0.098	F		15000	F																
Bus 460 1	Dinwiddie County	0.45	<b>13000</b>	<b>A</b>	98%	0%	1%	1%	1%	0%	C	0.105	A	0.524	14000	A																
Bus 460 1 Washington St	City of Petersburg	0.40	<b>13000</b>	<b>F</b>	98%	0%	1%	1%	1%	0%	F	NA			14000	F																
Bus 460 1 Washington St	City of Petersburg	0.18	<b>13000</b>	<b>F</b>	98%	0%	1%	1%	1%	0%	F	NA			14000	F																
Bus 460 1 Washington St	City of Petersburg	0.57	<b>14000</b>	<b>F</b>	96%	1%	1%	1%	1%	0%	F	0.085	F		16000	F																
Bus 460 1 Wythe St	City of Petersburg	1.08	<b>7700</b>	<b>F</b>	96%	1%	1%	1%	1%	0%	C	0.082	F		8300	F																
Combined Traffic Estimates for 2 Parallel Roadways on this Route:																																
Bus 460 1 Wythe St	City of Petersburg	0.15	<b>9300</b>	<b>F</b>	96%	1%	1%	1%	1%	0%	F	NA			10000	F																
Combined Traffic Estimates for 2 Parallel Roadways on this Route:																																
Bus 460 1 36 Wythe St	City of Petersburg	0.20	<b>10000</b>	<b>F</b>	96%	1%	1%	1%	1%	0%	F	NA			11000	F																
Bus 460 1 ALT 301 36 Wythe St	City of Petersburg	0.20	<b>12000</b>	<b>F</b>	96%	1%	1%	1%	1%	0%	F	NA			13000	F																
Combined Traffic Estimates for 2 Parallel Roadways on this Route:																																
Bus 460 36 Wythe St	City of Petersburg	0.20	<b>16000</b>	<b>F</b>	97%	1%	1%	1%	1%	0%	C	0.087	F		17000	F																
Combined Traffic Estimates for 2 Parallel Roadways on this Route:																																
I-85, I-95																																

Virginia Department of Transportation  
Traffic Engineering Division  
2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail					
Bus 460 36 Wythe St	City of Petersburg	0.30	11000	F	97%	1%	1%	1%	1%	0%	F	0.079	F	12000	F
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		24000	F	95%	1%	1%	1%	2%	0%	F	NA		26000	F
Bus 460 301 Crater Rd	City of Petersburg	0.98	11000	F	97%	1%	1%	0%	0%	0%	C	0.087	F	12000	F
Bus 460 301 Crater Rd	City of Petersburg (Maint: 26)	0.09	11000	N	97%	1%	1%	0%	0%	0%	N	0.087	N	12000	N
Bus 460 95 460 Ramp from I-85 N to I-95 S	City of Petersburg (Maint: 74)	0.27	See I-95 for directional traffic volume estimates for this segment.												
			To:	Bus US 460											
Bus 460 1 Washington St	City of Petersburg	0.31	8600	F	97%	1%	1%	1%	1%	0%	F	0.089	F	9300	F
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		16000	F	96%	1%	1%	1%	1%	0%	F	0.083	F	18000	F
Bus 460 1 Washington St	City of Petersburg	0.40	9200	F	97%	1%	1%	1%	1%	0%	F	0.089	F	10000	F
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		17000	F	97%	1%	1%	1%	1%	0%	F	NA		18000	F
Bus 460 1 Washington St	City of Petersburg	0.27	9500	F	97%	1%	1%	1%	1%	0%	C	0.087	F	10000	F
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		19000	F	96%	1%	1%	1%	1%	0%	F	NA		20000	F
Bus 460 1 Washington St	City of Petersburg	0.24	9600	F	97%	1%	1%	1%	1%	0%	F	0.088	F	10000	F
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		19000	F	96%	1%	1%	1%	1%	0%	F	NA		20000	F
Bus 460 36 Washington St	City of Petersburg	0.19	12000	G	95%	1%	2%	1%	1%	0%	C	NA		14000	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		22000	G	96%	1%	2%	1%	1%	0%	F	NA		25000	G
Bus 460 ALT 301 36 Washington St	City of Petersburg	0.09	15000	F	95%	1%	2%	1%	1%	0%	F	0.079	F	16000	F
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		27000	F	96%	1%	2%	1%	1%	0%	F	NA		29000	F
Bus 460 ALT 301 36 Washington St	City of Petersburg	0.10	14000	F	95%	1%	2%	1%	1%	0%	F	0.081	F	16000	F
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		27000	F	96%	1%	2%	1%	1%	0%	F	NA		29000	F
Bus 460 36 Washington St	City of Petersburg	0.24	16000	F	93%	1%	1%	2%	3%	0%	F	0.079	F	17000	F
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		31000	F	95%	1%	1%	1%	2%	0%	F	0.079	F	34000	F
			To:	I-95											

Virginia Department of Transportation  
Traffic Engineering Division  
2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
Bus 460 36 Washington St	City of Petersburg	0.24	13000	F	93%	1%	1%	2%	3%	0%	C	0.088	F	14000	F	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		24000	F	95%	1%	1%	1%	2%	0%	F	NA		26000	F	
Bus 460 301 Crater Rd	City of Petersburg	0.10	7900	F	97%	1%	1%	0%	0%	0%	F	0.087	F	8600	F	
Bus 460 301 Crater Rd	SR 36, BUS US 460 Wythe St															
Bus 460 Winfield Rd	City of Petersburg	0.98	11000	F	97%	1%	1%	0%	0%	0%	C	0.087	F	12000	F	
	Maintenance Jurisdiction Change															
Bus 460 Winfield Rd	City of Petersburg	0.43	1500	F	97%	1%	1%	0%	1%	0%	C	0.096	F	0.969	1600	F
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		1500	F								NA		NA		
	State Maintenance Boundary															
	City of Petersburg (Maint: 26)	0.09	1500	F	97%	1%	1%	0%	1%	0%	C	0.096	F	0.969	1600	F
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		1500	F								NA		NA		
	US 460 County Rd															

Virginia Department of Transportation  
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Dinwiddie County</b>																
(F80) Buckskin Dr	0.21	8	R			From: SR 40 McKenney Hwy					NA		NA		05/14/2008	
			To: Dead End													
(F81) Frontage Rd	1.24	330	R			From: Dead End					NA		NA		05/19/2008	
			To: US 1 Boydton Plank Rd													
(F82) Plane Dr	0.20	60	R			From: US 1 Boydton Plank Rd					NA		NA		05/19/2008	
			To: 26-749													
(F83) Rock Rd	0.10	80	R			From: 26-603 Sterling Rd					NA		NA		05/15/2008	
			To: Dead End													
(F273) Mine Mountain Rd	0.14	60	R			From: Dead End					NA		NA		05/21/2008	
			To: FR-290 Front Rd													
(F290) Front Rd	0.51	1300	R			From: 26-1334; 26-1335					NA		NA		05/21/2008	
			To: Dead End													
<b>City of Petersburg</b>																
(F329) Lake Shore Dr	0.17	10	R			From: Dead End					NA		NA		03/17/2008	
			To: 74-1102 Lakeshore Dr													
(F330) N Normandy Dr	2.93	3700	R			From: Dead End					NA		NA		03/17/2008	
			To: FR-331 Service Rd													
(F331) Service Rd	0.78	1400	R			From: Dead End					NA		NA		03/17/2008	
			To: Dead End													
<b>Dinwiddie County</b>																
(F804)	0.19	60	R			From: Dead End					NA		NA		05/07/2008	
			To: US 460; 26-721													
(F805)	0.10	7	R			From: 26-627 Courthouse Rd					NA		NA		04/30/2008	
			To: Dead End													
(F806) Walkers Rd	0.50	70	R			From: 26-624 Coleman Lake Rd					NA		NA		04/30/2008	
			To: Dead End													
(F855) Blessing Lane	0.26	50	R			From: Dead End					NA		NA		05/05/2008	
			To: US 1 Boydton Plank Rd													
(600) Ferndale Rd	0.88	10000	F	98%	0%	1%	1%	0%	0%	C	0.1	F		11000	F	2008
			To: SR 226 Cox Rd													
(600) Ferndale Rd	0.53	7000	F	98%	0%	1%	1%	0%	0%	F	0.109	F		7600	F	2008
			To: Chesterfield County Line													
(601) River Rd	0.52	730	F	98%	0%	0%	1%	0%	0%	F	0.112	F	0.679	800	F	2008
			To: 26-708 Namozine Rd													
(601) River Rd	3.25	1500	F	98%	0%	0%	1%	0%	0%	F	0.108	F	0.651	1600	F	2008
			To: 26-743 Hart Rd													
(601) River Rd	1.92	6500	F	98%	0%	0%	1%	0%	0%	C	0.099	F	0.667	7100	F	2008
			To: 26-718 Henshaw Dr													
(601) River Rd			To: 26-600 River Rd													
(602) Corinth Dr	0.20	110	R			From: US 460 W; 26-622					NA		NA		04/28/2008	
			To: US 460 EAST													

Virginia Department of Transportation  
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Dinwiddie County</b>																
(603) Weakley Rd	0.50	1100	R											NA	05/19/2008	
						From:	26-672 Church Rd									
						To:	SR 142 Simpson Rd; 26-1320; Gap									
(603) Sterling Rd	0.23	1800	F	99%	1%	0%	0%	0%	0%	F	0.100	F	0.63	1900	F	2008
						From:	US 1; US 460; Gap									
(603) Sterling Rd	0.68	1800	F	99%	1%	0%	0%	0%	0%	C	0.103	F	0.559	2000	F	2008
						From:	26-1362 Oak Ct									
(603) Sterling Rd	0.27	1600	F	99%	1%	0%	0%	0%	0%	F	0.099	F	0.617	1700	F	2008
						From:	26-1319 Short St									
(603) Sterling Rd						To:	SR 226 Cox Rd									
(604) Halifax Rd	1.87	630	F	98%	0%	0%	0%	1%	0%	F	0.1	F	0.629	670	F	2008
						From:	Prince George County Line									
(604) Halifax Rd	2.96	1100	F	98%	0%	0%	0%	1%	0%	F	0.102	F	0.783	1100	F	2008
						From:	26-605 S, Ellington Rd									
(604) Halifax Rd	1.88	1600	F	98%	0%	0%	0%	1%	0%	F	0.1	F	0.746	1700	F	2008
						From:	26-607 Butler Branch Rd									
(604) Halifax Rd	0.49	1700	F	98%	0%	0%	0%	1%	0%	F	0.101	F	0.739	1800	F	2008
						From:	Urban Boundary									
(604) Halifax Rd	0.63	2600	F	98%	0%	0%	0%	1%	0%	C	0.094	F	0.565	2800	F	2008
						From:	26-677 Carson Rd									
						To:	SCL Petersburg									
(605) Hunnicut Rd	2.53	600	R											NA	05/15/2008	
						From:	US 1 Boydton Plank Rd									
(605) Old Vaughan Rd	3.20	430	R											NA	05/15/2008	
						To:	26-660 E, Quaker Rd									
(605) Old Vaughan Rd	0.08	790	F	95%	3%	0%	1%	1%	0%	C	0.100	F	0.607	850	F	2008
						From:	26-670 W, Old Stage Rd									
(605) Old Stage Rd	0.50	610	R											NA	05/15/2008	
						To:	26-670 E, Duncan Rd									
(605) Monks Neck Rd	4.49	370	R											NA	05/15/2008	
						From:	26-669; Monks Neck Rd									
(605) Monks Neck Rd						To:	26-669 Old Stage Rd									
(605) Ellington Rd	1.40	350	R											NA	05/15/2008	
						From:	26-604 N, Halifax Rd									
						To:	26-604 S, Halifax Rd									
(605) Ellington Rd						From:	Prince George County Line									
(606) Reams Dr	2.00	410	R											NA	05/19/2008	
						From:	26-669 Old Stage Rd									
(606) Oak Grove Rd	1.40	220	R											NA	05/19/2008	
						To:	26-604 S, Halifax Rd									
(606) Oak Grove Rd						From:	26-604 N, Halifax Rd									
(607) Butler Branch Rd	1.50	370	R											NA	05/19/2008	
						To:	26-604 Halifax Rd									
(607) Butler Branch Rd						From:	Prince George County Line									
(608) Zion Rd	0.46	130	R											NA	04/28/2008	
						From:	US 460									
(608) Zion Rd						To:	26-622 Baltimore Rd									
(609) Cherry Hill Rd	0.80	150	R											NA	05/12/2008	
						From:	Brunswick County Line									
(609) Cherryhill Rd	3.40	30	R											NA	05/12/2008	
						To:	26-687 Cutbank Rd									
(609) Old Stage Rd	0.70	120	R											NA	05/12/2008	
						From:	26-616 Ridge Rd									
						To:	SR 40 McKenney Hwy									

Virginia Department of Transportation  
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Dinwiddie County</b>																
(609) Cherry Hill Rd	2.30	50	R											NA	05/12/2008	
			From:	SR 40 McKenney Hwy												
			To:	26-619 S, Courthouse Rd												
(609) Old Stage Rd	1.58	190	R											NA	05/12/2008	
			From:	26-619 N, Courthouse Rd												
(609) Old Stage Rd	2.90	160	R											NA	06/08/2005	
			To:	26-664 Reese Rd												
(609) Old Stage Rd	2.20	330	F	93%	2%	0%	4%	1%	0%	C	0.096	F	0.529	360	F	2008
			From:	26-626 Flatfoot Rd												
			To:	26-670 Old Stage Rd; Shady Lane												
(610) Baskerville Mill Rd	1.40	140	F	95%	3%	1%	0%	2%	0%	C	0.135	F	0.81	150	F	2008
			From:	Brunswick County Line												
(610) Old White Oak Rd	0.50	140	F	95%	3%	1%	0%	2%	0%	F	0.107	F	0.73	160	F	2008
			To:	SR 40 McKenney Hwy; Old Cryors Rd												
(610) Old White Oak Rd	0.20	220	R											NA	04/28/2008	
			From:	26-650 Lew Jones Rd												
(610) Old White Oak Rd	2.40	170	R											NA	04/28/2008	
			To:	26-701 Quail Hollow Rd												
(610) Old White Oak Rd	1.40	210	R											NA	04/28/2008	
			From:	26-651 Whitmore Rd												
(610) Old White Oak Rd	1.20	280	R											NA	04/28/2008	
			To:	26-644 Brills Rd												
(610) Old White Oak Rd	2.30	20	R											NA	04/28/2008	
			From:	26-645 Scotts Rd												
(610) Old White Oak Rd	0.90	230	R											NA	04/28/2008	
			To:	26-622 Baltimore Rd												
(610) Old White Oak Rd	3.44	500	F	96%	3%	0%	0%	0%	0%	C	0.118	F	0.607	540	F	2008
			From:	26-627 Courthouse Rd												
(611) Wilkinson Rd	1.82	340	F	96%	3%	0%	0%	0%	0%	F	0.095	F	0.603	370	F	2008
			To:	26-613 White Oak Rd												
(611) Trinity Church Rd	3.25	170	F	96%	3%	0%	0%	0%	0%	F	0.099	F	0.535	180	F	2008
			To:	US 460												
(611) Trinity Church Rd	0.15	1000	R											NA	05/05/2008	
			To:	26-751 S; 26-752												
(611) Trinity Church Rd	0.92	880	R											NA	05/05/2008	
			To:	26-751 N; 26-716												
(611) Trinity Church Rd	0.79	460	R											NA	05/05/2008	
			To:	26-731 Ruth Hill Rd												
(611) Brown Rd	0.99	350	R											NA	05/05/2008	
			To:	26-723 Pearson Hardy Rd												
(611) Brown Rd	3.08	380	R											NA	05/05/2008	
			To:	26-624 Coleman Lake Rd												
(611) Brown Rd	0.36	230	R											NA	05/05/2008	
			To:	26-708 E, Namozine Rd												
(611) Exeter Mill Rd	1.45	130	R											NA	05/05/2008	
			To:	26-708 W, Namozine Rd												
(611) Harpers Bridge Rd	0.10	250	F	96%	2%	1%	0%	1%	0%	F	0.115	F	0.567	270	F	2008
			From:	Brunswick County Line												
			To:	26-638 Harpers Rd												

Virginia Department of Transportation  
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Dinwiddie County</b>																
(612) Old Beaver Pond Rd	0.77	340	F	96%	2%	1%	0%	1%	0%	C	0.114	F	0.675	370	F	2008
			From:			26-638 Harpers Rd				To:						
(613) Gills Bridge Rd	1.12	190	R										NA		NA	05/05/2008
			From:			Brunswick County Line				To:						
(613) Gills Bridge Rd	1.92	190	R										NA		NA	05/05/2008
			From:			26-638 Harpers Rd				To:						
(613) Gills Bridge Rd	1.82	150	R										NA		NA	05/05/2008
			From:			26-651 Whitmore Rd				To:						
(613) White Oak Rd	7.37	190	F	92%	3%	0%	1%	4%	0%	C	0.126	F	0.615	210	F	2008
			From:			SR 40 W, Darvills Rd				To:						
						SR 40 E, Darvills Rd										
(613) White Oak Rd	0.93	370	F	92%	3%	0%	1%	4%	0%	F	0.137	F	0.686	400	F	2008
			From:			26-622 Baltimore Rd				To:						
(613) Whie Oak Rd	1.13	270	R										NA		NA	05/07/2008
			From:			26-646 Glebe Rd				To:						
(613) White Oak Rd	1.93	430	R										NA		NA	05/07/2008
			From:			26-624 W, Coleman Lake Rd				To:						
(613) White Oak Rd	3.27	430	R										NA		NA	05/07/2008
			From:			26-611 Wilkinson Rd				To:						
(613) White Oak Rd	1.38	350	R										NA		NA	05/07/2008
			From:			26-627; 26-645				To:						
(613) White Oak Rd	1.26	570	R										NA		NA	05/07/2008
			From:			26-628 Tranquility Lane				To:						
(613) White Oak Rd	1.77	1100	F	92%	3%	0%	1%	4%	0%	F	0.122	F	0.611	1200	F	2008
			From:			26-661 Boisseau Rd				To:						
(613) White Oak Rd	1.71	1300	F	94%	2%	0%	2%	2%	0%	F	0.098	F	0.631	1400	F	2008
			From:			US 1 N, Boydton Plank Rd				To:						
						US 1 S, Boydton Plank Rd										
(613) Dabney Mill Rd	1.70	970	F	94%	2%	0%	2%	2%	0%	C	0.116	F	0.549	1000	F	2008
			From:			26-758 Steers Rd				To:						
(613) Dabney Mill Rd	1.22	430	F	94%	2%	0%	2%	2%	0%	F	0.111	F	0.719	460	F	2008
			From:			26-670 W, Duncan Rd				To:						
(613) Dabney Mill Rd	0.51	430	F	94%	2%	0%	2%	2%	0%	F	0.109	F	0.576	460	F	2008
			From:			26-670 E, Duncan Rd				To:						
(613) Squirrel Level Rd	1.43	270	F	94%	2%	0%	2%	2%	0%	F	0.142	F	0.506	290	F	2008
			From:			26-742 Plantation Rd				To:						
(613) Squirrel Level Rd	0.86	370	F	94%	2%	0%	2%	2%	0%	F	0.111	F	0.581	390	F	2008
			From:			26-1120 Tanglewood Rd				To:						
(613) Squirrel Level Rd	1.39	890	F	94%	2%	0%	2%	2%	0%	F	0.105	F	0.692	950	F	2008
			From:			26-741 Fort Emery Rd				To:						
(613) Squirrel Level Rd	0.43	1100	F	94%	2%	0%	2%	2%	0%	F	0.102	F	0.641	1200	F	2008
			From:			26-672 Church Rd				To:						
(613) Squirrel Level Rd	0.56	800	F	94%	2%	0%	2%	2%	0%	F	0.168	F	0.552	870	F	2008
			From:			26-676 Flank Rd				To:						
(613) Squirrel Level Rd	1.03	820	F	94%	2%	0%	2%	2%	0%	F	0.164	F	0.544	890	F	2008
			From:			SCL Petersburg				To:						
(614) Sunnyside Dr	1.23	360	R										NA		NA	05/07/2008
			From:			SR 40 W, McKenney Hwy				To:						

Virginia Department of Transportation  
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of McKenney</b>																
(614) Sunnyside Dr	0.30	240	R								NA		NA		08/14/2002	
<b>Dinwiddie County</b>																
(615) Blue Tartan Rd	0.42	60	R								NA		NA		05/02/2005	
(615) Blue Tartan Rd	0.90	220	R								NA		NA		05/02/2005	
(616) Ridge Rd	2.20	70	R								NA		NA		05/12/2008	
(616) Ridge Rd	1.90	80	R								NA		NA		05/12/2008	
(617) Bolster Rd	1.50	270	R								NA		NA		05/12/2008	
(617) Bolster Rd	1.70	260	R								NA		NA		05/12/2008	
(618) Halligan Park Rd	1.20	320	R								NA		NA		05/19/2008	
(618) Halligan Park Rd	2.82	410	R								NA		NA		05/19/2008	
(619) Courthouse Rd	3.59	500	F	97%	1%	1%	0%	0%	0%	F	0.109	F	0.504	530	F	2008
(619) Courthouse Rd	7.05	620	F	97%	1%	1%	0%	0%	0%	F	0.095	F	0.545	670	F	2008
(619) Courthouse Rd	0.86	1300	F	97%	1%	1%	0%	0%	0%	F	0.103	F	0.634	1400	F	2008
(619) Courthouse Rd	1.06	1300	F	97%	1%	1%	0%	0%	0%	F	0.106	F	0.625	1400	F	2008
(619) Courthouse Rd	0.25	1500	F	97%	1%	1%	0%	0%	0%	F	0.105	F	0.62	1600	F	2008
(619) Courthouse Rd	0.59	1700	F	97%	1%	1%	0%	0%	0%	C	0.105	F	0.594	1900	F	2008
(620) Foster Rd	1.20	40	R								NA		NA		04/28/2008	
(620) White Oak Church Rd	1.80	420	R								NA		NA		04/28/2008	
(620) White Oak Church Rd	1.90	60	R								NA		NA		04/28/2008	
(621) Clay Street Rd	1.60	310	R								NA		NA		06/08/2005	
(621) Clay Street Rd	0.40	220	R								NA		NA		06/08/2005	
(622) Baltimore Rd	1.60	40	R								NA		NA		04/28/2008	

Virginia Department of Transportation  
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Dinwiddie County</b>															
(622) Baltimore Rd	3.70	60	R											NA	04/28/2008
(622) Baltimore Rd	0.80	110	R											NA	04/28/2008
(622) Baltimore Rd	3.50	760	F	93%	1%	1%	1%	5%	0%	C	0.117	F	0.635	820	F 2008
(622) Baltimore Rd	1.66	340	R											NA	04/28/2008
(622) Baltimore Rd	2.10	1100	R											NA	04/28/2008
(623)	2.00	590	R											NA	05/05/2008
(623) Sutherland Rd	3.28	970	R											NA	05/05/2008
(623) Sutherland Rd	0.62	1500	R											NA	05/05/2008
(623) Station Rd	0.42	200	R											NA	05/05/2008
(623) Station Rd	0.68	300	R											NA	05/05/2008
(624) Coleman Lake Rd	2.60	150	R											NA	04/30/2008
(624) Coleman Lake Rd	3.80	560	R											NA	04/30/2008
(624) Coleman Lake Rd	6.00	470	R											NA	04/30/2008
(625) Wells Rd	3.52	290	R											NA	04/28/2008
(626) Flatfoot Rd	5.67	320	F	95%	2%	1%	0%	3%	0%	F	0.133	F	0.521	340	F 2008
(626) Flatfoot Rd	4.09	450	F	95%	2%	1%	0%	3%	0%	F	0.120	F	0.639	480	F 2008
(626) Flatfoot Rd	0.43	1100	F	95%	2%	1%	0%	3%	0%	C	0.1	F	0.594	1200	F 2008
(627) Courthouse Rd	0.90	2500	F	97%	1%	0%	1%	1%	0%	C	0.129	F	0.583	2700	F 2008
(627) Courthouse Rd	1.40	2100	F	97%	1%	0%	1%	1%	0%	F	0.15	F	0.752	2200	F 2008
(627) Courthouse Rd	2.81	1900	R											NA	05/21/2008
(627) Courthouse Rd	2.61	2200	R											NA	05/21/2008
(627) Courthouse Rd	0.80	1000	R											NA	05/21/2008
(627) Trinity Church Rd	2.20	340	R											NA	05/21/2008

Virginia Department of Transportation  
Traffic Engineering Division

2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Dinwiddie County</b>																
(628) Tranquility Lane	0.33	70	R								NA		NA		05/21/2008	
(628) Tranquility Lane	3.10	70	R								NA		NA		05/21/2008	
(628) Tranquility Lane	0.87	280	R								NA		NA		05/02/2005	
(628) Tranquility Lane	0.70	590	R								NA		NA		05/21/2008	
(628) Tranquility Lane	0.09	1100	R								NA		NA		05/21/2008	
(629) Anderson Mill Rd	0.93	340	R								NA		NA		04/30/2008	
(629) Anderson Mill Rd	0.25	10	R								NA		NA		04/30/2008	
(630) Winfield Rd	0.30	290	R								NA		NA		05/12/2008	
(631) Claiborne Rd	2.70	920	R								NA		NA		05/07/2008	
(631) Claiborne Rd	0.80	2200	R								NA		NA		05/07/2008	
(632) Butterwood Rd	3.00	800	R								NA		NA		05/07/2008	
(632) Olgers Dr	1.20	1800	F	97%	1%	1%	0%	0%	0%	C	0.118	F	0.623	2000	F	2008
(633) Addison St	0.50	120	R								NA		NA		05/21/2008	
(634) Pine Grove Pl	0.25	260	R								NA		NA		05/19/2008	
(635) Hilltop Dr	0.40	330	R								NA		NA		05/07/2008	
(636) Rocky Branch Rd	0.27	110	R								NA		NA		05/23/2005	
(637) Madison Rd	0.49	120	R								NA		NA		04/30/2008	
(638) Harpers Rd	2.00	250	R								NA		NA		05/05/2008	
(638) Harpers Rd	1.20	280	R								NA		NA		05/05/2008	
(639) Wilson Rd	0.90	280	R								NA		NA		04/28/2008	
(639) Springston Rd/Wilson R	1.98	290	R								NA		NA		04/28/2008	

Virginia Department of Transportation  
Traffic Engineering Division

2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Dinwiddie County</b>																
(639) Grubby Rd	0.20	210	F	94%	4%	0%	1%	1%	0%	C	0.122	F	0.759	230	F	2008
(639) Wilson Rd	1.60	210	R							NA			NA		04/28/2008	
(639) Wilson Rd	1.40	290	R							NA			NA		04/28/2008	
(640) Hobbs Mill Rd	1.40	160	R							NA			NA		04/28/2008	
(641) Airport Rd	0.55	270	R							NA			NA		05/22/2008	
(642) W Zilles Rd	1.82	340	F	89%	1%	0%	1%	8%	0%	C	0.118	F	0.721	360	F	2008
(642) Grubby Rd	0.60	130	F	89%	1%	0%	1%	8%	0%	F	0.152	F	0.739	140	F	2008
(642) Grubby Rd	2.00	140	F	89%	1%	0%	1%	8%	0%	F	0.142	F	0.522	150	F	2008
(642) Grubby Rd	2.40	120	F	89%	1%	0%	1%	8%	0%	F	0.123	F	0.59	130	F	2008
(642) Continental Rd	1.52	80	R							NA			NA		04/28/2008	
(642) Continental Rd	0.83	70	R							NA			NA		05/12/2005	
(643) Zilles Rd	3.20	350	R							NA			NA		05/27/2008	
<b>Town of McKenney</b>																
(644) Depot Rd	0.20	590	F	93%	2%	1%	0%	4%	0%	F	0.125	F	0.616	630	F	2008
<b>Dinwiddie County</b>																
(644) Depot Rd	1.92	430	F	93%	2%	1%	0%	4%	0%	C	0.123	F	0.587	460	F	2008
(644) Brills Rd	2.50	390	R							NA			NA		04/28/2008	
(644) Brills Rd	2.50	110	R							NA			NA		04/28/2008	
(644) Brills Rd	2.50	120	R							NA			NA		04/28/2008	
(645) Scotts Rd	1.40	200	R							NA			NA		05/07/2008	
(645) Scotts Rd	1.80	430	R							NA			NA		05/07/2008	
(645) Scotts Rd	1.60	430	R							NA			NA		05/07/2008	
(645) Wheelers Pond Rd	0.70	290	R							NA			NA		05/07/2008	

Virginia Department of Transportation  
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Dinwiddie County</b>																
(645) Wheelers Pond Rd	0.73	260	R											NA	05/07/2008	
(645) Wheelers Pond Rd	1.07	410	R											NA	05/07/2008	
(645) Wheelers Pond Rd	2.50	520	R											NA	05/07/2008	
(646) Glebe Rd	6.00	290	F	94%	0%	0%	1%	4%	0%	C	0.131	F	0.605	310	F	2008
(646) Glebe Rd			To:													
(647) Doyle Rd	1.00	40	R											NA	05/07/2008	
(647) Nash Rd	1.60	200	R											NA	05/07/2008	
(647) Nash Rd	2.24	350	R											NA	05/07/2008	
(647) Nash Rd	1.92	730	R											NA	05/07/2008	
(647) Nash Rd	0.94	880	R											NA	05/07/2008	
(648) Hudgins Rd	1.50	150	R											NA	05/07/2008	
(649) Snap Lodge Rd	0.50	50	R											NA	05/07/2008	
(650) Lew Jones Rd	1.60	46	F	99%	1%	0%	0%	0%	0%	F	0.146	F	0.571	49	F	2008
(650) Lew Jones Rd	1.10	240	F	99%	1%	0%	0%	0%	0%	F	0.108	F	0.667	250	F	2008
(650) Lew Jones Rd	1.60	400	F	99%	1%	0%	0%	0%	0%	F	0.105	F	0.717	420	F	2008
(650) Lew Jones Rd	0.80	400	F	99%	1%	0%	0%	0%	0%	F	0.103	F	0.783	430	F	2008
(650) Lew Jones Rd	2.50	450	F	99%	1%	0%	0%	0%	0%	C	0.116	F	0.807	480	F	2008
(650) Hamilton Arms Rd	0.15	1100	F	96%	1%	1%	0%	2%	0%	C	0.096	F	0.59	1200	F	2008
(650) Hamilton Arms Rd	0.68	1000	F	99%	1%	0%	0%	0%	0%	F	0.102	F	0.759	1100	F	2008
(650) Hawkins Church Rd	1.43	310	F	96%	1%	1%	0%	2%	0%	C	0.109	F	0.605	330	F	2008
(650) Hawkins Church Rd	2.20	190	F	96%	1%	1%	0%	2%	0%	F	0.12	F	0.597	200	F	2008
(651) Whitmore Rd	2.40	350	R											NA	05/27/2008	
(651) Whitmore Rd	1.80	260	R											NA	05/12/2005	
(651) Mason Church Rd	2.25	250	R											NA	05/05/2008	
(651) Mason Church Rd			To:													

Virginia Department of Transportation  
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Dinwiddie County</b>															
(651) Mason Church Rd	1.58	170	R								NA		NA		05/05/2008
(651) Mason Church Rd	1.27	350	R								NA		NA		05/05/2008
(652) Asbury Rd	1.56	340	R								NA		NA		05/14/2008
(653) Richie Rd	0.16	250	R								NA		NA		05/15/2008
(654) Rainey Rd	3.02	250	R								NA		NA		05/12/2008
(654) Rainey Rd	0.20	490	R								NA		NA		05/12/2008
(655) Little Deer Rd	0.58	20	R								NA		NA		05/12/2008
(656) Eppes Rd	1.20	80	R								NA		NA		05/07/2008
(656) Eppes Rd	1.20	190	R								NA		NA		05/07/2008
(656) Gatewood Rd	2.55	480	R								NA		NA		05/07/2008
(656) Gatewood Rd	0.90	150	R								NA		NA		05/07/2008
(657) Keelers Mill Rd	2.10	410	R								NA		NA		05/07/2008
(658) Branches Rd	1.61	300	R								NA		NA		05/07/2008
(658) Branches Rd	2.70	70	R								NA		NA		05/07/2008
(659) Jones Rd	0.90	90	R								NA		NA		05/12/2008
(659) Jones Rd	1.50	120	R								NA		NA		05/12/2008
(659) Bain Rd	1.40	220	R								NA		NA		05/12/2008
(660) Hardways Mill Rd	1.89	1100	R								NA		NA		05/15/2008
(660) Old Vaughan Rd	1.20	420	R								NA		NA		05/15/2008
(660) Quaker Rd	2.40	410	R								NA		NA		05/15/2008
(660) Quaker Rd	1.20	590	R								NA		NA		05/15/2008

Virginia Department of Transportation  
Traffic Engineering Division

2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Dinwiddie County</b>																
(661) Boisseau Rd	2.40	720	F	98%	1%	1%	0%	0%	0%	C	0.157	F	0.731	770	F	2008
			From:	26-627 Courthouse Rd						To:	26-613 White Oak Rd					
(662) Hardwood Creek Rd	1.20	60	R									NA		NA		05/12/2008
			From:	26-617 Bolster Rd						To:	26-619 Courthouse Rd					
(663) Bain Rd	1.20	80	R									NA		NA		05/12/2008
			From:	26-659 Jones Rd						To:	26-665 Walkers Mill Rd					
(664) Reese Rd	1.20	60	R									NA		NA		05/12/2008
			From:	Dead End						To:	26-609 Old Stage Rd					
(665) Walkers Mill Rd	0.70	570	R									NA		NA		05/12/2008
			From:	Sussex County Line						To:	26-617 Bolster Rd					
(665) Walkers Mill Rd	2.35	570	R									NA		NA		05/12/2008
			From:	SR 40 McKenney Hwy						To:	26-728 Wingfield Rd					
(665) Walkers Mill Rd	1.44	220	R									NA		NA		05/12/2008
			From:	26-626 Flatfoot Rd						To:	26-681 Black Branch Rd					
(665) Mortar Branch Rd	0.40	48	R									NA		NA		05/15/2008
			From:	Dead End						To:	26-626 Flatfoot Rd					
(666) Baugh Rd	1.20	100	R									NA		NA		05/19/2008
			From:	26-670 Shady Lane						To:	26-618 Halligan Park Rd					
(666) Baugh Rd	4.20	240	R									NA		NA		05/19/2008
			From:	26-666 Baugh Rd						To:	26-703 Carson Rd					
(667) Malones Rd	3.20	140	R									NA		NA		05/19/2008
			From:	26-703 Carson Rd						To:	26-604 Halifax Rd					
(668) Brick Rd	1.90	220	R									NA		NA		05/19/2008
			From:	26-604 Halifax Rd						To:	26-605 Monks Neck Rd; Old Stage Rd					
(669) Old Stage Rd	3.30	420	R									NA		NA		05/19/2008
			From:	26-604 Halifax Rd						To:	26-605 Monks Neck Rd; Old Stage Rd					
(670) Shady Lane	1.82	150	R									NA		NA		05/04/2005
			From:	26-666 Baugh Rd						To:	1.82 MN 26-666 Baugh Rd					
(670) Shady Lane	0.04	100	R									NA		NA		05/19/2008
			From:	26-682 Ole Bole Rd						To:	26-688 Sawmill Rd					
(670) Shady Lane	0.10	150	R									NA		NA		05/19/2008
			From:	26-688 Sawmill Rd						To:	26-609 Old Stage Rd					
(670) Shady Lane	0.77	170	R									NA		NA		05/19/2008
			From:	26-609 Old Stage Rd						To:	26-703 Carson Rd					
(670) Old Stage Rd	1.45	390	F	95%	1%	2%	0%	2%	0%	F	0.096	F	0.5	420	F	2008
			From:	26-703 Carson Rd						To:	26-605 W, Old Vaughan Rd					
(670) Old Stage Rd	2.51	280	F	95%	1%	2%	0%	2%	0%	F	0.100	F	0.641	300	F	2008
			From:	26-605 E, Old Stage Rd						To:	26-613 S, Squirrel Level Rd; Dabney Mill Rd					
(670) Duncan Rd	2.29	640	F	95%	1%	2%	0%	2%	0%	F	0.098	F	0.671	680	F	2008
			From:	26-613 S, Squirrel Level Rd; Dabney Mill Rd						To:	26-613 S, Squirrel Level Rd; Dabney Mill Rd					

Virginia Department of Transportation  
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Dinwiddie County</b>																
(670) Duncan Rd	2.07	510	F	95%	1%	2%	0%	2%	0%	F	0.1	F	0.517	550	F	2008
(670) Duncan Rd	1.21	780	F	95%	1%	2%	0%	2%	0%	F	0.106	F	0.590	830	F	2008
(670) Duncan Rd	1.51	1100	F	95%	1%	2%	0%	2%	0%	C	0.101	F	0.584	1200	F	2008
(671) Brownwall Rd	0.40	90	R							NA			NA		05/22/2008	
(672) Church Rd	1.49	670	F	98%	1%	0%	1%	0%	0%	F	0.103	F	0.636	720	F	2008
(672) Church Rd	0.58	670	F	98%	1%	0%	1%	0%	0%	C	0.105	F	0.571	730	F	2008
(672) Weakley Rd	0.27	520	F	98%	0%	0%	1%	1%	0%	F	0.104	F	0.659	560	F	2008
(672) Weakley Rd	0.19	520	F	98%	0%	0%	1%	1%	0%	C	0.096	F	0.673	560	F	2008
(673) Smith Grove Rd	1.77	390	R							NA			NA		05/22/2008	
(674) Wheaton Rd	1.85	130	R							NA			NA		06/13/2005	
(675) Vaughan Rd	3.74	650	F	97%	0%	1%	1%	1%	0%	F	0.087	F	0.677	700	F	2008
(675) Vaughan Rd	0.90	1200	F	97%	0%	1%	1%	1%	0%	C	0.099	F	0.617	1300	F	2008
(675) Vaughan Rd	0.94	800	F	97%	0%	1%	1%	1%	0%	F	0.086	F	0.665	870	F	2008
(676) Flank Rd	0.80	580	R							NA			NA		05/22/2008	
(677) Carson Dr	0.80	970	F	98%	0%	0%	1%	1%	0%	C	0.115	F	0.680	1100	F	2008
(678) Spain Dr	1.00	30	R							NA			NA		05/19/2008	
(679)	1.45	210	R							NA			NA		05/15/2008	
(680) Troublefield Rd	2.01	290	R							NA			NA		05/19/2008	
(680) Troublefield Rd	1.19	370	R							NA			NA		05/15/2008	
(681) Black Branch Rd	1.80	300	R							NA			NA		05/12/2008	
(682) Ole Bole Rd	0.70	110	R							NA			NA		05/19/2008	

Virginia Department of Transportation  
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Dinwiddie County</b>															
(683) Continental Rd	0.45	120	R								NA		NA		04/28/2008
						From:	26-651 Whitmore Rd								
(683) Continental Rd	0.60	80	R								NA		NA		04/28/2008
						From:	26-707 Cantree Rd								
(683) Continental Rd	0.20	50	R								NA		NA		06/08/2005
						From:	0.60 MN 26-707								
						To:	Dead End								
(684) Airpark Dr	0.56	2300	R								NA		NA		05/22/2008
						From:	Dead End								
						To:	US 460 Airport St								
(685) Oakley Dr	0.16	90	R								NA		NA		05/05/2008
						From:	Dead End								
						To:	US 1 Boydton Plank Rd								
(686) Smith Grove Lane	0.20	40	R								NA		NA		05/22/2008
						From:	26-673 Smith Grove Rd								
						To:	Dead End								
(687) Cutbank Rd	0.10	100	R								NA		NA		06/06/2005
						From:	26-609 Cherryhill Rd								
(687) Cutbank Rd	1.54	30	R								NA		NA		05/12/2008
						From:	26-654 S, Rainey Rd								
(687) Cutbank Rd	1.06	80	R								NA		NA		05/12/2008
						From:	1.54 MN 26-654 S								
(687) Cutbank Rd	1.62	300	R								NA		NA		05/12/2008
						From:	26-696 Bourdon Creek Rd								
						To:	SR 40 McKenney Hwy								
(688) Sawmill Rd	0.85	170	R								NA		NA		05/19/2008
						From:	26-670 Shady Lane								
(688) Sawmill Rd	1.28	30	R								NA		NA		05/19/2008
						From:	26-705 Fox Branch Rd								
(688) Sawmill Rd	0.27	70	R								NA		NA		05/19/2008
						From:	1.28 ME 26-705 Fox Branch Rd								
						To:	26-667 Malones Rd								
(689) Bobcat Rd	0.60	180	R								NA		NA		05/21/2008
						From:	26-629 Anderson Mill Rd								
						To:	26-628 Tranquility Lane								
(690) Harris Dr	0.94	280	R								NA		NA		05/07/2008
						From:	26-631 Claiborne Rd								
						To:	Dead End								
(691) Cryors Rd	1.00	140	R								NA		NA		05/05/2008
						From:	Dead End								
						To:	SR 40 Old Cryors Rd								
(692) Spony Church Rd	1.89	60	R								NA		NA		05/12/2005
						From:	Dead End								
(692) Spony Church Rd	3.20	160	R								NA		NA		05/12/2005
						From:	SR 40 McKenney Hwy								
(692) Spony Church Rd	0.60	60	R								NA		NA		05/07/2008
						From:	26-709 Shipping Rd								
						To:	Dead End								
(693) Williamson Rd	2.87	210	R								NA		NA		05/27/2008
						From:	26-703 Carson Rd								
						To:	26-670 Old Stage Rd								
(694) Old Pine Rd	0.70	70	R								NA		NA		06/08/2005
						From:	Dead End								
						To:	26-622 Baltimore Rd								

Virginia Department of Transportation  
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Dinwiddie County</b>																
(696) Bourdon Creek Rd	1.20	70	R			From:	Dead End							NA	05/12/2008	
						To:	26-687 Cutbank Rd									
(697) Spicely Rd	0.40	110	R			From:	26-613 White Oak Rd							NA	05/12/2005	
						To:	Dead End									
(698) Double Branch Rd	1.20	150	R			From:	26-665 Walkers Mill Rd							NA	05/12/2008	
						To:	Sussex County Line									
(699) Horsetail Rd	1.89	60	R			From:	26-611 Wilkinson Rd							NA	05/27/2008	
						To:	1.89 MN 26-611 Wilkinson Rd									
(699) Horsetail Rd	1.41	50	R			From:								NA	05/27/2008	
						To:	26-708 Namozine Rd									
(700) Boze Rd	0.88	60	R			From:	Dead End							NA	04/28/2008	
						To:	26-613 White Oak Rd									
(700) Hawkins Rd	2.54	250	R			From:								NA	05/12/2005	
						To:	26-622 Baltimore Rd									
(701) Quail Hollow Rd	0.60	20	R			From:	Dead End							NA	04/28/2008	
						To:	26-610 Old White Oak Rd									
(702) Lennie Rd	1.32	80	R			From:	26-638 Harpers Rd							NA	05/05/2008	
						To:	SR 40 Old Cryors Rd									
(703) Carson Rd	0.13	3700	F	96%	1%	1%	1%	1%	0%	F	0.095	F	4000	F	2008	
						To:	US 1 Boydton Plank Rd									
(703) Carson Rd	1.17	3500	F	96%	1%	1%	1%	1%	0%	C	0.097	F	0.504	3800	F	2008
						To:	26-1403									
(703) Carson Rd	5.18	880	F	93%	2%	1%	3%	1%	0%	C	0.097	F	0.681	940	F	2008
						To:	I-85									
(703) Carson Rd	5.97	720	F	93%	2%	1%	3%	1%	0%	F	0.089	F	0.641	770	F	2008
						To:	26-670 Old Stage Rd									
(703) Carson Rd	0.09	1100	F	93%	2%	1%	3%	1%	0%	F	0.106	F	0.702	1100	F	2008
						To:	Prince George County Line; 74-604									
(704) Blackwell Rd	0.24	60	R			From:	Dead End							NA	05/15/2008	
						To:	26-660 Quaker Rd									
(705) Fox Branch Rd	1.42	180	R			From:	26-688 Sawmill Rd							NA	05/19/2008	
						To:	26-733 Little Zion Rd									
(706) Old Cox Rd	0.55	220	R			From:	SR 226 W, Cox Rd							NA	05/27/2008	
						To:	26-725 Cherokee Rd									
(706) Old Cox Rd	0.15	190	R			From:	SR 226 E, Cox Rd							NA	05/27/2008	
						To:	26-683 Continental Rd									
(707) Cantree Rd	0.85	160	R			From:								NA	04/28/2008	
						To:	26-651 Whitmore Rd									
(708) Namozine Rd	0.30	520	F	96%	0%	1%	1%	1%	0%	F	0.117	F	0.715	560	F	2008
						To:	Amelia County Line									
(708) Namozine Rd	5.93	950	F	96%	0%	1%	1%	1%	0%	C	0.109	F	0.777	1000	F	2008
						To:	26-746 Birdnest Rd									
						To:	26-601 River Rd									

Virginia Department of Transportation  
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Dinwiddie County</b>																
(708) Namozine Rd	0.70	2300	F	96%	0%	1%	1%	1%	0%	F	0.095	F	0.685	2500	F	2008
			From:			26-601 River Rd				To:						
						US 460; 26-631										
(709) Shipping Rd	2.70	60	R									NA		NA		05/05/2008
			From:			26-609 Cherryhill Rd				To:						
						SR 40 McKenney Hwy										
(709) Shipping Rd	3.70	210	R									NA		NA		05/05/2008
			From:			26-656 Eppes Rd				To:						
						Dead End										
(709) Shipping Rd	1.70	410	R									NA		NA		05/05/2008
			From:			26-658 Branches Rd				To:						
						26-650 Hamilton Arms Rd										
(710) Cemetery Rd	0.85	30	R									NA		NA		05/07/2008
			From:			Dead End				To:						
						SCL McKenney										
<b>Town of McKenney</b>																
(710) Cemetery Rd	0.11	9	R									NA		NA		08/27/2002
			From:			SCL McKenney				To:						
						SR 40 Doyle Blvd										
<b>Dinwiddie County</b>																
(711) Ridley Rd	1.30	40	R									NA		NA		05/04/2005
			From:			Dead End				To:						
						26-670 Old Stage Rd										
(712) Greentree Rd	0.55	30	R									NA		NA		05/19/2008
			From:			26-703 Carson Rd				To:						
						Dead End										
(713) Cutbank Church Rd	2.54	200	R									NA		NA		05/12/2008
			From:			US 1 Boydton Plank Rd				To:						
						26-687 Cutbank Rd										
(714) Lewis Rd	0.46	330	R									NA		NA		05/19/2008
			From:			US 1 Boydton Plank Rd				To:						
						Dead End										
(715) Patillo Rd	1.78	120	R									NA		NA		04/30/2008
			From:			26-645 Wheelers Pond Rd				To:						
						26-613 White Oak Rd										
(716) Poole Siding Rd	0.36	110	R									NA		NA		04/30/2008
			From:			26-611; 26-751				To:						
						26-751 Cox Rd										
(717) Anderson Dr	0.50	45	R									NA		NA		05/02/2005
			From:			26-629 Anderson Mill Rd				To:						
						Dead End										
(718) Henshaw Rd	0.38	380	R									NA		NA		05/27/2008
			From:			26-601 River Rd				To:						
						Dead End										
(719) Lee Dr	0.39	240	R									NA		NA		05/27/2008
			From:			26-601 River Rd				To:						
						Dead End										
(720) Chestnut Dr	0.15	110	R									NA		NA		05/27/2008
			From:			26-601 River Rd				To:						
						Dead End										
(721) Pine Hill Rd	0.60	130	R									NA		NA		05/07/2008
			From:			US 460; FR-804				To:						
						Dead End										
(722) Abernathy Rd	0.81	20	R									NA		NA		05/12/2008
			From:			26-619 Courthouse Rd				To:						
						Dead End										

Virginia Department of Transportation  
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Dinwiddie County</b>															
(723) Pearson Hardy Rd	0.58	120	R			From: 26-611 Wilkinson Rd					NA		NA		06/08/2005
			To: Dead End												
(724) Springston Rd	0.58	240	R			From: 26-639 Springston Rd Wilson Rd					NA		NA		04/28/2008
			To: US 460												
(725) Cherokee Rd	0.17	140	R			From: Dead End					NA		NA		05/02/2005
			To: 26-706 Old Cox Rd												
(726) Mitchell Ave	0.23	170	R			From: US 1 Boydton Plank Rd					NA		NA		05/05/2008
			To: Dead End												
(727) Bethune Rd	0.79	320	R			From: Dead End					NA		NA		05/22/2008
			To: 26-675 Vaughan Rd												
(728) Wingfield Rd	0.34	60	R			From: Dead End					NA		NA		06/08/2005
			To: 26-665 Walkers Mill Rd												
(729) Spriggs Rd	0.53	80	R			From: 26-661 Boisseau Rd					NA		NA		05/02/2005
			To: Dead End												
(730) Williams Rd	0.28	70	R			From: US 460 Cox Rd					NA		NA		05/02/2005
			To: Dead End												
(731) Ruth Hill Rd	0.02	190	R			From: 26-611 Wilkinson Rd					NA		NA		04/30/2008
			To: 0.02 ME 26-611 Wilkinson Rd												
(731) Ruth Hill Rd	0.40	210	R			From: Dead End					NA		NA		04/30/2008
			To: Dead End												
(732) Davis Rd	0.60	360	R			From: Dead End					NA		NA		04/30/2008
			To: 26-627 Courthouse Rd												
(733) Little Zion Rd	1.20	220	R			From: 26-670 Old Stage Rd					NA		NA		05/19/2008
			To: 26-703 Carson Rd												
(734) Rainey Rd	3.14	190	R			From: 26-619 Courthouse Rd					NA		NA		05/07/2008
			To: 26-626 Flatfoot Rd												
(735) Goose Pond Rd	1.40	60	R			From: 26-619 Courthouse Rd					NA		NA		05/07/2008
			To: Dead End												
(736) Barnes Rd	0.50	60	R			From: 26-659 Bain Rd; Jones Rd					NA		NA		05/12/2008
			To: Dead End												
(737) Booth Rd	1.60	20	R			From: 26-665 Walkers Mill Rd					NA		NA		05/12/2008
			To: 26-626 Flatfoot Rd												
(738) Scotts Rd	1.33	520	R			From: 26-645 Wheelers Pond Rd; Scotts Rd					NA		NA		05/07/2008
			To: 26-647 Nash Rd												
(739) Midway Rd	1.70	480	R			From: 26-751 Cox Rd					NA		NA		05/27/2008
			To: 26-708 Namozine Rd												
(740) Turkey Egg Rd	1.50	1900	R			From: 26-627 Courthouse Rd					NA		NA		05/15/2008
			To: US 1 Boydton Plank Rd												

Virginia Department of Transportation  
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Dinwiddie County</b>															
(741) Fort Emory Rd	0.70	510	R			From:	26-613 Squirrel Level Rd							NA	05/22/2008
			To:			26-675 Vaughan Rd									
(742) Plantation Rd	0.50	270	R			From:	26-613 Squirrel Level Rd							NA	05/22/2008
			To:			26-675 Vaughan Rd									
(743) Hart Rd	0.57	470	R			From:	US 460 Cox Rd							NA	05/07/2008
			To:			26-601 River Rd									
(744) McKissicks Rd	0.70	80	R			From:	26-644 Brills Rd							NA	04/28/2008
			To:			Dead End									
(745) Fisher Rd	0.20	50	R			From:	Dead End							NA	05/05/2008
			To:			26-651 Mason Church Rd									
(746) Birdnest Rd	0.95	90	R			From:	26-708 Namozine Rd							NA	05/02/2005
			To:			Dead End									
(747) Wheelers Lane	0.35	10	R			From:	26-611 Wilkinson Rd							NA	05/05/2008
			To:			Dead End									
(748) Unico Rd	0.49	180	R			From:	Dead End							NA	05/14/2008
			To:			26-652 Asbury Rd									
(749)	0.04	50	R			From:	FR-82 Plane Dr							NA	05/19/2008
			To:			Dead End									
(750) Oxford Rd	1.51	590	R			From:	26-623 Southerland Rd							NA	05/05/2008
			To:			Dead End									
(751) Cox Rd	0.78	480	R			From:	US 460 WEST							NA	04/30/2008
			To:			26-611 W; 26-752									
(751) Cox Rd	0.26	1500	R			From:	26-611 E; 26-716							NA	04/30/2008
			To:			26-627 W, Trinity Church Rd									
(751) Cox Rd	3.25	1600	R			From:	US 460 E, Cox Rd							NA	04/30/2008
			To:			26-611; 26-751									
(752) Siding Dr	0.40	150	R			From:	26-611 Wilkinson Rd							NA	04/30/2008
			To:			Dead End									
(753) Siding Dr	0.40	160	R			From:	Dead End							NA	04/30/2008
			To:			Dead End									
(754) Anderson Mill Rd	0.88	210	R			From:	Dead End							NA	04/30/2008
			To:			26-751 Cox Rd									
(755) Slates Rd	0.50	90	R			From:	Dead End							NA	04/30/2008
			To:			26-751 Cox Rd									
(756) Slates Rd	0.28	60	R			From:	26-628 Tranquility Lane							NA	05/07/2008
			To:			Dead End									

Virginia Department of Transportation  
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Dinwiddie County</b>															
(757) Marmora Dr	0.62	100	R			From:	26-708 Namozine Rd				NA		NA		05/05/2008
						To:	Dead End								
(758) Steers Rd	0.39	190	R			From:	Dead End				NA		NA		05/22/2008
						To:	26-613 Dabney Mill Rd								
(759) Gunn Rd	0.57	9	R			From:	Dead End				NA		NA		05/05/2008
						To:	26-650 Lew Jones Rd								
(760) Sutherland Ave	0.37	90	R			From:	26-623 Station Rd				NA		NA		05/05/2008
						To:	Dead End								
(764) Oxford Rd	0.33	200	R			From:	26-750 Oxford Rd				NA		NA		05/05/2008
						To:	Cul-de-Sac								
(770) Olde Keswick Lane	0.08	50	R			From:	Cul-de-Sac				NA		NA		05/27/2008
						To:	Prince George County Line								
(775) Hoffeimer Way	0.92	1900	R			From:	26-672 Church Rd				NA		NA		06/13/2005
						To:	US 1 Boydton Plank Rd								
(776) Chesdin Lake Rd	0.57	300	R			From:	26-601 River Rd				NA		NA		05/22/2008
						To:	Dead End								
(1001) Margarita Ragsdale St	0.02	2	R			From:	Dead End				NA		NA		05/14/2008
						To:	ECL McKenney								
<b>Town of McKenney</b>															
(1001) Bolling Rd	0.02	4	R			From:	ECL McKenney				NA		NA		05/14/2008
						To:	26-1014 Denbigh St								
(1001) Bolling Rd	0.10	130	R			From:	26-1013 Johnson St				NA		NA		05/14/2008
						To:	US 1 Boydton Plank Rd								
(1001) Bolling Rd	0.32	420	R			From:	26-1007 Fifth St				NA		NA		05/14/2008
						To:	US 1 Boydton Plank Rd								
(1001) Bolling Rd	0.13	870	R			From:	26-1006 Fourth St				NA		NA		05/14/2008
						To:	26-1005 Third St								
(1001) Rives Ave	0.07	710	R			From:	26-1005 Third St				NA		NA		05/14/2008
						To:	26-1004 Second St								
(1001) Rives Ave	0.07	700	R			From:	26-1003 First St				NA		NA		05/14/2008
						To:	26-1002 Railroad Ave								
(1002) Railroad Ave	0.10	170	R			From:	SR 40 Doyle Blvd				NA		NA		05/14/2008
						To:	26-1001 Rives Ave								
(1003) First St	0.02	20	R			From:	Dead End				NA		NA		05/14/2008
						To:	26-1010 Jack Zehmer Rd								
(1003) First St	0.15	70	R			From:	26-1009 Westover Dr				NA		NA		05/14/2008
						To:	26-1009 Westover Dr								

Virginia Department of Transportation  
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck	QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail				
<b>Town of McKenney</b>													
(1003) First St	0.03	280	R			From: 26-1009 Westover Dr				NA	NA	NA	05/14/2008
(1003) First St	0.10	670	R			To: SR 40 Doyle Blvd				NA	NA	NA	05/14/2008
						From: 26-1001 Rives Ave							
(1004) Second St	0.09	100	R			To: SR 40 Doyle Blvd				NA	NA	NA	05/15/2008
						From: 26-1001 Rives Ave							
(1005) Third St	0.14	90	R			From: 26-1009 Westover Dr				NA	NA	NA	05/15/2008
						To: SR 40 Doyle Blvd							
(1005) Third St	0.23	250	R			From: 26-1008 Zehmer Ave				NA	NA	NA	05/15/2008
						To: SR 40 Doyle Blvd							
(1006) Fourth St	0.08	40	R			From: 26-1001 Rives Ave				NA	NA	NA	05/15/2008
						To: SR 40 Doyle Blvd							
(1007) Fifth St	0.08	70	R			From: 26-1001 Rives Ave				NA	NA	NA	05/15/2008
						To: SR 40 Doyle Blvd							
(1007) Fifth St	0.11	130	R			From: 26-1008 Zehmer Ave				NA	NA	NA	05/15/2008
						To: Dead End							
(1008) Zehmer Ave	0.07	40	R			From: 26-1007 Fifth St				NA	NA	NA	05/15/2008
						To: SR 40 Doyle Blvd							
(1008) Zehmer Ave	0.19	60	R			From: 26-1005 Third St				NA	NA	NA	05/15/2008
						To: 26-1003 First St							
<b>Dinwiddie County</b>													
(1009) Westover Rd	0.65	240	R			From: US 1 Boydtown Plank Rd				NA	NA	NA	05/14/2008
						To: SCL McKenney							
<b>Town of McKenney</b>													
(1009) Westover Dr	0.27	240	R			From: SCL McKenney				NA	NA	NA	05/14/2008
						To: 26-1005 Third St							
(1009) Westover Dr	0.13	220	R			From: 26-1003 First St				NA	NA	NA	05/14/2008
						To: SCL McKenney							
(1010) Jack Zehmer Rd	0.25	70	R			From: 26-1012 Factory St				NA	NA	NA	05/14/2008
						To: 26-1003 First St							
(1010) Jack Zehmer Rd	0.04	40	R			From: Dead End				NA	NA	NA	05/14/2008
						To: 26-614 Sunnyside Dr							
(1011) Community St	0.05	90	R			From: 26-1010 Jack Zehmer Rd				NA	NA	NA	05/14/2008
						To: Dead End							
(1012) Factory St	0.10	50	R			From: SR 40 Doyle Blvd				NA	NA	NA	05/14/2008
						To: 26-1001 Bolling Rd							
(1013) Johnson St	0.08	300	R			From: 26-1001 Bolling Rd				NA	NA	NA	05/14/2008
						To: ECL McKenney							
(1014) Denbigh St	0.08	100	R			From: 26-1001 Bolling Rd				NA	NA	NA	05/14/2008
						To: Dead End							

Virginia Department of Transportation  
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Dinwiddie County</b>															
(1014) Denbigh St	0.31	100	R								NA		NA		05/14/2008
From: ECL McKenney															
To: Dead End															
<b>Town of McKenney</b>															
(1015) Bethel Rd	0.10	50	R								NA		NA		05/12/2005
From: Dead End															
To: US 1 Boydton Plank Rd															
<b>Dinwiddie County</b>															
(1020) Seaboard Dr	0.08	130	R								NA		NA		06/08/2005
From: 26-644 Depot Rd															
To: 26-1021 Southern Ave															
(1021) Southern Ave	0.12	45	R								NA		NA		06/08/2005
From: Dead End															
(1021) Southern Ave	0.09	70	R								NA		NA		06/08/2005
From: 26-1020 Seaboard Dr															
To: Dead End															
(1039) Shannon Rd	0.30	90	R								NA		NA		05/22/2008
From: Dead End															
To: 26-611 Wilkerson Rd															
(1040) Greenhead Dr	0.55	350	R								NA		NA		05/22/2008
From: 26-675 Vaughan Rd															
To: 26-1042 Woody Ct															
(1041) Greenhead Ct	0.04	20	R								NA		NA		05/22/2008
From: Dead End															
(1042) Woody Ct	0.15	120	R								NA		NA		05/22/2008
From: Dead End															
(1101) Acorn Dr	0.30	70	R								NA		NA		06/08/2005
From: 26-604 Halifax Rd															
To: 26-606 Oak Grove Rd															
(1102)	0.46	NA				Cul-de-Sac					NA		NA		
From: US 1 Boydton Plank Rd															
(1103)	0.20	NA				Cul-de-Sac					NA		NA		
From: 26-1102															
(1110) Dabney Dr	0.31	60	R								NA		NA		05/02/2005
From: 26-1111 Anne Rd															
To: 26-1113 Charlotte Rd															
(1110) Dabney Dr	0.21	140	R								NA		NA		05/02/2005
From: 26-613 White Oak Rd															
(1111) Anne Rd	0.16	60	R								NA		NA		05/02/2005
From: 26-1112 Gibson Dr															
To: 26-1110 Dabney Dr															
(1112) Gibson Dr	0.31	70	R								NA		NA		05/02/2005
From: 26-1113 Charlotte Rd															
To: 26-613 White Oak Rd															
(1113) Charlotte Rd	0.16	40	R								NA		NA		05/02/2005
From: 26-1112 Gibson Dr															
To: 26-1110 Dabney Dr															
(1120) Tanglewood Dr	0.25	470	R								NA		NA		06/08/2005
From: 26-1122 Northwood Dr															
To: 26-1121 Southwood Dr															

Virginia Department of Transportation  
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Dinwiddie County</b>															
(1120) Tanglewood Dr	0.10	570	R			From:	26-1121 Southwood Dr							NA	06/08/2005
						To:	26-613 Squirrel Level Rd								
(1121) Southwood Dr	0.14	110	R			From:	Dead End							NA	06/08/2005
						To:	26-1120 Tanglewood Dr								
(1122) Northwood Dr	0.08	310	R			From:	26-1123 Circlewood Dr							NA	06/08/2005
						To:	26-1120 Tanglewood Dr								
(1123) Circlewood Dr	0.46	300	R			From:	26-1122 Northwood Dr							NA	06/08/2005
						To:	Dead End								
(1201) McKenney Ave	0.25	90	R			From:	Dead End							NA	05/12/2005
						To:	US 1; 26-650								
(1210) Waterford Dr	0.45	100	R			From:	Cul-de-Sac							NA	06/13/2005
						To:	26-750 Oxford Rd								
(1240) Wrenn Forest Dr	0.21	560	R			From:	Cul-de-Sac							NA	06/13/2005
						To:	26-601 River Rd								
(1241) Swan Circle	0.15	80	R			From:	26-1243 Canvasback Ct							NA	06/13/2005
						To:	26-1240 Wrenn Forest Dr								
(1242) Pintail Lane	0.11	70	R			From:	26-1243 Canvasback Ct							NA	06/13/2005
						To:	26-1240 Wrenn Forest Dr								
(1242) Pintail Lane	0.23	270	R			From:	Cul-de-Sac							NA	05/27/2008
						To:	26-1246 Pheasant Ct								
(1243) Canvasback Ct	0.23	60	R			From:	Cul-de-Sac							NA	06/13/2005
						To:	Cul-de-Sac								
(1244) Pintail Lane	0.08	100	R			From:	26-1242 Pintail Lane							NA	05/27/2008
						To:	Cul-de-Sac								
(1245) Teal Circle	0.06	70	R			From:	26-1242 Pintail Lane							NA	05/27/2008
						To:	Cul-de-Sac								
(1246) Pheasant Ct	0.22	220	R			From:	Cul-de-Sac							NA	05/27/2008
						To:	26-1242 Pintail Lane								
(1246) Pheasant Ct	0.09	200	R			From:	Cul-de-Sac							NA	05/27/2008
						To:	Cul-de-Sac								
(1301) Lee Blvd	0.23	590	R			From:	SR 226 Cox Rd							NA	05/16/2005
						To:	26-1332 Hill St								
(1301) Lee Blvd	0.18	200	R			From:	Dead End							NA	05/16/2005
						To:									
(1302) Dinwiddie Ave	0.10	120	R			From:	26-1306 Roanoke St							NA	05/18/2005
						To:									
(1302) Dinwiddie Ave	0.03	190	R			From:	26-1348 Potomac St							NA	05/18/2005
						To:									
(1302) Dinwiddie Ave	0.11	260	R			From:	26-1309 York St							NA	05/18/2005
						To:	US 1 Boydton Plank Rd								

Virginia Department of Transportation  
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Dinwiddie County</b>															
(1303) Simmons Ave	0.37	220	R								NA		NA		05/18/2005
						From:			Dead End						
(1303) Simmons Ave	0.03	2200	R								NA		NA		05/18/2005
						To:			FR-290 Front Rd						
(1303) Simmons Ave															
(1304) Nottoway Ave	0.10	170	R								NA		NA		05/18/2005
						From:			26-1349 Warwick St						
(1304) Nottoway Ave	0.10	210	R								NA		NA		05/18/2005
						To:			26-1306 Roanoke St						
(1304) Nottoway Ave	0.13	250	R								NA		NA		05/18/2005
						From:			26-1348 Potomac St						
						To:			US 1 Boydton Plank Rd						
(1305) Surry Ave	0.14	230	R								NA		NA		05/18/2005
						From:			Dead End						
(1305) Surry Ave	0.19	340	R								NA		NA		05/18/2005
						To:			26-1350 Pagan St						
(1305) Surry Ave	0.09	430	R								NA		NA		05/18/2005
						From:			26-1306 Roanoke St						
(1305) Surry Ave	0.11	530	R								NA		NA		05/18/2005
						To:			26-1348 Potomac St						
(1305) Surry Ave															
(1306) Roanoke St	0.04	110	R								NA		NA		05/18/2005
						From:			26-1305 Surry Ave						
(1306) Roanoke St	0.04	140	R								NA		NA		05/18/2005
						To:			26-1308 Greensville Ave						
(1306) Roanoke St	0.04	130	R								NA		NA		05/18/2005
						From:			26-1307 Brunswick Ave						
(1306) Roanoke St	0.04	100	R								NA		NA		05/18/2005
						To:			26-1304 Nottoway Ave						
(1307) Brunswick Ave	0.10	210	R								NA		NA		05/18/2005
						From:			26-1349 Warwick St						
(1307) Brunswick Ave	0.10	280	R								NA		NA		05/18/2005
						To:			26-1306 Roanoke St						
(1307) Brunswick Ave	0.12	330	R								NA		NA		05/18/2005
						From:			26-1348 Potomac St						
(1308) Greenville Ave	0.13	60	R								NA		NA		05/18/2005
						To:			US 1 Boydton Plank Rd						
(1308) Greenville Ave	0.09	370	R								NA		NA		05/18/2005
						From:			Dead End						
(1308) Greenville Ave	0.10	500	R								NA		NA		05/18/2005
						To:			26-1350 Pagan St						
(1308) Greenville Ave	0.09	550	R								NA		NA		05/18/2005
						From:			26-1349 Warwick St						
(1308) Greenville Ave	0.12	620	R								NA		NA		05/18/2005
						To:			26-1306 Roanoke St						
(1309) York St	0.10	47	R								NA		NA		05/18/2005
						From:			26-1348 Potomac St						
(1310) Rockdale Rd	0.10	90	R								NA		NA		05/16/2005
						To:			SR 226 Cox Rd						

Virginia Department of Transportation  
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Dinwiddie County</b>															
(1310) Cedar Hart Rd	0.11	1800	R								NA		NA		05/16/2005
(1310) Cedar Hart Rd	0.10	1700	R								NA		NA		05/16/2005
(1311) Grant Ave	0.31	310	R								NA		NA		05/16/2005
(1311) Grant Ave	0.10	80	R								NA		NA		05/16/2005
(1312) Sunset Dr	0.12	1000	R								NA		NA		05/16/2005
(1313) Franklin St	0.22	1000	R								NA		NA		05/16/2005
(1314) Glendale Ave	0.03	20	R								NA		NA		05/23/2005
(1314) Glendale Ave	0.12	140	R								NA		NA		05/23/2005
(1314) Glendale Ave	0.10	170	R								NA		NA		05/23/2005
(1314) Glendale Ave	0.06	220	R								NA		NA		05/23/2005
(1315) Del Keith Rd	0.06	70	R								NA		NA		05/23/2005
(1315) Del Keith Rd	0.11	80	R								NA		NA		05/23/2005
(1316) Meridan Ave	0.07	50	R								NA		NA		05/23/2005
(1316) Meridan Ave	0.06	170	R								NA		NA		05/23/2005
(1316) Meridan Ave	0.10	80	R								NA		NA		05/23/2005
(1317) Meadow Lane	0.07	70	R								NA		NA		05/23/2005
(1318) Callear Rd	0.13	100	R								NA		NA		05/23/2005
(1319) Short St	0.06	180	R								NA		NA		05/23/2005
(1320) Ritchie Ave	0.09	200	R								NA		NA		05/23/2005
(1320) Ritchie Ave	0.13	190	R								NA		NA		05/23/2005
(1321) Ashley Lane	0.18	190	R								NA		NA		05/16/2005

Virginia Department of Transportation  
Traffic Engineering Division

2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Dinwiddie County</b>															
(1322) Harwell Dr	0.14	290	R			From: Dead End					NA		NA	05/23/2005	
						To: US 1 Boynton Plank Rd									
(1323) West Dr	0.40	390	R			From: 26-600 Ferndale Rd					NA		NA	05/16/2005	
						To: Dead End									
(1324) Ford Ave	0.15	1200	R			From: 26-1363 Cross St					NA		NA	05/23/2005	
						To: US 1 Boyton Plank Rd									
(1325) Creek Ave	0.21	220	R			From: Cul-de-Sac					NA		NA	05/23/2005	
						To: 26-1326 Mt Pleasant St									
(1325) Creek Ave	0.06	290	R			From: 26-1326 Mt Pleasant St					NA		NA	05/23/2005	
						To: SR 226 Cox Rd									
(1326) Mt Pleasant St	0.21	60	R			From: 26-1325 Creek Ave					NA		NA	05/23/2005	
						To: 26-1327 Cedar Lane									
(1327) Cedar Lane	0.05	130	R			From: 26-1326 Mt Pleasant St					NA		NA	05/23/2005	
						To: SR 226 Cox Rd									
(1328) Pinecroft Rd	0.10	70	R			From: Dead End					NA		NA	05/16/2005	
						To: 26-1329 Brooksdale Rd									
(1328) Pinecroft Rd	0.12	200	R			From: 26-1329 Brooksdale Rd					NA		NA	05/16/2005	
						To: 26-1330 Balsam Lane									
(1328) Pinecroft Rd	0.07	390	R			From: 26-1330 Balsam Lane					NA		NA	05/16/2005	
						To: 26-600 Ferndale Rd									
(1329) Brooksdale Rd	0.06	180	R			From: 26-1330 Balsam Lane					NA		NA	05/16/2005	
						To: 26-1328 Pinecroft Rd									
(1330) Balsam Lane	0.17	190	R			From: 26-1329 Brooksdale Rd					NA		NA	05/16/2005	
						To: 26-1328 Pinecroft Rd									
(1331) Creek Circle	0.03	40	R			From: 26-1325 Creek Ave					NA		NA	06/13/2005	
						To: Cul-de-Sac									
(1332) Hill St	0.05	190	R			From: 26-1301 Lee Blvd					NA		NA	05/16/2005	
						To: Dead End									
(1333) Ferndale Circle	0.54	300	R			From: 26-600 Ferndale Rd					NA		NA	05/16/2005	
						To: 26-600 Ferndale Rd									
(1334) Floyd Ave	0.12	40	R			From: Dead End					NA		NA	05/23/2005	
						To: 26-1336 Forest Ave									
(1334) Floyd Ave	0.22	530	R			From: 26-1336 Forest Ave					NA		NA	05/23/2005	
						To: FR-290; 26-1335									
(1335) Church Rd	0.19	280	R			From: 0.19 MS FR-290					NA		NA	05/23/2005	
						To: FR-290; 26-1334									
(1335) Church Rd	0.08	20	R			From: FR-290; 26-1334					NA		NA	05/23/2005	
						To: Dead End									
(1336) Forest Ave	0.09	410	R			From: 26-1334 Floyd Ave					NA		NA	05/23/2005	
						To: 26-1337 James Ave									

Virginia Department of Transportation  
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Dinwiddie County</b>															
(1337) James Ave	0.12	80	R			From:	Dead End							NA	05/23/2005
						To:	26-1336 Forest Ave								
(1338) Shadyside Dr	0.20	160	R			From:	26-1335 Church Rd							NA	05/23/2005
						To:	Cul-de-Sac								
(1339) Creek Lane	0.07	50	R			From:	26-1325 Creek Ave							NA	05/23/2005
						To:	Cul-de-Sac								
(1340) Fairway Lane	0.15	50	R			From:	SR 226 Cox Rd							NA	05/15/2008
						To:	26-1341 Driver Rd								
(1340) Fairway Lane	0.09	270	R			From:	26-1341 Driver Rd							NA	05/18/2005
						To:	26-1342 Wedgewood Rd								
(1340) Fairway Lane	0.12	80	R			From:	26-1342 Wedgewood Rd							NA	05/18/2005
						To:	Dead End								
(1341) Driver Rd	0.17	150	R			From:	26-1343 Greenway Rd							NA	05/18/2005
						To:	26-1340 Fairway Lane								
(1342) Wedgewood Rd	0.20	110	R			From:	26-1343 Greenway Rd							NA	05/18/2005
						To:	26-1340 Fairway Lane								
(1343) Greenway Rd	0.09	100	R			From:	26-1341 Driver Rd							NA	05/18/2005
						To:	26-1342 Wedgewood Rd								
(1344) Orchard Rd	0.09	320	R			From:	SR 226 Cox Rd							NA	05/16/2005
						To:	26-1345 Steven Ave								
(1344) Orchard Rd	0.09	270	R			From:	26-1345 Steven Ave							NA	05/16/2005
						To:	26-1346 Wayne Ave								
(1345) Steven Ave	0.06	40	R			From:	Dead End							NA	05/18/2005
						To:	26-1344 Orchard Rd								
(1345) Steven Ave	0.04	40	R			From:	26-1344 Orchard Rd							NA	05/18/2005
						To:	Dead End								
(1346) Wayne Ave	0.07	30	R			From:	Dead End							NA	05/18/2005
						To:	26-1344 Orchard Rd								
(1346) Wayne Ave	0.04	210	R			From:	26-1344 Orchard Rd							NA	05/18/2005
						To:	26-1347 Orchard Dr								
(1346) Wayne Ave	0.01	47	R			From:	26-1347 Orchard Dr							NA	05/18/2005
						To:	Dead End								
(1347) Orchard Dr	0.17	130	R			From:	Dead End							NA	05/18/2005
						To:	26-1346 Wayne Ave								
(1348) Potomac St	0.04	120	R			From:	26-1305 Surry Ave							NA	05/23/2005
						To:	26-1308 Greensville Ave								
(1348) Potomac St	0.04	150	R			From:	26-1308 Greensville Ave							NA	05/23/2005
						To:	26-1307 Brunswick Ave								
(1348) Potomac St	0.04	130	R			From:	26-1307 Brunswick Ave							NA	05/23/2005
						To:	26-1304 Nottoway Ave								
(1348) Potomac St	0.04	120	R			From:	26-1304 Nottoway Ave							NA	05/23/2005
						To:	26-1302 Dinwiddie Ave								

Virginia Department of Transportation  
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Dinwiddie County</b>															
(1349) Warwick St	0.04	130	R								NA		NA		05/18/2005
(1349) Warwick St	0.04	80	R								NA		NA		05/18/2005
(1350) Pagan St	0.04	50	R								NA		NA		05/18/2005
(1352) Elsie Dr	0.19	260	R								NA		NA		05/16/2005
(1352) Elsie Dr	0.10	120	R								NA		NA		05/16/2005
(1353) Susie Dr	0.19	280	R								NA		NA		05/16/2005
(1353) Susie Dr	0.10	100	R								NA		NA		05/16/2005
(1354) Mark Dr	0.08	60	R								NA		NA		05/16/2005
(1354) Mark Dr	0.12	70	R								NA		NA		05/27/2008
(1354) Mark Dr	0.07	60	R								NA		NA		05/27/2008
(1355) E Autumn Dr	0.18	550	R								NA		NA		05/27/2008
(1355) E Autumn Dr	0.07	190	R								NA		NA		05/16/2005
(1355) E Autumn Dr	0.10	140	R								NA		NA		05/16/2005
(1355) W Autumn Dr	0.28	250	R								NA		NA		05/23/2005
(1355) W Autumn Dr	0.13	380	R								NA		NA		05/23/2005
(1356) Sparrow Ct	0.09	50	R								NA		NA		05/27/2008
(1356) Sparrow Ct	0.06	90	R								NA		NA		05/27/2008
(1357) Bancroft Dr	0.26	150	R								NA		NA		05/27/2008
(1357) Bancroft Dr	0.13	250	R								NA		NA		05/27/2008
(1357) Bancroft Dr	0.08	670	R								NA		NA		05/27/2008
(1358) Mansfield Dr	0.03	20	R								NA		NA		05/27/2008
(1358) Mansfield Dr	0.07	270	R								NA		NA		05/27/2008

Virginia Department of Transportation  
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Dinwiddie County</b>															
(1358) Mansfield Dr	0.08	700	R			From:	26-1359 Gap							NA	05/27/2008
						To:	26-601 River Rd								
(1359) Gaydell Dr	0.04	20	R			From:	Dead End							NA	05/16/2005
						To:	26-1364 Keithwood Dr								
(1359) Gaydell Dr	0.10	450	R			From:	26-1364 Keithwood Dr							NA	05/16/2005
						To:	26-1357 Bancroft Dr								
(1359) Gaydell Dr	0.29	350	R			From:	26-1357 Bancroft Dr							NA	05/27/2008
						To:	26-1358 Mansfield Dr								
(1359) Gaydell Dr	0.22	280	R			From:	26-1358 Mansfield Dr							NA	05/27/2008
						To:	26-1387 Beth Lane								
(1359) Gaydell Dr	0.10	440	R			From:	26-1387 Beth Lane							NA	05/27/2008
						To:	26-1385 McIlwaine Dr								
(1360) Fieldshire Lane	0.23	180	R			From:	26-1357 Bancroft Dr							NA	05/27/2008
						To:	26-1358 Mansfield Dr								
(1361) Walking Landing Dr	0.14	500	R			From:	26-1366 Walking Landing Ct							NA	05/21/2008
						To:	SR 226 Cox Rd								
(1362) Oak Ct	0.12	230	R			From:	26-603 Sterling Rd							NA	05/23/2005
						To:	26-1320 Ritchie Ave								
(1363) Cross St	0.08	70	R			From:	26-1320 Ritchie Ave							NA	05/23/2005
						To:	26-1324 Ford Ave								
(1364) Keithwood Dr	0.07	30	R			From:	Dead End							NA	05/16/2005
						To:	26-1365 Timpan Lane								
(1364) Keithwood Dr	0.21	320	R			From:	26-1365 Timpan Lane							NA	05/16/2005
						To:	26-1359 Gaydell Dr								
(1365) Timpan Lane	0.11	140	R			From:	26-1364 Keithwood Dr							NA	05/16/2005
						To:	Cul-de-Sac								
(1366) Walking Landing Ct	0.46	500	R			From:	Dead End							NA	05/21/2008
						To:	Dead End								
(1367) Iris Circle	0.04	30	R			From:	26-1355, E Autumn Dr							NA	05/16/2005
						To:	Cul-de-Sac								
(1368) Woods Ct	0.05	40	R			From:	Cul-de-Sac							NA	05/16/2005
						To:	26-1355, W Autumn Dr								
(1369) Westbriar Lane	0.04	30	R			From:	26-1355, W Autumn Dr							NA	05/16/2005
						To:	Cul-de-Sac								
(1370) Bell St	0.16	50	R			From:	26-1371 Hazel Ave							NA	05/23/2005
						To:	26-672 Weakley Rd								
(1371) Hazel Ave	0.18	90	R			From:	Cul-de-Sac							NA	05/19/2008
						To:	26-1370 Bell St								
(1371) Hazel Ave	0.07	120	R			From:	26-1370 Bell St							NA	05/19/2008
						To:	26-672 Weakley Rd								

Virginia Department of Transportation  
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Dinwiddie County</b>															
(1372) A P Hill Dr	0.09	520	R			From:	US 1 Boydton Plank Rd							NA	05/19/2008
						To:	26-1373 Sentry Hill Ct								
(1373) Sentry Hill Ct	0.44	400	R			From:	26-1372 Begin Loop							NA	05/19/2008
						To:	End Loop								
(1375) Sequoia Ct	0.13	120	R			From:	26-1382 Sequoia Rd							NA	05/23/2005
						To:	Cul-de-Sac								
(1376) Sierra Rd	0.07	60	R			From:	Cul-de-Sac							NA	05/23/2005
						To:	26-1381 Chesdin Dr								
(1377) Yosemite Rd	0.07	50	R			From:	Cul-de-Sac							NA	05/21/2008
						To:	26-1381 Chesdin Dr								
(1378) Woodstream Ct	0.11	120	R			From:	Cul-de-Sac							NA	05/21/2008
						To:	26-1379 Woodstream Ct								
(1379) Woodstream Ct	0.24	170	R			From:	26-1380 Woodstream Dr							NA	05/21/2008
						To:	26-1393 Brickwood Meadow Dr								
(1380) Woodstream Dr	0.31	680	R			From:	Dead End							NA	05/18/2005
						To:	SR 226 Cox Rd								
(1380) Woodstream Dr	0.53	150	R			From:	Dead End							NA	05/18/2005
						To:	Dead End								
(1381) Chesdin Dr	0.43	590	R			From:	Dead End							NA	05/23/2005
						To:	SR 226 Cox Rd								
(1382) Sequoia Rd	0.27	190	R			From:	Dead End							NA	05/15/2008
						To:	26-1381 Chesdin Dr								
(1383) Olympic Lane	0.08	90	R			From:	26-1382 Sequoia Rd							NA	05/15/2008
						To:	Cul-de-Sac								
(1384) Yellowstone Dr	0.15	600	R			From:	26-1382 Sequoia Rd							NA	05/15/2008
						To:	SR 226; 26-1384								
(1385) McIlwaine Dr	0.30	580	R			From:	Dead End							NA	05/27/2008
						To:	26-1386 Raymond Rd								
(1385) McIlwaine Dr	0.13	920	R			From:	26-1386 Raymond Rd							NA	05/27/2008
						To:	26-1359 Gaydell Dr								
(1385) McIlwaine Dr	0.11	1400	R			From:	26-1359 Gaydell Dr							NA	05/27/2008
						To:	26-601 River Rd								
(1386) Raymond Rd	0.17	140	R			From:	Cul-de-Sac							NA	05/27/2008
						To:	26-1399 Tower Ct								
(1387) Beth Lane	0.12	120	R			From:	26-1386 Raymond Rd							NA	05/27/2008
						To:	26-1359 Gaydell Dr								
(1388) Gloria Dr	0.03	10	R			From:	Dead End							NA	05/16/2005
						To:	26-1389 Paul Dr								
(1388) Gloria Dr	0.07	180	R			From:	26-1389 Paul Dr							NA	05/16/2005
						To:	26-1385 McIlwaine Dr								

Virginia Department of Transportation  
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Dinwiddie County</b>															
(1389) Paul Dr	0.10	110	R			From:	26-1388 Gloria Dr				NA		NA		05/16/2005
						To:	Cul-de-Sac								
(1390) Jackie Dr	0.09	450	R			From:	26-601 River Rd				NA		NA		05/27/2008
						To:	26-1391 James Ct								
(1390) Jackie Dr	0.10	390	R			From:	26-1391 James Ct				NA		NA		05/27/2008
						To:	26-1354 Mark Dr								
(1390) Jackie Dr	0.08	160	R			From:	26-1354 Mark Dr				NA		NA		05/27/2008
						To:	26-1392 Donnie Ct								
(1390) Jackie Dr	0.06	70	R			From:	26-1392 Donnie Ct				NA		NA		05/27/2008
						To:	Cul-de-Sac								
(1391) James Ct	0.06	70	R			From:	Cul-de-Sac				NA		NA		05/27/2008
						To:	26-1390 Jackie Dr								
(1392) Donnie Ct	0.06	60	R			From:	Cul-de-Sac				NA		NA		05/27/2008
						To:	26-1390 Jackie Dr								
(1393) Brickwood Meadow Dr	0.19	400	R			From:	SR 226 Cox Rd				NA		NA		05/21/2008
						To:	26-1395 Brickwood Meadow Lane								
(1394) Brickwood Meadow Terr	0.05	40	R			From:	Cul-de-Sac				NA		NA		05/21/2008
						To:	26-1393 Brickwood Meadow Dr								
(1395) Brickwood Meadow Lan	0.35	180	R			From:	26-1380 Woodstream Dr				NA		NA		05/21/2008
						To:	Cul-de-Sac								
(1396) Brickwood Meadow Ct	0.15	130	R			From:	Cul-de-Sac				NA		NA		05/21/2008
						To:	26-1395 Brickwood Meadow Lane								
(1397) Woodstream Place	0.05	47	R			From:	Dead End				NA		NA		05/25/2005
						To:	26-1380 Woodstream Dr								
(1398) Woodstream Circle	0.06	50	R			From:	Dead End				NA		NA		05/25/2005
						To:	26-1380 Woodstream Dr								
(1399) Tower Ct	0.09	220	R			From:	Cul-de-Sac				NA		NA		05/27/2008
						To:	26-1386 Raymond Rd								
(1399) Tower Ct	0.19	NA				From:	Cul-de-Sac				NA		NA		
						To:	Dead End								
(1401) Springcreek Rd	0.41	150	R			From:	Dead End				NA		NA		05/25/2005
						To:	US 1 S, Boydton Plank Rd								
(1402) Main St	0.10	200	R			From:	US 1 S, Boydton Plank Rd				NA		NA		05/25/2005
						To:	26-619 Courthouse Rd								
(1402) Sycamore Dr	0.15	260	R			From:	US 1 N, Boydton Plank Rd				NA		NA		05/25/2005
						To:	26-703 Carson Rd								
(1403)	0.11	20	R			From:	Dead End				NA		NA		06/13/2005
						To:	26-619 Courthouse Rd								
(1404) Rowanty Lane	0.06	50	R			From:	Dead End				NA		NA		05/25/2005
						To:	26-619 Courthouse Rd								

Virginia Department of Transportation  
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Dinwiddie County</b>															
(1405) Lakewood Dr	0.20	220	R								NA		NA		05/02/2005
(1405) Lakewood Dr	0.16	60	R								NA		NA		05/02/2005
(1406) Stonewall Dr	0.43	150	R								NA		NA		05/02/2005
(1407) Bonneville Lane	0.50	180	R								NA		NA		05/02/2005
(1410) Allen Rd	0.08	540	R								NA		NA		05/25/2005
(1410) Allen Rd	0.06	480	R								NA		NA		05/25/2005
(1410) Allen Rd	0.11	320	R								NA		NA		05/25/2005
(1410) Allen Rd	0.07	80	R								NA		NA		05/25/2005
(1410) Allen Rd	0.05	5	R								NA		NA		05/25/2005
(1411) Dorothy Ct	0.12	60	R								NA		NA		05/25/2005
(1412) Frances Dr	0.12	70	R								NA		NA		05/25/2005
(1413) Albert St	0.28	110	R								NA		NA		05/25/2005
(1414) Bishop St	0.16	140	R								NA		NA		05/25/2005
(1414) Bishop St	0.13	100	R								NA		NA		05/25/2005
(1415) Rainbow St	0.12	20	R								NA		NA		05/25/2005
(1420) River Run Dr	0.15	950	R								NA		NA		06/13/2005
(1421) Lake Dr	0.27	110	R								NA		NA		06/13/2005
(1422) Plantation PI	0.04	40	R								NA		NA		06/13/2005
(1423) Plantation Dr	0.22	80	R								NA		NA		06/13/2005
(1424) Plantation Ct	0.05	50	R								NA		NA		06/13/2005

Virginia Department of Transportation  
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Dinwiddie County</b>															
(1425) Mark Dr	0.05	110	R			From:	26-1354 Mark Dr				NA		NA		06/13/2005
						To:	26-1423 Plantation Dr								
(1430) Sons Way	0.15	190	R			From:	Cul-de-Sac				NA		NA		05/19/2008
						To:	26-1382 Sequoia Rd								
(1431) Bryans Circle	0.04	20	R			From:	26-1430 Sons Way				NA		NA		05/19/2008
						To:	Cul-de-Sac								
(1432) Kyles Ct	0.03	30	R			From:	Cul-de-Sac				NA		NA		05/19/2008
						To:	26-1430 Sons Way								
(1501) Sutherland Dr	0.17	120	R			From:	26-1504 Woodland Dr				NA		NA		05/25/2005
						To:	26-1502 Woodland Rd								
(1501) Sutherland Dr	0.29	290	R			From:	US 460 Cox Rd				NA		NA		05/25/2005
						To:	26-1501 Sutherland Dr								
(1502) Woodland Rd	0.08	80	R			From:	26-1501 Sutherland Dr				NA		NA		05/25/2005
						To:	26-1503 Belville Dr								
(1503) Belville Dr	0.12	60	R			From:	26-1502 Woodland Rd				NA		NA		05/25/2005
						To:	Dead End								
(1504) Woodland Dr	0.10	80	R			From:	26-1505 Tara Dr				NA		NA		05/25/2005
						To:	26-1501 Sutherland Dr								
(1504) Woodland Dr	0.14	30	R			From:	US 460 Cox Rd				NA		NA		05/25/2005
						To:	Dead End								
(1505) Tara Dr	0.10	70	R			From:	26-1504 Woodland Dr				NA		NA		05/25/2005
						To:	Dead End								
(1509) Leonard Dr	0.23	200	R			From:	26-1510 Chesdin Blvd				NA		NA		05/05/2008
						To:	Dead End								
(1510) Chesdin Blvd	0.57	850	R			From:	26-601 River Rd				NA		NA		05/25/2005
						To:	26-1512 Ridgecrest Dr								
(1510) Chesdin Blvd	0.46	290	R			From:	26-1512 Ridgecrest Dr				NA		NA		05/25/2005
						To:	26-1511 Chesdin Ct								
(1510) Chesdin Blvd	0.06	30	R			From:	26-1511 Chesdin Ct				NA		NA		05/25/2005
						To:	Dead End								
(1511) Chesdin Ct	0.04	40	R			From:	26-1510 Chesdin Blvd				NA		NA		05/25/2005
						To:	Cul-de-Sac								
(1512) Ridgecrest Dr	0.10	46	R			From:	26-1510 Chesdin Blvd				NA		NA		05/25/2005
						To:	26-1513 Shoreview Dr								
(1513) Shoreview Dr	0.13	220	R			From:	26-1509 Leonard Dr				NA		NA		05/05/2008
						To:	26-1512 Ridgecrest Dr								
(1513) Shoreview Dr	0.15	160	R			From:	26-1512 Ridgecrest Dr				NA		NA		05/25/2005
						To:	26-1514 Waterview Ct								
(1513) Shoreview Dr	0.13	80	R			From:	26-1514 Waterview Ct				NA		NA		05/25/2005
						To:	Cul-de-Sac								

Virginia Department of Transportation  
Traffic Engineering Division

2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck	QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle 3+Axle 1Trail 2Trail						
<b>Dinwiddie County</b>												
(1514) Waterview Ct	0.05	30	R			Cul-de-Sac				NA	NA	05/25/2005
						From: 26-1513 Shoreview Dr						
(1515) Edrie Dr	0.13	430	R			26-601 River Rd				NA	NA	05/25/2005
						To: 26-1516 Eugene Dr						
(1515) Edrie Dr	0.04	20	R			From: Dead End				NA	NA	05/25/2005
						To: Dead End						
(1516) Eugene Dr	0.12	90	R			Dead End				NA	NA	05/25/2005
						To: 26-1517 Independence Dr						
(1516) Eugene Dr	0.22	410	R			From: 26-1515 Edrie Dr				NA	NA	05/25/2005
						To: 26-1518 Hope Dr						
(1517) Independence Dr	0.07	170	R			From: 26-1518 Hope Dr				NA	NA	05/25/2005
						To: 26-1516 Eugene Dr						
(1518) Hope Dr	0.07	70	R			From: Dead End				NA	NA	05/25/2005
						To: 26-1517 Independence Dr						
(1518) Hope Dr	0.10	80	R			From: Dead End				NA	NA	05/25/2005
						To: Dead End						
(1519) Seay Dr	0.09	30	R			From: 26-1510 Chesdin Blvd				NA	NA	05/27/2008
						To: Cul-de-Sac						
(1530) Oak St	0.07	40	R			From: Dead End				NA	NA	04/30/2008
						To: 26-1531 Elm St						
(1530) Oak St	0.09	80	R			From: 26-751 Cox Rd				NA	NA	04/30/2008
						To: 26-751 Cox Rd						
(1531) Elm St	0.23	60	R			From: 26-1530 Oak St				NA	NA	04/30/2008
						To: 26-751 Cox Rd						
(9116)	0.14	740	R			From: 26-751 Cox Rd				NA	NA	05/02/2005
						To: Cul-de-Sac						
<b>Town of McKenney</b>												
(9117)	0.04	240	R			From: McKenney Elem School				NA	NA	05/12/2005
						To: 26-614 Sunnyside Dr						
<b>Dinwiddie County</b>												
(9118)	0.07	260	R			From: Dinwiddie Elem School				NA	NA	05/19/2008
						To: 0.07 MN US 1						
(9118)	0.05	100	R			From: 0.07 MN US 1				NA	NA	05/02/2005
						To: 0.12 MN US 1						
(9118)	0.09	160	R			From: 0.12 MN US 1				NA	NA	05/02/2005
						To: 0.21 MN US 1						
(9118)	0.09	200	R			From: 0.21 MN US 1				NA	NA	05/02/2005
						To: US 1 Boydton Plank Rd						
<b>Town of McKenney</b>												
(9119)	0.02	30	R			From: 26-1001 Bolling Rd				NA	NA	1999
						To: 0.02 MN 26-1001						
(9119)	0.10	40	R			From: Cul-de-Sac				NA	NA	1999

Virginia Department of Transportation  
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Dinwiddie County</b>																
(9535) Eastview Dr	0.23	890	R								NA		NA		05/19/2008	
(9535) Eastview Dr	0.20	800	R								NA		NA		05/19/2008	
(9535) Eastview Dr	0.13	700	R								NA		NA		05/19/2008	
(9920)	0.10	40	R								NA		NA		05/19/2008	
(9921)	0.11	590	R								NA		NA		05/02/2005	
(9922)	0.11	150	R								NA		NA		05/02/2005	
(9923)	0.05	620	R								NA		NA		05/19/2008	
(9923)	0.13	720	R								NA		NA		05/02/2005	
(9923)	0.15	700	R								NA		NA		05/02/2005	
(9923)	0.11	700	R								NA		NA		05/02/2005	
(608) Johnson Rd	0.31	960	N	99%	0%	0%	1%	0%	0%	N	0.113	N	0.597	1000	N	2008
(608) Johnson Rd	1.00	1300	F	99%	0%	0%	0%	0%	0%	C	0.101	F	0.558	1400	F	2008
<b>City of Petersburg</b>																
(13) Vaughn Rd	0.64	1000	F								0.087	F	0.689	1100	F	2008
(4) Wells Rd	0.41	3900	F	87%	0%	1%	3%	8%	0%	C	0.087	F	0.559	4300	F	2008
(9002) Halifax Rd	0.18	6400	F	99%	1%	1%	0%	0%	0%	F	0.08	F	0.526	7000	F	2008
(9002) Halifax St	0.58	5600	F	99%	1%	1%	0%	0%	0%	F	0.084	F		6100	F	2008
(9002) Halifax St	0.19	5900	F	99%	1%	1%	0%	0%	0%	F	0.08	F		6400	F	2008
(9002) Halifax St	0.37	8300	F	99%	1%	1%	0%	0%	0%	F	0.077	F		9100	F	2008
(9002) Halifax St	0.29	8000	F	99%	1%	1%	0%	0%	0%	F	0.078	F		8700	F	2008
(9002) Halifax St	0.28	8500	F	99%	1%	1%	0%	0%	0%	C	0.078	F		9300	F	2008
(9002) Union St	0.12	4000	G	96%	1%	2%	0%	0%	0%	C	NA			4300	G	2008
(9002) Union St	0.17	1400	F	93%	1%	4%	1%	1%	0%	C	0.116	F	0.523	1500	F	2008

Virginia Department of Transportation  
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>City of Petersburg</b>																
(9004) 123 Defense Rd	0.47	2200	F	98%	0%	0%	1%	1%	0%	C	0.096	F	0.649	2400	F	2008
From: Boydtown Plank Rd																
(9004) 123 Defense Dr	1.77	3700	F	99%	1%	0%	0%	0%	0%	F	0.076	F	0.639	4000	F	2008
From: Squirrel Level Rd																
(9004) 123 South Boulevard	0.92	8200	F	99%	1%	0%	0%	0%	0%	C	0.091	F	9000	F	2008	
From: Johnson Rd																
(9004) 123 South Boulevard	0.18	5600	F	99%	1%	0%	0%	0%	0%	F	0.095	F	0.501	6100	F	2008
From: S. Sycamore St																
(9004) 123 South Boulevard	0.72	2100	F	99%	1%	0%	0%	0%	0%	F	0.087	F	0.571	2200	F	2008
From: Crater Rd																
To: Anderson St																
(9006) 123 Flank Rd	0.96	1900	F	96%	0%	0%	3%	0%	0%	C	0.099	F	0.609	2100	F	2008
From: Halifax Rd																
(9006) 123 Flank Rd	0.47	3200	F	96%	0%	0%	3%	0%	0%	F	0.086	F	0.573	3400	F	2008
From: Johnson Rd																
(9006) 123 Flank Rd	0.75	2600	F	96%	0%	0%	3%	0%	0%	F	0.086	F	0.503	2800	F	2008
From: Birdsong Rd																
(9006) 123 Flank Rd	0.91	3100	F	98%	0%	1%	0%	1%	0%	C	0.082	F	0.581	3400	F	2008
From: Fort Hayes Dr																
(9006) 123 Flank Rd ( 1-Way )	0.13	2400	F	98%	1%	1%	0%	0%	0%	C	0.082	F	2600	F	2008	
From: Flank Rd N																
To: US 301 S Crater Rd																
(9008) 123 Rives Rd	0.55	6700	F	98%	0%	1%	0%	1%	0%	C	0.09	F	7300	F	2008	
From: US 301 S Crater Rd																
To: I- 95																
(9008) 123 Rives Rd	0.27	5400	F	98%	0%	0%	0%	1%	0%	C	0.1	F	5900	F	2008	
From: I- 95																
To: ECL Petersburg																
(9009) 123 Dupuy Rd	1.24	440	F	98%	1%	1%	0%	0%	0%	F	0.105	F	0.531	470	F	2008
From: SR 142 Boydtown Plank Rd																
To: Grigg St																
(9009) 123 Dupuy St	0.58	2000	F	98%	1%	1%	0%	0%	0%	F	0.084	F	0.506	2100	F	2008
From: Youngs Rd																
(9009) 123 Farmer St	0.86	3600	F	98%	1%	1%	0%	0%	0%	C	0.085	F	3900	F	2008	
From: S. South St																
(9009) 123 Farmer St	0.47	2800	F	98%	1%	1%	0%	0%	0%	F	0.114	F	0.656	3100	F	2008
From: Halifax St																
(9010) 123 Wagner Rd	0.73	15000	F	98%	0%	0%	0%	1%	0%	C	0.088	F	17000	F	2008	
From: S Crater Rd																
To: I-95																
(9010) 123 Wagner Rd	1.60	11000	F	94%	0%	1%	1%	4%	0%	C	0.090	F	12000	F	2008	
From: I-95																
To: County Dr																
(9011) 123 Squirrel Level Rd	0.82	870	F	99%	0%	0%	0%	0%	0%	C	0.135	F	0.555	950	F	2008
From: SCL Petersburg																
To: Wells Rd																
(9011) 123 Squirrel Level Rd	0.25	4900	F	90%	0%	1%	3%	7%	0%	C	0.089	F	5300	F	2008	
From: Ramp To I- 85																
(9011) 123 Squirrel Level	0.20	7500	F	98%	1%	1%	0%	0%	0%	F	0.08	F	8200	F	2008	
From: Boydton Plank Rd																
(9011) 123 Young Rd	0.55	4000	F	98%	1%	1%	0%	0%	0%	F	0.082	F	0.569	4400	F	2008
From: Valor Dr																
(9011) 123 Young Rd	0.59	2600	F	98%	1%	1%	0%	0%	0%	C	0.085	F	0.534	2900	F	2008
To: 123-9009 Dupuy Rd																

Virginia Department of Transportation  
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>City of Petersburg</b>																
(9012) Lee Ave	0.56	2800	F	97%	2%	1%	0%	0%	0%	C	0.087	F	0.557	3000	F	2008
From: West St																
(9012) Porterville St	0.15	1300	F	99%	1%	0%	0%	0%	0%	F	0.080	F	0.518	1400	F	2008
From: Halifax St																
(9012) New St	0.18	1200	F	99%	1%	0%	0%	0%	0%	C	0.086	F	0.627	1300	F	2008
From: Harding St																
(9012) Harrison St	0.03	940	F	99%	1%	0%	0%	0%	0%	F	0.088	F		1000	F	2008
From: Harrison St																
(9012) Corling St	0.09	510	F	99%	1%	0%	0%	0%	0%	F	0.08	F		550	F	2008
From: Corling St																
(9012) Graham Rd	0.83	6800	F	99%	0%	0%	0%	0%	0%	F	0.083	F	0.548	7400	F	2008
From: S. Sycamore St																
(9012) Graham Rd	0.14	11000	F	99%	0%	0%	0%	0%	0%	C	0.086	F		12000	F	2008
From: Ramp From I-95																
To: Crater Rd																
(9013) Halifax Rd	1.79	3200	F	89%	0%	1%	4%	6%	0%	C	0.087	F	0.567	3500	F	2008
From: SCL Petersburg																
(9013) Halifax Rd	0.98	510	F	98%	0%	1%	0%	1%	0%	C	0.104	F	0.517	550	F	2008
From: Wells Rd																
To: Boydton Plank Rd																
(9015) Johnson Rd	0.01	1500	F	99%	0%	0%	0%	0%	0%	F	0.124	F	0.63	1700	F	2008
From: SCL Petersburg																
(9015) Johnson Rd	0.54	1000	F	99%	0%	0%	0%	0%	0%	C	0.095	F	0.623	1100	F	2008
From: Flank Rd																
(9015) Johnson Rd	1.39	5300	F	99%	0%	0%	0%	0%	0%	F	0.107	F	0.609	5800	F	2008
From: Birdsong Rd																
(9015) Johnson Rd	0.46	6200	F	99%	0%	0%	0%	0%	0%	F	0.084	F	0.595	6700	F	2008
From: South Blvd																
(9015) Johnson Rd	0.37	4700	F	99%	0%	0%	0%	0%	0%	F	0.086	F	0.591	5200	F	2008
From: North Blvd																
(9015) High Pearl St	0.20	4900	F	99%	0%	0%	0%	0%	0%	F	0.083	F	0.516	5400	F	2008
From: St Luke St																
(9015) High Pearl St	0.08	3400	F	98%	1%	1%	0%	0%	0%	F	0.087	F	0.545	3700	F	2008
From: Virginia Ave																
(9015) High Pearl St	To: ST Matthew St															
(9015) Harding St	0.22	1700	F	98%	1%	1%	0%	0%	0%	C	0.082	F	0.569	1800	F	2008
From: ST Matthews St																
(9015) Harding St	0.27	870	F	98%	1%	1%	0%	0%	0%	F	0.087	F		950	F	2008
From: Porterville St																
(9015) Harding St	To: Portersville St															
(9017) Birdsong Rd	0.62	840	F	98%	1%	1%	0%	0%	0%	C	0.098	F	0.885	910	F	2008
From: SCL Petersburg																
(9021) N Sycamore St	0.18	3000	F	96%	1%	3%	0%	0%	0%	F	0.099	F		3200	F	2008
From: W Washington St																
(9021) N Sycamore St	0.15	2600	F	96%	1%	3%	0%	0%	0%	C	0.093	F		2800	F	2008
From: W Tabb St																
(9021) N Sycamore St	To: Bollingbrook St															
(9023) North Blvd	0.57	2800	F	99%	0%	0%	0%	0%	0%	C	0.088	F	0.653	3000	F	2008
From: Johnson Rd																
(9023) North Blvd	To: S Sycamore St															

Virginia Department of Transportation  
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>City of Petersburg</b>																
(9025) Virginia Ave	0.22	430	F	96%	3%	1%	1%	0%	0%	C	0.108	F	460	F	2008	
From: Gates Lane																
(9025) Virginia Ave	0.32	2200	F	96%	3%	1%	1%	0%	0%	F	0.090	F	616	2400	F	2008
To: Harding Street																
(9025) Young Ave	0.20	2300	F	98%	1%	1%	0%	0%	0%	C	0.087	F	528	2500	F	2008
From: Halifax Street																
(9025) Young Ave	0.11	3200	F	98%	1%	1%	0%	0%	0%	F	0.095	F	530	3500	F	2008
To: Arlington Street																
(9025) S West St	0.28	3600	F	98%	1%	1%	0%	0%	0%	F	0.088	F	541	3900	F	2008
From: West Street Young Avenue																
(9025) S West St	0.23	4700	F	98%	1%	1%	0%	0%	0%	F	0.085	F	511	5100	F	2008
To: Augusta Avenue																
(9025) S West St	0.14	3700	F	98%	1%	1%	0%	0%	0%	F	0.085	F	534	4000	F	2008
From: Farmer St																
(9025) S West St	0.07	2800	F	98%	1%	1%	0%	0%	0%	F	0.087	F	531	3100	F	2008
To: W Wythe St																
(9025) S West St	0.63	2000	F	98%	1%	1%	0%	0%	0%	C	0.082	F	558	2200	F	2008
From: Halifax St																
(9027) S West St										To: Young Ave						
From: Lee Ave																
(9029) S. South St	0.36	2500	F	99%	0%	0%	0%	0%	0%	C	0.082	F	2700	F	2008	
To: US 1 Wythe St																
(9029) S. South St	0.09	4100	F	99%	0%	0%	0%	0%	0%	F	0.092	F	4500	F	2008	
From: Washington St																
(9029) N. South St	0.20	6800	F	99%	0%	0%	0%	0%	0%	F	0.081	F	7400	F	2008	
To: High St																
From: N South St																
(9029) High St	0.02	1100	F	99%	0%	0%	0%	0%	0%	F	0.084	F	595	1200	F	2008
To: Canal St																
From: High St																
(9029) Canal St	0.20	6600	F	99%	0%	0%	0%	0%	0%	C	0.08	F	7200	F	2008	
To: Grove Ave																
From: New St																
(9031) Byrne St	0.40	650	F	96%	1%	3%	0%	0%	0%	C	0.09	F	700	F	2008	
To: Halifax St																
From: Halifax Rd																
(9031) S. Market St	0.12	4100	F	96%	1%	3%	0%	0%	0%	F	0.089	F	4500	F	2008	
To: Wythe St																
From: Sycamore St																
(9033) Apollo St	0.14	1800	F	99%	0%	0%	0%	0%	0%	F	0.097	F	505	1900	F	2008
To: Jefferson St																
From: Apollo St																
(9033) Jefferson St	0.58	2800	F	99%	0%	0%	0%	0%	0%	C	0.091	F	633	3000	F	2008
To: E Wythe St																
From: 3rd Street																
(9033) Henry St	0.04	660	F	99%	0%	0%	0%	0%	0%	F	0.099	F	536	720	F	2008
To: N Adams St																
From: E Washington St																
(9038) Puddledock Rd	0.40	6200	F	93%	0%	1%	4%	2%	0%	C	0.094	F	6800	F	2008	
To: ECL Petersburg																
From: Canal St																
(9046) High St	0.58	1200	F	99%	0%	1%	0%	0%	0%	C	0.088	F	69	1300	F	2008
To: N Market St																
From: N Manket St																
(9046) W Bank St	0.14	2100	F	99%	0%	1%	0%	0%	0%	F	0.108	F	2300	F	2008	
To: N Sycamore St																

Virginia Department of Transportation  
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>City of Petersburg</b>															
(9046) 123 E Bank St	0.11	2700	F	98%	0%	1%	0%	0%	0%	C	0.108	F	2900	F	2008
			From:	N Sycamore St						To:	2Nd St				
(9046) 123 Bank St	0.25	2600	F	96%	1%	2%	1%	1%	0%	C	0.101	F	2800	F	2008
			From:	US 301 N Crater Rd						To:	East St				
(9046) 123 Bank St	0.21	3200	F	96%	1%	2%	1%	1%	0%	F	0.094	F	3500	F	2008
			From:	SR 36 E Washington St						To:	SR 36 E Washington St				
(9048) 123 W Tabb St	0.09	1600	F	98%	1%	1%	0%	0%	0%	F	0.124	F	674	F	2008
			From:	N Market St						To:	Union St				
(9048) 123 W Tabb St	0.06	1600	F	98%	1%	1%	0%	0%	0%	F	0.108	F	632	F	2008
			From:	N Sycamore St						To:	N Adams St				
(9048) 123 E Tabb St	0.12	1000	F	98%	1%	1%	0%	0%	0%	C	0.116	F	586	F	2008
			From:	N Adams St						To:	Defense Rd				
(9053) 123 Baylors Ln	0.65	1800	F	99%	1%	0%	0%	0%	0%	C	0.097	F	595	F	2008
			From:	Defense Rd						To:	Halifax St				
(9055) 123 Madison St	0.05	1700	F	95%	1%	2%	1%	2%	0%	F	0.098	F	925	F	2008
			From:	E Washington St						To:	Franklin St				
(9055) 123 Madison St	0.18	1200	F	95%	1%	2%	1%	2%	0%	C	0.085	F	766	F	2008
			From:	Franklin St						To:	E Bank St				
(9055) 123 Madison St	0.07	880	F	95%	1%	2%	1%	2%	0%	F	0.096	F	811	F	2008
			From:	E Bank St						To:	Bollingbrook St				
(9057) 123 Fifth St	0.05	380	F								0.126	F	804	F	2008
			From:	E Bank St						To:	Bollingbrook St				
(9057) 123 Fifth St	0.08	540	F	87%	2%	2%	3%	5%	0%	C	0.104	F	729	F	2008
			From:	Bollingbrook St						To:	River St				
(9059) 123 Flank Rd N	0.20	3900	F	98%	1%	1%	0%	0%	0%	C	0.09	F	4300	F	2008
			From:	Flank Rd One-Way						To:	US 301 S Crater Rd				
(9065) 123 S Adams St	0.10	5200	F								0.090	F	5700	F	2008
			From:	E Wythe St						To:	E Washington St				
Accomack St	290		F								0.097	F	702	F	2008
			From:	E Washington St						To:	6Th St				
Cameron St	390		F								0.184	F	512	F	2008
			From:	Old Church St						To:	Center St				
Culpeper Ave	410		F								0.108	F	695	F	2008
			From:	Prince George Ave						To:	Brunswick St				
Custer St	400		F								0.108	F	58	F	2008
			From:	Halifax Rd						To:	Hawk St				
Darby Dr	260		F								0.127	F	528	F	2008
			From:	Busby St						To:	Halcun Dr				
Gordon Dr	350		F								0.093	F	380	F	2008
			From:	Dering Rd						To:	Hoke Dr				

Virginia Department of Transportation  
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b><u>City of Petersburg</u></b>															
Homestead Dr	700	F								0.115	F		760	F	2008
Jefferson St	3200	F								0.088	F	0.624	3500	F	2008
Kirkham St	450	F								0.087	F	0.532	490	F	2008
North Park Dr	860	F								0.098	F		930	F	2008
Oakmont Dr	110	F								0.114	F	0.741	120	F	2008
Old Church St	460	F								0.088	F	0.521	500	F	2008
Patterson Ave	1000	F								0.125	F	0.635	1100	F	2008
Pleasants Ln	890	F								0.143	F	0.684	970	F	2008
Richmond Ave	850	F								0.084	F	0.547	930	F	2008
Rollingwood Rd	110	F								0.141	F		120	F	2008
South Park Dr	2000	F								0.09	F		2200	F	2008
St Matthew St	3100	F								0.078	F	0.565	3400	F	2008
Talley Ave	690	F								0.265	F	0.581	750	F	2008