

**2007**

**Virginia Department of Transportation  
Daily Traffic Volume Estimates  
Including Vehicle Classification Estimates**

where available

**Jurisdiction Report**

**28**

Essex County  
Town of Tappahannock

Prepared By

**Virginia Department of Transportation  
Traffic Engineering Division**

In Cooperation With

**U.S. Department of Transportation  
Federal Highway Administration**

Virginia Department of Transportation  
Traffic Engineering Division  
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

## **Publication Notes**

### **Parallel Roads**

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

---

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

**Route:** The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

**Length:** Length of the traffic segment in miles.

**AADT:** Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

**QA:** Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

**4Tire:** Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

**Bus:** Percentage of the traffic volume made up of busses.

**2Axle Truck:** Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

**3+Axle Truck:** Percentage of the traffic volume made up of single unit trucks with three or more axles.

**1Trail Truck:** Percentage of the traffic volume made up of units with a single trailer.

**2Trail Truck:** Percentage of the traffic volume made up of units with more than one trailer.

**QC:** Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

**K Factor:** The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

**QK:** Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

**Dir Factor:** The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

**AAWDT:** Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

**QW:** Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

**Year:** Year for which the published values are appropriate. If the Quality of AADT (QA) is “R”, the year is the year that the raw traffic count was collected, and if available,

## Route Shield Legend

### Route Systems

 Interstate Route      Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.

 US Route

 Virginia State Route

 Frontage Road (F precedes frontage route number)

 Secondary Route

### Special Routes

 Bus - Business Route  
 Bypas - Bypass Route  
 Truck - Truck Route  
 ALT - Alternate Route  
 Wye - Wye Route connector

 P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.

 The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation  
Traffic Engineering Division  
2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Essex Maintenance Area

Route	Jurisdiction	Length	<b>AADT</b>	<b>QA</b>	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
17 Tidewater Trail	From Essex County	4.67	5700	G	97%	0%	1%	1%	1%	0%	F	0.076	F	0.519	6000	G
17 Tidewater Trail	To Essex County	5.64	4900	G	97%	0%	1%	1%	1%	0%	F	0.081	F	0.599	5200	G
17 Tidewater Trail	From Essex County	3.03	8200	G	97%	0%	1%	1%	1%	0%	F	0.08	F	0.668	8600	G
17 360 Tappahannock Blvd.	From Essex County	0.20	21000	G	93%	1%	1%	1%	5%	0%	F	0.078	F	0.516	19000	G
17 360	From Town of Tappahannock (Maint: 28)	2.24	21000	N	93%	1%	1%	1%	5%	0%	N	0.078	N	0.516	19000	N
17	From Town of Tappahannock (Maint: 28)	0.62	7500	A	93%	1%	1%	1%	5%	0%	C	0.133	A	0.731	6700	A
17	From Essex County	2.53	7500	N	93%	1%	1%	1%	5%	0%	N	0.133	N	0.731	6700	N
17 Tidewater Trail	From Essex County	3.71	6100	G	93%	1%	1%	1%	5%	0%	F	0.078	F	0.525	5500	G
17 Tidewater Trail	From Essex County	9.35	5700	G	93%	1%	1%	1%	5%	0%	F	0.082	F	0.527	5100	G
17 Tidewater Trail	From Essex County	4.45	5300	G	93%	1%	1%	1%	5%	0%	F	0.082	F	0.571	4700	G
360 Richmond Hwy	From Essex County	0.45	9400	G	88%	1%	2%	2%	6%	0%	F	0.086	F	0.592	9700	G
360 Richmond Hwy	From Essex County	6.41	8700	G	88%	1%	2%	2%	6%	0%	F	0.082	F	0.532	8900	G
360 17 Tappahannock Blvd.	From Essex County	0.20	21000	G	93%	1%	1%	1%	5%	0%	F	0.078	F	0.516	19000	G
360 17	From Town of Tappahannock (Maint: 28)	2.24	21000	N	93%	1%	1%	1%	5%	0%	N	0.078	N	0.516	19000	N
360 Queen St	From Town of Tappahannock (Maint: 28)	0.25	15000	G	95%	0%	1%	1%	3%	0%	F	0.082	F	0.528	15000	G
	To Richmond County Line															

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Essex Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Essex County</b>																
(600) Sadler Hill Rd	0.60	20	R								NA		NA		05/12/2005	
(600) Butylo Rd	2.51	240	R								NA		NA		05/12/2005	
(601) Mt Prospect Rd	2.27	120	R								NA		NA		04/23/2002	
(602) Colnbrook Rd	0.65	20	R								NA		NA		05/12/2005	
(602) Colnbrook Rd	0.06	110	R								NA		NA		05/12/2005	
(602) Ashdale Rd	1.65	130	R								NA		NA		05/12/2005	
(602) Ashdale Rd	1.35	430	R								NA		NA		05/12/2005	
(603) Monte Verde Rd	0.82	70	R								NA		NA		05/28/2002	
(604) Byrds Bridge Rd	1.20	210	R								NA		NA		05/31/2005	
(604) Byrds Bridge Rd	1.20	240	R								NA		NA		05/31/2005	
(605) White Marsh Rd	1.10	30	R								NA		NA		05/31/2005	
(606) Fairfield Lane	2.39	450	G	95%	1%	1%	2%	1%	0%	C	0.113	F	0.608	460	G	2007
(606) Wares Mill Rd	1.39	20	R								NA		NA		05/31/2005	
(607) Jones Bridge Rd	1.20	60	R								NA		NA		04/23/2002	
(607) Cheaneys Bridge Rd	2.73	60	R								NA		NA		04/23/2002	
(607) Upright Rd	2.41	200	R								NA		NA		04/23/2002	
(607) Muddy Gut Rd	1.12	220	G	95%	1%	1%	2%	1%	0%	C	0.107	F	0.56	230	G	2007
(607) Muddy Gut Rd	1.20	240	R								NA		NA		05/28/2002	
(608) Bareford Mill Rd	0.30	40	R								NA		NA		05/31/2005	
(609) Essex Mill Rd	3.89	640	G	97%	1%	1%	1%	1%	0%	C	0.102	F	0.603	650	G	2007
(610) Boston Rd	3.18	60	R								NA		NA		05/31/2005	

Virginia Department of Transportation  
Traffic Engineering Division

2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Essex Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Essex County</b>																
(611) Johnville Rd	3.27	530	R								NA		NA		05/31/2005	
			From:	28-684 Howerton Rd												
			To:	US 17 Tidewater Trail												
(611) Wares Wharf Rd	1.61	740	G	96%	1%	1%	1%	1%	0%	C	0.105	F	0.526	760	G	2007
			From:	US 17												
(611) Wares Wharf Rd	1.49	200	R								NA		NA		06/06/2005	
			From:	28-616 River Stretch Rd												
			To:	Dead End												
(612) Bestland Rd	2.03	270	R								NA		NA		05/31/2005	
			From:	King & Queen County Line												
(612) Bestland Rd	1.79	380	R								NA		NA		05/31/2005	
			From:	28-607 N. Cheaneys Bridge Rd												
(612) Essex Mill Rd	0.34	530	G	96%	1%	1%	1%	1%	0%	C	0.1	F	0.546	540	G	2007
			From:	28-684 Howerton Rd												
(612) Brizendine Lane	1.12	100	R								NA		NA		05/31/2005	
			From:	28-609 Essex Mill Rd												
			To:	Dead End												
(613) River Oaks Rd	0.59	70	R								NA		NA		05/28/2002	
			From:	28-656 South Hill Banks Dr												
			To:	Dead End												
(614)	0.18	310	R								NA		NA		04/08/2002	
			From:	28-684 Howerton Rd												
			To:	US 360 Richmond Hwy												
(615)	2.81	200	R								NA		NA		05/30/2002	
			From:	28-691 Gordons Mill Rd												
			To:	28-609 Essex Mill Rd												
(616) River Stretch Rd	0.80	380	G	93%	0%	1%	2%	3%	0%	C	0.122	F	0.556	380	G	2007
			From:	28-611 Wares Wharf Rd												
(616) River Stretch Rd/ Grand	1.75	290	R								NA		NA		06/02/2005	
			From:	28-646 Fort Lowry Lane												
			To:	Dead End												
<b>Town of Tappahannock</b>																
(617) Richmond Beach Rd	0.19	860	G	99%	0%	1%	0%	0%	0%	C	0.111	F	0.588	880	G	2007
			From:	US 17												
			To:	ECL Tappahannock												
<b>Essex County</b>																
(617) Richmond Beach Rd	1.01	800	G	99%	0%	1%	0%	0%	0%	F	0.109	F	0.613	820	G	2007
			From:	ECL Tappahannock												
(617) Island Farm Rd	1.15	47	G	99%	0%	1%	0%	0%	0%	F	0.2	F	0.5	48	G	2007
			From:	28-697 Riverdale Rd												
			To:	Dead End												
(618) Scotts Mill Rd	1.39	1200	G	98%	1%	0%	0%	1%	0%	C	0.112	F	0.715	1300	G	2007
			From:	28-619 Kimo Rd; Sunnyside Rd												
(618)	1.83	930	R								NA		NA		05/18/2005	
			From:	28-659 Desha Rd												
			To:	28-627 Mt Landing Rd												
(619) Sunnyside Rd	2.84	520	G	98%	1%	0%	1%	1%	0%	F	0.111	F	0.508	530	G	2007
			From:	King & Queen County Line												
(619) Sunnyside Rd	2.25	1500	G	98%	1%	0%	1%	1%	0%	C	0.097	F	0.569	1600	G	2007
			From:	28-620 W, Lewis Level Rd												
(619) Kimo Rd	2.78	1800	G	98%	1%	0%	1%	1%	0%	F	0.099	F	0.699	1800	G	2007
			From:	28-618 Scotts Mill Rd												
			To:	US 360 Richmond Hwy												
(620) Powcan Rd	2.43	840	G	95%	2%	1%	0%	2%	0%	C	0.195	F	0.5	860	G	2007
			From:	King & Queen County Line												
			To:	US 360 W, Richmond Hwy												

Virginia Department of Transportation  
Traffic Engineering Division

2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Essex Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck					QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Essex County</b>																
(620) Dunbrooke Rd	2.84	420	G	97%	1%	0%	1%	1%	0%	C	0.119	F	0.688	430	G	2007
			From:	US 360 E, Richmond Hwy												
(620) Dunbrooke Rd	2.61	910	G	97%	1%	0%	1%	1%	0%	F	0.111	F	0.579	930	G	2007
			To:	28-642 Purkins Rd												
			From:	28-619 S, Sunnyside Rd												
(620) Lewis Level Rd	1.10	190	R									NA		NA		05/18/2005
			To:	28-676 Lewis Level Road												
(620) Cheatwood Mill Rd	1.40	110	R									NA		NA		05/18/2005
			To:	28-626 Bloomsbury Lane												
(620) Cheatwood Mill Rd	0.80	90	R									NA		NA		05/18/2005
			To:	28-665												
			From:	US 360												
(621) Midway Rd	1.00	210	G	97%	1%	1%	1%	0%	0%	C	0.111	F	0.68	210	G	2007
			To:	28-622 Latanes Mill Rd; Faucetts Rd												
			From:	King & Queen County Line												
(622) Faucetts Rd	0.68	380	G	97%	1%	1%	1%	1%	0%	F	0.124	F	0.753	390	G	2007
			To:	28-621 Midway Rd												
(622) Faucetts Rd	1.92	370	G	97%	1%	1%	1%	1%	0%	C	0.121	F	0.841	380	G	2007
			To:	28-623 Beulah Church Rd												
(622) Faucetts Rd	1.05	380	G	97%	1%	1%	1%	1%	0%	F	0.114	F	0.640	390	G	2007
			To:	28-647 Hailes Bridge Rd												
(622) Latanes Mill Rd	0.20	370	G	97%	1%	1%	1%	1%	0%	F	0.115	F	0.667	380	G	2007
			To:	28-620 Dunbrooke Rd												
			From:	King & Queen County Line												
(623) Beulah Church Rd	0.90	120	R									NA		NA		05/19/2005
			To:	28-650 E, Smithfield School Rd												
(623) Beulah Church Rd	2.20	47	R									NA		NA		05/18/2005
			To:	28-622 Latanes Mill Rd												
			From:	28-631 Lloyds Rd												
(624) Essex Church Rd	0.80	350	G	98%	1%	0%	0%	1%	0%	F	0.116	F	0.577	360	G	2007
			To:	28-629 Battery Rd; 28-630												
(624) Essex Church Rd	3.07	320	G	98%	1%	0%	0%	1%	0%	C	0.121	F	0.683	330	G	2007
			To:	28-629 Battery Rdl; 28-630												
			From:	US 17 N, Tidewater Trail												
(624) Old Courthouse Rd	0.05	60	R									NA		NA		05/16/2005
			To:	0.05 ME US 17												
(624) Old Courthouse Rd	0.67	10	R									NA		NA		05/16/2005
			To:	0.72 ME US 17												
(624) Old Courthouse Rd	0.08	20	R									NA		NA		05/16/2005
			To:	US 17 S, Tidewater Trail												
			From:	Caroline County Line												
(625) Supply Rd	3.68	280	R									NA		NA		04/17/2002
			To:	US 17 Tidewater Trail												
			From:	Dead End												
(626) Bloomsbury Lane	1.12	4	R									NA		NA		05/18/2005
			To:	28-620 Cheatwood Mill Rd												
			From:	Caroline County Line												
(627) Mt Landing Rd	1.67	450	G	93%	2%	1%	1%	3%	0%	F	0.102	F	0.708	460	G	2007
			To:	28-629 Battery Rd												
(627) Mt Landing Rd	3.52	400	G	93%	2%	1%	1%	3%	0%	F	0.09	F	0.646	410	G	2007
			To:	28-665 WEST												
(627) Mt Landing Rd	2.17	890	G	93%	2%	1%	1%	3%	0%	C	0.092	F	0.524	920	G	2007
			To:	28-717 Crittendens Mill Rd												

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Essex Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Essex County</b>																
(627) Mt Landing Rd	3.97	890	G	93%	2%	1%	1%	3%	0%	F	0.093	F	0.707	910	G	2007
(627) Mt Landing Rd	0.99	1900	G	94%	3%	1%	0%	2%	0%	F	0.112	F	0.794	1900	G	2007
<b>Town of Tappahannock</b>																
(627) Airport Rd	1.62	4400	G	94%	3%	1%	0%	2%	0%	C	0.131	F	0.529	4500	G	2007
<b>Essex County</b>																
(628) Fernlea Rd	1.70	410	R									NA		NA	05/18/2005	
(629) Battery Rd	3.60	300	G	97%	1%	1%	0%	1%	0%	C	0.111	F	0.735	310	G	2007
(630)	4.29	270	R									NA		NA	04/17/2002	
(631)	3.80	180	R									NA		NA	04/17/2002	
(631) Lloyds Rd	1.40	600	G	96%	1%	0%	1%	2%	0%	C	0.11	F	0.597	620	G	2007
(631)	3.70	220	R									NA		NA	04/17/2002	
(632) Level Town Rd	4.31	150	R									NA		NA	05/16/2005	
(633) Hunters Hill Rd	0.27	120	R									NA		NA	05/16/2005	
(634)	0.05	20	R									NA		NA	04/23/2002	
(635) Elevon Rd	5.69	190	R									NA		NA	04/17/2002	
(635) Rose Mount Rd	2.85	420	G	93%	2%	1%	2%	2%	0%	C	0.113	F	0.846	430	G	2007
(635)	0.11	5	R									NA		NA	04/17/2002	
(636) Bethlehem RD	1.20	90	R									NA		NA	05/16/2005	
(637) Hustle Rd	2.90	90	R									NA		NA	05/16/2005	
(637) Hustle Rd	0.40	310	R									NA		NA	05/16/2005	
(637) Hustle Rd	1.59	290	G	95%	3%	1%	1%	0%	0%	F	0.096	F	0.552	290	G	2007
(637) Occupacia Rd	3.99	310	G	95%	3%	1%	1%	0%	0%	C	0.089	F	0.581	320	G	2007

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Essex Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Essex County</b>															
(637) Laytons Landing Rd	2.20	140	R			From: US 17 N, Tidewater Trail					NA		NA		05/16/2005
			To:			Dead End									
(638) Wheatland Rd	1.00	48	R			From: US 17 Tidewater Trail					NA		NA		05/16/2005
			To:			Dead End									
(639) Walnut Shade Rd	2.49	100	R			From: 28-625 Supply Rd					NA		NA		05/16/2005
			To:			28-640 WEST									
(639) Ullainee Rd	1.20	140	R			From: 28-640 E, Ullainee Rd					NA		NA		05/16/2005
			To:			28-637 W, Hustle Rd									
(639) Pedro Pitts Rd	1.00	220	R			From: 28-637 E, Flustle Rd; Hustle Rd					NA		NA		05/16/2005
			To:			28-635 Rose Mount Rd									
(639) Laurel Springs Rd	1.70	120	R			From: 28-637 Hustle Rd					NA		NA		05/16/2005
			To:			28-639 W, Pedro Pitts Rd; Ullainee Rd									
(640) Ullainee Rd	1.30	50	R			From: 28-639 E, Ullainee Rd; Walnut Shade Rd					NA		NA		05/16/2005
			To:			US 17 Tidewater Trail									
(640)	3.01	170	R			From: 28-625 Supply Rd					NA		NA		04/17/2002
			To:			US 17 Tidewater Trail									
(641) Quarter Hill Rd	3.17	70	R			From: 28-620 Dunbrooke Rd					NA		NA		05/16/2005
			To:			Dead End									
(642) Purkins Rd	1.26	170	R			From: 28-629 Battery Rd					NA		NA		05/23/2005
			To:			28-624 Essex Church Rd									
(643) Battery Rd	0.10	90	R			From: 28-602 Ashdale Rd					NA		NA		05/18/2005
			To:			28-656 South Hill Banks Dr									
(644) Wildwood Rd	0.58	260	R			From: 28-606 Fairfield Lane					NA		NA		05/28/2002
			To:			Dead End									
(645)	1.16	350	R			From: 28-616 River Stretch Rd/ Grandview Dr; River Stret					NA		NA		05/28/2002
			To:			28-666 Shellfield Rd									
(646) Fort Lowry Lane	0.54	170	R			From: 28-622 Latanes Mill Rd					NA		NA		06/06/2005
			To:			28-620 Dunbrooke Rd									
(646) Fort Lowry Lane	0.51	60	R			From: 28-684 Howerton Rd					NA		NA		06/06/2005
			To:			Dead End									
(647) Hailes Bridge Rd	0.20	30	R			From: 28-684 Howerton Rd					NA		NA		05/23/2005
			To:			28-604 Byrds Bridge Rd									
(648) Old Howerton Rd	0.20	40	R			From: King & Queen County Line					NA		NA		05/31/2005
			To:			28-623 E, Beulah Church Rd									
(649)	0.10	80	R			From: 28-604 Byrds Bridge Rd					NA		NA		04/23/2002
			To:			King & Queen County Line									
(650) Smithfield School Rd	1.90	220	R			From: 28-623 E, Beulah Church Rd					NA		NA		05/18/2005
			To:			Dead End									

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Essex Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Essex County</b>																
(650) Hickory Hill Rd	2.06	250	R			From:	28-623 W. Beulah Church Rd			NA			NA		05/18/2005	
			To:			28-619 Sunnyside Rd										
(651) Rockingham Rd	0.40	120	R			From:	0.40 MS 28- 607			NA			NA		06/02/2005	
			To:			28-607 Muddy Gut Rd										
(651) Norton Point Rd	0.26	20	R			From:	0.26 MN 28-607			NA			NA		06/02/2005	
			To:			US 17 Tidewater Trail										
(652)	1.40	48	R			From:	Dead End			NA			NA		05/28/2002	
			To:			28-606 Fairfield Lane										
(653) Tuscarora Rd	0.89	90	R			From:	28-694 Boaters Way			NA			NA		06/06/2005	
			To:			Dead End										
(653) Tuscarora Rd	0.38	40	R			From:	Dead End			NA			NA		06/06/2005	
			To:			0.40 MS Dead End										
(654) Rectory Rd	0.40	40	R			From:	US 17 Tidewater Trail			NA			NA		05/18/2005	
			To:			Dead End										
(654) Rectory Rd	0.06	70	R			From:	28-611 Johnville Rd			NA			NA		05/18/2005	
			To:			Dead End										
(655) Vineyard Rd	0.31	60	R			From:	28-644 Wildwood Rd			NA			NA		05/31/2005	
			To:			28-613 River Oaks Rd										
(656) South Hill Banks Dr	0.90	200	R			From:	0.35 ME 28-613			NA			NA		05/12/2005	
			To:			Dead End										
(656) South Hill Banks Dr	0.35	110	R			From:	US 17			NA			NA		05/12/2005	
			To:			28-1004 Water Lane										
(657) Marsh St	0.28	520	R			From:	Dead End			NA			NA		06/06/2005	
			To:			28-1029 NORTH										
(657) Marsh St	0.24	2200	R			From:	0.24 MW 28-1019			NA			NA		06/06/2005	
			To:			From:	G 93% 5% 1% 0% 0% 0% C 0.185 F 0.576 2100 G 2007									
(657) Marsh St	0.36	2100	G	93%	5%	1%	0%	0%	0%	C	0.185	F	0.576	2100	G	2007
			To:			US 17										
(657) Marsh St	0.14	250	R			From:	Dead End			NA			NA		06/06/2005	
			To:			28-1004 Water Lane										
(657) Marsh St	0.08	40	R			From:	Dead End			NA			NA		06/06/2005	
			To:			28-637 Occupacia Rd										
<b>Essex County</b>																
(658) Popoman Swamp Rd	1.00	46	R			From:	Dead End			NA			NA		05/16/2005	
			To:			28-618 Scotts Mill Rd										
(659) Desha Rd	0.30	30	R			From:	Dead End			NA			NA		05/18/2005	
			To:			SCL Tappahannock										
(659) Desha Rd	2.66	640	G	98%	0%	0%	0%	0%	1%	0%	F 0.098	F	0.692	660	G	2007
			To:													

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Essex Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Tappahannock</b>																
(659) Desha Rd	0.53	750	G	98%	0%	0%	0%	1%	0%	C	0.103	F	0.696	770	G	2007
<b>Essex County</b>																
(660)	1.10	210	R										NA		05/28/2002	
			From:	Dead End												
			To:	28-684 Bowlers Rd												
(661) Kendalls Rd	3.45	60	R										NA		05/16/2005	
			From:	28-637 Laytons Landing Rd												
			To:	Dead End												
(662) Harris Hill Rd	2.95	110	R										NA		05/31/2005	
			From:	US 17 Tidewater Trail												
			To:	28-611 Wares Wharf Rd												
(663) Ferry Landing Rd	0.20	20	R										NA		05/31/2005	
			From:	Dead End												
			To:	US 17 Tidewater Trail												
(664) Rappahannock Beach D	0.25	80	R										NA		05/23/2005	
			From:	Dead End												
			To:	28-670 Broadhurst Rd												
(665)	0.62	70	R										NA		04/08/2002	
			From:	28-627 W, Mt Landing Rd												
			To:	28-627 E, Mt Landing Rd												
(666) Shellfield Rd	0.50	70	R										NA		06/06/2005	
			From:	Dead End												
			To:	28-646 Fort Lowry Lane												
(667) Whare Rd	0.30	48	R										NA		06/02/2005	
			From:	Dead End												
			To:	28-684 Bowlers Rd												
(668) Glebe Landing Rd	1.45	110	R										NA		05/28/2002	
			From:	28-602 Ashdale Rd												
			To:	Dead End												
(669) Foggs Loop	0.25	20	R										NA		05/18/2005	
			From:	28-627 Mt Landing Rd												
			To:	28-627 Mt Landing Rd												
(670) Broadhurst Rd	0.55	140	R										NA		05/23/2005	
			From:	US 17 Tidewater Trail												
			To:	28-664 Rappahannock Beach Dr												
(670) Broadhurst Rd	0.05	20	R										NA		05/23/2005	
			From:	Dead End												
			To:	28-627 Mt Landing Rd												
(671)	0.40	190	R										NA		04/08/2002	
			From:	Dead End												
			To:	28-659 Desha Rd												
(672) Cloverdale Rd	0.60	40	R										NA		05/12/2005	
			From:	Dead End												
			To:	28-600 Butylo Rd												
(673) Poplar Grove Rd	0.61	20	R										NA		05/31/2005	
			From:	Dead End												
			To:	28-605 White Marsh Rd												
(674) Marl Bank Rd	1.41	49	R										NA		05/16/2005	
			From:	US 17 Tidewater Trail												
			To:	Dead End												
(675) Carpenter Rest Rd	1.00	40	R										NA		05/16/2005	
			From:	28-639 Walnut Shade Rd												
			To:	Dead End												
(676) Lewis Level Rd	0.25	50	R										NA		05/18/2005	
			From:	28-620 Cheatwood Mill Rd; Lewis Level Rd												
			To:	Dead End												

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Essex Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Essex County</b>																
(677) Shady Lane	1.05	60	R			From:	28-606 Fairfield Lane				NA			NA		06/06/2005
						To:	Dead End									
(678) Clydeside Rd	0.30	10	R			From:	28-662 Harris Hill Rd				NA			NA		06/01/2005
						To:	Dead End									
(679) Belmont Rd	0.25	20	R			From:	Dead End				NA			NA		05/18/2005
						To:	28-624 Essex Church Rd									
(680) River Place	0.30	110	R			From:	28-616 River Stretch Rd/ Grandview Dr				NA			NA		06/02/2005
						To:	0.30 ME 28- 616									
(680) River Place	0.36	48	R			From:	0.30 ME 28-616				NA			NA		06/02/2005
						To:	Dead End									
(681) Spindle Shop Rd	0.61	10	R			From:	US 17 Tidewater Trail				NA			NA		05/16/2005
						To:	US 17 Tidewater Trail									
(682)	0.55	47	R			From:	Dead End				NA			NA		04/23/2002
						To:	28-719 Yorkers Swamp									
(683) Fountain Run Rd	0.55	50	R			From:	Dead End				NA			NA		05/23/2005
						To:	28-620 Dunbrooke Rd									
(684) Howerton Rd	0.24	2000	G	93%	0%	1%	2%	3%	0%	F	0.098	F	0.655	2100	G	2007
						To:	28-614									
(684) Howerton Rd	2.69	2000	G	93%	0%	1%	2%	3%	0%	C	0.099	F	0.63	2000	G	2007
						To:	28-612 Essex Mill Rd; Bestland Rd									
(684) Howerton Rd	1.61	1600	G	93%	0%	1%	2%	3%	0%	F	0.097	F	0.553	1600	G	2007
						To:	28-611 Johnville Rd									
(684) Howerton Rd	0.68	1300	G	93%	0%	1%	2%	3%	0%	F	0.097	F	0.563	1400	G	2007
						To:	28-610 Boston Rd									
(684) Howerton Rd	1.36	1300	G	93%	0%	1%	2%	3%	0%	F	0.097	F	0.6	1300	G	2007
						To:	28-607 W, Cheaneys Bridge Rd									
(684) Howerton Rd	0.07	1300	G	89%	1%	1%	3%	5%	0%	F	0.104	F	0.604	1300	G	2007
						To:	28-607 E, Upright Rd									
(684) Howerton Rd	0.82	1200	G	89%	1%	1%	3%	5%	0%	F	0.105	F	0.594	1200	G	2007
						To:	28-605 W, White Marsh Rd									
(684) Howerton Rd	2.64	1100	G	89%	1%	1%	3%	5%	0%	C	0.101	F	0.533	1200	G	2007
						To:	US 17 Tidewater Trail									
(684) Bowlers Rd	2.03	350	G	86%	2%	1%	8%	3%	0%	C	0.12	F	0.553	360	G	2007
						To:	28-713 Cottage Rd									
(684) Bowlers Rd	0.16	70	R							NA				NA		06/02/2005
						To:	Dead End									
(685) River Landing Rd	0.95	70	R			From:	28-606 Fairfield Lane				NA			NA		06/06/2005
						To:	Dead End									
(686) Old Wagon Rd	0.30	20	R			From:	28-662 Harris Hill Rd				NA			NA		05/31/2005
						To:	Dead End									
(687) The Level	0.45	100	R			From:	Dead End				NA			NA		05/18/2005
						To:	28-629 Battery Rd									

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Essex Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Essex County</b>															
(688) Fortune Ln	0.38	45	R			From: Dead End					NA		NA		05/16/2005
			To: 28-637 Occupacia Rd												
(689) Box Factory Lane	0.95	90	R			From: US 17 Tidewater Trail					NA		NA		04/08/2002
			To: Dead End												
(690)	0.15	20	R			From: 28-603 Monte Verde Rd					NA		NA		05/12/2005
			To: Dead End												
(691) Gordons Mill Rd	1.21	270	R			From: US 360 N, Richmond Hwy					NA		NA		05/23/2005
			To: 28-615												
(691) Gordons Mill Rd	0.34	290	R			From: 28-615					NA		NA		05/23/2005
			To: US 360 S, Richmond Hwy												
(692) Comemans Island Rd	0.74	90	R			From: 28-617 Richmond Beach Rd					NA		NA		05/12/2005
			To: Dead End												
(693) Lane Dr	0.47	60	R			From: Dead End					NA		NA		05/23/2005
			To: 28-620 Dunbrooke Rd												
(694) Boaters Way	0.25	40	R			From: 28-653 Tuscarora Rd					NA		NA		06/06/2005
			To: Dead End												
(695) Bell Lane	0.45	90	R			From: 28-615					NA		NA		05/31/2005
			To: Dead End												
(696) Richardson Rd	0.25	40	R			From: 28-635 Rose Mount Rd					NA		NA		05/16/2005
			To: Dead End												
(697) Riverdale Rd	0.61	170	R			From: 28-617 Island Farm Rd; Richmond Beach Rd					NA		NA		05/12/2005
			To: Dead End												
<b>Town of Tappahannock</b>															
(698)	0.35	1400	R			From: US 17 SOUTH					NA		NA		06/06/2005
			To: 28-1036												
(698)	0.59	1200	R			From: US 17 NORTH					NA		NA		06/06/2005
			To: US 17 NORTH												
<b>Essex County</b>															
(699) The Hook Rd	0.37	60	R			From: 28-625 Supply Rd					NA		NA		05/16/2005
			To: Dead End												
<b>Town of Tappahannock</b>															
(700)	0.07	650	R			From: 28-627 Airport Rd; 28-723					NA		NA		05/15/2002
			To: Dead End												
<b>Essex County</b>															
(701) Oak Hill Rd	0.20	20	R			From: Dead End					NA		NA		05/23/2005
			To: 28-620 Dunbrooke Rd												
(702) Benton Point Rd	0.40	60	R			From: US 17					NA		NA		06/06/2005
			To: Dead End												
(703) Gwynnfield Rd	1.05	880	R			From: US 17 Tidewater Trail					NA		NA		05/23/2005
			To: 28-1204 Bruce Rd												

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Essex Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Essex County</b>																
(703) Gwynnfield Rd	0.08	540	R			From:	28-1204 Bruce Rd							NA	05/23/2005	
			To:			28-1201 Banbury Rd										
(704) Poorhouse Rd	0.80	310	R			From:	Dead End							NA	05/23/2005	
			To:			28-619 Kimo Rd										
<b>Town of Tappahannock</b>																
(705) Essex Gardens	0.12	100	R			From:	Dead End							NA	06/06/2005	
			To:			28-627 Airport Rd										
(706)	0.30	70	R			From:	28-659 Desha Rd							NA	05/15/2002	
			To:			Dead End										
<b>Essex County</b>																
(707)	0.19	370	R			From:	US 360 Richmond Hwy							NA	04/08/2002	
			To:			28-620 Powcan Rd										
(708) Hospital Rd	0.53	2000	R			From:	US 360 Richmond Hwy							NA	05/23/2005	
			To:			Dead End										
(709) Clover Lane	0.03	40	R			From:	US 17 Tidewater Trail							NA	05/12/2005	
			To:			28-720 Montague Rd										
(710)	0.07	100	R			From:	Dead End							NA	04/08/2002	
			To:			US 17 Tidewater Trail										
(711) Sunnyside Lane	0.71	30	R			From:	28-611 Wares Wharf Rd							NA	06/06/2005	
			To:			28-646 Fort Lowry Lane										
(712) Laurel Park Rd	0.45	130	R			From:	US 17 Tidewater Trail							NA	05/23/2005	
			To:			Dead End										
(713) Cottage Rd	0.50	60	R			From:	28-684 Bowlers Rd							NA	06/02/2005	
			To:			Dead End										
(714)	0.15	90	R			From:	Dead End							NA	04/08/2002	
			To:			US 17 Tidewater Trail										
(715) Berry Hill Rd	1.20	190	R			From:	Dead End							NA	06/06/2005	
			To:			US 17 Tidewater Trail										
(716) Warings Mill Rd	2.13	230	G	97%	0%	0%	1%	2%	0%	C	0.112	F	0.519	230	G	2007
			To:			28-627 Mt Landing Rd										
(717) Oakland Rd	1.04	100	R			From:	Dead End							NA	05/23/2005	
			To:			28-619 Sunnyside Rd										
(717) Crittendens Mill Rd	2.80	490	R			From:	28-627 Mt Landing Rd							NA	05/18/2005	
			To:			28-627 Mt Landing Rd										
(718) Forest Grove Rd	0.90	10	R			From:	US 17 W, Tidewater Trail							NA	05/12/2005	
			To:			US 17 E, Tidewater Trail										
(719) Yorkers Swamp	1.74	70	R			From:	28-602 Colnbrook Rd							NA	04/23/2002	
			To:			28-604 Byrds Bridge Rd										

Virginia Department of Transportation  
Traffic Engineering Division

2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Essex Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Essex County</b>															
(720) Montague Rd	0.04	10	R			From:	Dead End				NA		NA	05/12/2005	
(720) Montague Rd	0.91	30	R			From:	28-709 Clover Lane				NA		NA	05/12/2005	
(720) Montague Rd	0.09	49	R			From:	0.91 MN 28-709				NA		NA	05/12/2005	
(721)	0.46	130	R			To:	28-601 Mt Prospect Rd				NA		NA	04/17/2002	
(722) Sheepside Rd	0.52	40	R			From:	28-601 Mt Prospect Rd				NA		NA	05/12/2005	
						To:	Dead End								
<b>Town of Tappahannock</b>															
(723)	0.40	270	R			From:	28-706				NA		NA	05/15/2002	
						To:	28-700								
<b>Essex County</b>															
(724)	0.05	60	R			From:	28-631				NA		NA	04/08/2002	
(724)	0.24	45	R			From:	0.05 MN 28-631				NA		NA	05/16/2005	
						To:	US 17 Tidewater Trail								
<b>Town of Tappahannock</b>															
(725)	0.29	1300	R			From:	US 17				NA		NA	06/05/2002	
						To:	ECL Tappahannock								
<b>Essex County</b>															
(725)	0.04	510	R			From:	ECL Tappahannock				NA		NA	06/05/2002	
						To:	28-1035 Pond View St								
(726) Deep Landing Rd	0.84	120	R			From:	28-615				NA		NA	05/31/2005	
						To:	Cul-de-Sac								
(727) Laurel Level Rd	0.25	90	R			From:	28-611 Wares Wharf Rd				NA		NA	05/31/2005	
						To:	Dead End								
<b>Town of Tappahannock</b>															
(729)	0.03	70	R			From:	Dead End				NA		NA	06/08/2005	
						To:	28-617 Richmond Beach Rd								
(1001) Cross St	0.05	190	R			From:	28-1006 Virginia St				NA		NA	05/21/2002	
(1001) Cross St	0.11	590	R			From:	28-1003 Duke St				NA		NA	05/21/2002	
(1001) Cross St	0.06	340	R			From:	US 360 Queen Street				NA		NA	05/21/2002	
(1001) Cross St	0.02	360	R			From:	28-657 Marsh St				NA		NA	05/21/2002	
						To:	Dead End								
(1002) Dock St	0.10	470	R			From:	US 17				NA		NA	05/15/2002	
						To:	Dead End								
(1003) Essex St	0.20	1300	R			From:	US 17; 28-1023				NA		NA	05/15/2002	
						To:	28-1010 Daingerfield St								

Virginia Department of Transportation  
Traffic Engineering Division

2007  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Essex Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck	QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail			
<b>Town of Tappahannock</b>												
(1003) Essex St	0.09	850	R			From: 28-1010 Daingerfield St				NA	NA	05/15/2002
(1003) Duke St	0.19	590	R			To: 28-1020 Cralle St				NA	NA	05/15/2002
(1003) Duke St	0.14	710	R			From: US 17 NORTH				NA	NA	05/21/2002
(1003) Duke St	0.06	150	R			To: 28-1004 Water Lane				NA	NA	05/21/2002
(1004) Water Lane	0.03	70	R			From: Dead End				NA	NA	05/15/2002
(1004) Water Lane	0.12	280	R			To: 28-1011 Jeanette Dr				NA	NA	05/15/2002
(1004) Water Lane	0.34	2600	R			From: 28-1008 Wright St				NA	NA	05/15/2002
(1004) Water Lane	0.06	2600	R			To: US 360 Queen Street				NA	NA	05/15/2002
(1004) Water Lane	0.13	100	R			From: 28-657 Marsh St				NA	NA	05/15/2002
(1005) Prince St	0.04	70	R			To: Dead End				NA	NA	05/15/2002
(1005) Prince St	0.16	870	R			From: 28-1006 Waller Pl & Virginia St; Falconer Circle				NA	NA	05/15/2002
(1005) Prince St	0.14	1700	R			To: US 17				NA	NA	05/21/2002
(1005) Prince St	0.10	350	R			From: 28-1004 Water Lane				NA	NA	05/21/2002
(1005) Prince St	0.02	60	R			To: 28-1013 Newbill Dr				NA	NA	05/30/2002
(1006) Falconer Circle	0.23	80	R			From: Dead End				NA	NA	05/15/2002
(1006) Waller Pl & Virginia St	0.24	260	R			To: End Loop				NA	NA	05/21/2002
(1006) Virginia St	0.14	280	R			From: 28-1005 Prince St				NA	NA	05/21/2002
(1007) Earl St	0.14	170	R			To: US 17				NA	NA	06/08/2005
(1007) Earl St	0.17	430	R			From: 28-1004 Water Lane				NA	NA	06/06/2005
(1008) Wright St	0.07	3600	R			To: US 17				NA	NA	06/06/2005
(1008) Wright St	0.13	2300	R			From: 28-1022 Charlotte St				NA	NA	06/06/2005
(1009) Ware Ave	0.14	330	R			To: 28-1004 Water Lane				NA	NA	06/08/2005
(1010) Daingerfield St	0.17	460	R			From: 28-1010 Daingerfield St				NA	NA	06/08/2005
(1010) Daingerfield St						To: 28-1027 Tanyard Drive						
(1010) Daingerfield St						From: Dead End						
(1010) Daingerfield St						To: 28-1009 Ware Ave						

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Essex Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Town of Tappahannock</b>															
(1010) Daingerfield St	0.03	810	R								NA		NA		06/08/2005
						From:	28-1009 Ware Ave								
(1010) Daingerfield St	0.10	560	R								NA		NA		06/08/2005
						From:	28-1020 Cralle St; 28-1025								
(1010) Daingerfield St	0.23	810	R								NA		NA		06/08/2005
						From:	28-1016								
						To:	US 17								
(1011) Jeanette Dr	0.07	320	R								NA		NA		06/06/2005
						From:	US 17								
(1011) Jeanette Dr	0.23	140	R								NA		NA		06/06/2005
						From:	28-1012 Tom Williams Dr								
						To:	28-1004 Water Lane								
(1012) Tom Williams Dr	0.08	160	R								NA		NA		06/06/2005
						From:	28-1011 Jeanette Dr								
						To:	28-1021 Della St								
(1013) Newbill Dr	0.14	180	R								NA		NA		06/06/2005
						From:	28-1005 Prince St								
						To:	US 360 Queen Street								
(1014) Queen St	0.07	550	R								NA		NA		05/15/2002
						From:	Dead End								
						To:	US 17								
(1015)	0.28	190	R								NA		NA		05/15/2002
						From:	28-1010 Daingerfield St								
						To:	28-1003 Essex St								
(1016)	0.23	130	R								NA		NA		05/15/2002
						From:	Dead End								
						To:	28-1020 Cralle St								
(1017)	0.03	60	R								NA		NA		05/15/2002
						From:	Dead End								
						To:	28-1015								
(1017)	0.19	240	R								NA		NA		05/15/2002
						From:	28-1003 Essex St								
						To:	28-1015								
(1018) Parker Pl	0.11	100	R								NA		NA		05/15/2002
						From:	Dead End								
						To:	US 17								
(1019) Moore St	0.04	70	R								NA		NA		05/15/2002
						From:	0.04 MN 28-657 Marsh St								
						To:	28-657 Marsh Street								
(1019) Moore St	0.10	390	R								NA		NA		05/15/2002
						From:	0.10 MS 28-657 Marsh Street								
						To:	28-1010 Daingerfield St								
(1020) Cralle St	0.26	540	R								NA		NA		05/21/2002
						From:	28-1003 Duke St; Essex St								
						To:	28-1003 Duke St; Essex St								
(1021) Della St	0.17	90	R								NA		NA		06/06/2005
						From:	28-1011 Jeanette Dr								
						To:	28-1007 Earl St								
(1022) Charlotte St	0.07	770	R								NA		NA		06/06/2005
						From:	28-1012 Tom Williams Dr								
						To:	28-1008 Wright St								
(1022) Charlotte St	0.10	520	R								NA		NA		06/06/2005
						From:	28-1007 Earl St								
						To:	28-1007 Earl St								
(1023) Warner St	0.08	110	R								NA		NA		05/15/2002
						From:	Dead End								
						To:	US 17; 28-1003 Essex St								

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Essex Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Town of Tappahannock</b>															
(1024)	0.06	9	R			From: Dead End					NA		NA		05/15/2002
			To: US 17												
(1025)	0.04	9	R			From: Dead End					NA		NA		05/15/2002
			To: 28-1010 Daingerfield St												
(1026) Derby Lane	0.13	190	R			From: 28-1010 Daingerfield St					NA		NA		06/08/2005
			To: 28-1027 Tanyard Drive												
(1027) Tanyard Dr	0.14	170	R			From: Dead End					NA		NA		06/08/2005
			To: 28-1009 Ware Ave												
(1028) Clanton Dr	0.11	140	R			From: Dead End					NA		NA		06/08/2005
			To: 28-1026 Derby Lane												
(1029) Rouzie Dr	0.19	210	R			From: 28-657 S. Marsh St					NA		NA		05/15/2002
			To: 28-657 N. Marsh St												
(1030) Granary Rd	0.11	450	R			From: 28-617 Richmond Beach Rd					NA		NA		06/08/2005
			To: Dead End												
(1031) Sycamore St	0.11	660	R			From: US 17					NA		NA		06/08/2005
			To: 28-1032 Elm St												
(1031) Sycamore St	0.41	470	R			From: Dead End					NA		NA		06/08/2005
			To: 28-1031 Sycamore St												
(1032) Elm St	0.18	160	R			From: US 17					NA		NA		06/08/2005
			To: 28-1031 Sycamore St												
<b>Essex County</b>															
(1033) East Circle Dr	0.09	60	R			From: Cul-de-Sac					NA		NA		06/08/2005
			To: 28-617 Richmond Beach Rd												
(1034) Fellowship Court	0.05	45	R			From: 28-1035 Pond View St					NA		NA		06/08/2005
			To: Cul-de-Sac												
(1035) Pond View St	0.16	80	R			From: 28-725					NA		NA		06/08/2005
			To: 28-1034 Fellowship Court												
(1035) Pond View St	0.11	20	R			From: Cul-de-Sac					NA		NA		06/08/2005
			To: Cul-de-Sac												
<b>Town of Tappahannock</b>															
(1036)	0.11	2600	R			From: US 17					NA		NA		05/30/2002
			To: 28-698												
(1037)	0.11	690	R			From: 28-725					NA		NA		06/05/2002
			To: 28-1038												
(1037)	0.14	110	R			From: Begin Loop					NA		NA		06/05/2002
			To: 28-1039												
(1037)	0.06	40	R			From: End Loop					NA		NA		06/05/2002
			To: End Loop												

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Essex Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Town of Tappahannock</b>															
(1038)	0.07	70	R			From:	28-1037				NA		NA	NA	06/05/2002
						To:	Cul-de-Sac								
(1039)	0.05	30	R			From:	28-1037				NA		NA	NA	06/05/2002
						To:	Cul-de-Sac								
<b>Essex County</b>															
(1040)	0.09	180	R			From:	28-620 Powcan Rd				NA		NA	NA	04/08/2002
						To:	28-1041								
(1041)	0.09	100	R			From:	Dead End				NA		NA	NA	04/08/2002
(1041)	0.08	40	R			From:	28-1040				NA		NA	NA	04/08/2002
						To:	Cul-de-Sac								
<b>Town of Tappahannock</b>															
(1042)	0.27	7	R			From:	Cul-de-Sac				NA		NA	NA	04/08/2002
						To:	28-1031 Sycamore St								
(1043)	0.04	2	R			From:	Cul-de-Sac				NA		NA	NA	05/30/2002
						To:	28-1042								
(1045)	0.19	190	R			From:	28-1031 S, Sycamore St				NA		NA	NA	05/30/2002
						To:	28-1046								
(1045)	0.18	70	R			From:	28-1031 N, Sycamore St				NA		NA	NA	05/30/2002
						To:	Cul-de-Sac								
(1046)	0.06	70	R			From:	28-1045				NA		NA	NA	05/30/2002
						To:	Cul-de-Sac								
(1050)	0.10	790	R			From:	28-627 Airport Rd				NA		NA	NA	06/06/2005
						To:	Cul-de-Sac								
(1051) Davis St	0.21	850	R			From:	28-627 Airport Rd				NA		NA	NA	06/06/2005
						To:	Cul-de-Sac								
(1052)	0.04	120	R			From:	Cul-de-Sac				NA		NA	NA	06/06/2005
						To:	28-1051 Davis St								
<b>Essex County</b>															
(1060) Cold Cheer Dr	0.42	450	R			From:	28-617 Richmond Beach Rd				NA		NA	NA	05/12/2005
						To:	28-1061 Rosemary Ct								
(1060) Cold Cheer Dr	0.40	370	R			From:	28-1062; 28-1063 W, Piscataway Dr				NA		NA	NA	05/12/2005
						To:	28-1063 W; 10-1062 Piscataway Dr;								
(1060) Cold Cheer Dr	0.22	60	R			From:	28-1063 E, Piscataway Dr				NA		NA	NA	05/12/2005
						To:	Cul-de-Sac								
(1061) Rosemary Ct	0.12	60	R			From:	28-1060 Cold Cheer Dr				NA		NA	NA	05/12/2005
						To:	Cul-de-Sac								
(1062) Piscataway Dr	0.09	20	R			From:	28-1060 W, Cold Cheer Dr				NA		NA	NA	05/12/2005
						To:	Cul-de-Sac								
(1063) Piscataway Dr	0.18	220	R			From:	28-1060 W, Cold Cheer Dr				NA		NA	NA	05/12/2005
						To:	28-1060 E, Cold Cheer Dr								

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Essex Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Essex County</b>															
(1063) Piscataway Dr	0.14	90	R			From: 28-1060 E, Cold Cheer Dr				NA		NA		NA	05/12/2005
			To: Cul-de-Sac												
(1064) Thomas Ln	0.15	120	R			From: Cul-de-Sac				NA		NA		NA	05/12/2005
			To: 28-1063 Piscataway Dr												
(1065)	0.07	47	R			From: Cul-de-Sac				NA		NA		NA	05/30/2002
			To: 28-1064 Thomas Ln												
(1065)	0.16	47	N			From: Cul-de-Sac				NA		NA		NA	05/30/2002
			To: 28-1064 Thomas Ln												
(1069)	0.45	NA				From: 28-619 Kimo Rd				NA		NA			
			To: Dead End												
(1070)	0.79	210	R			From: 28-619 Kimo Rd				NA		NA		NA	06/05/2002
			To: Dead End												
(1075)	0.38	NA				From: 28-1078				NA		NA			
			To: CL Tappahannock												
<b>Town of Tappahannock</b>															
(1075)	0.07	NA				From: CL Tappahannock				NA		NA			
			To: 28-698												
<b>Essex County</b>															
(1076)	0.09	NA				From: 28-1075				NA		NA			
			To: 28-1077												
(1077)	0.08	NA				From: Cul-de-Sac				NA		NA			
			To: 28-1077												
(1077)	0.07	NA				From: 28-1076				NA		NA			
			To: Cul-de-Sac												
(1078)	0.08	NA				From: 28-1079				NA		NA			
			To: 28-1079												
(1079)	0.04	NA				From: Cul-de-Sac				NA		NA			
			To: 28-1078												
(1079)	0.07	NA				From: Cul-de-Sac				NA		NA			
			To: 28-1078												
(1085)	0.39	NA				From: 28-684 Howerton Rd				NA		NA			
			To: Cul-de-Sac												
(1101)	0.17	10	R			From: US 17 W, Tidewater Trail				NA		NA		05/28/2002	
			To: 28-611 Wares Wharf Rd												
(1101)	0.24	120	R			From: US 17 E, Tidewater Trail				NA		NA		05/28/2002	
			To: US 17 W, Tidewater Trail												
(1102)	0.55	50	R			From: US 17 W, Tidewater Trail				NA		NA		05/28/2002	
			To: US 17 E, Tidewater Trail												
(1103) Ben Lomond Rd	0.70	20	R			From: US 17 Tidewater Trail				NA		NA		05/31/2005	
			To: 0.70 MNE US 17												

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Essex Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Essex County</b>															
(1103) Ben Lomond Rd	0.02	60	R			From:	0.70 MNE US 17							NA	06/01/2005
						To:	28-606 Fairfield Lane								
(1105) Claymor Oaks	0.16	70	R			From:	Dead End							NA	05/31/2005
						To:	28-611 Johnville Rd								
(1201) W Banbury Rd	0.19	100	R			From:	28-1202 W, W Gwynnfield Rd							NA	05/23/2005
						To:	28-1202 E, W Gwynnfield Rd								
(1201) W Banbury Rd	0.03	220	R			From:	28-703 Gwynnfield Rd							NA	05/23/2005
						To:	28-1203 WEST								
(1201) E Banbury Rd	0.42	170	R			From:	28-1203 EAST							NA	05/23/2005
						To:	28-1201 W, W Banbury Rd								
(1202) W Gwynnfield Rd	0.31	120	R			From:	28-1201 E, W Banbury Rd							NA	05/23/2005
						To:	28-1201 W, E Banbury Rd								
(1203)	0.49	70	R			From:	28-1201 E, E Banbury Rd							NA	06/05/2002
						To:	28-1204 Bruce Rd								
(1203)	0.06	60	R			From:	28-1206							NA	06/05/2002
						To:	28-1205 Revelle Rd								
(1204) Bruce Rd	0.45	250	R			From:	28-703 Gwynnfield Rd							NA	05/23/2005
						To:	28-1203								
(1205) Revelle Rd	0.18	70	R			From:	28-1203							NA	06/05/2002
						To:	28-1206								
(1205) Revelle Rd	0.06	140	R			From:	28-1206							NA	06/05/2002
						To:	28-1204 Bruce Rd								
(1206)	0.10	40	R			From:	28-1205 Revelle Rd							NA	06/05/2002
						To:	28-1203								
(1210) Daingerfield Rd	0.51	90	R			From:	US 17 NORTH							NA	06/06/2005
						To:	US 17 SOUTH								
(1215) Maryfield Rd	0.10	180	R			From:	US 17							NA	05/18/2005
						To:	28-1216 Maryfield Rd								
(1216) Maryfield Rd	0.32	120	R			From:	28-1215 Maryfield Rd							NA	05/18/2005
						To:	28-1217 Youhill Dr								
(1217) Youhill Dr	0.19	120	R			From:	28-1216 Maryfield Rd							NA	05/18/2005
						To:	Cul-de-Sac								
(1218) Lawrence Place	0.13	70	R			From:	Cul-de-Sac							NA	06/05/2002
						To:	28-1217 Youhill Dr								

Virginia Department of Transportation  
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route  
Essex Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Town of Tappahannock</b>															
9123	0.27	260	R			From:	28-657 Marsh Street				NA		NA		05/15/2002
<b>Essex County</b>															
9124	0.10	220	R			From:	28-627 Airport Rd				NA		NA		05/30/2002
9124	0.03	390	R			From:	0.30 MS 28-627				NA		NA		05/30/2002
<b>Town of Tappahannock</b>															
9125	0.29	400	R			From:	US 17				NA		NA		05/30/2002
9126	0.04	NA				From:	US 17; 28-1018				NA		NA		