

2003

**Virginia Department of Transportation
Daily Traffic Volume Estimates**

Jurisdiction Report

35

Giles County
Town of Glen Lyn
Town of Narrows
Town of Pearisburg
Town of Pembroke
Town of Rich Creek

Prepared By

**Virginia Department of Transportation
Mobility Management Division**

In Cooperation With

**U.S. Department of Transportation
Federal Highway Administration**

Virginia Department of Transportation
Mobility Management Division
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people at VDOT Mobility Management’s Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT’s Mobility Management Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axe Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axe Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the Peak Hour estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Peak Hour Factor of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is “R”, the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems

- | | | |
|--------------------------------------------------------------------------------------------|----------------------|----------------------------------------------------------------------------------------------------------------------------|
| North
 | Interstate Route | Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined. |
|  | US Route | |
|  | Virginia State Route | |
|  | Secondary Route | |

Special Routes

- | | |
|-------------------------------------------------------------------------------------------|-----------------------|
| Bus
 | Bus - Business Route |
| Bypas - Bypass Route | |
| Truck - Truck Route | |
| ALT
 | ALT - Alternate Route |
| Wve - Wve Route connector | |
-
- | | |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction. |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|
-
- | | |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report. |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

Virginia Department of Transportation
Mobility Management Division

Annual Average Daily Traffic Volume Estimates By Section of Route
Giles Maintenance Area

Route	Length	AADT	QA	Year
Giles County				
42 From: Bland County Line	7.95	1100	G	2003
42 To: SR 100 Poplar Hill	2.13	3900	G	2003
42 100 From: 35-750 Cedar Crest Rd	0.97	790	R	05/13/2002
42 750 Cedar Crest Lane	0.08	770	N	2003
42 750 To: 35-730	1.59	770	G	2003
42 730 From: 35-750	9.56	360	G	2003
42 730 To: 35-622 WEST	2.35	11000	G	2003
42 460 From: 35-730 N	1.66	10000	G	2003
42 460 To: US 460 Newport	0.99	2000	G	2003
42 To: 35-601 North of Newport	3.11	1300	G	2003
42 From: Craig County Line	5.11	280	G	2003
61 From: Bland County Line	0.13	4300	G	2003
61 To: 35-724 Chapel	4.60	640	G	2003
61 From: 35-724 Shumate	2.49	1500	G	2003
61 To: WCL Narrows	0.43	5700	G	2003
Town of Narrows				
61 From: WCL Narrows	0.67	2300	G	2003
61 Park Drive To: Monroe St	0.13	4900	G	2003
61 Monroe Street From: Park St	0.17	3600	G	2003
61 Monroe Street To: Kimberling St	0.13	4300	G	2003
61 From: SR 100 Main St	0.43	5700	G	2003
61 To: S East of New River	0.43	5700	G	2003
61 From: US 460 Virginia Ave	0.43	5700	G	2003
Giles County				
100 From: Pulaski County Line	1.37	4200	G	2003
100 To: SR 42 Poplar Hill	2.13	3900	G	2003
100 To: 35-750 Cedar Crest Rd	0.72	3800	G	2003
100 From: 35-660 Post Office Rd	0.45	4300	G	2003
100 To: 35-606 Meadows Rd	4.37	4600	G	2003
100 To: 35-665 Wilburn Valley Rd	4.37	4600	G	2003

Route	Length	AADT	QA	Year
Giles County				
100 From: 35-665 Wilburn Valley Rd	2.24	6100	G	2003
100 To: SCL Pearisburg	0.28	7100	G	2003
Town of Pearisburg				
100 South Main Street From: Orchard Dr	0.09	7400	G	2003
100 South Main Street To: Church Ave	0.09	7400	G	2003
100 Bus From: Bus US 460 Winonah Ave	0.38	11000	G	2003
100 460 Main St From: BUS US 460 WINONAH AVE	0.21	11000	G	2003
100 Main Street To: WCL Pearisburg	3.86	2600	G	2003
Giles County				
100 From: WCL Pearisburg To: ECL Narrows	0.65	2800	G	2003
Town of Narrows				
100 From: ECL Narrows To: SR 61 Main Monroe	0.57	9800	G	2003
Town of Rich Creek				
219 From: US 460 To: ECL Rich Creek	0.59	9400	G	2003
Giles County				
219 From: ECL Rich Creek To: West Virginia State Line	1.16	9800	N	2003
Town of Glen Lyn				
460 From: West Virginia State Line To: 92-1308	0.81	9400	G	2003
460 From: 92-1308 To: WCL Glen Lyn	0.59	9400	G	2003
Giles County				
460 From: WCL Glen Lyn To: WCL Rich Creek	1.24	9400	N	2003
Town of Rich Creek				
460 From: WCL Rich Creek To: US 219 Rich Creek	0.65	9400	N	2003
460 From: US 219 Rich Creek To: 35-712	0.73	7100	G	2003
460 From: 35-712 To: ECL Rich Creek	0.18	11000	N	2003
Giles County				
460 From: ECL Rich Creek To: NCL Narrows	2.01	11000	N	2003
Town of Narrows				
460 From: NCL Narrows To: SR 61 Fleshman St	0.76	11000	G	2003

Virginia Department of Transportation
Mobility Management Division

Annual Average Daily Traffic Volume Estimates By Section of Route
Giles Maintenance Area

Route	Length	AADT	QA	Year
Town of Narrows				
From: SR 61 Fleshman St	0.26	14000	G	2003
To: 0.44 Mile West ECL Narrows	0.34	13000	G	2003
Giles County				
From: ECL Narrows	4.33	13000	G	2003
To: WCL Pearisburg	0.12	8600	G	2003
Town of Pearisburg				
From: WCL Pearisburg	0.12	8600	G	2003
To: ECL Pearisburg	0.12	8600	G	2003
Giles County				
From: ECL Pearisburg	5.01	12000	G	2003
To: WCL Pembroke	0.86	13000	G	2003
Town of Pembroke				
From: WCL Pembroke	0.86	13000	G	2003
To: 35-626	0.73	12000	G	2003
To: ECL Pembroke	0.73	12000	G	2003
Giles County				
From: ECL Pembroke	1.27	11000	G	2003
To: 35-613	2.82	9900	A	2003
To: 35-730	2.35	11000	G	2003
To: 35-700	1.66	10000	G	2003
From: SR 42	1.16	11000	G	2003
To: Montgomery County Line	0.34	7600	G	2003
Bus				
From: US 460 West of Pearisburg	0.34	7600	G	2003
To: NCL Pearisburg	0.34	7600	G	2003
Town of Pearisburg				
From: NCL Pearisburg	0.26	7300	G	2003
To: SR 100 Main St	0.38	11000	G	2003
From: SR 100 Main St W Int	0.38	11000	G	2003
To: SR 100 South Main St E Int	1.09	9300	G	2003
To: ECL Pearisburg	1.09	9300	G	2003
Giles County				
From: ECL Pearisburg	1.39	6800	G	2003
To: US 460 East of Pearisburg	1.90	120	R	10/02/2003
To: Dead End	0.25	10	R	02/14/2002
To: Giles County Line	0.25	10	R	02/14/2002

Route	Length	AADT	QA	Year	
Giles County					
From: Giles County Line	0.25	20	R	02/14/2002	
To: 22-601	2.90	50	R	1999	
To: 22-633	1.30	70	R	1999	
To: 22-658 WEST	0.80	130	R	1999	
To: 22-658 MID	9.56	70	R	1999	
To: 22-658 EAST	0.80	470	G	2003	
To: 35-604	1.60	460	G	2003	
To: 35-601	35-685	1.94	280	R	04/01/2002
To: 35-639	0.90	90	R	04/01/2002	
To: 35-602	1.53	30	R	04/01/2002	
To: Craig County Line	35-700	1.39	130	R	04/01/2002
To: 35-700	35-700	3.46	60	R	04/01/2002
To: 35-604	1.70	50	R	04/01/2002	
To: 35-602	35-700	0.55	270	G	2003
To: 35-603	35-603	0.80	210	G	2003
To: 35-601	35-625	0.51	100	G	2003
To: 35-610	35-693	3.72	160	G	2003
To: 35-693	35-802	1.99	480	G	2003
To: US 460; SR 42	0.22	600	G	2003	
From: Dead End	0.50	20	R	05/15/2002	
To: 0.50 ME Dead End	0.35	160	R	05/15/2002	
To: SR 100	Dead End	0.80	20	R	04/01/2002
To: 35-700	35-700	0.80	20	R	04/01/2002

Virginia Department of Transportation
Mobility Management Division

Annual Average Daily Traffic Volume Estimates By Section of Route
Giles Maintenance Area

Route	Length	AADT	QA	Year
Giles County				
608	From: 35-777	2.90	50	R 04/01/2002
	To: 35-783			
609	From: Dead End	0.25	40	R 04/17/2002
	To: 35-605			
610	From: Dead End	0.80	50	R 04/17/2002
	To: 35-605			
611	From: 35-729	0.03	20	R 1999
	To: Dead End			
612	From: 35-730	0.03	NA	05/21/2002
	To: 35-772 WEST			
612	From: 35-772 WEST	0.35	20	R 05/21/2002
	To: 35-772 EAST			
613	From: US 460	0.39	590	R 04/03/2002
	To: 35-615			
613	From: 35-615	2.50	200	R 04/03/2002
	To: 35-762			
613	From: 35-762	2.08	130	R 04/03/2002
	To: 35-700			
613	From: 35-700	0.80	290	R 04/03/2002
	To: 0.80 MN 35-700			
613	From: 0.80 MN 35-700	0.80	60	R 04/03/2002
	To: 35-668			
613	From: 35-668	5.50	20	R 04/03/2002
	To: 35-721			
613	From: 35-721	1.16	40	R 04/03/2002
	To: 35-635 WEST			
613	From: 35-635 WEST	0.40	90	R 04/03/2002
	To: 35-635 EAST			
613	From: 35-635 EAST	0.40	90	R 04/03/2002
	To: 35-723			
613	From: 35-723	2.00	10	R 04/03/2002
	To: Dead End			
614	From: Dead End	0.50	20	R 04/01/2002
	To: SR 42			
615	From: 35-613	1.23	80	R 04/09/2002
	To: 35-616			
615	From: 35-616	1.05	50	R 04/09/2002
	To: 35-678			
615	From: 35-678	0.20	80	R 1995
	To: 35-780			
615	From: 35-780	0.86	200	R 04/09/2002
	To: US 460			
616	From: US 460	0.20	20	R 04/09/2002
	To: 35-615			
616	From: 35-615	0.20	20	R 04/09/2002
	To: Dead End			
617	From: Dead End	1.45	160	R 05/21/2002
	To: 35-771			

Route	Length	AADT	QA	Year
Town of Pembroke				
618	From: US 460	0.03	180	R 04/09/2002
	To: US 460			
618	From: ECL Pembroke	0.12	150	R 04/09/2002
	To: Dead End			
Giles County				
618	From: ECL Pembroke	0.75	150	R 04/09/2002
	To: 35-686			
618	From: Dead End	0.30	10	R 04/09/2002
	To: 35-686			
Town of Pembroke				
619	From: US 460	0.29	80	R 04/09/2002
	To: NCL Pembroke			
Giles County				
619	From: NCL Pembroke	0.32	80	R 04/09/2002
	To: Dead End			
620	From: Dead End	0.43	40	R 05/15/2002
	To: 35-622			
621	From: 35-622	0.70	40	R 05/15/2002
	To: 35-730			
622	From: Dead End	0.40	6	R 04/29/2002
	To: SR 100 NORTH			
622	From: SR 100 SOUTH	0.36	440	G 2003
	To: 35-658			
622	From: 35-658	1.87	190	G 2003
	To: 35-708			
622	From: 35-708	3.65	70	G 2003
	To: 35-623 WEST			
622	From: 35-623 WEST	2.35	120	G 2003
	To: 35-699			
622	From: 35-699	0.35	210	G 2003
	To: 35-689			
622	From: 35-689	0.23	210	G 2003
	To: 35-730 EAST			
622	From: 35-730 EAST	0.20	70	R 05/15/2002
	To: 35-730 WEST			
622	From: 35-730 WEST	3.36	60	R 05/15/2002
	To: 35-707			
622	From: 35-707	3.60	460	R 05/15/2002
	To: 35-767			
622	From: 35-767	3.60	460	R 05/15/2002
	To: 35-654			
622	From: 35-654	0.52	620	G 2003
	To: 35-730 WEST			
623	From: 35-663	3.00	50	R 05/15/2002
	To: 35-622 WEST			
623	From: 35-622 WEST	1.40	330	G 2003
	To: 35-745			

Virginia Department of Transportation
Mobility Management Division

Annual Average Daily Traffic Volume Estimates By Section of Route
Giles Maintenance Area

Route	Length	AADT	QA	Year
Giles County				
From: 35-745				
623 To: SCL Pembroke	1.46	520	G	2003
Town of Pembroke				
From: SCL Pembroke				
623 To: 35-1404 EAST	0.42	860	G	2003
From: 35-1404 WEST				
623 To: US 460	0.08	1000	G	2003
From: 35-688; NCL Pembroke				
Giles County				
From: 35-688; NCL Pembroke				
623 To: 35-624	1.10	380	G	2003
From: Dead End				
623 To: 35-623	1.10	290	R	04/09/2002
From: Dead End				
624 To: Montgomery County Line	0.50	10	R	04/09/2002
From: 0.50 MN OF CL				
625 To: 35-605	1.30	90	R	05/21/2002
From: Dead End				
625 To: 35-682	2.19	170	G	2003
From: Dead End				
625 To: 0.10 ME 35-682	0.10	30	R	05/21/2002
From: Dead End				
625 To: 35-730 WEST	0.70	40	R	05/21/2002
From: 35-730 EAST				
625 To: 0.77 MW 35-730	0.77	48	R	05/21/2002
From: Dead End				
625 To: US 460	0.93	150	R	05/21/2002
From: Cul-de-Sac				
626 To: SCL Pembroke	0.90	480	R	05/21/2002
Town of Pembroke				
From: SCL Pembroke				
626 To: 35-1407	0.03	480	R	04/17/2002
From: Dead End				
626 To: 35-1405	0.11	700	R	04/17/2002
From: Dead End				
626 To: US 460 EAST	0.30	1100	R	04/17/2002
From: US 460 WEST				
626 To: 35-623 SOUTH	0.49	600	G	2003
From: 35-623 NORTH				
626 To: NCL Pembroke	0.10	100	R	04/09/2002
From: NCL Pembroke				
Giles County				
From: NCL Pembroke				
626 To: 35-766	0.20	100	R	04/09/2002

Route	Length	AADT	QA	Year
Giles County				
From: 35-766				
626 To: 2.31 MW 35-766	2.31	20	R	04/09/2002
From: 35-635 SOUTH				
626 To: 35-635 NORTH	0.09	30	R	04/09/2002
From: Dead End				
626 To: 35-635	0.60	100	R	04/11/2002
From: Dead End				
627 To: 0.05 ME 35-635	0.05	40	R	04/11/2002
From: 0.11 ME 35-635				
627 To: Dead End	1.01	40	R	04/11/2002
From: Dead End				
628 To: 35-635	0.80	90	R	04/11/2002
From: Dead End				
629 To: Dead End	0.05	20	R	04/11/2002
From: Dead End				
630 To: 0.27 ME Dead End	0.27	10	R	04/11/2002
From: 35-635				
Town of Pembroke				
From: Dead End				
631 To: 35-747	0.06	20	R	04/17/2002
From: 35-1404				
Giles County				
From: 35-794				
633 To: Cul-de-Sac	0.18	50	R	04/29/2002
From: NCL Pearisburg				
634 To: 35-1238	0.35	1000	G	2003
From: 0.96 M FRM 35-1238				
634 To: 0.96 M FRM 35-1238	0.96	430	G	2003
From: 1.19 M FRM 35-1238				
634 To: Dead End	0.23	300	G	2003
From: Dead End				
635 To: 35-808	1.50	90	G	2003
From: US 460				
635 To: US 460	0.10	180	R	04/17/2002
From: 35-809				
635 To: 35-809	0.84	1500	G	2003
From: 35-684				
635 To: 35-684	2.81	1300	G	2003
From: 35-628				
635 To: 35-628	1.82	1000	G	2003
From: 35-781				
635 To: 35-781	0.11	580	R	04/11/2002

Virginia Department of Transportation
Mobility Management Division

2003
Annual Average Daily Traffic Volume Estimates By Section of Route
Giles Maintenance Area

Route	Length	AADT	QA	Year
Giles County				
635	From: 35-781	5.68	350	R 04/11/2002
635	To: 35-804	4.85	180	R 04/03/2002
635	From: 35-613 WEST	1.18	120	R 04/03/2002
635	To: West Virginia State Line			
636	From: US 460 BUS	0.31	1300	R 1999
636	To: 35-1502	0.24	1100	R 1999
636	From: 35-1503 WEST	0.35	400	R 1999
636	To: 35-1506	0.06	130	R 1999
636	From: 35-1503 EAST	0.37	90	R 1999
636	To: 0.37 MS 35-1503	0.81	20	R 04/11/2002
636	To: Dead End			
637	From: US 460 BUS	0.29	1400	R 04/17/2002
637	To: 35-1229	0.14	400	R 1999
637	From: 45-1241	0.33	400	R 1999
637	To: 35-820	1.10	70	R 1999
637	To: Cul-de-Sac			
638	From: SR 100	0.40	180	R 1999
638	To: 35-1225	1.30	50	R 05/15/2002
638	To: Dead End			
639	From: 35-601	1.20	60	R 04/01/2002
639	To: Dead End			
640	From: SR 100 WEST	0.63	470	R 04/17/2002
640	To: US 460	0.04	1600	R 04/17/2002
640	To: SR 100 EAST			
641	From: US 460	1.70	610	R 1999
641	To: 35-769	1.00	180	R 1999
641	From: 1.00 ME 35-769	1.01	60	R 04/11/2002
641	To: 2.01 ME 35-769	1.39	60	R 04/11/2002
641	From: 3.40 ME 35-769	0.06	20	R 04/11/2002
641	To: 3.46 ME 35-769			

Route	Length	AADT	QA	Year
Giles County				
641	From: 3.46 ME 35-769	0.50	20	R 04/11/2002
642	To: 3.96 ME 35-769			
642	From: Dead End	0.19	90	R 1999
642	To: 35-1030	0.10	260	R 1999
642	To: US 219	0.06	50	R 1999
643	From: US 460	0.60	700	R 1999
643	To: 35-645	2.45	340	R 1999
643	To: West Virginia State Line	0.50	40	R 04/15/2002
643	To: Dead End			
644	From: 35-643	0.40	110	R 1999
644	To: 0.40 ME 35-643	1.45	100	R 04/15/2002
644	To: 35-645			
645	From: 35-643	1.80	330	R 1999
645	To: US 219			
646	From: Dead End	0.09	7	R 04/15/2002
646	To: 0.09 ME Dead End	0.06	7	R 04/15/2002
646	To: 35-647			
647	From: West Virginia State Line	0.43	90	R 04/15/2002
647	To: 0.44 ME OF LINE	0.03	100	R 04/15/2002
647	To: 35-646			
647	To: NCL Rich Creek	1.92	150	R 1999
Town of Rich Creek				
647	From: NCL Rich Creek	0.29	150	N 1999
647	To: 35-1024			
Giles County				
648	From: West Virginia State Line	0.88	320	R 1999
648	To: WCL Glen Lyn			
Town of Glen Lyn				
648	From: WCL Glen Lyn	0.03	320	N 1999
648	To: US 460; 35-704; Gap Terminus	0.11	45	R 1999
648	To: 35-1302	0.06	10	R 1999
648	To: West Virginia State Line			
649	From: 35-704	0.46	250	R 1999
649	To: 35-1307			

Virginia Department of Transportation
Mobility Management Division

2003
Annual Average Daily Traffic Volume Estimates By Section of Route
Giles Maintenance Area

Route	Length	AADT	QA	Year
Town of Glen Lyn				
From: 35-1307	0.30	300	R	1999
To: ECL Glen Lyn				
Giles County				
From: ECL Glen Lyn	5.00	300	N	1999
To: 35-651	0.63	970	R	1999
To: WCL Narrows				
From: West Virginia State Line	0.20	30	R	04/15/2002
To: 35-648				
From: Dead End	1.25	400	R	1999
To: 35-649				
From: Dead End	0.03	30	R	04/17/2002
To: 35-710	0.57	230	R	1999
To: SCL Narrows				
From: 35-659	1.60	60	R	04/29/2002
To: 35-663				
From: Dead End	4.44	40	R	05/13/2002
To: 4.44 MN Dead End	0.46	150	R	05/13/2002
To: 35-744				
From: 35-744	0.50	280	R	05/13/2002
To: 35-622				
From: 35-730	0.43	6	R	05/13/2002
To: Dead End				
From: 35-660	1.12	40	R	04/29/2002
To: Dead End				
From: 35-660	0.12	30	R	04/29/2002
To: Dead End				
From: Dead End	1.04	80	R	05/15/2002
To: 1.04 MN Dead End	0.11	90	R	05/15/2002
To: 35-622				
From: SR 100 SOUTH	1.80	40	R	04/29/2002
To: 35-660 NORTH	2.10	50	R	04/29/2002
To: 35-663 WEST				
From: 35-663 WEST	0.12	210	G	2003
To: 35-663 EAST				
From: 35-663 EAST	0.05	60	R	04/29/2002
To: 0.06 MN 35-663				
From: 0.06 MN 35-663	0.88	60	R	04/29/2002
To: 0.93 MN 35-663				

Route	Length	AADT	QA	Year
Giles County				
From: 0.93 MN 35-663	0.04	70	R	04/29/2002
To: SR 100 NORTH				
From: Dead End	0.60	20	R	04/29/2002
To: 35-659 SOUTH				
From: 35-659 NORTH	1.10	200	G	2003
To: 35-657				
From: 35-657	0.60	320	G	2003
To: 35-734				
From: SR 100	0.37	390	G	2003
To: 35-750				
From: 35-662	0.40	30	R	04/29/2002
To: Dead End; Gap Terminus				
From: 35-663	0.75	10	R	04/29/2002
To: 35-663				
From: Dead End	1.40	50	R	04/29/2002
To: 35-663				
From: 35-662	2.10	80	R	04/29/2002
To: 35-665				
From: 35-665	2.47	70	G	2003
To: 35-662				
From: 35-662	1.20	120	G	2003
To: 35-664				
From: 35-664	0.46	180	G	2003
To: 35-659 WEST				
From: 35-659 EAST	1.19	180	G	2003
To: 35-653				
From: 35-653	0.37	410	G	2003
To: SR 100 NORTH				
From: SR 100 SOUTH	1.20	160	R	05/15/2002
To: 35-623				
From: 35-623	2.30	50	R	05/15/2002
To: 35-730				
From: 35-665	2.15	40	R	04/29/2002
To: 35-663				
From: 35-663	1.85	170	R	04/29/2002
To: 35-664				
From: 35-664	2.28	300	R	04/29/2002
To: 35-794 WEST				
From: 35-794 WEST	0.65	670	R	04/29/2002
To: SR 100				
From: Dead End	0.40	20	R	04/29/2002
To: SR 42 WEST				

Virginia Department of Transportation
Mobility Management Division

Annual Average Daily Traffic Volume Estimates By Section of Route
Giles Maintenance Area

Route	Length	AADT	QA	Year
Giles County				
666	SR 42 EAST	0.01	48	R 04/29/2002
666	0.01 MS SR 42	1.09	40	R 04/29/2002
666	Dead End			
667	35-670 WEST	3.80	70	R 04/29/2002
667	Jeff Natl For Bndy	0.60	90	R 04/29/2002
667	35-670 EAST			
668	35-613	0.17	30	R 04/03/2002
668	Dead End			
669	Dead End	1.14	6	R 04/29/2002
669	1.14 ME Dead End	0.21	30	R 04/29/2002
669	35-670 WEST			
669	35-670 EAST	1.10	30	R 04/29/2002
670	35-667			
670	Bland County Line	0.40	100	R 04/29/2002
670	0.40 MN OF CL	0.30	100	R 04/29/2002
670	35-667 WEST			
670	35-667 EAST	3.05	140	R 04/29/2002
670	SR 42			
671	35-724 EAST	3.50	110	R 1999
671	35-724 WEST			
672	35-724	0.05	120	R 1999
672	35-795			
672	0.05 35-795	0.05	50	R 1999
672	0.05 MN 35-795	0.90	50	R 04/15/2002
672	Dead End			
673	Dead End	1.00	40	R 04/15/2002
673	SR 61			
673	0.25 SR 61	0.25	90	R 04/15/2002
673	35-724			
674	Dead End	0.46	50	R 04/17/2002
674	0.46 MN Dead End			
674	0.46 MN Dead End	0.41	NA	04/17/2002
674	35-637			
675	SR 61			
675	0.20 SR 61	0.20	40	R 04/15/2002
675	35-724			
676	Dead End	1.20	50	R 04/15/2002
676	35-724			

Route	Length	AADT	QA	Year
Giles County				
678	US 460	0.69	90	R 04/09/2002
678	0.69 MN US 460	0.15	20	R 04/09/2002
678	35-615			
679	West Virginia State Line	0.20	20	R 04/15/2002
679	35-704	1.00	30	R 04/15/2002
679	35-725	1.20	20	R 04/15/2002
679	35-649			
680	35-640	0.26	60	R 04/17/2002
680	Dead End			
681	SR 100	0.20	40	R 05/15/2002
681	Dead End			
682	35-625	0.20	260	G 2003
682	35-730			
683	35-720	0.11	40	R 04/11/2002
683	0.11 MN 35-720	0.21	20	R 04/11/2002
683	Dead End			
684	Dead End	0.89	20	R 04/11/2002
684	0.89 MN Dead End			
684	0.91 320	0.91	320	R 04/11/2002
684	35-720			
684	0.16 320	0.16	320	R 04/11/2002
684	35-635			
685	35-601	0.90	130	R 04/01/2002
685	35-602			
686	Dead End	0.26	40	R 04/09/2002
686	35-618			
687	ECL Narrows	0.04	50	R 1999
687	Dead End			
688	35-623			
688	1.04 40	1.04	40	R 04/09/2002
688	Dead End			
689	35-730	0.60	60	R 05/15/2002
689	35-622			
689	SR 100			
690	0.70 6	0.70	6	R 04/29/2002
690	Dead End			
691	Dead End	0.20	50	R 05/21/2002
691	35-813			
692	Dead End	0.46	40	R 05/13/2002
692	0.46 MN Dead End			

Virginia Department of Transportation
Mobility Management Division

Annual Average Daily Traffic Volume Estimates By Section of Route
Giles Maintenance Area

Route	Length	AADT	QA	Year
Giles County				
(692)	From: 0.46 MN Dead End	0.08	40	R 05/13/2002
	To: SR 100			
(693)	From: Dead End	0.18	20	R 04/17/2002
	To: 35-605			
(694)	From: 35-615	0.50	10	R 04/09/2002
	To: Dead End			
Town of Pembroke				
(695)	From: 35-626	0.20	110	R 04/09/2002
	To: 35-623			
Giles County				
(696)	From: Dead End	0.08	30	R 05/13/2002
	To: 35-750			
(697)	From: Dead End	0.04	10	R 04/29/2002
	To: SR 100			
(698)	From: 35-796	0.10	40	R 04/01/2002
	To: Dead End			
(699)	From: 35-622	0.60	20	R 05/15/2002
	To: Dead End			
(700)	From: US 460	0.32	760	G 2003
	To: 35-604			
(700)	From: 35-613	6.35	160	G 2003
	To: Dead End			
(701)	From: SCL Pembroke	0.15	30	R 04/17/2002
Town of Pembroke				
(701)	From: SCL Pembroke	0.18	30	R 04/17/2002
	To: US 460			
Giles County				
(702)	From: 35-601	0.40	10	R 04/01/2002
	To: Dead End			
(703)	From: SR 42	0.15	30	R 04/01/2002
	To: 0.15 MS SR 42			
(703)	From: 0.16 MS SR 42	0.31	6	R 04/01/2002
	To: Dead End			
Town of Glen Lyn				
(704)	From: US 460; 35-648	0.02	900	R 1999
	To: 35-648			
(704)	From: 35-649	0.14	700	R 1999
	To: SCL Glen Lyn			

Route	Length	AADT	QA	Year
Giles County				
(704)	From: SCL Glen Lyn	0.15	60	R 1999
	To: 0.15 ME OF SCL			
(704)	From: 35-679	0.98	46	R 04/15/2002
	To: Dead End			
(705)	From: US 460	0.60	80	R 05/21/2002
	To: Dead End			
(706)	From: 35-622	0.10	5	R 05/13/2002
	To: 35-622			
(707)	From: 0.34 MN 35-622	0.34	20	R 05/15/2002
	To: Dead End			
(707)	From: 35-663	0.21	10	R 05/15/2002
	To: Dead End			
(708)	From: SR 100	2.29	30	R 05/15/2002
	To: 2.29 MN 35-663			
(708)	From: 35-622	0.04	50	R 05/15/2002
	To: Dead End			
(709)	From: SR 100	0.20	30	R 05/15/2002
	To: Dead End			
(710)	From: 35-652	0.40	280	R 1999
	To: 35-1110			
(710)	From: SCL Narrows	0.12	470	R 1999
	To: SR 100 WEST			
(711)	From: 1.00 ME SR 100	1.00	80	R 1999
	To: SR 100 EAST			
Town of Rich Creek				
(712)	From: US 460 SOUTH	0.52	290	R 1999
	To: 35-1021			
(712)	From: 0.08 ME US 460 NORTH	0.08	5900	R 1999
	To: US 460 NORTH			
Giles County				
(713)	From: 35-670	0.50	30	R 04/29/2002
	To: 0.50 ME 35-670			
(713)	From: Dead End	0.96	30	R 04/29/2002
	To: 35-613			
(714)	From: 2.74	20		R 04/03/2002
	To: Dead End			
(715)	From: 35-601	0.28	30	R 04/01/2002
	To: Dead End			
(716)	From: US 460	0.08	520	R 04/17/2002
	To: 35-640			

Virginia Department of Transportation
Mobility Management Division

2003
Annual Average Daily Traffic Volume Estimates By Section of Route
Giles Maintenance Area

Route	Length	AADT	QA	Year
Giles County				
(717)	From: US 460	0.45	30	R 1999
	To: 35-643			
(718)	From: ECL Narrows	0.15	40	R 1999
	To: Dead End			
(719)	From: Dead End	0.47	180	R 1999
	To: SCL Narrows			
(720)	From: Dead End	2.02	20	R 04/11/2002
	To: 35-683			
(720)	From: 35-683	0.03	60	R 04/11/2002
	To: 35-684			
(721)	From: Dead End	0.50	9	R 04/03/2002
	To: 35-613			
(722)	From: 35-635	0.60	20	R 04/03/2002
	To: Dead End			
(723)	From: Dead End	0.90	70	R 04/03/2002
	To: 35-613			
(724)	From: SR 61 WEST	0.05	70	R 1999
	To: 35-676			
(724)	From: 45-676	0.80	60	R 1999
	To: 0.80 ME 35-676			
(724)	From: 0.80 ME 35-676	1.15	60	R 1999
	To: SR 61 MID			
(724)	From: SR 61 MID	3.02	70	R 1999
	To: 35-673			
(724)	From: 35-673	1.65	320	R 1999
	To: SR 61 EAST			
(724)	From: SR 61 EAST	2.65	330	R 1999
	To: WCL Narrows			
(725)	From: 35-679	1.40	50	R 04/15/2002
	To: 35-649			
Town of Rich Creek				
(726)	From: 35-1006	0.14	210	R 1999
	To: NCL Rich Creek			
Giles County				
(726)	From: NCL Rich Creek	0.16	210	N 1999
	To: US 219			
Town of Pembroke				
(727)	From: 35-626	0.25	100	R 04/17/2002
	To: 35-1420; SCL Pembroke			
Giles County				
(727)	From: 35-1420; SCL Pembroke	0.08	10	R 04/17/2002
	To: Dead End			

Route	Length	AADT	QA	Year
Giles County				
(728)	From: 35-1223	0.10	170	R 1999
	To: 35-735			
(728)	From: 35-735	0.05	270	R 1999
	To: 35-736			
(728)	From: 35-736	0.05	370	R 1999
	To: SR 100			
(729)	From: SR 100	0.06	110	R 1999
	To: 35-738			
(729)	From: 35-738	0.13	70	R 1999
	To: 35-611			
(729)	From: 35-611	0.03	10	R 1999
	To: Dead End			
(730)	From: Dead End	35-750		
	To: 35-622 WEST	1.59	770	G 2003
(730)	From: 35-622 WEST	9.56	360	G 2003
	To: US 460; 35-778			
(731)	From: Dead End	SR 100	0.10	10 R 05/15/2002
	To: SR 100			
(732)	From: 35-1505	0.07	50	R 1999
	To: 35-1504			
(732)	From: 35-1504	0.14	130	R 1999
	To: 35-636			
(733)	From: SR 42	0.89	10	R 04/29/2002
	To: Dead End			
(734)	From: 35-660	0.22	48	R 04/29/2002
	To: Dead End			
(735)	From: 35-1224	0.03	110	R 1999
	To: 35-1222			
(735)	From: 35-1222	0.09	60	R 1999
	To: 35-1223			
(735)	From: 35-1223	0.05	80	R 1999
	To: 35-728			
(735)	From: 35-728	0.08	50	R 1999
	To: Dead End			
(736)	From: Dead End	35-728	0.08	60 R 1999
	To: Dead End			
(737)	From: 35-636	0.35	60	R 1999
	To: 35-1501			
(738)	From: 35-1501	35-729	0.12	30 R 1999
	To: 35-779			
(738)	From: 35-779	Dead End	0.01	60 R 04/11/2002
	To: 35-635			

Virginia Department of Transportation
Mobility Management Division

2003

Annual Average Daily Traffic Volume Estimates By Section of Route
Giles Maintenance Area

Route	Length	AADT	QA	Year
Giles County				
(740)	From: 35-602	0.29	20	R 04/01/2002
	To: Dead End			
(741)	From: Dead End	0.20	140	R 04/17/2002
	To: SR 100; 35-1210			
Town of Pembroke				
(742)	From: US 460	0.22	500	R 04/11/2002
	To: 35-1412 WEST			
(742)	From: 35-1412 WEST	0.03	300	R 04/11/2002
	To: 35-1415			
(742)	From: 35-1415	0.10	180	R 04/11/2002
	To: BEGIN LOOP			
(742)	From: BEGIN LOOP	0.01	90	R 04/11/2002
	To: 35-1409			
(742)	From: 35-1409	0.25	100	R 04/11/2002
	To: 35-1417			
(742)	From: 35-1417	0.15	60	R 04/11/2002
	To: 35-1412 EAST			
(742)	From: 35-1412 EAST	0.09	50	R 04/11/2002
	To: END LOOP			
Giles County				
(743)	From: Dead End	0.70	150	R 04/29/2002
	To: SR 100			
(744)	From: Dead End	0.50	30	R 05/13/2002
	To: 35-654			
(745)	From: 35-623	1.33	130	R 05/15/2002
	To: Dead End			
(746)	From: Dead End	0.11	180	R 1999
	To: 0.11 ME Dead End			
(746)	From: 0.11 ME Dead End	0.21	180	R 1999
	To: US 219			
Town of Pembroke				
(747)	From: 35-631	0.04	70	R 04/17/2002
	To: 35-1402			
(747)	From: 35-1402	0.16	90	R 04/17/2002
	To: 35-1404 EAST			
(747)	From: 35-1404 EAST	0.05	420	R 04/17/2002
	To: 35-1404 WEST			
(747)	From: US 460	0.06	40	R 04/09/2002
	To: Dead End			
Giles County				
(748)	From: 35-649	0.10	NA	04/09/2002
	To: Dead End			
(749)	From: Dead End	0.10	10	R 04/29/2002
	To: 35-811			
(749)	From: 35-811	0.03	40	R 04/29/2002
	To: SR 100			

Route	Length	AADT	QA	Year
Giles County				
(750)	From: SR 100 SOUTH	0.97	790	R 05/13/2002
	To: Cedar Crest Lane			
(750)	From: 35-660	0.08	770	N 2003
	To: 35-730			
(750)	From: Triangle Lane	0.36	110	R 05/13/2002
	To: SR 100 NORTH			
(751)	From: Dead End	0.50	6	R 04/09/2002
	To: 35-688			
(752)	From: Dead End	0.40	50	R 05/15/2002
	To: 35-622			
(753)	From: 35-623	0.88	80	R 04/09/2002
	To: Jeff Natl For Bndy			
(753)	From: Dead End	0.11	20	R 04/09/2002
Town of Pembroke				
(754)	From: 35-626	0.25	20	R 04/09/2002
	To: Dead End			
Giles County				
(755)	From: 35-635	0.20	5	R 04/03/2002
	To: Dead End			
(756)	From: Dead End	0.25	20	R 04/11/2002
	To: US 460			
(757)	From: US 460 WEST	0.21	210	R 04/11/2002
	To: US 460 EAST			
(758)	From: US 460	0.02	30	R 04/09/2002
	To: Dead End			
(759)	From: Dead End	0.10	6	R 04/15/2002
	To: SR 61			
(760)	From: Dead End	0.10	10	R 04/15/2002
	To: SR 61			
(761)	From: Dead End	0.25	20	R 04/11/2002
	To: 35-809			
(762)	From: 35-613	0.75	50	R 04/03/2002
	To: Dead End			
(763)	From: SR 100	0.35	10	R 04/17/2002
	To: Dead End			
(764)	From: US 219	0.25	20	R 04/15/2002
	To: Dead End			
(765)	From: Dead End	0.10	20	R 04/01/2002
	To: 35-700			

Virginia Department of Transportation
Mobility Management Division

Annual Average Daily Traffic Volume Estimates By Section of Route
Giles Maintenance Area

Route	Length	AADT	QA	Year
Giles County				
(766)	From: Dead End	0.20	6	R 04/09/2002
(766)	To: 0.20 MN Dead End	0.70	30	R 04/09/2002
(766)	To: 35-626			
(767)	From: 35-622	0.25	4	R 05/15/2002
(767)	To: Dead End			
(768)	From: 35-622	0.30	10	R 05/15/2002
(768)	To: Dead End			
(769)	From: Dead End	0.20	50	R 04/11/2002
(769)	To: 35-641			
(770)	From: SR 42	0.64	20	R 04/01/2002
(770)	To: Dead End			
(771)	From: US 460 WEST	0.28	220	R 05/21/2002
(771)	To: 35-772			
(771)	0.17 660			R 05/21/2002
(771)	To: US 460 EAST			
(772)	From: Dead End	0.25	6	R 05/21/2002
(772)	To: 35-612 SOUTH			
(772)	3.10 580			R 05/21/2002
(772)	To: 35-771			
(773)	From: 35-778	0.01	40	R 04/09/2002
(773)	To: US 460			
(774)	From: Dead End	0.30	80	R 04/17/2002
(774)	To: 0.30 MN Dead End			
(774)	0.12 80			R 04/17/2002
(774)	To: US 460			
(775)	From: Dead End	0.30	20	R 04/01/2002
(775)	To: 35-602			
(776)	From: Dead End	0.30	40	R 04/15/2002
(776)	To: SR 61			
(777)	From: US 460 EAST	0.03	140	R 04/09/2002
(777)	To: 35-778			
(777)	0.74 80			R 04/09/2002
(777)	To: US 460 WEST			
(778)	From: 35-777	1.11	46	R 04/09/2002
(778)	To: US 460; 35-730			
(779)	From: US 219	0.03	70	R 1999
(779)	To: 35-792			
(779)	0.04 40			R 1999
(779)	To: 35-738			
(779)	0.11 20			R 1999
(779)	To: Dead End			

Route	Length	AADT	QA	Year
Giles County				
(780)	From: Dead End	0.40	10	R 04/09/2002
(780)	To: 35-615			
(781)	From: Dead End	0.57	140	R 04/11/2002
(781)	To: 35-635			
(782)	From: SR 61	0.08	450	R 1999
(782)	To: 35-1601			
(782)	0.07 40			R 1999
(782)	To: Dead End			
(783)	From: US 460	1.67	160	R 04/01/2002
(783)	To: 35-700 NORTH			
(784)	From: US 460	0.13	100	R 04/09/2002
(784)	To: Dead End			
(785)	From: SR 100	0.30	5	R 05/15/2002
(785)	To: Dead End			
(786)	From: Dead End	0.20	40	R 04/15/2002
(786)	To: 0.20 MN Dead End			
(786)	0.80 40			R 04/15/2002
(786)	To: SR 61			
(787)	From: 35-641	0.15	47	R 1999
(787)	To: Dead End			
(788)	From: SR 100 SOUTH	0.13	40	R 1999
(788)	To: SR 100 N; 35-1227			
(789)	From: Dead End	0.03	10	R 1999
(789)	To: 35-642			
(789)	0.13 60			R 1999
(789)	To: 35-790			
(789)	0.09 50			R 1999
(790)	From: Dead End	0.04	130	R 1999
(790)	To: 35-791			
(790)	0.03 160			R 1999
(790)	To: US 219			
(791)	From: 35-790	0.11	40	R 1999
(791)	To: Dead End			
(792)	From: 35-779	0.05	20	R 04/15/2002
(792)	To: Dead End			
(793)	From: Dead End	1.44	120	R 1999
(793)	To: WCL Pearisburg			
(794)	From: 35-665 EAST	0.60	110	R 04/29/2002
(794)	To: 35-665 WEST			

Virginia Department of Transportation
Mobility Management Division

Annual Average Daily Traffic Volume Estimates By Section of Route
Giles Maintenance Area

Route	Length	AADT	QA	Year
Giles County				
795	From: 35-672	0.17	100	R 1999
	To: Dead End			
796	From: US 460	0.99	160	R 04/01/2002
	To: SR 42; 35-800	0.08	70	R 04/01/2002
796	From: 35-698	0.54	50	R 04/01/2002
	To: 35-801	0.14	5	R 04/01/2002
	To: Dead End			
797	From: SR 42	0.58	80	R 04/01/2002
	To: US 460			
798	From: US 460	0.19	30	R 04/17/2002
	To: Dead End			
799	From: US 460	0.19	NA	04/17/2002
	To: Dead End			
800	From: Dead End	0.30	50	R 04/01/2002
	To: SR 42; 35-796			
801	From: 35-797	0.08	46	R 04/01/2002
	To: 35-796			
802	From: 35-605	0.12	1	R 04/17/2002
	To: Dead End			
803	From: Dead End	0.40	60	R 05/21/2002
	To: 35-772			
804	From: 35-635	0.20	50	R 04/03/2002
	To: Dead End			
805	From: Dead End	0.08	NA	1999
	To: 35-620			
Town of Rich Creek				
806	From: WCL Rich Creek	0.04	8	R 1999
	To: 35-1018			
806	From: 35-1018	0.04	90	R 1999
	To: 35-1025			
806	From: 35-1025	0.14	400	R 1999
	To: 35-1024			
806	From: 35-1024	0.09	940	R 1999
	To: 35-1010			
806	From: 35-1010	0.15	1400	R 1999
	To: 35-1020			
806	From: 35-1020	0.06	1400	R 1999
	To: US 219			
Giles County				
807	From: Dead End	0.08	10	R 1999
	To: 35-1229			

Route	Length	AADT	QA	Year
Giles County				
807	From: 35-1229	0.67	50	R 1999
	To: US 460 BUS			
808	From: 35-635	0.50	40	R 04/17/2002
	To: Dead End			
809	From: Dead End	0.42	40	R 04/11/2002
	To: 35-761			
809	From: 35-635	0.12	230	R 04/11/2002
	To: 35-730			
810	From: 35-730	0.30	30	R 05/15/2002
	To: Dead End			
811	From: 35-749	0.56	60	R 04/29/2002
	To: SR 100			
812	From: 35-783	0.19	70	R 04/01/2002
	To: Cul-de-Sac			
813	From: Dead End	0.35	50	R 05/21/2002
	To: 35-691			
813	From: 35-691	0.05	100	R 05/21/2002
	To: 35-814			
813	From: 35-814	0.10	120	R 05/21/2002
	To: 35-730			
814	From: 35-813	0.07	6	R 05/21/2002
	To: Dead End			
815	From: 35-622	0.08	50	R 05/15/2002
	To: Dead End			
816	From: Dead End	0.25	30	R 05/15/2002
	To: 35-689			
817	From: 35-654	0.80	20	R 05/13/2002
	To: Dead End			
818	From: Dead End/	0.07	NA	
	To: 35-00758(B)/			
820	From: 0.33 ME 35-1241	0.10	20	R 04/29/2002
	To: Dead End			
821	From: Dead End/	0.11	NA	
	To: 35-00711(B)/			
822	From: JB-WV/GRAY SULPHER ROAD(U)/WEST	0.15	NA	
	To: Dead End/			
833	From: Dead End/	0.30	NA	
	To: 35-00622(B)/			

Virginia Department of Transportation
Mobility Management Division

2003
Annual Average Daily Traffic Volume Estimates By Section of Route
Giles Maintenance Area

Route	Length	AADT	QA	Year
Town of Rich Creek				
From: US 219				
(1001) To: 0.20 MN US 219	0.20	190	R	1999
From: Dead End	0.42	190	R	1999
To: 35-1023	0.04	1000	R	1999
From: 35-1021	0.05	300	R	1999
To: 35-1019	0.06	280	R	1999
From: 35-1003	0.05	40	R	1999
To: 35-1006	0.25	120	R	1999
From: Dead End	0.04	NA		04/29/2002
To: 35-1012	0.14	50	R	1999
From: 35-1014 EAST	0.17	130	R	1999
To: 35-1014 WEST	0.15	330	R	1999
From: 35-726	0.08	430	R	1999
To: 35-1005 EAST	0.05	480	R	1999
From: 35-1005 WEST	0.36	580	R	1999
To: 35-1003	0.06	590	R	1999
From: 35-1019	0.05	850	R	1999
To: 35-1021	0.04	170	R	1999
From: 35-1023				
To: 35-712	0.10	50	R	1999
From: Dead End				
To: 35-712	0.15	70	R	1999
From: Dead End				
To: 35-712	0.10	50	R	1999
From: Dead End				
To: 35-806	0.07	90	R	1999
From: 35-1022				
To: 35-1020	0.01	120	R	1999

Route	Length	AADT	QA	Year
Town of Rich Creek				
From: 35-712	0.12	50	R	1999
To: Dead End				
From: 35-1015	0.04	10	R	1999
To: 35-1013	0.04	40	R	1999
To: 35-1006				
From: 35-1012	0.09	60	R	1999
To: 35-1014				
From: 35-1006	0.05	120	R	1999
To: 35-1015	0.04	90	R	1999
To: 35-1013	0.04	40	R	1999
To: 35-1006				
From: Cul-de-Sac	0.23	30	R	1999
To: 35-1012	0.10	60	R	1999
To: 35-1014				
From: Dead End	0.05	20	R	1999
To: 35-712				
From: Dead End	0.15	20	R	1999
To: 35-726				
From: Dead End	0.25	40	R	1999
To: 35-806				
From: 35-1006	0.05	450	R	1999
To: 35-1002	0.05	700	R	1999
To: US 219				
From: 35-806				
To: 35-1010	0.20	210	R	1999
To: 35-712	0.10	6000	R	1999
To: 35-1006	0.07	6200	R	1999
To: 35-1002	0.06	6400	R	1999
To: US 219				
From: 35-1010				
To: Dead End	0.05	30	R	1999
To: 35-1006				
To: 35-1002	0.06	140	R	1999
To: Dead End	0.08	30	R	1995

Virginia Department of Transportation
Mobility Management Division

2003

Annual Average Daily Traffic Volume Estimates By Section of Route
Giles Maintenance Area

Route	Length	AADT	QA	Year
Town of Rich Creek				
(1024) From: 35-806	0.14	280	R	1995
(1024) To: 35-647	0.04	100	R	1999
(1024) To: Dead End				
(1025) From: 35-806	0.30	50	R	1999
(1025) To: NCL Rich Creek				
Giles County				
(1030) From: Dead End	0.12	190	R	1999
(1030) To: 35-642				
(1101) From: NCL Narrows	0.01	20	R	1999
(1101) To: Dead End				
(1104) From: Dead End	0.10	46	R	1999
(1104) To: 35-1105				
(1105) From: ECL Narrows	0.02	700	R	1999
(1105) To: 35-1107	0.05	730	R	1999
(1105) From: 35-1104	0.25	780	R	1999
(1105) To: US 460				
(1106) From: Dead End	0.43	100	R	1999
(1106) To: SCL Narrows				
(1107) From: 35-1105	0.15	40	R	1999
(1107) To: Dead End				
(1108) From: Dead End	0.50	30	R	1999
(1108) To: 35-1106				
(1110) From: Dead End	0.06	20	R	1999
(1110) To: 35-710				
(1111) From: Dead End	0.10	20	R	1999
(1111) To: 35-710				
(1112) From: Dead End	0.06	20	R	1999
(1112) To: 35-710				
(1113) From: Dead End	0.03	20	R	1999
(1113) To: 35-710				
(1120) From: 35-652	0.10	40	R	1999
(1120) To: Dead End				
(1201) From: ECL Pearisburg S	0.10	200	R	1995
(1201) To: 35-1202	0.01	130	R	1995
(1201) To: 35-1203	0.39	100	R	1986

Route	Length	AADT	QA	Year
Giles County				
(1201) From: 35-1202	0.13	280	R	1995
(1201) To: ECL Pearisburg N				
(1202) From: 35-1201	0.07	40	R	1995
(1202) To: 35-1201				
(1203) From: ECL Pearisburg	0.07	100	R	1993
(1203) To: 35-1201				
(1204) From: ECL Pearisburg	0.05	NA		04/17/2002
(1204) To: Dead End				
(1209) From: Dead End	0.10	70	R	1995
(1209) To: SR 100				
(1210) From: SR 100; 35-741	0.19	740	R	1995
(1210) To: SR 100				
(1211) From: Dead End	0.07	20	R	1995
(1211) To: SR 100				
(1212) From: Dead End	0.03	70	R	1993
(1212) To: 0.03 MN Dead End				
(1212) From: WCL Pearisburg	0.12	110	R	1995
(1213) From: Cul-de-Sac	0.41	110	R	1995
(1213) To: 35-1214	0.34	230	R	1995
(1213) To: 35-640				
(1214) From: 35-1213	0.19	80	R	1995
(1214) To: Cul-de-Sac				
(1215) From: SR 100	0.06	230	R	1999
(1215) To: 35-1216				
(1215) From: 35-1216	0.11	150	R	1999
(1215) To: 35-1218				
(1215) From: 35-1218	0.06	90	R	1999
(1215) To: 35-1226				
(1215) From: 35-1226	0.16	46	R	1999
(1215) To: Dead End				
(1216) From: 35-1215	0.07	120	R	1999
(1216) To: 35-1218				
(1216) From: 35-1218	0.05	60	R	1999
(1216) To: 35-1226				
(1217) From: SR 100	0.23	1000	R	1999
(1217) To: Dead End				
(1218) From: 35-1216	0.06	20	R	1999
(1218) To: 35-1215				
(1218) From: 35-1215	0.28	180	R	1986
(1218) To: SR 100				

Virginia Department of Transportation
Mobility Management Division

2003
Annual Average Daily Traffic Volume Estimates By Section of Route
Giles Maintenance Area

Route	Length	AADT	QA	Year
Giles County				
(1220)	From: Dead End	0.33	40	R 1999
	To: 35-1227			
(1222)	From: 35-735	0.06	30	R 1999
	To: Dead End			
(1223)	From: 35-728	0.10	60	R 1999
	To: 35-735			
(1224)	From: Dead End	0.21	140	R 1999
	To: SR 100			
(1225)	From: Dead End	0.20	40	R 05/15/2002
	To: 35-638			
(1226)	From: 35-1216	0.09	30	R 1999
	To: 35-1215			
(1227)	From: Cul-de-Sac	0.10	48	R 1999
	To: 35-1228			
(1227)	From: 35-1228	0.19	120	R 1999
	To: 35-1231			
(1227)	From: 35-1231	0.10	210	R 1999
	To: 35-1220			
(1227)	From: 35-1220	0.10	260	R 1999
	To: SR 100; 35-788			
(1228)	From: Dead End	0.05	20	R 1999
	To: 35-1227			
(1229)	From: 35-637	0.04	160	R 1999
	To: 35-1239			
(1229)	From: 35-1239	0.06	140	R 1999
	To: 35-807			
(1229)	From: 35-807	0.01	160	R 1999
	To: US 460 BUS			
(1230)	From: Dead End	0.15	40	R 04/17/2002
	To: SR 100			
(1231)	From: 35-1227	0.05	20	R 1999
	To: Dead End			
(1232)	From: Dead End	0.11	50	R 1986
	To: 35-1234			
(1232)	From: 35-1234	0.11	60	R 1986
	To: Dead End			
(1233)	From: Dead End	0.08	40	R 1986
	To: 35-1234			
(1233)	From: 35-1234	0.11	180	R 1986
	To: Dead End			
(1234)	From: ECL Pearisburg	0.03	460	R 1986
	To: 35-1232			

Route	Length	AADT	QA	Year
Giles County				
(1234)	From: 35-1232	0.07	280	R 1986
	To: 35-1233			
(1234)	From: Dead End	0.04	4	R 1986
	To: 35-634			
(1235)	From: 35-634	0.13	200	R 1986
	To: 35-1238			
(1236)	From: 35-634	0.12	190	R 1986
	To: 35-1238			
(1238)	From: NCL Pearisburg	0.03	20	R 1986
	To: 35-1235			
(1238)	From: 35-1235	0.09	70	R 1986
	To: 35-1236			
(1238)	From: 35-1236	0.09	120	R 1986
	To: 35-634			
(1239)	From: 35-1229	0.15	20	R 1999
	To: Dead End			
(1240)	From: 35-637	0.06	20	R 1999
	To: Dead End			
(1241)	From: 35-637	0.07	10	R 1999
	To: Dead End			
(1242)	From: 35-634	0.13	30	R 1993
	To: Dead End			
Town of Glen Lyn				
(1301)	From: Dead End	0.14	40	R 1999
	To: 35-704			
(1302)	From: West Virginia State Line	0.05	40	R 1999
	To: 35-648			
(1303)	From: 35-1304	0.08	50	R 1999
	To: 35-704			
(1304)	From: Dead End	0.04	45	R 1999
	To: 35-1303			
(1304)	From: Dead End	0.03	NA	04/17/2002
	To: Dead End			
(1305)	From: Dead End	0.07	2	R 1999
	To: 35-704			
Giles County				
(1306)	From: 35-806	0.30	70	R 1999
	To: Dead End			
Town of Glen Lyn				
(1307)	From: Dead End	0.05	220	R 1999
	To: 35-649			

Virginia Department of Transportation
Mobility Management Division

Annual Average Daily Traffic Volume Estimates By Section of Route
Giles Maintenance Area

Route	Length	AADT	QA	Year
Town of Glen Lyn				
From: US 460				
(1308) To: ECL Glen Lyn	0.47	250	R	1999
Giles County				
From: ECL Glen Lyn				
(1308) To: Dead End	0.21	40	R	1999
Town of Pembroke				
From: 35-1404				
(1401) To: US 460	0.06	180	R	1986
From: 35-747				
(1402) To: 35-1404	0.12	90	R	1986
From: US 460; 35-626				
(1403) To: 35-1413; 35-1414	0.12	300	R	1986
From: 35-626				
(1404) To: US 460	0.02	NA		04/09/2002
From: 35-631				
(1404) To: 35-1402	0.05	90	R	1986
From: 35-747 WEST				
(1404) To: 35-747 EAST	0.04	280	R	1986
From: 35-747 EAST				
(1404) To: 35-623 WEST	0.02	620	R	1986
From: 35-623 WEST				
(1404) To: 35-623 EAST	0.14	660	R	1986
From: 35-623 EAST				
(1404) To: 35-1401	0.03	1200	G	2003
From: 35-1401				
(1404) To: 35-626	0.17	1000	R	1986
From: 35-626				
(1404) To: US 460	0.15	1300	R	1986
From: US 460				
Giles County				
From: Dead End				
(1405) To: 35-1420; SCL Pembroke	0.06	9	R	1986
Town of Pembroke				
From: 35-1420; SCL Pembroke				
(1405) To: 35-626	0.07	30	R	1986
From: 35-626				
(1405) To: 35-1408	0.05	80	R	1986
From: 35-1408				
(1405) To: Dead End	0.05	5	R	1986
From: Dead End				
(1406) To: 35-626	0.06	40	R	1986
From: 35-626				
(1407) To: 35-1408	0.06	40	R	1986
From: 35-1408				

Route	Length	AADT	QA	Year
Town of Pembroke				
From: 35-1407				
(1408) To: 35-1406	0.05	30	R	1986
From: 35-1406				
(1408) To: 35-1405	0.05	80	R	1986
From: 35-1405				
(1409) To: US 460	0.20	50	R	1986
From: US 460				
(1409) To: 35-1415	0.05	40	R	1986
From: 35-1415				
(1409) To: 35-742	0.12	50	R	1986
From: 35-742				
(1410) To: US 460	0.18	50	R	1993
From: US 460				
(1410) To: Dead End	0.12	50	R	1986
From: Dead End				
(1411) To: 35-626	0.20	80	R	1986
From: 35-626				
(1412) To: 35-742 SOUTH	0.20	80	R	1986
From: 35-742 SOUTH				
(1412) To: 35-742 NORTH	0.10	30	R	1986
From: 35-742 NORTH				
(1413) To: Dead End	0.15	70	R	1986
From: Dead End				
(1413) To: 35-1403; 35-1414	0.04	220	R	1986
From: 35-1403; 35-1413				
(1414) To: 35-1416	0.05	70	R	1986
From: 35-1416				
(1414) To: 35-1418	0.16	10	R	1986
From: 35-1418				
(1414) To: Dead End	0.10	40	R	1986
From: Dead End				
(1415) To: 35-742	0.17	20	R	1995
From: 35-742				
(1415) To: 35-1409	0.03	10	R	1995
From: 35-1409				
(1416) To: 0.08 MS 35-1414	0.43	130	R	1993
From: 0.08 MS 35-1414				
(1416) To: Dead End	0.04	10	R	1995
From: Dead End				
(1417) To: 35-742	0.03	10	R	1995
From: 35-742				
(1417) To: Dead End	0.08	20	R	1999
From: Dead End				
(1418) To: 35-1414	0.03	10	R	1999
From: 35-1414				
(1418) To: 0.03 MS 35-1414	0.10	30	R	1993
From: 0.03 MS 35-1414				
(1418) To: Dead End	0.10	30	R	1993
From: Dead End				
(1419) To: Cul-de-Sac	0.20	20	R	1995
From: Cul-de-Sac				
(1419) To: 35-626	0.06	40	R	1986
From: 35-626				
Giles County				
From: 35-1405				
(1420) To: 35-727; SCL Pembroke	0.20	20	R	1995
From: 35-727; SCL Pembroke				

Virginia Department of Transportation
Mobility Management Division

2003
Annual Average Daily Traffic Volume Estimates By Section of Route
Giles Maintenance Area

Route	Length	AADT	QA	Year
Town of Pembroke				
From: 35-626				
(1421) To: Dead End	0.10	10	R	04/09/2002
Giles County				
From: 35-1432				
(1430) To: 35-626	0.33	NA		
From: 35-1430				
(1431) To: Cul-de-Sac	0.19	NA		
From: 35-626				
(1432) To: Cul-de-Sac	0.71	NA		
From: 35-1504				
(1501) To: 35-737	0.06	70	R	1999
From: 35-737				
(1501) To: 35-636	0.06	150	R	1999
From: 35-737				
(1502) To: 35-636	0.08	200	R	1999
From: 35-1504				
(1503) To: 35-636 WEST	0.14	60	R	1999
From: 35-636 EAST				
(1503) To: 35-1501	0.42	90	R	1999
From: 35-1501				
(1504) To: 35-1503	0.06	60	R	1999
From: 35-732				
(1504) To: 35-1507	0.09	30	R	1999
From: Dead End				
(1505) To: 35-732	0.10	40	R	1999
From: 35-636				
(1506) To: Dead End	0.60	80	R	1999
From: 35-1504				
(1507) To: 35-636	0.14	40	R	1999
From: 35-737				
(1508) To: Dead End	0.06	40	R	1986
From: 35-1604				
(1601) To: 35-1606	0.02	20	R	1999
From: 35-1608				
(1601) To: 35-1603	0.05	150	R	1999
From: 35-1603				
(1601) To: 35-1607	0.04	290	R	1999
From: 35-1607				
(1601) To: 35-1602	0.03	340	R	1999

Route	Length	AADT	QA	Year
Giles County				
From: 35-1602				
(1601) To: 35-782	0.06	400	R	1999
From: 35-1604				
(1602) To: 35-1601	0.11	48	R	1999
From: 35-1604				
(1603) To: 35-1601	0.06	20	R	1999
From: 35-1601				
(1604) To: 35-1603	0.07	10	R	1999
From: 35-1602				
(1606) To: SR 61	1.76	110	R	1999
From: 35-1601				
(1607) To: Dead End	0.11	30	R	1999
From: 35-1601				
(1608) To: Dead End	0.39	70	R	1999
From: SR 42				
(9160) To: SR 42	0.09	NA		1999
Town of Pembroke				
From: Dead End				
(9161) To: US 460	0.05	NA		1999
Town of Glen Lyn				
From: 35-704				
(9162) To: Dead End	0.12	NA		1999
Giles County				
From: US 460				
(9163) To: Cul-de-Sac	0.36	NA		
From: US 460 BUS				
(9849) To: US 460 BUS	0.22	630	R	1993
From: White Gate Elem School				
(9850) To: Dead End	0.05	NA		1999
From: Dead End				
(9851) To: Kimbalton Elem School	0.10	NA		1999
From: Dead End				
(9852) To: 35-663	0.05	NA		1999
Town of Narrows				
From: SR 61 Gap Terminus Main Street				
(1324) To: Valley Street	0.13	NA		
(266) To: JB-266 Gap Terminus NCL Narrows				
Town of Pearisburg				
From: SR 100				
(1) To: Henson Ave	0.51	NA		
(279) To: 279-2 Fort Branch Rd				

Virginia Department of Transportation
Mobility Management Division
2003
Annual Average Daily Traffic Volume Estimates By Section of Route
Giles Maintenance Area

Route	Length	AADT	QA	Year
Town of Pearisburg				
From:  Fort Branch Rd		279-1 Henson Ave		
To: 	0.13	NA		
 Curve Rd				
From: 		C5US 460		
To: JB-279 NCL Pearisburg	0.66	NA		
Town of Narrows				
From: Cave Street		Wolf Street	NA	
To: West View Street				
From: Valley St		Monroe St		
To: NCL Narrows	480	G	2003	
Town of Pearisburg				
From: FT. Branch Rd		Henson Ave		
To: Winonah Ave	1400	G	2003	
From: Henson Ave		SR 100 South Main St		
To: Ft Branch Rd	2200	G	2003	