

2008

**Virginia Department of Transportation
Daily Traffic Volume Estimates
Including Vehicle Classification Estimates**

where available

Jurisdiction Report

55

Lunenburg County
Town of Kenbridge
Town of Victoria

Prepared By

**Virginia Department of Transportation
Traffic Engineering Division**

In Cooperation With

**U.S. Department of Transportation
Federal Highway Administration**

Virginia Department of Transportation
Traffic Engineering Division
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is “R”, the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems

 Interstate Route Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.

 US Route

 Virginia State Route

 Frontage Road (F precedes frontage route number)

 Secondary Route

Special Routes

 Bus - Business Route
 Bypas - Bypass Route
 Truck - Truck Route
 ALT - Alternate Route
 Wye - Wye Route connector

 P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.

 The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation
Traffic Engineering Division
2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Lunenburg Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
40	Lunenburg County	From: Charlotte County Line To: SR 49 Courthouse Rd	12.70	1100 G	87%	2%	2%	1%	8%	0%	C	0.095	F	0.56	1200	G
40 49	Lunenburg County	From: SR 49; Lunenburg County Rd To: 55-675 Trinity Rd; Hardy Rd	0.14	2500 G	93%	1%	2%	1%	3%	0%	F	0.095	F	0.581	2700	G
40 49	Lunenburg County	From: 55-675 Trinity Rd; Hardy Rd To: WCL Victoria	2.17	2900 G	93%	1%	2%	1%	3%	0%	C	0.094	F	0.585	3100	G
40 49	Town of Victoria (Maint: 55)	From: WCL Victoria To: SR 49 Lunenburg Court House	1.08	2900 N	93%	1%	2%	1%	3%	0%	N	0.094	N	0.585	3100	N
40	Town of Victoria (Maint: 55)	From: SR 49 Lunenburg Court House To: 55-1009 Twin Cemetery Rd	0.81	6100 G	94%	2%	1%	1%	3%	0%	F	0.097	F	0.508	6600	G
40	Town of Victoria (Maint: 55)	From: 55-1009 Twin Cemetery Rd To: ECL Victoria	0.02	5100 G	94%	2%	1%	1%	3%	0%	C	0.100	F	0.582	5500	G
40	Lunenburg County	From: ECL Victoria To: WCL Kenbridge	3.74	5100 N	94%	2%	1%	1%	3%	0%	N	0.100	N	0.582	5500	N
40	Town of Kenbridge (Maint: 55)	From: WCL Kenbridge To: 55-697	1.33	5100 N	94%	2%	1%	1%	3%	0%	N	0.100	N	0.582	5500	N
40	Town of Kenbridge (Maint: 55)	From: 55-697 To: 55-697 Hickory Rd	0.89	5700 G	94%	2%	1%	1%	3%	0%	F	0.095	F	0.577	6100	G
40	Town of Kenbridge (Maint: 55)	From: 55-697 Hickory Rd To: SR 137, SR 138	0.66	3400 G	94%	2%	1%	1%	3%	0%	F	0.086	F	0.558	3700	G
40	Lunenburg County	From: SR 137, SR 138 To: ECL Kenbridge	4.00	3400 N	94%	2%	1%	1%	3%	0%	N	0.086	N	0.558	3700	N
40	Lunenburg County	From: ECL Kenbridge To: Nottoway County Line														
49	Courthouse Rd	From: Nottoway County Line To: Mecklenburg County Line	11.28	830 G	93%	1%	2%	1%	2%	0%	C	0.122	F	0.5	900	G
49 40	Lunenburg County	From: Mecklenburg County Line To: SR 40 Lunenburg County Rd														
49 40	Lunenburg County	From: SR 40 Lunenburg County Rd To: S SR 40	0.14	2500 G	93%	1%	2%	1%	3%	0%	F	0.095	F	0.581	2700	G
49 40	Lunenburg County	From: S SR 40 To: 55-675														
49 40	Lunenburg County	From: 55-675 To: CL Victoria	2.17	2900 G	93%	1%	2%	1%	3%	0%	C	0.094	F	0.585	3100	G
49 40	Town of Victoria (Maint: 55)	From: CL Victoria To: N SR 40	1.08	2900 N	93%	1%	2%	1%	3%	0%	N	0.094	N	0.585	3100	N
49	Town of Victoria (Maint: 55)	From: N SR 40 To: SR 40; Eighth St														
49	Town of Victoria (Maint: 55)	From: SR 40; Eighth St To: 55-1017 13th St	0.51	3700 G	94%	1%	1%	1%	3%	0%	F	0.092	F	0.513	4000	G
49	Nottoway Blvd	From: 55-1017 13th St To: NCL Victoria	0.65	3000 G	94%	1%	1%	1%	3%	0%	C	0.095	F	0.588	3200	G

Virginia Department of Transportation
Traffic Engineering Division
2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Lunenburg Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
49 Earl Davis Gregory Hwy	Lunenburg County	4.88	3000	N	94%	1%	1%	1%	3%	0%	N	0.095	N	0.588	3200	N
137 138	Town of Kenbridge (Maint: 55)	1.13	3700	G	86%	1%	1%	2%	11%	0%	F	0.091	F	0.528	4100	G
137 138	Lunenburg County	0.74	3700	N	86%	1%	1%	2%	11%	0%	N	0.091	N	0.528	4100	N
137 138	Lunenburg County	1.93	3000	G	86%	1%	1%	2%	11%	0%	F	0.094	F	0.539	3300	G
137	Lunenburg County	4.67	900	G	86%	1%	1%	2%	11%	0%	C	0.109	F	0.532	970	G
138	Lunenburg County	9.83	2000	G	92%	1%	1%	1%	5%	0%	C	0.101	F	0.566	2200	G
138 137	Lunenburg County	1.93	3000	G	86%	1%	1%	2%	11%	0%	F	0.094	F	0.539	3300	G
138 137	Lunenburg County	0.74	3700	N	86%	1%	1%	2%	11%	0%	N	0.091	N	0.528	4100	N
138 137	Town of Kenbridge (Maint: 55)	1.13	3700	G	86%	1%	1%	2%	11%	0%	F	0.091	F	0.528	4100	G

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Lunenburg Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Lunenburg County																
(F908)	0.11	4	R			From: SR 40					NA		NA		06/04/2007	
			To: Dead End													
(F909) Jackson Dr	0.05	30	R			From: SR 40					NA		NA		06/04/2007	
			To: Dead End													
(600)	0.90	230	R			From: SR 40					NA		NA		04/20/2004	
			To: 55-601 S, Fletcher Chapel Rd													
(600)	1.00	80	R			From: 55-601 N, Fletcher Chapel Rd					NA		NA		04/20/2004	
			To: 1.00 ME 55-601 Fletcher Chapel Rd													
(600)	1.30	30	R			From: 55-627 Mill Creek Dr					NA		NA		04/20/2004	
			To: SR 137													
(601) Fletcher Chapel Rd	2.00	730	G	95%	1%	2%	0%	2%	0%	C	0.121	F	0.526	790	G	2008
			To: 55-714 Trap Branch Rd													
(601) Fletcher Chapel Rd	0.90	700	G	95%	1%	2%	0%	2%	0%	F	0.114	F	0.526	760	G	2008
			To: 55-600 N; Warwick Chapel Rd													
(601) Fletcher Chapel Rd	1.60	610	G	95%	1%	2%	0%	2%	0%	F	0.117	F	0.578	660	G	2008
			To: SR 40													
(602) Longview Dr	2.10	50	R			From: 55-621 Dix Dr					NA		NA		04/04/2007	
			To: 55-668 Berry Rd													
(602) Longview Dr	1.70	40	R			From: 55-638 SOUTH					NA		NA		04/04/2007	
			To: SR 40													
(602) Longview Dr	0.20	60	R			From: 55-638 N, Iron Clad Rd					NA		NA		04/04/2007	
			To: 0.50 MN 55-638 Iron Clad Rd													
(602) Longview Dr	0.50	60	R			From: 55-619 Reedy Branch Rd					NA		NA		04/04/2007	
			To: SR 40													
(602) Longview Dr	1.30	40	R			From: 55-696 Poe Dr					NA		NA		04/22/2004	
			To: SR 40													
(602) Longview Dr	2.50	110	R			From: 55-616 Gigg Rd					NA		NA		04/22/2004	
			To: SR 40													
(602) Longview Dr	0.30	110	R			From: 55-608 Old Rd					NA		NA		04/22/2004	
			To: SR 137													
(603) Hawthorne Dr	2.30	40	R			From: 55-602; 55-618					NA		NA		04/02/2007	
			To: 55-617 W, Fairview Rd													
(603) Hawthorne Dr	1.80	160	R			From: 55-617 E, Fairview Rd					NA		NA		04/20/2004	
			To: SR 137 SOUTH													
(603) Hawthorne Dr	0.90	900	R			From: SR 137 NORTH					NA		NA		04/20/2004	
			To: 55-616 E, Gigg Rd													
(603) Hawthorne Dr	1.50	250	R			From: 55-616 W, Gigg Rd					NA		NA		04/20/2004	
			To: SR 137													
(603) Cedar Creek Rd	1.20	60	R			From: 55-711 Sleigh Ride Hill Rd					NA		NA		04/02/2007	
			To: 55-645 Jonesboro Rd													

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Lunenburg Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Lunenburg County																
(604) Sugar Hill Rd	0.35	160	R											NA	04/02/2007	
			From:			SR 137										
(604) Sugar Hill Rd	2.15	190	R											NA	04/02/2007	
			To:			55-616 Gigg Rd										
(604) Sugar Hill Rd	2.50	490	R											NA	04/02/2007	
			From:			55-645 Jonesboro Rd										
			To:			55-601 Fletcher Chapel Rd										
(605) Switchback Rd	2.20	470	R											NA	04/02/2007	
			From:			SR 137										
			To:			55-645 Jonesboro Rd										
(606) Half Mile Lane	0.50	48	R											NA	04/23/2007	
			From:			Dead End										
			To:			SR 137										
(607) Pleasant Hill Lane	1.50	60	R											NA	04/02/2007	
			From:			55-609 Afton Grove Rd										
(607) Pleasant Hill Lane	2.10	130	R											NA	04/02/2007	
			To:			1.50 MW 55-609 Afton Grove Rd										
			From:			SCL Kenbridge										
(608) Old Rd	0.35	80	R											NA	04/23/2007	
			From:			Dead End										
			To:			55-616 Gigg Rd										
(608) Old Rd	0.20	20	R											NA	04/23/2007	
			From:			55-602										
(609) Afton Grove Rd	3.80	80	R											NA	04/04/2007	
			From:			55-613 Brickland Rd										
			To:			SR 137										
(610) Bacon Fork Rd	3.70	380	R											NA	04/23/2007	
			From:			SR 138										
			To:			55-602										
(611) Hinkle Rd	3.00	40	R											NA	04/04/2007	
			From:			SR 138 SOUTH										
			To:			SR 138 NORTH										
(612) St Johns Church Rd	2.10	90	R											NA	04/04/2007	
			From:			SR 138										
			To:			55-718 Mason Rd										
(612) St Johns Church Rd	2.90	60	R											NA	04/04/2007	
			From:			55-613										
(613) Brickland Rd	2.90	200	R											NA	04/04/2007	
			From:			55-635 Oral Oaks Rd										
			To:			55-637 Craig Mill Rd										
(613) Brickland Rd	2.90	140	G	87%	2%	1%	1%	10%	0%	F	0.105	F	0.513	160	G	2008
			From:			55-609 Afton Grove Rd										
(613) Brickland Rd	1.90	150	G	87%	2%	1%	1%	10%	0%	C	0.138	F	0.65	160	G	2008
			To:			SR 138										
(614) Unity Rd	2.90	40	R											NA	06/11/2007	
			From:			55-635 Oral Oaks Rd										
			To:			55-637 Craig Mill Rd										
(615) Rash Maddux Dr	3.60	90	R											NA	04/02/2007	
			From:			55-601 Fletcher Chapel Rd										
			To:			Brunswick County Line										
(616) Gigg Rd	2.40	240	G	95%	2%	2%	1%	1%	0%	C	0.128	F	0.5	250	G	2008
			From:			55-602 Long View Rd										
(616) Gigg Rd	1.50	210	G	95%	2%	2%	1%	1%	0%	F	0.128	F	0.738	230	G	2008
			To:			SR 137										
			From:			Brunswick County Line										

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Lunenburg Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Lunenburg County																
(617) Fairview Rd	2.50	280	R											NA	04/23/2007	
				From:	SR 138											
				To:	55-602									NA	04/23/2007	
(617) Fairview Rd	1.84	280	R											NA	04/23/2007	
				From:	Brunswick County Line											
(618) Woodsdale Rd	0.90	130	R											NA	04/23/2007	
				To:	55-602											
				From:	Brunswick County Line											
(619)	1.80	70	R											NA	04/22/2004	
				To:	55-610 N, Bacon Fork Rd											
				From:	55-610 S, Bacon Fork Rd											
(619) Reedy Branch Rd	1.10	70	R											NA	04/04/2007	
				To:	55-696 Poc Dr											
				From:	55-602 Longview Dr											
(619)	0.70	70	R											NA	04/22/2004	
				To:	Brunswick County Line											
				From:	55-621 Dix Dr											
(620)	2.20	60	R											NA	04/04/2007	
				To:	55-638 Iron Clad Rd											
				From:	Brunswick County Line									NA	04/22/2004	
(621) Dix Dr	0.50	90	R											NA	04/04/2007	
				To:	Mecklenburg County Line											
(621) Dix Dr	0.10	80	R											NA	04/04/2007	
				To:	55-602 Longview Dr											
				From:	55-620											
(621) Dix Dr	0.50	20	R											NA	04/04/2007	
				To:	Brunswick County Line											
(622) Mountain Rd	4.35	50	R											NA	06/14/2007	
				To:	Dead End											
(622)	0.60	130	R											NA	05/17/2004	
				To:	55-712											
(622)	3.19	190	R											NA	05/17/2004	
				To:	55-634											
(622)	0.40	300	R											NA	05/17/2004	
				To:	55-677 Old Chase City Rd											
				From:	SR 49 Courthouse Rd											
(622)	2.80	330	G	95%	1%	1%	1%	2%	0%	C	0.156	F	0.673	360	G	2008
				To:	55-692 Tuckers Rd											
(622)	2.60	440	G	95%	1%	1%	1%	2%	0%	F	0.135	F	0.699	470	G	2008
				To:	55-691 Jupiter Creek Dr											
(622)	3.57	370	G	95%	1%	1%	1%	2%	0%	F	0.126	F	0.525	400	G	2008
				To:	Charlotte County Line											
(623) Plantersville Rd	4.41	280	R											NA	06/14/2007	
				To:	55-695 Eubank Rd											
				From:	55-630											
(624)	0.40	60	R											NA	06/11/2007	
				To:	55-625 Bethel Church Rd											
				From:	Prince Edward County Line											
(625) Bethel Church Rd	4.70	110	R											NA	06/11/2007	
				To:	55-662 Nutbush Rd											
				From:	Nottoway County Line											

Virginia Department of Transportation
Traffic Engineering Division

2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Lunenburg Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Lunenburg County																
(626) Double Bridge Rd	3.10	290	R			SR 40					NA			NA		05/29/2007
(626)	3.72	270	G	93%	5%	1%	0%	0%	0%	C	0.128	F	0.553	290	G	2008
(626) Double Bridges Rd	1.20	130	G	93%	5%	1%	0%	0%	0%	F	0.144	F	0.591	140	G	2008
(626) Kings Rd	5.40	280	R			55-662 W, Nutbush Rd					NA			NA		04/26/2007
(626)						55-662 E, Nutbush Rd										
(626) Rubermont Rd	1.84	240	R			55-723 S, Burkeville Rd					NA			NA		04/26/2007
(626)						55-723 N, Burkeville Rd										
(627) Mill Creek Dr	1.90	70	R			55-645 Jonesboro Rd					NA			NA		04/02/2007
(627)																
(627) Mill Creek Dr	0.90	40	R			55-600					NA			NA		04/02/2007
(627)																
(627) 0.77	220	R				55-615 W, Rash Maddux Dr					NA			NA		04/20/2004
(627)						55-615 E, Rash Maddux Dr										
(628) County Line Rd	1.60	190	R			Charlotte County Line					NA			NA		05/29/2007
(628)																
(628) County Line Rd	2.21	180	R			55-687 W, Wildwood Rd					NA			NA		05/29/2007
(628)						55-687 WEST; 55-688										
(628) County Line Rd	0.50	200	R			55-687 E, Wildwood Rd					NA			NA		05/29/2007
(628)																
(629) Tidewater Rd	2.80	130	R			55-685 Germantown Rd					NA			NA		06/04/2007
(629)																
(630) Mitchell Dr	0.95	320	R			Charlotte County Line					NA			NA		06/14/2007
(630)																
(630) 2.18	190	G	95%	1%	3%	1%	0%	0%	0%	F	0.124	F	0.56	200	G	2008
(630)						55-631 E, Lees Mill Rd										
(630) 2.52	250	G	95%	1%	3%	1%	0%	0%	0%	C	0.132	F	0.546	270	G	2008
(630)						SR 49 Courthouse Rd										
(631) Meherrin River Rd	1.10	30	R			Mecklenburg County Line					NA			NA		06/04/2007
(631)																
(631) Meherrin River Rd	1.60	30	R			55-632 Newcomb Bridge Rd					NA			NA		06/04/2007
(631)						55-632; 55-717										
(631) Meherrin River Rd	0.10	30	R			1.60 MN 55-632					NA			NA		06/04/2007
(631)																
(631) Lees Mill Rd	2.00	30	R			55-630 WEST					NA			NA		06/04/2007
(631)						55-630 EAST										
(631) Lees Mill Rd	2.50	49	R			55-694 Shelton Rd					NA			NA		06/04/2007
(631)																
(631) Lees Mill Rd	0.20	70	R			55-744 Biggers Lane					NA			NA		06/04/2007
(631)						55-622										
(632) Newcomb Bridge Rd	1.50	230	R			Mecklenburg County Line					NA			NA		06/04/2007
(632)						55-631; 55-717										

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Lunenburg Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Lunenburg County																
(632) Newcomb Bridge Rd	1.60	210	R											NA	06/04/2007	
			From:			55-631; 55-717										
			To:			55-630; 55-760										
(633) Rocky Mill Rd	1.46	40	R											NA	06/04/2007	
			From:			Mecklenburg County Line										
			To:			1.46 MN of CL										
(633) Rocky Mill Rd	0.84	100	R											NA	06/04/2007	
			From:			SR 49 Courthouse Rd										
(634)	2.66	140	R											NA	05/17/2004	
			To:			55-622										
(635) Oral Oaks Rd	1.08	320	R											NA	04/23/2007	
			From:			Mecklenburg County Line										
(635) Oral Oaks Rd	2.39	250	R											NA	04/23/2007	
			To:			55-641 Beaver Creek Rd										
(635) Oral Oaks Rd	0.41	500	G	94%	2%	2%	1%	0%	0%	F	0.105	F	0.529	540	G	2008
			To:			55-639 Red Level Lane										
(635) Oral Oaks Rd	4.44	470	G	94%	2%	2%	1%	0%	0%	F	0.105	F	0.583	510	G	2008
			To:			55-655 Plank Rd										
(635) Oral Oaks Rd	2.00	310	G	93%	0%	2%	2%	3%	0%	C	0.107	F	0.512	340	G	2008
			To:			55-643 New Grove Rd										
(635) Oral Oaks Rd	3.28	740	G	94%	2%	2%	1%	0%	0%	C	0.096	F	0.557	800	G	2008
			To:			SR 40										
(636) N Whittles Mill Rd	0.93	410	R											NA	04/23/2007	
			From:			Mecklenburg County Line										
(636) N Whittles Mill Rd	2.10	90	R											NA	04/23/2007	
			To:			55-640 Bagleys Mill Rd										
(637) Craig Mill Rd	1.79	510	R											NA	04/23/2007	
			To:			55-637 Craig Mill Rd										
(637) Craig Mill Rd	2.47	440	R											NA	04/23/2007	
			To:			Mecklenburg County Line										
(637) Craig Mill Rd	2.29	430	G	97%	1%	1%	0%	1%	0%	F	0.129	F	0.617	460	G	2008
			To:			55-718 Mason Rd										
(637) Craig Mill Rd	3.13	430	G	97%	1%	1%	0%	1%	0%	F	0.109	F	0.555	470	G	2008
			To:			55-636, N Whittles Mill Rd										
(637) Craig Mill Rd	2.15	520	G	97%	1%	1%	0%	1%	0%	F	0.105	F	0.681	560	G	2008
			To:			55-613 Brickland Rd										
(637) Craig Mill Rd	1.41	1200	G	97%	1%	1%	0%	1%	0%	F	0.090	F	0.557	1200	G	2008
			To:			55-655 Plank Rd										
(637) Craig Mill Rd	0.01	1400	G	97%	1%	1%	0%	1%	0%	C	0.091	F	0.580	1500	G	2008
			To:			SCL Kenbridge										
Town of Kenbridge																
(637) Broad St	0.57	1400	N	97%	1%	1%	0%	1%	0%	N	0.091	N	0.580	1500	N	2008
			From:			SCL Kenbridge										
			To:			SR 40										
Lunenburg County																
(638)	1.80	130	R											NA	04/22/2004	
			From:			SR 138										
(638)	0.10	70	R											NA	04/22/2004	
			To:			55-696 Poe Dr										
			From:			0.10 ME 55-696 Poe Dr										

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Lunenburg Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Lunenburg County																
(638)	0.50	60	R			From:	0.10 ME 55-696 Poe Dr							NA	04/22/2004	
						To:	55-602 S. Longview Dr									
(638) Iron Clad Rd	1.00	20	R			From:	55-602 N. Longview Dr							NA	04/04/2007	
						To:	55-620									
(639) Red Level Lane	1.20	70	R			From:	55-635 Oral Oaks Rd							NA	04/23/2007	
						To:	1.20 ME 55-635; GT									
(639) Dixie Lane	0.50	30	R			From:	Dead End; Gap							NA	04/23/2007	
						To:	55-637 Craig Mill Rd									
(640) Bagleys Mill Rd	3.10	340	R			From:	55-636, N Whittles Mill Rd							NA	04/23/2007	
						To:	55-635 Oral Oaks Rd									
(641) Beaver Creek Rd	2.50	130	R			From:	55-635 Oral Oaks Rd							NA	04/23/2007	
						To:	55-640 Bagleys Mill Rd									
(642) Hazelwood Dr	1.90	70	R			From:	Dead End							NA	06/11/2007	
						To:	55-655 Plank Rd									
(643) New Grove Rd	2.70	20	R			From:	55-640 Bagleys Mill Rd							NA	06/11/2007	
						To:	55-635 MID, Oral Oaks Rd									
(643) New Grove Rd	2.70	60	R			From:	55-635 S, Oral Oaks Rd							NA	06/11/2007	
						To:	55-644 Gary Rd									
(643) New Grove Rd	1.28	50	R			From:	55-644 Gary Rd							NA	06/11/2007	
						To:	1.28 MN 55-644 Gary Rd									
(643) New Grove Rd	2.22	60	R			From:	55-655 Plank Rd							NA	06/11/2007	
						To:	55-635 N, Oral Oaks Rd									
(643) New Grove Rd	2.20	540	R			From:	55-643 New Grove Rd							NA	06/11/2007	
						To:	55-635 Oral Oaks Rd									
(644) Gary Rd	1.90	40	R			From:	55-643 New Grove Rd							NA	06/11/2007	
						To:	55-635 Oral Oaks Rd									
(645) Jonesboro Rd	3.40	140	G	92%	4%	4%	0%	0%	0%	C	0.164	F	0.517	150	G	2008
							SR 137									
(645) Jonesboro Rd	1.60	240	R			From:	55-627 Mill Creek Dr							NA	04/02/2007	
						To:	Brunswick County Line									
(646) Laurel Branch Rd	0.70	90	R			From:	55-655 Plank Rd							NA	04/04/2007	
						To:	55-647 Sneads Store Rd									
(646) Laurel Branch Rd	2.60	70	R			From:	55-647 Sneads Store Rd							NA	04/04/2007	
						To:	55-637 Craig Mill Rd									
(646)	0.35	130	R			From:	55-637 Craig Mill Rd							NA	04/04/2007	
						To:	55-756 Dusty Lane									
(646)	0.75	50	R			From:	55-756 Dusty Lane							NA	04/04/2007	
						To:	Dead End									
(647) Sneads Store Rd	0.90	20	R			From:	55-635 Oral Oaks Rd							NA	04/04/2007	
						To:	55-646 Laurel Branch Rd									
(647) Sneads Store Rd	1.80	90	R			From:	55-646 Laurel Branch Rd							NA	04/20/2004	
						To:	55-637 Craig Mill Rd									

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Lunenburg Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Lunenburg County																
(647) Sneads Store Rd	1.00	48	R											NA	04/04/2007	
(647) Sneads Store Rd	1.50	40	R											NA	04/04/2007	
(648) Mayflower Rd	1.75	130	R											NA	04/04/2007	
(648) Mayflower Rd	0.06	220	R											NA	04/04/2007	
(649) Starlight Lane	2.00	170	R											NA	04/04/2007	
(650) Seay Way	1.05	110	R											NA	05/02/2007	
(651) Redbanks Rd	3.20	240	R											NA	05/02/2007	
(652) Oakes Rd	2.30	340	G	94%	3%	2%	0%	0%	0%	F	0.117	F	0.565	370	G	2008
(652) Ashton Rd	1.33	290	G	94%	3%	2%	0%	0%	0%	C	0.130	F	0.659	310	G	2008
(652) Ashton Rd	1.40	260	R											NA	05/02/2007	
(652) Marshaltown Rd	1.40	220	R											NA	05/02/2007	
(652) Marshall Town Rd	1.90	310	G	94%	3%	2%	0%	0%	0%	F	0.125	F	0.558	330	G	2008
Town of Victoria																
(653) Poorhouse Rd	1.02	390	G	97%	1%	1%	0%	1%	0%	F	0.097	F	0.586	420	G	2008
Lunenburg County																
(653)	2.37	390	N	97%	1%	1%	0%	1%	0%	N	0.097	N	0.586	420	N	2008
(653) Poorhouse Rd	4.23	700	G	97%	1%	1%	0%	1%	0%	F	0.118	F	0.574	760	G	2008
Town of Kenbridge																
(653) Poorhouse Rd	0.28	830	G	97%	1%	1%	0%	1%	0%	F	0.103	F	0.628	900	G	2008
(653) Nottoway Falls Rd	0.22	740	G	97%	1%	1%	0%	1%	0%	C	0.112	F	0.626	810	G	2008
(653) Nottoway Falls Rd	0.12	1100	G	97%	1%	1%	0%	1%	0%	F	0.148	F	0.515	1200	G	2008
Lunenburg County																
(654) Beech Forest Rd	2.90	190	R											NA	06/04/2007	
(655) Plank Rd	1.59	270	R											NA	06/11/2007	

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Lunenburg Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Lunenburg County																
(655) Plank Rd	8.80	190	R			From:	55-642 Hazelwood Dr							NA	06/11/2007	
						To:	55-635 N; Oral Oaks Rd									
(655) Plank Rd	3.37	530	G	97%	1%	1%	0%	0%	0%	C	0.112	F	0.642	570	G	2008
						To:	55-637 Craig Mill Rd									
(656) Redfield Rd	1.90	30	R			From:	Dead End							NA	04/26/2007	
						To:	55-626 Kings Rd									
(657) Wilburn Dr	1.50	80	R			From:	Dead End							NA	06/11/2007	
						To:	55-655 Plank Rd									
(658) Wattsboro Circle Rd	1.60	20	R			From:	55-712							NA	06/11/2007	
						To:	55-671 Reedy Creek Rd									
(659)	1.29	280	R			From:	55-675 Trinity Rd; Hardy Rd							NA	05/05/2004	
						To:	1.29 ME 55-675									
(659)	1.71	290	R			From:	3.00 ME 55-675							NA	05/05/2004	
(659) Old Mansion Rd	0.29	210	R			From:	Old Mansion Rd							NA	06/04/2007	
						To:	3.29 ME 55-675									
(659) Old Mansion Rd	0.73	260	R			From:	55-770							NA	06/04/2007	
						To:	55-643 New Grove Rd									
(660) Forest Dr	0.80	30	R			From:	Dead End							NA	04/23/2007	
						To:	SR 138									
(661) W Sixth St	2.13	350	R			From:	55-635 Oral Oaks Rd							NA	05/02/2007	
						To:	SCL Victoria									
Town of Victoria																
(661) W Sixth St	0.57	260	R			From:	SCL Victoria							NA	05/10/2001	
						To:	55-734									
(661) W Sixth St	0.05	910	R			From:	55-1024 Tidewater Ave							NA	05/02/2007	
						To:	SR 40									
(662)	0.07	20	R			From:	Dead End							NA	04/26/2007	
						To:	55-1011									
(662) Washington Ave	0.13	60	G	96%	1%	1%	1%	1%	0%	F	0.148	F	0.6	60	G	2008
						To:	55-1038 3rd St									
(662) Washington Ave	0.26	140	G	96%	1%	1%	1%	1%	0%	F	0.160	F	0.5	160	G	2008
						To:	55-1015 7th St									
(662) Washington Ave	0.06	580	G	96%	1%	1%	1%	1%	0%	F	0.13	F	0.592	630	G	2008
						To:	55-1002 8th St									
(662) Washington Ave	0.10	510	G	96%	1%	1%	1%	1%	0%	F	0.148	F	0.588	550	G	2008
						To:	SR 49									
(662) Washington Ave	0.46	1400	G	96%	1%	1%	1%	1%	0%	C	0.107	F	0.628	1500	G	2008
						To:	55-1034 Washington Ave Ext									

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Lunenburg Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Town of Victoria																
(662) Washington Ave	0.22	1300	G	96%	1%	1%	1%	1%	0%	F	0.107	F	0.645	1500	G	2008
Lunenburg County																
(662)	0.42	1300	N	96%	1%	1%	1%	1%	0%	N	0.107	N	0.645	1500	N	2008
(662) Nutbush Rd	2.75	1100	R											NA		04/26/2007
(662) Nutbush Rd	1.15	620	R											NA		04/26/2007
(662) Nutbush Rd	4.29	380	F	95%	2%	1%	1%	1%	0%	C	0.112	F	0.622	380	F	2008
(662) Nutbush Rd	1.20	450	R											NA		04/26/2007
(663) Tomlinson Rd	2.12	240	R											NA		05/02/2007
(663) Tomlinson Rd	1.25	180	R											NA		05/02/2007
(664) Modest Creek Rd	3.50	30	R											NA		04/26/2007
(665) Blakenship Pond Rd	2.60	60	R											NA		04/26/2007
(666)	1.50	310	G	94%	5%	1%	0%	0%	0%	C	0.122	F	0.615	330	G	2008
(667)	1.39	30	R											NA		04/26/2007
(667)	0.91	80	R											NA		04/26/2007
(667)	0.54	200	R											NA		05/12/2004
Town of Victoria																
(667)	0.26	250	R											NA		05/12/2004
Lunenburg County																
(668) Berry Rd	1.70	140	R											NA		04/04/2007
(669) Couches Creek Rd	0.20	60	R											NA		06/14/2007
(669) Couches Creek Rd	2.10	60	R											NA		04/26/2007
(670) Buchanan Rd	0.70	47	R											NA		04/26/2007
(670)	2.80	270	R											NA		05/05/2004

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Lunenburg Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Lunenburg County																
(671) Reedy Creek Rd	3.00	100	R								NA		NA		06/11/2007	
				From:	55-655 Plank Rd											
(671) Reedy Creek Rd	1.90	150	R								NA		NA		06/11/2007	
				To:	55-672 Irby Rd											
				From:	55-675 Hardy Rd											
(672) Irby Rd	1.60	20	R					Dead End			NA		NA		06/11/2007	
				To:	55-671 Reedy Creek Rd											
(673) Parson Lane	1.30	30	R					Dead End			NA		NA		06/11/2007	
				To:	55-671 Reedy Creek Rd											
(674) Trinity Rd	0.85	50	R					SR 49 Courthouse Rd			NA		NA		06/11/2007	
				To:	0.85 ME SR 49 Courthouse Rd											
(674) Trinity Rd	0.05	50	R					55-675 Hardy Rd			NA		NA		06/11/2007	
				To:												
(675) Hardy Rd	1.60	48	R					Dead End			NA		NA		06/11/2007	
				To:	1.60 MN Dead End											
(675) Hardy Rd	0.10	60	R					55-674 Trinity Rd			NA		NA		06/11/2007	
				To:												
(675) Hardy Rd	0.90	160	R					55-671 Reedy Creek Rd			NA		NA		05/05/2004	
				To:												
(675) Trinity Rd; Hardy Rd	1.40	260	G	92%	2%	1%	3%	3%	0%	F	0.103	F	0.565	280	G	2008
				To:	55-659 Old Mansion Rd											
(675) Trinity Rd; Hardy Rd	0.50	610	G	92%	2%	1%	3%	3%	0%	C	0.106	F	0.632	660	G	2008
				To:	SR 49											
(676) Arrington Rd	0.90	30	R					55-622			NA		NA		06/14/2007	
				To:	Dead End											
(677) Old Chase City Rd	0.77	60	R					Dead End			NA		NA		06/14/2007	
				To:	0.77 MN Dead End											
(677) Old Chase City Rd	0.03	40	R					55-622			NA		NA		06/14/2007	
				To:												
(678) Hart Rd	2.50	40	R					55-680 Crymes Rd			NA		NA		05/29/2007	
				To:	55-626 WEST											
(678)	0.60	180	R					55-626 EAST			NA		NA		05/12/2004	
				To:												
(678)	0.40	140	R					55-679 Buckskin Rd			NA		NA		05/12/2004	
				To:												
(678)	0.15	60	R					55-704 Quail Roost Rd			NA		NA		05/12/2004	
				To:												
(678)	4.45	60	R					0.15 MN 55-704 Quail Roost Rd			NA		NA		05/12/2004	
				To:	Prince Edward County Line											
(679) Buckskin Rd	0.85	46	R					55-678 Quail Roost Rd			NA		NA		06/11/2007	
				To:												
(679) Buckskin Rd	0.07	40	R					0.85 MN 55-678 Quail Roost Rd			NA		NA		06/11/2007	
				To:	55-662 Nutbush Rd											
(680) Crymes Rd	0.90	30	R					55-690 Davis Low Grand Rd			NA		NA		05/29/2007	
				To:												
(680) Crymes Rd				To:	55-689 Wilson Farm Rd											

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Lunenburg Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Lunenburg County																
(680) Crymes Rd	2.10	20	R								NA		NA		05/29/2007	
(680) Crymes Rd	0.50	90	R								NA		NA		05/29/2007	
(680) Crymes Rd	0.40	120	R								NA		NA		05/29/2007	
(680) Crymes Rd	0.10	100	R								NA		NA		05/12/2004	
(680)	0.20	100	R								NA		NA		05/12/2004	
(680) Crymes Rd	1.50	80	R								NA		NA		05/29/2007	
(680) Crymes Rd	0.20	90	R								NA		NA		05/29/2007	
(680)	0.90	90	R								NA		NA		05/12/2004	
(680)	0.05	30	R								NA		NA		05/12/2004	
(680)																
(681) Cut Thru Rd	0.10	140	R								NA		NA		05/29/2007	
(682) Arvins Store Rd	1.50	70	R								NA		NA		05/29/2007	
(683)	3.47	130	G	88%	11%	1%	0%	0%	0%	C	0.12	F	0.529	140	G	2008
(683)	2.23	240	G	88%	11%	1%	0%	0%	0%	F	0.104	F	0.614	260	G	2008
(684)	1.90	40	R													
(685) Germantown Rd	4.20	220	R								NA		NA		05/29/2007	
(685) Germantown Rd	1.44	460	R								NA		NA		05/29/2007	
(686) Powers Rd	1.40	40	R								NA		NA		04/23/2007	
(687) Wildwood Rd	1.60	340	R								NA		NA		05/20/2004	
(687) Wildwood Rd	2.60	40	R								NA		NA		05/29/2007	
(688)	1.30	100	R													
(688)																
(688)	3.80	140	R													
(688)	2.42	420	R													

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Lunenburg Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Lunenburg County															
(688) Owl Creek Rd	2.50	120	R			From: SR 40 WEST					NA		NA	05/29/2007	
			To: 55-687 Wildwood Rd												
(689) Wilson Farm Rd	2.29	90	R			From: 55-680 Crymes Rd					NA		NA	05/29/2007	
			To: 2.30 MN 55-680 Crymes Rd												
(689) Wilson Farm Rd	1.01	120	R			From: SR 40 WEST					NA		NA	05/29/2007	
			To: SR 40 EAST												
(689) Pleasant Grove Rd	1.00	60	R			From: 55-626 Double Bridge Rd					NA		NA	05/29/2007	
			To: SR 49 Courthouse Rd												
(690) Davis Low Grand Rd	1.60	50	R			From: 55-692					NA		NA	05/29/2007	
			To: 55-680 Crymes Rd												
(690) Davis Low Grand Rd	1.70	40	R			From: 55-691 Jupiter Creek Dr					NA		NA	05/29/2007	
			To: SR 40												
(691) Jupiter Creek Dr	2.70	120	R			From: 55-622					NA		NA	05/29/2007	
			To: 55-690 Davis Low Grand Rd												
(692)	1.50	40	R			From: 55-622					NA		NA	05/17/2004	
			To: 1.50 ME 55-622												
(692)	1.70	10	R			From: 55-690 Davis Low Grand Rd					NA		NA	05/17/2004	
			To: SR 49 Earl Davis Gregory Hwy												
(693) Falls Hunt Club Rd	0.35	70	R			From: 55-652 Marshall Town Rd					NA		NA	06/14/2007	
			To: 55-623 Plantersville Rd												
(694) Shelton Rd	2.40	30	R			From: 55-631 Lees Mill Rd					NA		NA	06/04/2007	
			To: SR 49 Courthouse Rd												
(694) Bibleway Rd	1.35	80	R			From: 55-622					NA		NA	06/04/2007	
			To: Dead End												
(695) Eubank Rd	2.60	130	R			From: 55-623 Plantersville Rd					NA		NA	06/04/2007	
			To: 55-622												
(696) Poe Dr	1.20	60	R			From: 55-638					NA		NA	04/04/2007	
			To: 55-619 Reedy Branch Rd												
(696) Poe Dr	1.40	170	R			From: 55-602					NA		NA	04/04/2007	
Town of Kenbridge															
(697) Hickory Rd	0.13	430	R			From: SR 40					NA		NA	05/25/2004	
			To: NCL Kenbridge												
Lunenburg County															
(697) Hickory Rd	0.87	40	R			From: NCL Kenbridge					NA		NA	05/25/2004	
			To: 1.00 MN SR 40												
(697) Hickory Rd	0.60	20	R			From: Dead End					NA		NA	05/25/2004	
			To: SR 40												

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Lunenburg Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Lunenburg County																
(698) Aubrey Rd	0.50	110	R			From: Dead End				NA			NA		06/14/2007	
						To: 55-628 County Line Rd										
(700) Simon Rd	1.60	40	R			From: 55-685 Germantown Rd				NA			NA		05/29/2007	
						To: 55-683										
(701)	0.70	80	G	86%	0%	1%	1%	12%	0%	C	0.157	F	0.615	90	G	2008
						To: 55-684										
(701)	2.00	250	F	86%	0%	1%	1%	12%	0%	F	0.104	F	0.530	260	F	2008
						To: Prince Edward County Line										
(702) Skelton Rd	0.90	70	R			From: 55-622				NA			NA		06/14/2007	
						To: 55-742 Hayshed Rd										
(702) Skelton Rd	0.30	20	R			From: Dead End				NA			NA		06/14/2007	
						To: Dead End										
(703) Washington Ave	0.20	80	R			From: Dead End				NA			NA		05/29/2007	
						To: Prince Edward County Line; 73-728 Moores Ordinary										
(704) Quail Roost Rd	1.20	50	R			From: Dead End				NA			NA		06/11/2007	
						To: 55-678										
(705)	2.10	46	R			From: Dead End				NA			NA		04/23/2007	
						To: 55-613 Brickland Rd										
(706) Pete Osbourne Rd	0.70	50	R			From: SR 40				NA			NA		04/23/2007	
						To: Dead End										
(707) School Dr	0.05	9	R			From: 55-9924				NA			NA		06/04/2007	
						To: SR 40										
(708) Maye Johnson Lane	0.80	130	R			From: 55-610 Bacon Fork Rd				NA			NA		04/23/2007	
						To: Dead End										
(709)	0.89	200	R			From: SR 49 Earl Davis Gregory Hwy				NA			NA		05/04/2004	
						To: 0.89 ME SR 49										
(709)	2.26	110	R			From: 55-651; 55-652				NA			NA		05/04/2004	
(710) Dogwood Lane	0.01	110	R			From: SR 40				NA			NA		04/16/2007	
						To: WCL Kenbridge										
Town of Kenbridge																
(710) Dogwood Lane	0.04	60	R			From: WCL Kenbridge				NA			NA		04/16/2007	
						To: NCL Kenbridge										
Lunenburg County																
(710) Dogwood Lane	0.04	70	R			From: NCL Kenbridge				NA			NA		04/16/2007	
						To: 55-772 Epps Lane										
(710) Dogwood Lane	0.74	45	R			From: Dead End				NA			NA		04/16/2007	
(711) Sleigh Ride Hill Rd	0.80	50	R			From: 55-603 Cedar Creek Rd				NA			NA		04/02/2007	
						To: Brunswick County Line										

Virginia Department of Transportation
Traffic Engineering Division

2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Lunenburg Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Lunenburg County																
(712)	0.60	100	R			From:	55-622 Mountain Rd				NA		NA		05/17/2004	
(712)	1.90	90	R			To:	0.60 ME 55-622 Mountain Rd				NA		NA		05/17/2004	
(712)	0.30	80	R			To:	2.50 ME 55-622 Mountain Rd				NA		NA		05/17/2004	
(712)	1.09	100	R			From:	55-658 Wattsboro Circle Rd				NA		NA		05/17/2004	
(712)						To:	55-655 Plank Rd									
(713) Hill Top Rd	0.60	60	R			From:	Dead End				NA		NA		04/04/2007	
(714) Trap Branch Rd	1.30	30	R			From:	55-601 Fletcher Chapel Rd				NA		NA		04/02/2007	
(714) School House Lane	0.80	30	R			To:	Dead End				NA		NA		04/02/2007	
(714)						From:	55-645 Jonesboro Rd									
(715) Dry Bridge Rd	0.70	40	R			From:	55-626 Kings Rd				NA		NA		04/26/2007	
(715)						To:	Dead End									
(716)	0.69	310	R			From:	55-662; 55-737				NA		NA		05/04/2004	
(716)	0.41	220	R			To:	0.69 MN 55-662				NA		NA		05/04/2004	
(716)						To:	Dead End									
(717) Phillips Lane	1.00	20	R			From:	Dead End				NA		NA		06/04/2007	
(717)						To:	55-631; 55-632									
(718) Mason Rd	2.10	40	R			From:	55-637 Craig Mill Rd				NA		NA		04/04/2007	
(718)						To:	55-612 St Johns Church Rd									
(719) Adams Rd	1.50	40	R			From:	55-630				NA		NA		06/14/2007	
(719) Adams Rd	0.20	40	R			To:	1.50 MN 55-630				NA		NA		06/14/2007	
(719) Adams Rd	0.30	30	R			From:	1.70 MN 55-630				NA		NA		06/14/2007	
(719)						To:	55-623 Plantersville Rd									
(720) Underwood Rd	0.80	80	R			From:	Dead End				NA		NA		05/29/2007	
(720)						To:	55-701									
(721) Battes Rd	2.80	130	R			From:	55-662 Nutbush Rd				NA		NA		04/26/2007	
(721)						To:	55-626 Kings Rd									
(722) Holder Rd	0.90	30	R			From:	SR 40				NA		NA		04/26/2007	
(722)						To:	55-669 Couches Creek Rd									
(723) Burkeville Rd	1.55	1300	G	93%	1%	2%	1%	3%	0%	C	0.101	F	0.681	1400	G	2008
(723) Burkeville Rd	3.00	1200	G	93%	1%	2%	1%	3%	0%	F	0.106	F	0.633	1300	G	2008
(724) Shelburne Lane	0.98	100	R			From:	Dead End				NA		NA		06/11/2007	
(724)						To:	55-635									

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Lunenburg Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Lunenburg County																
(725) Pond Dr	0.40	100	R			From:	Dead End				NA		NA		06/04/2007	
						To:	55-652 Oakes Rd									
Town of Victoria																
(726)	0.25	140	R			From:	SR 49				NA		NA		05/04/2004	
						To:	NCL Victoria									
Lunenburg County																
(726)	0.29	100	R			From:	NCL Victoria				NA		NA		05/04/2004	
						To:	Dead End									
(727) Eppes Rd	0.50	10	R			From:	SR 49 Courthouse Rd				NA		NA		06/14/2007	
						To:	Dead End									
(728) Moores Ordinary St	0.50	70	R			From:	55-604 Sugar Hill Rd				NA		NA		04/02/2007	
						To:	Dead End									
(729) Flat Rock Rd	0.60	47	R			From:	Dead End				NA		NA		04/16/2007	
						To:	SCL Kenbridge									
Town of Kenbridge																
(729)	0.20	80	R			From:	SCL Kenbridge				NA		NA		04/16/2007	
						To:	SR 40									
Lunenburg County																
(730) Aikem Rd	0.31	40	R			From:	Dead End				NA		NA		06/04/2007	
						To:	55-652 Ashton Rd									
(731) Clarks Farm Rd	0.30	60	R			From:	Dead End				NA		NA		06/14/2007	
						To:	SR 49 Courthouse Rd									
(732) Bailey Rd	0.60	30	R			From:	Dead End				NA		NA		06/04/2007	
						To:	0.60 MN Dead End									
(732)	1.00	80	R			From:	55-622				NA		NA		06/04/2007	
						To:										
(733) Lacks Dr	0.50	70	R			From:	Dead End				NA		NA		04/23/2007	
						To:	55-641 Beaver Creek Rd									
(734) Mecklenburg St	1.25	630	G	97%	1%	1%	0%	0%	0%	C	0.09	F	0.532	680	G	2008
						To:	ECL Victoria									
Town of Victoria																
(734) Mecklenburg Ave	0.95	810	G	97%	1%	1%	0%	0%	0%	F	0.104	F	0.530	880	G	2008
						To:	55-1008 Old Court St									
Lunenburg County																
(735) Wards Rd	0.60	30	R			From:	55-622				NA		NA		06/04/2007	
						To:	Dead End									
(736)	0.52	100	R			From:	Dead End				NA		NA		05/04/2004	
						To:	SR 40									
(737) Merryman Dr	0.65	90	R			From:	55-662 W, Nutbush Rd				NA		NA		04/26/2007	
						To:	55-662 E, Nutbush Rd									

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Lunenburg Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Lunenburg County															
(738) Bragg Dr	0.11	40	R			From:	Dead End				NA		NA		05/22/2007
Town of Victoria															
(738) Bragg Dr	0.20	80	R			From:	WCL Victoria				NA		NA		05/22/2007
			To:	SR 40											
Lunenburg County															
(739) Reservoir Rd	0.35	100	R			From:	0.35 MW 55-723 Burkeville Rd				NA		NA		04/26/2007
			To:	55-723 Burkeville Rd											
(739) Chaffin Lane	0.50	60	R			From:	Dead End				NA		NA		04/26/2007
			To:												
(740) Slaughter Rd	0.50	30	R			From:	Dead End				NA		NA		06/04/2007
			To:	55-622											
(741) Hanover Rd	0.35	40	R			From:	Dead End				NA		NA		06/14/2007
			To:	55-662 Nutbush Rd											
(742) Hayshed Rd	0.90	20	R			From:	Dead End				NA		NA		06/14/2007
			To:	55-702 Skelton Rd											
(743) Williams Rd	0.40	10	R			From:	Dead End				NA		NA		04/16/2007
			To:	SR 40											
(744) Biggers Lane	0.60	60	R			From:	Dead End				NA		NA		06/04/2007
			To:	55-631 Lees Mill Rd											
(745) Zach Rd	0.25	30	R			From:	55-622				NA		NA		06/04/2007
			To:	Dead End											
(746)	0.10	170	R			From:	SR 40				NA		NA		05/04/2004
			To:	0.10 MN SR 40											
(746)	0.10	20	R			From:	Dead End				NA		NA		05/04/2004
			To:												
(747)	0.25	9	R			From:	Dead End				NA		NA		04/02/2007
			To:	SR 137											
Town of Kenbridge															
(748) Spring Grove Rd	0.15	100	R			From:	Dead End				NA		NA		04/16/2007
			To:	SR 40											
Lunenburg County															
(749) Cemetery Rd	0.15	20	R			From:	55-622				NA		NA		06/04/2007
			To:	Dead End											
(750) Watson Dr	0.80	47	R			From:	Dead End				NA		NA		06/14/2007
			To:	US 360 Kings Hwy											
(751) Clarke Rd	0.25	40	R			From:	Dead End				NA		NA		05/29/2007
			To:	55-685 Germantown Rd											
(752)	0.30	30	R			From:	55-622				NA		NA		06/04/2007
			To:	Dead End											

Virginia Department of Transportation
Traffic Engineering Division

2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Lunenburg Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Lunenburg County															
(753) Pine Lane	0.40	20	R			From: Dead End				NA		NA		NA	04/23/2007
						To: SR 138									
(754) Firetower Lane	0.35	20	R			From: SR 40				NA		NA		NA	04/23/2007
						To: Dead End									
(755)	0.80	340	R			From: SR 40 SOUTH				NA		NA		NA	05/05/2004
						To: SR 40 NORTH									
(756) Dusty Lane	0.25	40	R			From: Dead End				NA		NA		NA	06/14/2007
						To: 55-646									
Town of Kenbridge															
(757) Lea Rd	0.11	60	R			From: Dead End				NA		NA		NA	05/25/2004
						To: SR 40									
Lunenburg County															
(758) Elsaesser Rd	1.50	30	R			From: 55-683				NA		NA		NA	05/29/2007
						To: Dead End									
(759) Whitehead Rd	0.80	80	R			From: Dead End				NA		NA		NA	06/04/2007
						To: SR 40									
(760) Burns Rd	0.50	60	R			From: Dead End				NA		NA		NA	06/14/2007
						To: 55-630; 55-632									
Town of Kenbridge															
(761) Tinkling Rd	0.25	40	R			From: SR 40				NA		NA		NA	04/16/2007
						To: NCL Kenbridge									
Lunenburg County															
(761)	0.45	40	R			From: NCL Kenbridge				NA		NA		NA	03/27/2001
						To: Dead End									
(762) Oak Grove Rd	0.15	40	R			From: SR 40				NA		NA		NA	04/20/2004
						To: Dead End									
(763) Elliott Hurt Rd	0.10	46	R			From: SR 40				NA		NA		NA	04/02/2007
						To: Dead End									
(764)	1.65	40	R			From: Dead End				NA		NA		NA	04/02/2007
						To: 55-683									
(765) Coper Lane	0.20	80	R			From: Dead End				NA		NA		NA	04/23/2007
						To: 55-602									
(766)	0.60	60	R			From: Dead End				NA		NA		NA	05/04/2004
						To: 55-626 Kings Rd									
(767) Martin Rd	0.80	90	R			From: Dead End				NA		NA		NA	06/04/2007
						To: 55-622									
(768) Jackson Rd	0.50	80	R			From: Dead End				NA		NA		NA	05/29/2007
						To: 55-683									
(769) Powell Lane	0.35	90	R			From: 55-629 Tidewater Rd				NA		NA		NA	06/04/2007
						To: Dead End									

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Lunenburg Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Lunenburg County																
(770)	0.19	180	R			From:	Dead End							NA	05/05/2004	
						To:	55-659 Old Mansion Rd									
(771) Arrowhead Rd	0.81	50	R			From:	Dead End							NA	06/14/2007	
						To:	SR 49 Courthouse Rd									
(772) Epps Lane	0.30	30	R			From:	Dead End							NA	04/16/2007	
						To:	55-710 Dogwood Lane									
(775) Pamplin Rd	0.31	30	R			From:	55-622							NA	06/14/2007	
						To:	Dead End									
Town of Victoria																
(1001) 6th St	0.05	820	R			From:	55-1055 Firehouse Rd							NA	04/16/2007	
						To:	SR 40									
(1001) 6th St	0.08	730	G	96%	2%	2%	0%	0%	0%	F	0.103	F	0.539	790	G	2008
						From:	55-662 Washington Ave									
(1001) 6th St	0.27	400	G	96%	2%	2%	0%	0%	0%	C	0.117	F	0.560	430	G	2008
						From:	55-1010 Marshall St									
(1001) 6th St	0.79	280	G	96%	2%	2%	0%	0%	0%	F	0.125	F	0.537	300	G	2008
						To:	55-653 Poorhouse Rd									
(1002) 8th St	0.07	980	F	95%	1%	1%	1%	1%	0%	C	0.135	F	0.587	1000	F	2008
						From:	SR 40; SR 49									
(1002) 8th St	0.07	840	G	95%	1%	1%	1%	1%	0%	F	0.133	F	0.566	900	G	2008
						To:	55-662 Washington Ave									
(1002) 8th St	0.08	660	G	95%	1%	1%	1%	1%	0%	F	0.109	F	0.52	720	G	2008
						From:	55-1020 Lee Ave									
(1002) 8th St	0.61	240	G	95%	1%	1%	1%	1%	0%	F	0.101	F	0.536	250	G	2008
						To:	55-1019 Jefferson Ave									
(1003) 11th St	0.21	140	R			From:	55-1021 Main St							NA	05/22/2007	
						To:	55-1019 Jefferson Ave									
(1003) 11th St	0.17	330	R			From:	NA							NA	05/22/2007	
						To:	55-653									
(1004) 10th St	0.07	60	R			From:	55-1021 Main St							NA	05/22/2007	
						To:	55-662									
(1004) 10th St	0.15	200	R			From:	NA							NA	05/22/2007	
						To:	55-1019 Jefferson Ave									
(1004) 10th St	0.22	130	R			From:	NA							NA	05/22/2007	
						To:	Dead End									
(1005) 9th St	0.12	20	R			From:	55-1035 Garrison Ave							NA	05/16/2007	
						To:	55-1041 Gap									
(1005) 9th St	0.20	150	R			From:	SR 49 Gap							NA	05/16/2007	
						To:	NA									
(1005) 9th St	0.18	70	R			From:	55-1019 Jefferson Ave							NA	05/16/2007	
						To:	55-1006 Stuart Ave									
(1005) 9th St	0.06	40	R			From:	NA							NA	05/16/2007	
						To:	Dead End									

Virginia Department of Transportation
Traffic Engineering Division

2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Lunenburg Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Town of Victoria															
(1006) Stuart Ave	0.20	80	R			From: 55-1001 6th St				NA		NA		NA	05/16/2007
(1006) Stuart Ave	0.15	90	R			To: 55-1005 9th St				NA		NA		NA	05/16/2007
						To: 55-1003 11th St									
(1007) Wilson Ave	0.30	70	R			From: 55-1001 6th St				NA		NA		NA	05/16/2007
						To: 55-653									
(1008) Old Court St	0.03	150	R			From: SR 40 WEST				NA		NA		NA	05/16/2007
(1008) Old Court St	0.40	46	R			To: 55-667				NA		NA		NA	05/16/2007
						From: 55-1023 Grove Ave									
(1008) Old Court St	0.03	230	R			To: 55-1022 Elmore St				NA		NA		NA	05/16/2007
(1008) Old Court St	0.07	70	R			From: 55-1022 Elmore St				NA		NA		NA	05/16/2007
						To: SR 40 EAST									
Lunenburg County															
(1009) Twin Cemetery Rd	0.61	140	R			From: 55-734 Mecklenburg St				NA		NA		NA	05/16/2007
						To: Dead End; Gap									
Town of Victoria															
(1009) Twin Cemetery Rd	0.16	350	R			From: Dead End; Gap				NA		NA		NA	05/16/2007
						To: SR 40									
(1010) Marshall St	0.06	60	R			From: 55-1011, 1st St				NA		NA		NA	04/16/2007
						To: 55-1012; Gap									
(1010) Marshall St	0.07	60	R			From: 55-1014; Gap				NA		NA		NA	04/16/2007
						To: 55-1001, 6th St									
(1010) Marshall St	0.20	80	R			From: 55-1001, 6th St				NA		NA		NA	04/16/2007
						To: 55-1005, 9th St									
(1010) Marshall St	0.07	70	R			From: 55-1005, 9th St				NA		NA		NA	04/16/2007
						To: 55-1004, 10th St									
(1010) Marshall St	0.08	60	R			From: 55-1004, 10th St				NA		NA		NA	04/16/2007
						To: 55-1003, 11th St									
(1010) Marshall St	0.10	40	R			From: 55-1003, 11th St				NA		NA		NA	04/16/2007
						To: Dead End									
(1011) 1st St	0.08	250	R			From: SR 40				NA		NA		NA	04/16/2007
						To: 55-662									
(1011) 1st St	0.16	160	R			From: 55-662				NA		NA		NA	04/16/2007
						To: 55-1019 Jefferson Ave									
(1011) 1st St	0.08	80	R			From: 55-1019 Jefferson Ave				NA		NA		NA	04/16/2007
						To: 55-1010 Marshall St									
(1011) 1st St	0.50	20	R			From: 55-1010 Marshall St				NA		NA		NA	04/16/2007
						To: Dead End									
(1012) 2nd St	0.32	190	R			From: SR 40				NA		NA		NA	04/16/2007
						To: 55-1010 Marshall St									
(1013) 4th St	0.18	200	R			From: SR 40				NA		NA		NA	04/16/2007
						To: 55-1020 Lee Ave									

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Lunenburg Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Town of Victoria															
(1013) 4th St	0.08	46	R			From:	55-1020 Lee Ave						NA	NA	04/16/2007
			To:			55-1019 Jefferson Ave									
(1014) 5th St	0.26	100	R			From:	Dead End						NA	NA	04/16/2007
			To:			55-1019 Jefferson Ave									
(1014)	0.07	260	R			From:							NA	NA	04/16/2007
			To:			55-1010 Marshall St									
(1015) 7th St	0.02	200	R			From:	Dead End						NA	NA	05/16/2007
			To:			SR 40									
(1015) 7th St	0.07	360	R			From:							NA	NA	05/16/2007
			To:			55-662									
(1015) 7th St	0.08	330	R			From:							NA	NA	05/16/2007
			To:			55-1020 Lee Ave									
(1016) 12th St	0.14	110	R			From:							NA	NA	05/22/2007
			To:			55-1021 Main St									
(1016) 12th St	0.08	130	R			From:	55-1020 Lee Ave						NA	NA	05/22/2007
			To:			55-1019 Jefferson Ave									
(1017) 13th St	0.20	250	R			From:							NA	NA	05/22/2007
			To:			55-662									
(1017) 13th St						From:									
(1018) 14th St	0.23	180	R			From:							NA	NA	05/22/2007
			To:			55-1019 Jefferson Ave									
(1019) Jefferson Ave	0.07	20	R			From:							NA	NA	05/22/2007
			To:			55-1011, 1st St									
(1019) Jefferson Ave	0.07	30	R			From:							NA	NA	05/22/2007
			To:			55-1013; Gap									
(1019) Jefferson Ave	0.06	70	R			From:							NA	NA	05/22/2007
			To:			55-1014, 5th St									
(1019) Jefferson Ave	0.08	90	R			From:							NA	NA	05/22/2007
			To:			55-1001; Gap									
(1019) Jefferson Ave	0.16	130	R			From:							NA	NA	05/22/2007
			To:			55-1002; Gap									
(1019) Jefferson Ave	0.22	190	R			From:							NA	NA	05/22/2007
			To:			55-1005, 9th St									
(1019) Jefferson Ave	0.16	70	R			From:							NA	NA	05/22/2007
			To:			55-1003; Gap									
(1019) Jefferson Ave	0.18	70	R			From:							NA	NA	05/22/2007
			To:			SR 49; Gap									
(1019) Jefferson Ave	0.16	70	R			From:							NA	NA	05/22/2007
			To:			55-1046 Sandy Lane									
(1020) Lee Ave	0.03	20	R			From:							NA	NA	05/22/2007
			To:			Dead End									
(1020) Lee Ave	0.18	70	R			From:							NA	NA	05/22/2007
			To:			55-1011, 1st St									
(1020) Lee Ave	0.20	120	R			From:							NA	NA	05/22/2007
			To:			55-1013, 4th St									
(1020) Lee Ave	0.40	140	R			From:							NA	NA	05/22/2007
			To:			55-1015; Gap									
(1020) Lee Ave	0.07	49	R			From:							NA	NA	05/22/2007
			To:			55-1002; Gap									
(1020) Lee Ave						From:									
(1020) Lee Ave						To:	55-1018, 14th St								
						From:									
(1020) Lee Ave						To:	Dead End								

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Lunenburg Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Town of Victoria																
(1021) Main St	0.21	230	G	95%	2%	1%	1%	0%	0%	C	0.119	F	0.69	250	G	2008
						From:	SR 49									
(1021) Main St	0.07	170	R			To:	55-1016, 12th St							NA		05/22/2007
						From:										
(1021) Main St	0.13	110	R			To:	Thirteenth St							NA		05/22/2007
						From:										
(1022) Elmore St	0.04	160	R			To:	SR 40							NA		05/16/2007
						From:										
(1023) Grove Ave	0.15	47	R			To:	55-1008 Old Court St							NA		05/16/2007
						From:										
(1024) Tidewater Ave	0.20	270	R			To:	55-1047, W Twelfth St							NA		05/16/2007
						From:										
(1024) Tidewater Ave	0.20	300	G	85%	2%	2%	1%	9%	0%	F	0.127	F	0.528	330	G	2008
						To:	55-1036, W Ninth St									
(1024) Tidewater Ave	0.38	1200	G	85%	2%	2%	1%	9%	0%	C	0.113	F	0.562	1300	G	2008
						To:	55-661, W Sixth St									
(1025) Lunenburg Ave	0.04	40	R			To:	SR 40; SR 49									
						From:										
(1025) Lunenburg Ave	0.19	48	R			To:	Dead End									
						From:										
(1025) Lunenburg Ave	0.07	60	R			To:										
						From:	55-1040; Gap									
(1025) Lunenburg Ave	0.07	90	R			To:	55-661; Gap									
						From:										
(1025) Lunenburg Ave	0.32	120	R			To:	55-1029, W Fifth St									
						From:										
(1026) Virginia Ave	0.06	50	R			To:	SR 40; SR 49									
						From:										
(1026) Virginia Ave	0.06	80	R			To:	55-1047, W Twelfth St									
						From:										
(1026) Virginia Ave	0.13	80	R			To:	55-1042, W Eleventh St									
						From:										
(1026) Virginia Ave	0.20	90	R			To:	55-1037; Gap									
						From:										
(1026) Virginia Ave	0.13	80	R			To:	55-1029; Gap									
						From:										
(1026) Virginia Ave	0.20	90	R			To:	55-1031, W Third St									
						From:										
(1027) Park Ave	0.33	110	R			To:	SR 40; SR 49									
						From:										
(1027) Park Ave	0.27	130	R			To:	9th St; Gap									
						From:										
(1027) Park Ave	0.12	180	R			To:	55-661; Gap									
						From:										
(1027) Park Ave	0.12	180	R			To:	55-1032, W Second St									
						From:										
(1028) Norfolk Ave	0.32	270	R			To:	SR 40; SR 49									
						From:										
(1028) Norfolk Ave	0.05	330	R			To:	55-661, W Sixth St									
						From:										
(1028) Norfolk Ave	0.05	330	R			To:	55-1033, W First St									
						From:										
(1028) Norfolk Ave						To:	SR 40; SR 49									

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Lunenburg Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Town of Victoria															
(1029) W Fifth St	0.19	30	R			From:	55-1027 Park Ave				NA		NA		05/02/2007
(1029) W Fifth St	0.05	70	R			To:	55-734				NA		NA		05/02/2007
						From:	55-1024 Tidewater Ave								
(1030) W Fourth St	0.13	30	R			From:	55-1027 Park Ave				NA		NA		05/16/2007
(1030) W Fourth St	0.07	60	R			To:	55-1025 Lunenburg Ave				NA		NA		05/16/2007
						From:	55-734								
(1031) W Third St	0.19	40	R			From:	55-1028 Norfolk Ave				NA		NA		05/02/2007
(1031) W Third St	0.12	70	R			To:	55-1025 Lunenburg Ave				NA		NA		05/02/2007
						From:	55-1024 Tidewater Ave								
(1032) W Second St	0.07	30	R			From:	55-1028 Norfolk Ave				NA		NA		05/16/2007
(1032) W Second St	0.12	40	R			To:	55-1027 Park Ave				NA		NA		05/16/2007
						From:	55-734								
(1032) W Second St	0.12	60	R			To:	55-1025 Lunenburg Ave				NA		NA		05/16/2007
						From:	55-1024 Tidewater Ave								
(1033) W First St	0.35	160	R			From:	55-1044 Roanoke Ave				NA		NA		05/02/2007
(1033) W First St	0.07	49	R			To:	55-734				NA		NA		05/02/2007
						From:	55-1024 Tidewater Ave								
(1034) Washington Ave Ext	0.10	20	R			From:	Dead End				NA		NA		05/22/2007
(1034) Washington Ave Ext	0.10	49	R			To:	0.10 ME Dead End				NA		NA		05/22/2007
						From:	55-662								
(1035) Garrison Ave	0.09	80	R			From:	Dead End				NA		NA		05/16/2007
						To:	55-1008 Old Court St								
(1036) W Ninth St	0.04	8	R			From:	Dead End				NA		NA		05/16/2007
(1036) W Ninth St	0.12	90	R			To:	55-1025 Lunenburg Ave				NA		NA		05/16/2007
						From:	55-1024 Tidewater Ave								
(1037) W Tenth St	0.06	90	R			From:	55-1026 Virginia Ave				NA		NA		05/16/2007
(1037) W Tenth St	0.11	120	R			To:	55-1025 Lunenburg Ave				NA		NA		05/16/2007
						From:	55-1024 Tidewater Ave								
(1037) W Tenth St	0.05	40	R			To:	Dead End				NA		NA		05/16/2007
						From:	SR 40								
(1038) 3rd St	0.08	90	R			To:	55-662				NA		NA		04/16/2007
(1038) 3rd St	0.09	60	R			From:	55-1020 Lee Ave				NA		NA		04/16/2007
						To:									

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Lunenburg Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Town of Victoria															
(1039) W Seventh St	0.05	80	R			From: 55-734					NA		NA		05/16/2007
(1039) W Seventh St	0.07	40	R			To: 55-1024 Tidewater Ave					NA		NA		05/16/2007
						From: Dead End									
(1040) W Eighth St	0.19	70	R			From: 55-1025 Lunenburg Ave					NA		NA		05/16/2007
						To: Dead End									
(1041) Lincoln Ave	0.07	80	R			From: 55-1008 Old Court St					NA		NA		05/16/2007
(1041) Lincoln St	0.16	40	R			To: 55-1005, 9th St					NA		NA		05/16/2007
						From: Dead End									
(1042) W Eleventh St	0.20	160	R			From: 55-1027 Park Ave					NA		NA		05/16/2007
(1042) W Eleventh St	0.05	100	R			To: 55-734					NA		NA		05/16/2007
						From: 55-1024 Tidewater Ave									
(1043) Filter Plant Rd	0.14	30	R			From: SR 49					NA		NA		05/22/2007
						To: Dead End									
(1044) West Ave	0.11	50	R			From: Dead End					NA		NA		05/02/2007
(1044) Roanoke Ave	0.05	110	R			To: SR 40; SR 49					NA		NA		05/02/2007
						From: 55-1033, W First St									
(1045) Kelly Dr	0.06	40	R			From: 55-1019 Jefferson Ave					NA		NA		05/22/2007
						To: 55-1046 Sandy Lane									
(1046) Sandy Lane	0.25	80	R			From: 55-1019 Jefferson Ave					NA		NA		05/22/2007
						To: 55-1045 Kelly Dr									
(1047) W Twelfth St	0.17	80	R			From: 55-1026 Virginia Ave					NA		NA		05/16/2007
						To: 55-1024 Tidewater Ave									
(1048) Rod Ave	0.05	50	R			From: Dead End					NA		NA		05/22/2007
						To: SR 40									
(1049) 7th St	0.04	20	R			From: 55-1007 Wilson Ave					NA		NA		05/16/2007
						To: Dead End									
Lunenburg County															
(1050) Jefferson Ave	0.14	40	R			From: Dead End					NA		NA		05/22/2007
						To: 55-726									
Town of Victoria															
(1055) Firehouse Rd	0.33	310	R			From: 55-661, W Sixth St					NA		NA		04/16/2007
						To: 55-1001, 6th St									
Town of Kenbridge															
(1101) E Sixth Ave	0.41	160	R			From: 55-1123 Hawthorne St					NA		NA		04/10/2007
						To: 55-1111 Barnes St									
(1101) E Sixth Ave	0.37	500	G			From: 55-1110 Grace St				0.118	F	0.669	540	G	2008
						To: 55-1110 Grace St									

Virginia Department of Transportation
Traffic Engineering Division

2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Lunenburg Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Town of Kenbridge																
(1101) E Sixth Ave	0.32	650	G	97%	1%	1%	0%	0%	0%	C	0.120	F	0.691	700	G	2008
(1101) Sixth Ave	0.06	880	G	97%	1%	1%	0%	0%	0%	F	0.110	F	0.538	960	G	2008
(1101) Sixth Ave	0.31	760	G							0.124	F	0.651	820	G	2008	
(1101) Sixth Ave																
(1102) W Second Ave	0.14	90	R							NA			NA		04/10/2007	
(1103) S Pine St	0.15	70	R							NA			NA		04/10/2007	
(1104) Park Ave	0.11	70	R							NA			NA		04/16/2007	
(1104) Chappell St	0.06	47	R							NA			NA		04/16/2007	
(1105) Mecklenburg Ave	0.13	80	R							NA			NA		05/22/2007	
(1105) Mecklenburg Ave	0.10	70	R							NA			NA		05/22/2007	
(1106) Oak St	0.15	560	R							NA			NA		05/22/2007	
(1107) Elm St	0.14	320	R							NA			NA		05/22/2007	
(1108) E Fourth Ave	0.03	30	R							NA			NA		04/10/2007	
(1108) E Fourth Ave	0.32	210	R							NA			NA		04/10/2007	
(1108) W Fourth Ave	0.24	330	R							NA			NA		04/10/2007	
(1109) S Decatur St	0.16	340	R							NA			NA		04/10/2007	
(1109) N Decatur St	0.07	110	R							NA			NA		04/10/2007	
(1110) N Grace St	0.18	280	R							NA			NA		04/10/2007	
(1110) N Grace St	0.05	80	R							NA			NA		04/10/2007	
(1111) Barnes St	0.14	240	R							NA			NA		05/22/2007	
(1112) E Third Ave	0.07	60	R							NA			NA		04/10/2007	
(1112) E Third Ave	0.15	40	R							NA			NA		04/10/2007	

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Lunenburg Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Town of Kenbridge																
(1112) E Third Ave	0.06	130	R			From: 55-1121 Church St					NA		NA		04/10/2007	
						To: SR 40										
(1113) S Station St	0.10	140	R			From: SR 40					NA		NA		04/10/2007	
						To: 55-1101 Sixth Ave										
(1113) S Station St	0.09	50	R			From: 55-1101 Sixth Ave					NA		NA		04/10/2007	
						To: 55-1115 Fifth Ave										
(1114) Shade St	0.39	460	G	94%	3%	2%	0%	1%	0%	C	0.113	F	0.615	500	G	2008
						To: SR 40										
(1115) W Fifth Ave	0.06	550	R			From: SR 40					NA		NA		04/10/2007	
						To: 55-1116 Commerce St										
(1115) W Fifth Ave	0.13	110	R			From: 55-1116 Commerce St					NA		NA		04/10/2007	
						To: 55-1117 Market St										
(1116) S Commerce St	0.06	270	R			From: 55-1126 Seventh Avenue					NA		NA		04/10/2007	
						To: 55-1101 Sixth Ave										
(1116) Commerce St	0.08	590	G	95%	1%	4%	0%	0%	0%	C	0.132	F	0.557	630	G	2008
						To: 55-1115 Fifth Ave										
(1116) Commerce St	0.15	270	G	95%	1%	4%	0%	0%	0%	F	0.188	F	0.611	290	G	2008
						To: 55-1102 Second Ave										
(1117) N Market St	0.18	100	R			From: North Street					NA		NA		04/10/2007	
						To: 55-1132 Third Ave										
(1117) N Market St	0.05	120	R			From: 55-1132 Third Ave					NA		NA		04/10/2007	
						To: 55-1102 Second Ave										
(1117) N Market St	0.22	80	R			From: 55-1102 Second Ave					NA		NA		04/10/2007	
						To: 55-1136 Brydie St										
(1118) Virginia St	0.08	60	R			From: 55-637 Broad St					NA		NA		04/16/2007	
						To: 55-1124 Tidewater St										
(1118) Virginia St	0.08	80	R			From: 55-1124 Tidewater St					NA		NA		04/16/2007	
						To: 55-1119 Brook St										
(1119) Brook St	0.15	40	R			From: 55-1114 Shade St					NA		NA		04/16/2007	
						To: SR 40										
(1120) West St	0.28	110	R			From: 55-1114 Shade St					NA		NA		04/16/2007	
						To: Dead End										
(1121) Church St	0.07	220	R			From: SR 137; SR 138					NA		NA		04/10/2007	
						To: 55-1108 Fourth Ave										
(1121) Church St	0.05	70	R			From: 55-1108 Fourth Ave					NA		NA		04/10/2007	
						To: 55-1112 Third Ave										
Lunenburg County																
(1122) Oak Plank Rd	0.27	80	R			From: Dead End					NA		NA		04/16/2007	
						To: 55-1129 Forest Hill Dr										
Town of Kenbridge																
(1123) Hawthorne St	0.09	160	R			From: 55-1101 Sixth Ave					NA		NA		04/10/2007	
						To: SR 137; SR 138										

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Lunenburg Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Town of Kenbridge															
(1124) Tidewater St	0.14	220	R			From: 55-1114 Shade St					NA		NA		05/22/2007
						To: SR 40									
(1125) Wingold St	0.08	90	R			From: 55-1105 Mecklenburg Ave					NA		NA		05/22/2007
						To: 55-637 Broad St									
(1125) Lunenburg Ave	0.08	230	R			From: 55-637 Broad St					NA		NA		05/22/2007
						To: 55-1124 Tidewater St									
(1126) E Seventh Ave	0.15	520	R			From: 55-1109 Decatur					NA		NA		04/10/2007
						To: SR 40									
(1127) N Maple St	0.07	60	R			From: SR 137; SR 138					NA		NA		04/10/2007
						To: NCL Kenbridge									
(1128) Brunswick Ave	0.10	440	R			From: 55-1106 Oak St					NA		NA		05/22/2007
						To: Dead End									
Lunenburg County															
(1129) Forest Hill Dr	0.20	130	R			From: 55-637 Broad St; Craig Mill Rd					NA		NA		05/25/2007
						To: 55-1122 Oak Plank Rd									
Town of Kenbridge															
(1130) High St	0.06	230	R			From: 55-1126 Seventh Ave					NA		NA		05/22/2007
						To: 55-1101, E Sixth Ave									
(1131) Cralle Ave	0.09	290	R			From: 55-1142 Cralle St					NA		NA		04/10/2007
						To: 55-1138 Church St									
(1131) Cralle Ave	0.05	350	R			From: 55-1138 Church St					NA		NA		04/10/2007
						To: SR 40									
(1132) W Third Ave	0.12	100	R			From: 55-1116 Commerce St					NA		NA		05/22/2007
						To: 55-1117 Market St									
(1133) Pine Ridge Dr	0.07	40	R			From: 55-1133 Pine Ridge Dr					NA		NA		05/22/2007
						To: 55-1134 Hillcrest Lane									
(1133) Pine Ridge Dr	0.11	140	R			From: 55-1134 Hillcrest Lane					NA		NA		05/22/2007
						To: 55-637 Broad St									
(1134) Hillcrest Lane	0.14	90	R			From: Dead End					NA		NA		05/22/2007
						To: 55-1133 Pine Ridge Dr									
(1135) Center St	0.31	70	R			From: 55-653 Nottoway Falls Rd					NA		NA		04/10/2007
						To: Dead End									
(1136) Brydie St	0.09	100	R			From: 55-1117 Market St					NA		NA		04/10/2007
						To: 55-653 Nottoway Falls Rd									
(1137) Old Plank Rd	0.08	40	R			From: Dead End					NA		NA		05/22/2007
						To: 55-1133 Pine Ridge Dr									
(1138) Church St	0.06	70	R			From: Dead End					NA		NA		04/10/2007
						To: 55-1131 Cralle Ave; Third Ave									
(1139) N Circle Blvd	0.06	340	R			From: SR 40					NA		NA		04/10/2007
						To: 55-1135 Center St									

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Lunenburg Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Town of Kenbridge															
(1139) N Circle Blvd	0.19	290	R			From: 55-1135 Center St					NA		NA		04/10/2007
			To: 55-653												
(1140) Tilman St	0.04	70	R			From: Dead End					NA		NA		04/10/2007
			To: 55-1131 Third Ave												
(1141) Heathorne Ave	0.14	150	R			From: 55-1142 Cralle St					NA		NA		04/10/2007
			To: SR 40												
(1142) Cralle St	0.22	120	R			From: 55-1131 Third Ave					NA		NA		04/10/2007
			To: 55-1141 Heathorne Ave												
Lunenburg County															
(1201)	0.30	80	R			From: SR 137					NA		NA		06/04/2007
			To: Dead End												
(9446)	0.11	210	R			From: 55-622					NA		NA		06/04/2007
			To: West End Elem Sch												
(9924)	0.15	50	R			From: 55-707 School Dr					NA		NA		05/25/2004
			To: Lunenburg Jr High Sch												
(9925)	0.05	230	R			From: SR 40					NA		NA		05/25/2004
			To: Central High School												
(9925)	0.05	210	R			From: 55-663 Tomlinson Rd					NA		NA		05/25/2004
			To: 55-663 Tomlinson Rd												
Town of Kenbridge															
(9926)	0.10	100	R			From: 55-653 Nottoway Falls Rd					NA		NA		05/25/2004
			To: Kenbridge Primary Sch												