

2007

**Virginia Department of Transportation
Daily Traffic Volume Estimates
Including Vehicle Classification Estimates**

where available

**Jurisdiction Report
65**

Northampton County
Town of Cape Charles
Town of Cheriton
Town of Eastville
Town of Exmore
Town of Nassawadox

Prepared By
**Virginia Department of Transportation
Traffic Engineering Division**

In Cooperation With
**U.S. Department of Transportation
Federal Highway Administration**

Virginia Department of Transportation
Traffic Engineering Division
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is “R”, the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems

 Interstate Route Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.

 US Route

 Virginia State Route

 Frontage Road (F precedes frontage route number)

 Secondary Route

Special Routes

 Bus - Business Route
 Bypas - Bypass Route
 Truck - Truck Route
 ALT - Alternate Route
 Wye - Wye Route connector

 P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.

 The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
13 Chesapeake Bay Bridge Tunnel	Northampton County (Maint: TOL)	19.14	8900	F	93%	1%	1%	1%	5%	0%	F	0.076	F	0.52	8400	F
13 Lankford Hwy	Northampton County	4.78	9700	F	93%	1%	1%	1%	5%	0%	F	0.077	F	0.533	9100	F
13 Lankford Hwy	Northampton County	4.56	12000	F	93%	1%	1%	1%	5%	0%	F	0.078	F	0.521	12000	F
13 Lankford Hwy	Northampton County	1.28	13000	F	93%	1%	1%	1%	5%	0%	F	0.080	F	0.522	13000	F
13 Lankford Hwy	Town of Cheriton (Maint: 65)	0.07	13000	N	93%	1%	1%	1%	5%	0%	N	0.080	N	0.522	13000	N
13 Lankford Hwy	Northampton County	0.29	13000	N	93%	1%	1%	1%	5%	0%	N	0.080	N	0.522	13000	N
13 Lankford Hwy	Town of Cheriton (Maint: 65)	0.07	13000	N	93%	1%	1%	1%	5%	0%	N	0.080	N	0.522	13000	N
13 Lankford Hwy	Town of Cheriton (Maint: 65)	0.48	15000	F	93%	1%	1%	1%	5%	0%	F	0.081	F	0.517	14000	F
13 Lankford Hwy	Northampton County	2.73	15000	N	93%	1%	1%	1%	5%	0%	N	0.081	N	0.517	14000	N
13 Lankford Hwy	Northampton County	1.06	13000	F	93%	1%	1%	1%	5%	0%	F	0.08	F	0.502	12000	F
13 Lankford Hwy	Town of Eastville (Maint: 65)	0.24	13000	N	93%	1%	1%	1%	5%	0%	N	0.08	N	0.502	12000	N
13 Lankford Hwy	Northampton County	1.03	13000	N	93%	1%	1%	1%	5%	0%	N	0.08	N	0.502	12000	N
13 Lankford Hwy	Northampton County	2.45	15000	F	93%	1%	1%	1%	5%	0%	F	0.082	F	0.520	14000	F
13 Lankford Hwy	Northampton County	3.29	14000	F	93%	1%	1%	1%	5%	0%	F	0.082	F	0.503	14000	F
13 Lankford Hwy	Northampton County	2.41	15000	F	93%	1%	1%	1%	5%	0%	F	0.083	F	0.513	14000	F
13 Lankford Hwy	Town of Nassawadox (Maint: 65)	0.85	15000	N	93%	1%	1%	1%	5%	0%	N	0.083	N	0.513	14000	N
13 Lankford Hwy	Town of Nassawadox (Maint: 65)	0.13	17000	F	93%	1%	1%	1%	5%	0%	F	0.082	F	0.510	16000	F
13 Lankford Hwy	Northampton County	2.63	17000	N	93%	1%	1%	1%	5%	0%	N	0.082	N	0.510	16000	N

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
13 Lankford Hwy	Northampton County	1.25	18000	F	93%	1%	1%	1%	5%	0%	F	0.082	F	0.541	17000	F
13 Lankford Hwy	Town of Exmore (Maint: 65)	0.15	18000	N	93%	1%	1%	1%	5%	0%	N	0.082	N	0.541	17000	N
13 Lankford Hwy	Town of Exmore (Maint: 65)	0.52	18000	F	93%	1%	1%	1%	5%	0%	F	0.082	F	0.532	17000	F
13 Lankford Hwy	Town of Exmore (Maint: 65)	0.21	16000	F	93%	1%	1%	1%	5%	0%	F	0.078	F	0.525	15000	F
13 Lankford Hwy	Northampton County	0.14	16000	N	93%	1%	1%	1%	5%	0%	N	0.078	N	0.525	15000	N
13 Lankford Hwy	Accomack County (Maint: 65)	0.19	16000	F	93%	1%	1%	1%	5%	0%	F	0.091	F	0.562	15000	F
Bus 13 Main St	Northampton County	0.40	2500	F	96%	1%	1%	1%	1%	0%	C	0.096	F	0.542	2700	F
Bus 13 Main St	Town of Exmore (Maint: 65)	1.10	2500	N	96%	1%	1%	1%	1%	0%	N	0.096	N	0.542	2700	N
Bus 13 Lincoln Ave	Town of Exmore (Maint: 65)	0.47	2500	N	96%	1%	1%	1%	1%	0%	N	0.096	N	0.542	2700	N
Bus 13 Lincoln Ave	Northampton County	0.17	2500	N	96%	1%	1%	1%	1%	0%	N	0.096	N	0.542	2700	N
Bus 13 Courthouse Rd	Northampton County	1.17	1700	F	96%	1%	2%	1%	1%	0%	C	0.103	F	0.6	1900	F
Bus 13 Courthouse Rd	Town of Eastville (Maint: 65)	0.17	1700	N	96%	1%	2%	1%	1%	0%	N	0.103	N	0.6	1900	N
Bus 13 Courthouse Rd	Town of Eastville (Maint: 65)	0.19	1900	F	96%	1%	2%	1%	1%	0%	F	0.133	F	0.532	2000	F
Bus 13 Courthouse Rd	Northampton County	1.18	1900	N	96%	1%	2%	1%	1%	0%	N	0.133	N	0.532	2000	N
Bus 13 Bayside Dr	Northampton County	0.80	2300	F	97%	1%	1%	0%	1%	0%	C	0.098	F	0.502	2500	F
Bus 13 Bayside Dr	Town of Cheriton (Maint: 65)	0.79	2300	N	97%	1%	1%	0%	1%	0%	N	0.098	N	0.502	2500	N

Virginia Department of Transportation
Traffic Engineering Division
2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axe	3+Axe	1Trail	2Trail						
178 Belle Haven Rd	Town of Exmore (Maint: 65)	0.51	2400	F	98%	0%	1%	0%	0%	0%	F	0.105	F	0.563	2600	F
178 Belle Haven Rd	Town of Belle Haven (Maint: 65)	0.35	2400	N	98%	0%	1%	0%	0%	0%	N	0.105	N	0.563	2600	N
183 Occohannock Neck Rd	Northampton County	6.94	1600	F	96%	0%	2%	0%	1%	0%	C	0.105	F	0.52	1700	F
183 Occohannock Neck Rd	Town of Exmore (Maint: 65)	0.51	1300	F	96%	0%	2%	0%	1%	0%	F	0.148	F	0.582	1400	F
184 Bay Ave;Mason Ave	Town of Cape Charles (Maint: 65)	1.21	1900	F	97%	1%	1%	0%	0%	0%	F	0.113	F	0.516	2000	F
184 Stone Rd	Town of Cape Charles (Maint: 65)	0.21	1900	N	97%	1%	1%	0%	0%	0%	N	0.113	N	0.516	2000	N
184 Stone Rd	Town of Cape Charles (Maint: 65)	0.06	3800	F	97%	1%	1%	0%	0%	0%	C	0.092	F	0.555	4100	F
184 Stone Rd	Northampton County	1.72	3800	N	97%	1%	1%	0%	0%	0%	N	0.092	N	0.555	4100	N

Virginia Department of Transportation
Traffic Engineering Division

2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Northampton County																
(F681)	0.57	390	R			From: US 13 Lankford Hwy				NA		NA	NA	07/31/2007		
			To: US 13; 65-718													
(F682)	0.13	180	R			From: Dead End				NA		NA	NA	07/31/2007		
			To: Bus US 13													
(600) Seaside Rd	0.20	150	R			From: Dead End				NA		NA	NA	03/12/2004		
			To: US 13 Lankford Hwy; Chesapeake Bay Bridge Tunnel													
(600) Seaside Rd	1.55	130	R							NA		NA	NA	03/12/2004		
			To: 65-718 Latimer Siding Rd													
(600) Seaside Rd	1.35	210	R			From: 65-645 Cedar Grove Rd				NA		NA	NA	02/10/2004		
			To: 65-624 Dunton Cove Dr													
(600) Seaside Rd	2.05	380	F	95%	2%	1%	1%	1%	0%	F	0.129	F	0.539	410	F	2007
			To: 65-624 Plantation Dr													
(600) Seaside Rd	3.05	220	R			From: 65-642 Seaview Dr				NA		NA	NA	02/10/2004		
			To: 65-639 W, Sunnyside Rd													
(600) Seaside Rd	1.90	430	F	95%	2%	1%	1%	1%	0%	F	0.103	F	0.531	460	F	2007
			To: 65-639 E, Sunnyside Rd													
(600) Seaside Rd	1.50	430	F	95%	2%	1%	1%	1%	0%	F	0.116	F	0.613	470	F	2007
			To: 65-636 Mount Hebron Rd													
(600) Seaside Rd	3.10	390	R			From: 65-631 Crossroad Ave				NA		NA	NA	02/10/2004		
			To: 65-630													
(600) Seaside Rd	1.13	280	R			From: 65-628 James Allen Dr				NA		NA	NA	03/02/2004		
			To: 65-627 Box Tree Dr; Machipongo Dr													
(600) Seaside Rd	1.40	240	R			From: 65-622 Treherneville Dr				NA		NA	NA	03/02/2004		
			To: 65-620 SOUTH													
(600) Seaside Rd	1.76	430	R			From: 65-617				NA		NA	NA	03/02/2004		
			To: 65-609 Franktown Rd													
Town of Nassawadox																
(600) Seaside Rd	0.29	700	R			From: 65-609 Franktown Rd				NA		NA	NA	03/02/2004		
			To: 65-606													
(600) Seaside Dr	0.20	750	F	97%	1%	1%	0%	1%	0%	C	0.126	F	0.561	820	F	2007
			To: 65-608 Brownsville Rd													
Northampton County																
(600) Seaside Dr	3.25	650	F	97%	1%	1%	0%	1%	0%	F	0.127	F	0.55	700	F	2007
			To: 65-604 Oakland Dr													
(600) Seaside Dr	2.25	820	F	97%	1%	1%	0%	1%	0%	F	0.114	F	0.61	890	F	2007
			To: Accomack County Line													

Virginia Department of Transportation
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Northampton County																
(601) County Line Rd	0.56	880	R			From: Accomack County Line					NA		NA		03/03/2004	
			To: 65-600 Seaside Dr													
(602) Cemetery Rd	1.14	740	R			From: SR 183 Occohannock Neck Rd					NA		NA		03/08/2004	
			To: WCL Belle Haven													
Town of Belle Haven																
(602) Cemetery Rd	0.06	760	R			From: WCL Belle Haven					NA		NA		03/08/2004	
			To: 01-602 Lee St													
Northampton County																
(603)	0.10	20	R			From: Dead End					NA		NA		03/02/2004	
			To: 65-1203 Hog Island Lane													
(603)	0.70	470	R			From: 65-660 Ballard Dr					NA		NA		03/02/2004	
(603) Willis Wharf Rd	0.40	870	F	98%	1%	1%	0%	0%	0%	F	0.136	F	0.539	940	F	2007
			To: 65-1201 Major Ct													
(603)	0.85	1000	F	98%	1%	1%	0%	0%	0%	C	0.115	F	0.515	1100	F	2007
			To: ECL Exmore													
Town of Exmore																
(603) Willis Wharf Rd	0.36	2300	F	98%	1%	1%	0%	0%	0%	F	0.097	F	0.505	2500	F	2007
			To: Bus US 13													
Northampton County																
(604) Oakland Dr	0.12	1700	F	97%	1%	1%	0%	1%	0%	F	0.114	F	0.530	1800	F	2007
			To: US 13 Lankford Hwy													
(604) Oakland Dr	0.08	1200	F	97%	1%	1%	0%	1%	0%	F	0.101	F	0.579	1300	F	2007
			To: Bus US 13													
(604) Oakland Dr	0.60	1300	F	97%	1%	1%	0%	1%	0%	C	0.113	F	0.542	1400	F	2007
			To: 65-600 Seaside Rd													
(605)	1.30	240	R			From: 65-606					NA		NA		02/25/2004	
			To: 65-618 NORTH													
(605)	0.70	830	R			From: 65-618 SOUTH					NA		NA		02/25/2004	
			To: US 13 Lankford Hwy													
Town of Nassawadox																
(606)	0.20	960	F	97%	1%	1%	0%	0%	0%	F	0.097	F	0.597	1000	F	2007
			To: 65-600 Seaside Dr; Seaside Rd													
(606)	0.58	1400	F	97%	1%	1%	0%	0%	0%	C	0.09	F	0.731	1500	F	2007
			To: WCL Nassawadox													
Northampton County																
(606)	0.19	1300	F	97%	1%	1%	0%	0%	0%	F	0.096	F	0.521	1400	F	2007
			To: WCL Nassawadox													
(606)	0.60	650	R			From: 65-618					NA		NA		02/25/2004	
			To: 65-610 Short St													
(606)	1.30	590	R								NA		NA		02/25/2004	
			To: 65-605													
(606)	1.20	570	R			From: 65-605					NA		NA		02/25/2004	
			To: 65-607 NORTH													
(606)	1.20	570	R			From: 65-607 NORTH					NA		NA		02/25/2004	
			To: SR 183 W, Occohannock Neck Rd													

Virginia Department of Transportation
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Northampton County																
(606)	1.00	120	R			From:	SR 183 E, Occohannock Neck Rd							NA	02/25/2004	
						To:	Dead End									
(607)	1.60	50	R			From:	Dead End							NA	02/25/2004	
						To:	65-606 SOUTH									
(607)	2.20	160	R			From:	65-606 NORTH							NA	02/25/2004	
						To:	65-618									
(608) Brownsville Rd	1.20	90	R			From:	65-600 Seaside Dr							NA	03/02/2004	
						To:	Dead End									
(609) Franktown Rd	2.45	370	R			From:	Dead End							NA	02/24/2004	
						To:	65-618 WEST									
(609) Franktown Rd	0.65	680	R			From:	65-618 EAST							NA	02/24/2004	
						To:	WCL Nassawadox									
Town of Nassawadox																
(609) Franktown Rd	0.15	910	R			From:	WCL Nassawadox							NA	02/24/2004	
						To:	65-681 Hospital Ave									
(609) Franktown Rd	0.17	1400	F	97%	1%	1%	0%	1%	0%	F	0.108	F	0.566	1500	F	2007
						From:	65-619 Giddens Rd									
(609) Franktown Rd	0.16	1300	F	97%	1%	1%	0%	1%	0%	C	0.101	F	0.582	1400	F	2007
						To:	US 13 Lankford Hwy									
(609) Franktown Rd	0.17	200	R			From:	US 13 Lankford Hwy							NA	03/02/2004	
						To:	65-600 Seaside Rd									
Northampton County																
(610) Short St	0.50	310	R			From:	65-609 Franktown Rd							NA	02/24/2004	
						To:	65-606									
(611) Concord Wharf Rd	1.30	350	R			From:	SR 183 Occohannock Neck Rd							NA	02/25/2004	
						To:	Dead End									
(612) Old Neck Rd	2.00	170	R			From:	Dead End							NA	02/25/2004	
						To:	65-611 Concord Wharf Rd									
(613)	0.01	40	R			From:	Dead End							NA	02/25/2004	
						To:	65-651 Chesapeake Ave									
(613)	0.05	47	R			From:	65-651 Chesapeake Ave							NA	02/25/2004	
						To:	65-677 W, Prettyman Circle									
(613)	0.53	250	R			From:	65-677 W, Prettyman Circle							NA	02/25/2004	
						To:	65-677 E, 65-711									
(613)	1.91	440	F	97%	1%	1%	0%	1%	0%	C	0.095	F	0.5	470	F	2007
						From:	65-677 E, 65-711									
						To:	SR 183 Occohannock Neck Rd									
(614) James Wharf Rd	0.45	40	R			From:	Dead End							NA	02/25/2004	
						To:	65-702 Kelly Cove Rd									
(614) James Wharf Rd	0.80	100	R			From:	65-702 Kelly Cove Rd							NA	02/25/2004	
						To:	SR 183 Occohannock Neck Rd									
(615) Saltworks Rd	2.50	190	R			From:	Dead End							NA	02/25/2004	
						To:	SR 183 Occohannock Neck Rd									

Virginia Department of Transportation
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Northampton County																
(616) Cedar Cottage Rd	0.50	60	R			From:	65-618						NA	NA	02/23/2004	
						To:	Dead End									
(617)	1.98	280	R			From:	Dead End						NA	NA	02/23/2004	
						To:	65-679 Denwood Rd									
(617)	0.72	310	R			From:	65-618						NA	NA	02/23/2004	
						To:	US 13 Lankford Hwy									
(617)	1.63	430	F	95%	2%	2%	1%	1%	0%	C	0.099	F	0.546	470	F	2007
						To:	US 13 Lankford Hwy									
(617)	0.89	200	R			From:	65-600 Seaside Rd						NA	NA	03/02/2004	
						To:	Dead End									
(618)	0.99	100	R			From:	US 13 Lankford Hwy						NA	NA	03/02/2004	
						To:	65-600 Seaside Rd									
(618)	0.41	570	R			From:	65-627						NA	NA	02/23/2004	
						To:	US 13 Lankford Hwy									
(618)	1.56	480	R			From:	65-622 SOUTH						NA	NA	02/23/2004	
						To:	65-620									
(618)	1.46	260	R			From:	65-620						NA	NA	02/23/2004	
						To:	65-619 S. Bayside Rd									
(618)	0.94	250	R			From:	65-619 S. Bayside Rd						NA	NA	02/23/2004	
						To:	US 13 Lankford Hwy									
(618)	6.54	960	F	97%	1%	1%	0%	1%	0%	C	0.111	F	0.54	1000	F	2007
						To:	65-604 Oakland Dr									
(618)	0.16	30	R			From:	65-604 Oakland Dr						NA	NA	02/23/2004	
						To:	Dead End									
(619) Church Neck Rd	3.33	350	R			From:	65-1515 Peacock Lane						NA	NA	02/23/2004	
						To:	65-622 WEST									
(619) Church Neck Rd	0.85	500	R			From:	65-622 WEST						NA	NA	02/23/2004	
						To:	65-622 EAST									
(619) Bayside Rd	1.22	620	F	96%	1%	3%	1%	0%	0%	C	0.106	F	0.563	670	F	2007
						To:	65-695 Cedar Grove Farm Rd									
(619) Bayside Rd	0.20	690	F	96%	1%	3%	1%	0%	0%	F	0.117	F	0.519	750	F	2007
						To:	65-618 SOUTH									
(619) Cabarrus Dr	1.30	220	R			From:	65-618 SOUTH						NA	NA	02/23/2004	
						To:	65-618 NORTH									
(619) Giddens Rd	0.96	900	R			From:	65-617 WEST						NA	NA	02/23/2004	
						To:	65-617 EAST									
(619) Giddens Rd	0.96	900	R			From:	SCL Nassawadox						NA	NA	02/23/2004	
						To:	SCL Nassawadox									
Town of Nassawadox																
(619) Giddens Rd	0.04	890	R			From:	SCL Nassawadox						NA	NA	04/25/2001	
						To:	65-609 Franktown Rd									
Northampton County																
(620)	0.80	660	R			From:	65-618						NA	NA	03/08/2004	
						To:	US 13 Lankford Hwy									
(620)	0.80	300	R			From:	US 13 Lankford Hwy						NA	NA	03/02/2004	
						To:	65-600 S. Seaside Rd									
(620)	1.00	90	R			From:	65-600 N. Seaside Rd						NA	NA	03/02/2004	
						To:	Dead End									

Virginia Department of Transportation
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Northampton County																
(621) Goshen Rd	1.04	40	R											NA	03/02/2004	
			From:	65-600 Seaside Rd												
			To:	Dead End												
(622)	1.23	70	R											NA	02/23/2004	
			From:	Dead End												
			To:	65-619 W, Church Neck Rd												
(622)	1.58	400	R											NA	02/23/2004	
			From:	65-619 E, Bayside Rd; Church Neck Rd												
			To:	65-618 SOUTH												
			From:	65-618 NORTH												
(622) Treherneville Dr	1.01	140	R											NA	02/23/2004	
			To:	US 13 Lankford Hwy												
(622) Treherneville Dr	1.10	280	R											NA	03/02/2004	
			From:	US 13 Lankford Hwy												
			To:	65-600 Seaside Rd												
(623) Harmontown Rd	1.10	70	R											NA	02/05/2004	
			From:	Dead End												
			To:	65-622												
(624) Capeville Dr	0.60	140	F	97%	1%	1%	0%	1%	0%	F	0.121	F	0.55	150	F	2007
			To:	65-645 Arlington Rd												
(624) Capeville Dr	0.66	410	F	97%	1%	1%	0%	1%	0%	C	0.099	F	0.533	450	F	2007
			From:	65-650 Cheapside Rd												
(624) Capeville Dr	0.04	650	N	97%	1%	1%	0%	0%	0%	N	0.100	N	0.571	710	N	2007
			To:	US 13 Lankford Hwy												
			From:	65-683 Siding Rd												
(624) Dunton Cove Dr	0.80	120	R											NA	02/10/2004	
			To:	65-600 Seaside Rd												
			From:	Dead End												
(625) Sylvan Scene Dr	1.00	50	R											NA	02/05/2004	
			To:	65-618												
(625) Sylvan Scene Dr	1.00	400	R											NA	03/02/2004	
			From:	US 13 Lankford Hwy												
			To:	65-600 Seaside Rd												
(626)	0.05	610	R											NA	03/02/2004	
			To:	65-627 Machipongo Dr												
			From:	US 13 Lankford Hwy												
(627)	0.26	930	R											NA	02/05/2004	
			To:	65-618												
			From:	US 13 S, Lankford Hwy												
(627) Machipongo Dr	0.07	250	R											NA	03/02/2004	
			To:	US 13 N, Lankford Hwy												
(627) Machipongo Dr	1.18	300	R											NA	03/02/2004	
			To:	65-626												
(627) Box Tree Dr	0.80	30	R											NA	03/02/2004	
			To:	Dead End												
			From:	Dead End												
(628)	1.50	300	R											NA	02/05/2004	
			To:	Dead End												
(628)	1.70	510	R											NA	02/05/2004	
			To:	65-664 Jacobus Creek Rd												
			From:	US 13 N, Lankford Hwy												
(628) James Allen Dr	1.10	240	R											NA	03/02/2004	
			To:	US 13 S, Lankford Hwy												
			From:	65-600 Seaside Rd												
(629)	1.00	130	R											NA	03/02/2004	
			To:	65-600 Seaside Rd												
			From:	Dead End												

Virginia Department of Transportation
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Northampton County																
(630)	2.80	290	R			From: Dead End								NA		02/05/2004
(630)	1.23	440	R			From: US 13; Gap								NA		03/02/2004
						To: US 13; Gap										
							65-600 Seaside Rd									
Town of Eastville																
(631) Crossroad Ave	0.43	1500	F	97%	2%	1%	0%	0%	0%	C	0.102	F	0.554	1600	F	2007
(631) Crossroad Ave	0.42	980	F	97%	2%	1%	0%	0%	0%	F	0.091	F	0.632	1100	F	2007
						From: US 13 Lankford Hwy										
						To: ECL Eastville										
Northampton County																
(631) Crossroad Ave	0.45	740	F	97%	2%	1%	0%	0%	0%	F	0.099	F	0.623	800	F	2007
(631) Crossroad Ave	1.00	130	R			From: 65-600 Seaside Rd								NA		02/10/2004
(631) Indian Walk Lane	0.70	20	R			From: Dead End								NA		02/10/2004
(633) Captain Howe Lane	0.30	370	R			From: Dead End								NA		02/05/2004
(633) Simpkins Dr	1.40	120	R			From: US 13 N, Lankford Hwy								NA		02/10/2004
(634) Savage Neck Dr	3.15	160	R			From: US 13 S, Lankford Hwy								NA		02/05/2004
(634) Savage Neck Dr	1.20	670	F	95%	1%	2%	0%	1%	0%	F	0.093	F	0.596	720	F	2007
(634) Savage Neck Dr	1.20	770	F	95%	1%	2%	0%	1%	0%	C	0.103	F	0.552	830	F	2007
(635) Batchelers Branch Rd	0.35	140	R			From: 65-666 Smiths Beach Rd								NA		02/25/2004
(636) Mount Hebron Rd	1.60	470	F	96%	2%	1%	1%	1%	0%	C	0.11	F	0.544	510	F	2007
(637) Pat Town Rd	1.50	370	R			From: 65-665 Elkington Rd, Old Castle Rd								NA		02/10/2004
						To: Bus US 13										
							65-611 Concord Wharf Rd									
Town of Cheriton																
(638) Mill St	0.46	410	R			From: 65-639 Sunnyside Rd								NA		03/12/2004
						To: NCL Cheriton										
Northampton County																
(638) Mill St	0.20	150	R			From: NCL Cheriton								NA		04/18/2001
						To: Dead End										
Town of Cheriton																
(639) Sunnyside Rd	0.42	1900	F	97%	1%	1%	1%	1%	0%	C	0.101	F	0.558	2000	F	2007
(639) Sunnyside Rd	0.26	1500	F	97%	1%	1%	1%	1%	0%	F	0.095	F	0.573	1600	F	2007
						From: Bus US 13										
						To: 65-638 Mill St										
							ECL Cheriton									

Virginia Department of Transportation
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Northampton County																
(639) Sunnyside Rd	2.03	810	F	97%	1%	1%	1%	1%	0%	F	0.104	F	0.566	880	F	2007
(639) Sunnyside Rd	0.13	170	R									NA		NA		02/10/2004
(640)	0.40	60	R									NA		NA		02/23/2004
(640)	0.92	140	R									NA		NA		02/23/2004
(641)	0.18	1100	R									NA		NA		02/05/2004
(641)	0.52	350	R									NA		NA		02/05/2004
(641)	0.56	660	R									NA		NA		02/10/2004
(641)	0.16	1400	F	97%	1%	1%	0%	0%	0%	C	0.092	F	0.657	1500	F	2007
(641)	0.77	570	R									NA		NA		02/10/2004
(641)	0.40	70	R									NA		NA		02/10/2004
(642) Seaview Dr	1.28	670	F	95%	0%	1%	3%	1%	0%	F	0.105	F	0.552	730	F	2007
(642) Parsons Circle	0.30	1300	F	95%	0%	1%	3%	1%	0%	F	0.1	F	0.509	1400	F	2007
(642) Parsons Circle	0.59	680	F	95%	0%	1%	3%	1%	0%	F	0.109	F	0.601	730	F	2007
(642) Old Cape Charles Rd	1.70	1300	F	95%	0%	1%	3%	1%	0%	C	0.128	F	0.91	1400	F	2007
(642)	0.17	1100	F	95%	0%	1%	3%	1%	0%	F	0.115	F	0.676	1200	F	2007
Town of Cape Charles																
(642) Old Cape Charles Rd	0.08	990	G	95%	0%	1%	3%	1%	0%	F	0.115	N	0.676	980	G	2007
(642) Nectarine St	0.06	160	R									NA		NA		02/05/2004
(642) Nectarine St	0.06	170	R									NA		NA		02/05/2004
(642) Nectarine St	0.08	130	R									NA		NA		02/05/2004
(642) Nectarine St	0.07	100	R									NA		NA		02/05/2004
(642) Nectarine St	0.05	100	R									NA		NA		02/05/2004
(642) Nectarine St	0.07	60	R									NA		NA		02/05/2004

Virginia Department of Transportation
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Northampton County																
(643) Plantation Dr	1.40	180	R			From:	US 13 Lankford Hwy				NA		NA		02/10/2004	
						To:	65-600 Seaside Rd									
(644)	1.88	130	R			From:	Cul-de-Sac				NA		NA		03/12/2004	
						To:	65-645 Arlington Rd									
(644)	0.80	520	R			From:	65-645 Arlington Rd				NA		NA		03/12/2004	
						To:	US 13 Lankford Hwy									
(645) Cedar Grove Rd	0.23	310	F	98%	1%	1%	0%	1%	0%	C	0.101	F	0.571	330	F	2007
						From:	65-600 Seaside Rd									
(645) Arlington Rd	0.24	250	F	98%	1%	1%	0%	1%	0%	F	0.111	F	0.509	270	F	2007
						To:	US 13 Lankford Hwy									
(645) Arlington Rd	3.01	430	F	98%	1%	1%	0%	1%	0%	F	0.099	F	0.613	470	F	2007
						From:	65-704 Kiptopeke Dr									
(645) Arlington Rd	0.24	390	R			From:	65-624 Capeville Dr				NA		NA		03/10/2004	
						To:	65-644									
(646) Picketts Harbor Rd	0.90	90	R			From:	Dead End				NA		NA		03/10/2004	
						To:	65-645 N, Arlington Rd									
(646) Townsend Dr	0.74	380	F	95%	2%	2%	1%	0%	0%	F	0.102	F	0.56	410	F	2007
						From:	65-645 S, Arlington Rd									
(646) Townsend Dr	0.56	420	F	95%	2%	2%	1%	0%	0%	C	0.117	F	0.709	460	F	2007
						To:	US 13 Lankford Hwy									
(646) Martins Landing Rd	0.60	170	R			From:	65-600 N, Seaside Rd				NA		NA		03/10/2004	
						To:	65-696									
(647)	0.30	10	R			From:	Dead End				NA		NA		03/10/2004	
						To:	65-646 Townsend Dr									
(648) Stumptown Dr	0.35	160	R			From:	Bus US 13				NA		NA		02/05/2004	
						To:	US 13 Lankford Hwy									
(648) Stumptown Dr	0.45	50	R			From:	US 13 Lankford Hwy				NA		NA		02/05/2004	
						To:	Dead End									
(649) Raymond Lane	0.40	270	R			From:	65-641				NA		NA		03/10/2004	
						To:	Dead End									
(650)	1.10	250	R			From:	65-645 Arlington Rd				NA		NA		03/12/2004	
						To:	65-624 Capeville Dr									
(651) Chesapeake Ave	0.15	20	R			From:	65-613				NA		NA		02/25/2004	
						To:	Dead End									
(652)	0.23	670	R			From:	Bus US 13				NA		NA		03/12/2004	
						To:	US 13 Lankford Hwy									
(652)	1.39	870	R			From:	US 13 Lankford Hwy				NA		NA		03/08/2004	
						To:	SR 183 Occohannock Neck Rd									
(654) Miles Wharf Rd	0.62	60	R			From:	SR 183 Occohannock Neck Rd				NA		NA		02/24/2004	
						To:	Dead End									
(655) Magotha Rd	1.00	180	R			From:	65-600 Seaside Rd				NA		NA		02/10/2004	
						To:	Dead End									

Virginia Department of Transportation
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Northampton County																
(657) Sparrow Point Rd	1.75	100	R			From: Dead End					NA		NA		02/05/2004	
			To: 65-619 Church Neck Rd													
(658)	0.35	60	R			From: Dead End					NA		NA		02/10/2004	
			To: 65-683 Capeville Dr													
(659) Church St	0.14	190	R			From: Bus US 13					NA		NA		02/05/2004	
			To: 65-630													
(660) Ballard Dr	0.70	250	R			From: 65-600 Seaside Dr					NA		NA		03/02/2004	
			To: 65-603 Willis Wharf Rd													
(661) Obedience Lane	0.37	30	R			From: Dead End					NA		NA		02/04/2004	
			To: 65-680 Townfield Dr													
(662) Indian Village Rd	0.82	20	R			From: 65-600 Seaside Rd					NA		NA		03/02/2004	
			To: Dead End													
(663) Cherrystone Rd	1.47	150	F	98%	2%	1%	0%	0%	0%	F	0.145	F	0.519	160	F	2007
			To: 65-640													
(663) Cherrystone Rd	0.55	370	F	98%	2%	1%	0%	0%	0%	C	0.104	F	0.544	410	F	2007
			To: 65-680 Townfield Dr													
(664) Jacobus Creek Rd	1.50	180	R			From: 65-628					NA		NA		02/05/2004	
			To: Dead End													
(665)	1.10	60	R			From: Dead End					NA		NA		02/05/2004	
			To: 65-634 Savage Neck Dr													
(665)	0.70	60	R			From: Dead End					NA		NA		07/31/2007	
			To: 65-634 Savage Neck Dr													
(666) Smith Beach Rd	1.75	350	R			From: 65-642 Old Cape Charles Rd					NA		NA		02/05/2004	
			To: Cul-de-Sac													
(667) Benders Lane	0.20	90	R			From: 65-642 Old Cape Charles Rd					NA		NA		02/04/2004	
			To: Dead End													
(668) Robin Rd	1.00	40	R			From: 65-663 Cherrystone Rd					NA		NA		02/04/2004	
			To: Dead End													
(669) Vincent Lane	0.40	150	R			From: Dead End					NA		NA		03/02/2004	
			To: 65-600 Seaside Rd													
(670) James Circle	0.37	100	R			From: 65-630					NA		NA		02/05/2004	
			To: 65-659 Church St													
(671) Oakland Farm Rd	0.90	30	R			From: 65-663 Cherrystone Rd					NA		NA		02/04/2004	
			To: Dead End													
(672) Johnson Cove Rd	0.70	20	R			From: Dead End					NA		NA		02/25/2004	
			To: 65-611 Concord Wharf Rd													
(673) Harrington Dr	0.40	60	R			From: 65-600 Seaside Rd					NA		NA		03/02/2004	
			To: Dead End													

Virginia Department of Transportation
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Northampton County																
(674) Kendall Grove Rd	1.25	30	R			From: Dead End					NA		NA		02/05/2004	
			To: US 13 Lankford Hwy													
(675) Press Lane	0.20	60	R			From: 65-636 Mount Hebron Rd					NA		NA		02/10/2004	
			To: Dead End													
(676) Sturgis House Dr	0.60	30	R			From: Dead End					NA		NA		02/25/2004	
			To: SR 183 Occohannock Neck Rd													
(677) Prettyman Circle	0.16	20	R			From: 65-685 Deagonal St					NA		NA		02/25/2004	
			To: 65-613 MID													
(677) Prettyman Circle	1.70	90	R			From: 65-613 SOUTH					NA		NA		02/25/2004	
			To: 65-613 EAST													
Town of Nassawadox																
(678) Pine Ave	0.35	350	R			From: 65-606					NA		NA		03/08/2004	
			To: US 13 Lankford Hwy													
Northampton County																
(679) Denwood Rd	0.90	150	R			From: Dead End					NA		NA		02/23/2004	
			To: 65-617													
Town of Cheriton																
(680) Townfield Dr	0.34	700	F	97%	1%	1%	0%	0%	0%	C	0.112	F	0.528	760	F	2007
			To: WCL Cheriton													
(680) Townfield Dr	0.04	700	N	97%	1%	1%	0%	0%	0%	N	0.112	N	0.528	760	N	2007
			To: WCL Cheriton													
(680) Townfield Dr	0.96	540	F	97%	1%	1%	0%	0%	0%	F	0.131	F	0.517	590	F	2007
			To: 65-640													
(680) Townfield Dr	0.83	380	R			From: 65-640					NA		NA		02/05/2004	
			To: Dead End													
Town of Nassawadox																
(681) Hospital Ave	0.50	3100	F	99%	0%	1%	0%	0%	0%	C	0.090	F	0.54	3400	F	2007
			To: 65-606													
Northampton County																
(682) Jocabia Lane	1.10	70	R			From: Dead End					NA		NA		02/04/2004	
			To: US 13 Lankford Hwy													
(683) Siding Rd	0.40	720	R			From: US 13 Lankford Hwy					NA		NA		07/31/2007	
			To: 65-624 Capeville Dr													
(683) Capeville Dr	0.45	650	F	97%	1%	1%	0%	0%	0%	C	0.100	F	0.571	710	F	2007
			To: 65-600 Seaside Rd													
(684)	0.89	360	F	93%	4%	2%	1%	1%	0%	C	0.182	F	0.5	390	F	2007
			To: US 13 Lankford Hwy													
(684)	1.10	810	F	93%	4%	2%	1%	1%	0%	F	0.102	F	0.514	880	F	2007
			To: 65-642 S. Seaview Dr													
(685) Deagonal St	0.13	46	R			From: 65-613					NA		NA		02/25/2004	
			To: 65-677 Prettyman Circle													

Virginia Department of Transportation
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Northampton County															
(685) Deagonal St	0.24	10	R			From: 65-677 Prettyman Circle					NA		NA		02/25/2004
			To: Dead End												
(686) Kellam Dr	0.30	50	R			From: Dead End					NA		NA		02/25/2004
			To: 65-677 Prettyman Circle												
Town of Belle Haven															
(687) Tower Way	0.15	190	R			From: SR 178 Belle Haven Rd					NA		NA		03/08/2004
			To: ECL Belle Haven												
Northampton County															
(687) Tower Way	0.23	290	R			From: ECL Belle Haven					NA		NA		04/25/2001
			To: US 13; Bus US 13												
(688) Hare Valley Dr	0.80	180	R			From: 65-618					NA		NA		03/08/2004
			To: US 13 Lankford Hwy												
(689) Pear Cottage Dr	0.28	9	R			From: Dead End					NA		NA		02/05/2004
			To: 65-628												
(690) Poplar Grove Rd	0.50	30	R			From: 65-600 Seaside Rd					NA		NA		02/10/2004
			To: Dead End												
(691) Downing Beach Rd	0.50	100	R			From: Dead End					NA		NA		02/25/2004
			To: 65-613												
(692) Happy Union Dr	1.30	50	R			From: Dead End					NA		NA		02/24/2004
			To: 65-606												
Town of Exmore															
(693) Wainhouse Rd	0.03	120	R			From: Dead End					NA		NA		03/08/2004
			To: SCL Belle Haven												
Town of Belle Haven															
(693) Wainhouse Rd	0.30	110	R			From: SCL Belle Haven					NA		NA		04/25/2001
			To: Dead End												
Northampton County															
(694) Terry Lane	0.10	60	R			From: Dead End					NA		NA		03/02/2004
			To: 65-603 Willis Wharf Rd												
(695) Cedar Grove Farm Rd	0.85	20	R			From: Dead End					NA		NA		02/05/2004
			To: 65-619 Bayside Rd												
(696)	0.40	100	R			From: 65-655 Magotha Rd					NA		NA		02/10/2004
			To: 65-646 Martins Landing Rd												
(697) Beverly Lane	0.25	660	R			From: 65-637 Pat Town Rd					NA		NA		02/10/2004
			To: Dead End												
(698) Adron St	0.12	140	R			From: Dead End					NA		NA		03/04/2004
			To: 65-700 Cross St												
(698) Adron St	0.08	190	R			From: 65-652					NA		NA		03/04/2004
			To: Dead End												
(699) Baxley Lane	0.11	30	R			From: Dead End					NA		NA		03/04/2004
			To: 65-617												

Virginia Department of Transportation
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Northampton County															
(700) Cross St	0.06	30	R			From: 65-698 Adron St					NA		NA		03/04/2004
Town of Nassawadox															
(701) Shell St	0.15	50	R			From: Dead End					NA		NA		03/02/2004
Northampton County															
(702) Kelly Cove Rd	0.18	40	R			From: Dead End					NA		NA		02/25/2004
(703) Beetle St	0.09	46	R			From: 65-704 Kiptopeke Dr					NA		NA		03/12/2004
(704) Kiptopeke Dr	0.21	240	R			From: Dead End					NA		NA		07/31/2007
(704) Kiptopeke Dr	0.40	420	R			From: 65-645 Arlington Rd					NA		NA		03/12/2004
(705) Kirwan Hall Lane	0.70	30	R			From: 65-634 Savage Neck Dr					NA		NA		02/05/2004
Town of Nassawadox															
(706) Church Ct	0.23	180	R			From: 65-609 Franktown Rd					NA		NA		02/24/2004
Northampton County															
(707) Mattasippy Dr	0.20	40	R			From: Dead End					NA		NA		02/25/2004
(708)	0.43	80	R			From: 65-600 Seaside Rd					NA		NA		02/10/2004
(709)	0.91	180	R			From: Dead End					NA		NA		02/25/2004
(709)	0.23	360	R			From: 65-719					NA		NA		02/25/2004
(710) Hallidon Dr	0.25	40	R			From: Dead End					NA		NA		02/23/2004
(711) Long Point Rd	1.00	30	R			From: Dead End					NA		NA		02/23/2004
Town of Nassawadox															
(712) Mill St	0.17	410	R			From: US 13 Lankford Hwy					NA		NA		02/25/2004
Northampton County															
(713) Mackatouces Point Rd	1.00	130	R			From: Dead End					NA		NA		02/25/2004
Town of Nassawadox															
(714) Woodstock Dr	0.24	110	R			From: Dead End					NA		NA		03/12/2004

Virginia Department of Transportation
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Northampton County															
(715) Red Back Ct	0.13	30	R			From: 65-617					NA		NA		03/02/2004
			To: Dead End												
(716) Smau Dr	0.24	180	R			From: Dead End					NA		NA		03/12/2004
			To: 65-645 Arlington Rd												
(717) Doggett Lane	0.09	100	R			From: 65-645 Arlington Rd					NA		NA		03/11/2004
			To: Dead End												
(718) Latimer Siding Rd	0.18	90	R			From: US 13 Lankford Hwy					NA		NA		02/10/2004
			To: 65-600 Seaside Rd												
(719)	0.77	46	R			From: Cul-de-Sac					NA		NA		02/25/2004
			To: 65-724												
(719)	0.43	90	R			From: 65-709					NA		NA		02/25/2004
			To: 65-724												
(720)	0.62	20	R			From: 65-613					NA		NA		02/25/2004
			To: 65-721												
(720)	0.12	10	R			From: Cul-de-Sac					NA		NA		02/25/2004
			To: Cul-de-Sac												
(721)	0.06	7	R			From: Cul-de-Sac					NA		NA		02/25/2004
			To: 65-720												
(723)	0.60	120	R			From: 65-713 Mackatouces Point Rd					NA		NA		02/25/2004
			To: Cul-de-Sac												
(724)	0.57	40	R			From: Cul-de-Sac					NA		NA		02/25/2004
			To: 65-719												
Town of Nassawadox															
(725)	0.06	80	R			From: 65-609 Franktown Rd					NA		NA		02/24/2004
			To: Cul-de-Sac												
Northampton County															
(729)	0.17	6	R			From: Dead End					NA		NA		02/25/2004
			To: 65-677 Prettyman Circle												
(730) Jones Cove Dr	0.70	60	R			From: 65-600 Seaside Rd					NA		NA		02/10/2004
			To: Dead End												
(735)	0.32	NA	R			From: 65-642 Seaview Dr					NA		NA		
			To: 65-1302 Banks Rd												
(740) Clearview Rd	0.51	80	R			From: 65-635 Batchelers Branch Rd					NA		NA		02/25/2004
			To: Cul-de-Sac												
(741)	0.13	30	R			From: Cul-de-Sac					NA		NA		02/25/2004
			To: 65-740 Clearview Rd												
Town of Exmore															
(1001) Bank Ave	0.06	80	R			From: 65-1033 Charnock St					NA		NA		03/09/2004
			To: 65-1009 Lee St												
(1001) Bank Ave	0.05	130	R			From: 65-1010 Jackson St					NA		NA		03/09/2004
			To: 65-1010 Jackson St												

Virginia Department of Transportation
Traffic Engineering Division

2007
Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Town of Exmore															
(1001) Bank Ave	0.05	260	R			From: 65-1010 Jackson St				NA		NA		NA	03/09/2004
(1001) Bank Ave	0.05	310	R			To: 65-1015 Fourth St				NA		NA		NA	03/09/2004
(1001) Bank Ave	0.04	870	R			From: 65-1016 Third St				NA		NA		NA	03/09/2004
(1001) Bank Ave	0.06	930	R			To: 65-1017 Broad St				NA		NA		NA	03/09/2004
(1001) Bank Ave	0.10	890	R			From: Bus US 13				NA		NA		NA	03/09/2004
(1002) Front St	0.03	350	R			To: 65-1002 Front St				NA		NA		NA	03/09/2004
(1002) Front St	0.06	370	R			From: 65-1003 Commercial Ave				NA		NA		NA	03/09/2004
(1002) Front St	0.22	620	R			To: 65-1003 Commercial St				NA		NA		NA	03/09/2004
(1003) Commercial St	0.06	1000	R			From: Bus US 13				NA		NA		NA	03/09/2004
(1004) Monroe	0.04	240	R			To: 65-1002 Front St				NA		NA		NA	03/09/2004
(1004) Monroe	0.06	180	R			From: SR 183 Occohannock Neck Rd				NA		NA		NA	03/09/2004
(1004) Monroe	0.10	130	R			To: 65-1024 Grayson				NA		NA		NA	03/09/2004
(1004) Monroe	0.18	110	R			From: 65-1030 Washington				NA		NA		NA	03/09/2004
(1004) Monroe	0.04	10	R			To: 65-1031 Jefferson St				NA		NA		NA	03/09/2004
(1005) Elm St	0.09	210	R			From: 65-1028 Madison Ave				NA		NA		NA	03/09/2004
(1006) Myrtle St	0.09	370	R			To: Dead End				NA		NA		NA	03/09/2004
(1006) Myrtle St	0.10	110	R			From: 65-603 Willis Wharf Rd				NA		NA		NA	03/03/2004
(1006) Myrtle St						To: 65-1007 Browne Ave				NA		NA		NA	03/03/2004
(1007) Browne Ave	0.08	80	R			From: 65-603 Willis Wharf Rd				NA		NA		NA	03/03/2004
(1007) Browne Ave	0.07	30	R			To: 65-1007 Browne Ave				NA		NA		NA	03/03/2004
(1008) Poplar Ave	0.15	170	R			From: 65-1034				NA		NA		NA	03/04/2004
(1009) Lee St	0.07	50	R			To: 65-1011 Virginia				NA		NA		NA	03/09/2004
(1009) Lee St	0.09	100	R			From: 65-1005 Elm St				NA		NA		NA	03/03/2004
(1009) Lee St						To: 65-1006 Myrtle St				NA		NA		NA	03/03/2004
(1009) Lee St						From: 65-1010 Jackson St				NA		NA		NA	03/04/2004
(1009) Lee St						To: 65-1017 Broad St				NA		NA		NA	03/09/2004
(1009) Lee St						From: 65-1014 Roosevelt Ave				NA		NA		NA	03/09/2004
(1009) Lee St						To: 65-1001 Bank Ave				NA		NA		NA	03/09/2004
(1009) Lee St						From: SR 183 Occohannock Neck Rd				NA		NA		NA	03/09/2004

Virginia Department of Transportation
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Town of Exmore															
(1009) Lee St	0.06	160	R			From:	SR 183 Occohannock Neck Rd				NA		NA		03/09/2004
(1009) Lee St	0.10	150	R			To:	65-1030 Washington				NA		NA		03/09/2004
(1009) Lee St	0.03	45	R			From:	65-1031 Jefferson St				NA		NA		03/09/2004
(1009) Lee St						To:	Dead End								
(1010) Jackson St	0.05	10	R			From:	65-1045 Holly Circle				NA		NA		03/04/2004
(1010) Jackson St	0.07	80	R			To:	65-1026 Park Ave				NA		NA		03/04/2004
(1010) Jackson St	0.07	110	R			From:	65-1008 Poplar Ave				NA		NA		03/04/2004
(1010) Jackson St						To:	65-1014 Roosevelt Ave								
(1010) Jackson St	0.07	170	R			From:	65-1001 Westfield Ave				NA		NA		03/04/2004
(1011) Virginia Ave	0.09	740	R			From:	65-603 Willis Wharf Rd				NA		NA		03/02/2004
(1011) Virginia Ave	0.39	600	R			To:	65-1007 Browne Ave				NA		NA		03/02/2004
(1011) Virginia Ave						To:	Dead End								
(1012) Stockton Lane	0.09	140	R			From:	SR 183 Occohannock Neck Rd				NA		NA		03/12/2004
(1012) Stockton Lane						To:	Dead End								
(1014) Roosevelt Ave	0.05	40	R			From:	65-1009 Lee St				NA		NA		03/12/2004
(1014) Roosevelt Ave	0.06	110	R			To:	65-1010 Jackson St				NA		NA		03/12/2004
(1014) Roosevelt Ave						From:	65-1015 Fourth St								
(1014) Roosevelt Ave	0.05	170	R			To:	65-1016 Third St				NA		NA		03/12/2004
(1014) Roosevelt Ave						From:	65-1017 Broad St								
(1015) Fourth St	0.08	90	R			To:	65-1014 Roosevelt Ave				NA		NA		03/12/2004
(1015) Fourth St						From:	65-1001 Bank Ave								
(1016) Third St	0.08	47	R			To:	65-1014 Roosevelt Ave				NA		NA		03/12/2004
(1016) Third St						From:	65-1001 Bank Ave								
(1017) Broad St	0.15	560	R			To:	65-1043 Benjamin St				NA		NA		03/04/2004
(1017) Broad St						From:	65-1027 Bright Ave								
(1017) Broad St	0.25	590	R			To:	65-1001 Westfield Ave				NA		NA		03/04/2004
(1018) Ann Ave	0.11	110	R			From:	Bus US 13				NA		NA		03/09/2004
(1018) Ann Ave						To:	65-1023 Houston								
(1019)	0.04	160	R			From:	Bus US 13				NA		NA		03/04/2004
(1019)						To:	ECL Exmore								
Northampton County															
(1019)	0.09	40	R			From:	ECL Exmore				NA		NA		03/04/2004
(1019)						To:	Dead End								

Virginia Department of Transportation
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Town of Exmore															
(1021)	0.05	400	N			From:	65-1050						NA	NA	03/08/2004
						To:	65-1040 Manor St								
Northampton County															
(1021)	0.04	400	R			From:	65-1040 Manor St						NA	NA	03/08/2004
						To:	SCL Exmore								
Town of Exmore															
(1021)	0.15	410	R			From:	SCL Exmore						NA	NA	03/08/2004
						To:	SR 183 Occohannock Neck Rd								
(1022) Blunt St	0.06	30	R			From:	Dead End						NA	NA	03/12/2004
						To:	SR 183 Occohannock Neck Rd								
(1023) Houston	0.05	90	R			From:	65-1024 Grayson Ave						NA	NA	03/09/2004
						To:	65-1018 Anne Ave								
(1023) Houston	0.09	70	R			From:	65-1025 Carolyn Ave						NA	NA	03/09/2004
						To:	65-1032 Pacific Ave								
(1023) Houston	0.02	40	R			From:	NCL Exmore						NA	NA	03/09/2004
						To:	65-1004 Monroe								
(1024) Grayson Ave	0.08	130	R			From:	Bus US 13						NA	NA	03/12/2004
						To:	65-1023 Houston								
(1024) Grayson Ave	0.11	270	R			From:	65-1023 Houston						NA	NA	03/12/2004
						To:	Dead End								
(1024) Grayson Ave	0.04	20	R			From:	Dead End						NA	NA	03/12/2004
						To:	65-1039 Holman Ave								
(1025) Carolyn Ave	0.06	30	R			From:	65-1039 Holman Ave						NA	NA	03/09/2004
						To:	Bus US 13								
(1025) Carolyn Ave	0.03	60	R			From:	Bus US 13						NA	NA	03/09/2004
						To:	65-1023 Houston								
(1025) Carolyn Ave	0.10	90	R			From:	65-1023 Houston						NA	NA	03/09/2004
						To:	Dead End								
(1025) Carolyn Ave	0.09	5	R			From:	65-1010 Jackson St						NA	NA	03/09/2004
						To:	65-1044								
(1026) Park Ave	0.11	120	R			From:	65-1017 Broad St						NA	NA	03/04/2004
						To:	65-1017 Broad St								
(1027) Bright Ave	0.09	330	R			From:	65-1017 Broad St						NA	NA	03/04/2004
						To:	Bus US 13								
(1028) Madison Ave	0.08	110	R			From:	65-1004 Monroe						NA	NA	03/09/2004
						To:	SR 178 Belle Haven Rd								
(1029) Vine Court	0.04	90	R			From:	Dead End						NA	NA	03/04/2004
						To:	Bus US 13								

Virginia Department of Transportation
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Town of Exmore															
(1030) Washington St	0.09	60	R			From:	65-1009 Lee St				NA		NA		03/09/2004
(1030) Washington St	0.08	100	R			To:	65-1004 Monroe				NA		NA		03/09/2004
						From:	SR 178 Belle Haven Rd								
(1031) Jefferson St	0.07	150	R			From:	65-1009 Lee St				NA		NA		03/09/2004
(1031) Jefferson St	0.08	210	R			To:	65-1004 Monroe				NA		NA		03/09/2004
						From:	SR 178 Belle Haven Rd								
(1032) Houston Ave	0.09	90	R			From:	65-1023 Houston				NA		NA		03/09/2004
(1032) Houston Ave	0.03	30	R			To:	Bus US 13				NA		NA		03/09/2004
						From:	65-1039 Holman Ave								
(1033) Charnock St	0.07	30	R			From:	WCL Exmore				NA		NA		03/09/2004
(1033) Charnock St	0.09	100	R			To:	65-1001 Westfield Ave				NA		NA		03/09/2004
						From:	65-1001 Bank Ave								
(1034)	0.06	50	R			To:	SR 183 Occohannock Neck Rd				NA		NA		03/03/2004
						From:	65-1035								
(1035)	0.06	50	R			To:	65-1006 Myrtle St				NA		NA		03/03/2004
						From:	65-1034								
(1036)	0.08	70	R			To:	65-1036				NA		NA		03/03/2004
						From:	Dead End								
(1037) Crown St	0.24	160	R			To:	SR 178 Belle Haven Rd				NA		NA		03/12/2004
						From:	US 13 Lankford Hwy								
(1038) Atlantic Ave	0.05	20	R			From:	Dead End				NA		NA		03/09/2004
						To:	65-1039 Holman Ave								
(1038) Atlantic Ave	0.03	30	R			From:	65-1039 Holman Ave				NA		NA		03/09/2004
						To:	Bus US 13								
(1039) Holman Ave	0.13	100	R			From:	SR 178 Belle Haven Rd				NA		NA		03/09/2004
						To:	65-1025 Carolyn Ave								
(1039) Holman Ave	0.16	40	R			From:	65-1025 Carolyn Ave				NA		NA		03/09/2004
						To:	Dead End								
(1040) Manor St	0.11	170	R			From:	65-1041				NA		NA		03/08/2004
						To:	Dead End								
(1041)	0.22	90	R			From:	65-1052				NA		NA		03/08/2004
						To:	SCL Exmore								
(1041)	0.04	40	R			From:	65-1052				NA		NA		03/08/2004
						To:	Dead End								
Northampton County															
(1042) Hadlock Rd	0.06	360	R			From:	65-700 Cross St				NA		NA		03/04/2004
						To:	65-652								

Virginia Department of Transportation
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Northampton County															
(1042) Hadlock Rd	0.22	310	R			From:	65-652					NA		NA	07/31/2007
Town of Exmore															
(1042) Hadlock Rd	0.21	610	R			From:	SCL Exmore					NA		NA	09/18/2001
Northampton County															
(1043) Benjamin St	0.15	1300	R			From:	US 13 Lankford Hwy					NA		NA	07/31/2007
Town of Exmore															
(1043) Benjamin St	0.14	1300	R			From:	WCL Exmore					NA		NA	09/18/2001
(1043) Benjamin St	0.08	760	R			From:	65-1017 Broad St					NA		NA	03/04/2004
(1044)	0.05	80	R			From:	65-1045 Holly Circle					NA		NA	03/04/2004
(1045) Holly Circle	0.10	45	R			From:	65-1010 Jackson St					NA		NA	03/04/2004
(1046)	0.20	60	R			From:	65-1011 SW					NA		NA	03/03/2004
(1048)	0.03	110	R			From:	Dead End					NA		NA	07/31/2007
(1049)	0.05	110	R			From:	65-1011 Virginia Ave					NA		NA	07/31/2007
(1050)	0.25	180	R			From:	US 13 Lankford Hwy					NA		NA	07/31/2007
(1051)	0.05	160	R			From:	65-1050					NA		NA	07/31/2007
(1052)	0.10	60	R			From:	65-1040 Manor St					NA		NA	07/31/2007
Town of Nassawadox															
(1070)	0.23	NA				From:	65-678 Pine Ave					NA		NA	
Northampton County															
(1080)	0.44	230	R			From:	65-609 Franktown Rd					NA		NA	07/31/2007
Town of Cape Charles															
(1101) Pine St	0.06	610	R			From:	SR 184 S, Bay Ave; Mason Ave					NA		NA	02/04/2004
(1101) Pine St	0.06	400	R			From:	65-1112 Randolph Ave					NA		NA	02/04/2004
(1101) Pine St	0.06	160	R			From:	65-1111 Tazewell Ave					NA		NA	02/04/2004
Town of Cape Charles															
(1101) Pine St	0.06	160	R			From:	65-1110 Monroe Ave					NA		NA	02/04/2004

Virginia Department of Transportation
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Town of Cape Charles															
(1101) Pine St	0.07	70	R			From:	65-1110 Monroe Ave				NA		NA	NA	02/04/2004
(1101) Pine St	0.06	120	R			To:	65-1104 Madison Ave				NA		NA	NA	02/04/2004
(1101) Pine St	0.06	140	R			From:	65-1103 Jefferson Ave				NA		NA	NA	02/04/2004
						To:	SR 184 N; 65-1106								
(1102) Strawberry St	0.05	990	R			From:	SR 184 Bay Ave; Mason Ave				NA		NA	NA	02/04/2004
(1102) Strawberry St	0.06	810	R			To:	65-1112 Randolph Ave				NA		NA	NA	02/04/2004
(1102) Strawberry St	0.06	300	R			From:	65-1111 Tazewell Ave				NA		NA	NA	02/04/2004
(1102) Strawberry St	0.03	380	R			To:	65-1110 Monroe Ave				NA		NA	NA	02/04/2004
(1102) Strawberry St	0.03	410	R			From:	65-1115 Park Row				NA		NA	NA	02/04/2004
(1102) Strawberry St	0.06	100	R			To:	65-1104 Madison Ave				NA		NA	NA	02/04/2004
(1102) Strawberry St	0.06	110	R			From:	65-1103 Jefferson Ave				NA		NA	NA	02/04/2004
						To:	65-1106 Washington Ave								
(1103) Jefferson Ave	0.05	120	R			From:	SR 184 Bay Ave; Mason Ave				NA		NA	NA	02/03/2004
(1103) Jefferson Ave	0.02	100	R			To:	65-1107 Harbor St				NA		NA	NA	02/03/2004
(1103) Jefferson Ave	0.13	90	R			From:	65-1101 Pine St				NA		NA	NA	02/03/2004
(1103) Jefferson Ave	0.05	160	R			To:	65-1102 Strawberry St				NA		NA	NA	02/03/2004
(1103) Jefferson Ave	0.06	190	R			From:	65-1109 Peach St				NA		NA	NA	02/03/2004
(1103) Jefferson Ave	0.12	160	R			To:	65-1113 Plum St				NA		NA	NA	02/03/2004
(1103) Jefferson Ave	0.12	240	R			From:	65-642 Nectarine St				NA		NA	NA	02/03/2004
						To:	65-1105 Fig St								
(1104) Madison Ave	0.05	100	R			From:	SR 184 Bay Ave; Mason Ave				NA		NA	NA	02/03/2004
(1104) Madison Ave	0.04	100	R			To:	65-1107 Harbor St				NA		NA	NA	02/03/2004
(1104) Madison Ave	0.13	150	R			From:	65-1101 Pine St				NA		NA	NA	02/03/2004
(1104) Madison Ave	0.06	260	R			To:	65-1102 Strawberry St				NA		NA	NA	02/03/2004
(1104) Madison Ave	0.07	160	R			From:	65-1109 Peach St				NA		NA	NA	02/03/2004
(1104) Madison Ave	0.12	210	R			To:	65-1113 Plum St				NA		NA	NA	02/03/2004
						From:	65-642 Nectarine St								
(1104) Madison Ave	0.12	610	R			To:	65-1105 Fig St				NA		NA	NA	02/03/2004

Virginia Department of Transportation
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Town of Cape Charles															
(1105) Fig St	0.10	1500	R			From:	SR 184; 65-1112				NA		NA	NA	02/04/2004
(1105) Fig St	0.11	850	R			To:	65-1110 Monroe Ave				NA		NA	NA	02/04/2004
(1105) Fig St	0.38	840	R			From:	65-1103 Jefferson Ave				NA		NA	NA	02/04/2004
						To:	Dead End								
(1106) Washington Ave	0.13	380	R			From:	SR 184; 65-1101				NA		NA	NA	02/04/2004
(1106) Washington Ave	0.06	340	R			To:	65-1102 Strawberry St				NA		NA	NA	02/04/2004
(1106) Washington Ave	0.06	360	R			From:	65-1109 Peach St				NA		NA	NA	02/04/2004
(1106) Washington Ave	0.12	330	R			To:	65-1113 Plum St				NA		NA	NA	02/04/2004
(1106) Washington Ave	0.12	350	R			From:	65-642 Nectarine St				NA		NA	NA	02/04/2004
						To:	65-1105 Fig St								
(1107) Harbor Ave	0.06	160	R			From:	SR 184 Bay Ave; Mason Ave				NA		NA	NA	02/04/2004
(1107) Harbor Ave	0.06	220	R			To:	65-1112 Randolph Ave				NA		NA	NA	02/04/2004
(1107) Harbor Ave	0.06	200	R			From:	65-1111 Tazewell Ave				NA		NA	NA	02/04/2004
(1107) Harbor Ave	0.07	160	R			To:	65-1110 Monroe Ave				NA		NA	NA	02/04/2004
(1107) Harbor Ave	0.06	60	R			From:	65-1104 Madison Ave				NA		NA	NA	02/04/2004
						To:	65-1103 Jefferson Ave								
(1108) Marina Dr	0.23	430	R			From:	Dead End				NA		NA	NA	02/03/2004
(1108) Marina Dr	0.32	1300	R			To:	65-1116				NA		NA	NA	02/03/2004
						From:	65-642 Old Cape Charles Rd								
(1109) Peach St	0.05	310	R			From:	SR 184 Bay Ave; Mason Ave				NA		NA	NA	02/03/2004
(1109) Peach St	0.05	110	R			To:	65-1112 Randolph Ave				NA		NA	NA	02/03/2004
(1109) Peach St	0.03	130	R			From:	65-1111 Tazewell Ave				NA		NA	NA	02/03/2004
						To:	Dead End; Gap								
(1109) Peach St	0.06	110	R			From:	65-1104 Madison Ave; Gap				NA		NA	NA	02/03/2004
						To:	65-1103 Jefferson Ave								
(1109) Peach St	0.06	100	R			From:	65-1106 Washington Ave				NA		NA	NA	02/03/2004
						To:	65-1102 Strawberry St; Gap								
(1110) Monroe Ave	0.06	190	R			From:	SR 184 Bay Ave; Mason Ave				NA		NA	NA	02/03/2004
(1110) Monroe Ave	0.03	210	R			To:	65-1107 Harbor Ave				NA		NA	NA	02/03/2004
						From:	65-1101 Pine St								
(1110) Monroe Ave	0.11	100	R			To:	65-1102 Strawberry St; Gap				NA		NA	NA	02/03/2004

Virginia Department of Transportation
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Town of Cape Charles															
(1110) Monroe Ave	0.11	120	R			From: 65-1113 Plum St; Gap								NA	02/03/2004
(1110) Monroe Ave	0.11	230	R			To: 65-642 Nectarine St								NA	02/03/2004
(1110) Monroe Ave	0.09	130	R			From: 65-1105 Fig St								NA	02/03/2004
						To: 65-1114 Fulcher St									
(1111) Tazewell Ave	0.07	140	R			From: SR 184 Bay Ave; Mason Ave								NA	02/03/2004
(1111) Tazewell Ave	0.05	160	R			To: 65-1107 Harbor St								NA	02/03/2004
(1111) Tazewell Ave	0.17	210	R			From: 65-1101 Pine St								NA	02/03/2004
(1111) Tazewell Ave	0.07	400	R			To: 65-1109 Peach St								NA	02/03/2004
(1111) Tazewell Ave	0.12	320	R			From: 65-1113 Plum St								NA	02/03/2004
(1111) Tazewell Ave	0.12	310	R			To: 65-642 Nectarine St								NA	02/03/2004
(1111) Tazewell Ave	0.10	280	R			From: 65-1105 Fig St								NA	02/03/2004
						To: 65-1114 Fulcher St									
(1112) Randolph Ave	0.08	280	R			From: SR 184 Bay Ave; Mason Ave								NA	02/03/2004
(1112) Randolph Ave	0.06	330	R			To: 65-1107 Harbor Ave								NA	02/03/2004
(1112) Randolph Ave	0.11	790	R			From: 65-1101 Pine St								NA	02/03/2004
(1112) Randolph Ave	0.06	1000	R			To: 65-1102 Strawberry St								NA	02/03/2004
(1112) Randolph Ave	0.07	1100	R			From: 65-1109 Peach St								NA	02/03/2004
(1112) Randolph Ave	0.12	1200	R			To: 65-1113 Plum St								NA	02/03/2004
(1112) Randolph Ave	0.12	1500	R			From: 65-642 Nectarine St								NA	02/03/2004
						To: SR 184; 65-1105									
(1113) Plum St	0.05	310	R			From: SR 184 Bay Ave; Mason Ave								NA	02/04/2004
(1113) Plum St	0.05	350	R			To: 65-1112 Randolph Ave								NA	02/04/2004
(1113) Plum St	0.06	310	R			From: 65-1111 Tazewell Ave								NA	02/04/2004
(1113) Plum St	0.07	380	R			To: 65-1110 Monroe Ave								NA	02/04/2004
(1113) Plum St	0.06	300	R			From: 65-1104 Madison Ave								NA	02/04/2004
(1113) Plum St	0.05	270	R			To: 65-1103 Jefferson Ave								NA	02/04/2004
						From: 65-1106 Washington Ave									
(1114) Fulcher St	0.08	310	R			To: SR 184 Stone Rd								NA	02/04/2004
						From: 65-1111 Tazewell Ave									

Virginia Department of Transportation
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Town of Cape Charles															
(1114) Fulcher St	0.07	170	R			From:	65-1111 Tazewell Ave				NA		NA	NA	02/04/2004
						To:	65-1110 Monroe Ave								
(1115) Park Row	0.06	40	R			From:	65-1102 Strawberry St				NA		NA	NA	02/04/2004
						To:	Dead End								
(1116)	0.08	850	R			From:	Dead End				NA		NA	NA	02/03/2004
						To:	65-1108 Marina Dr								
(1117)	0.33	NA				From:	Dead End				NA		NA	NA	
						To:	65-1108 Marina Dr								
Northampton County															
(1120) Eden Meadows Way	0.42	100	R			From:	Cul-de-Sac				NA		NA	NA	03/08/2004
						To:	SR 183 Occohannock Neck Rd								
(1122) Pine Meadows Way	0.62	70	R			From:	Cul-de-Sac				NA		NA	NA	03/08/2004
						To:	SR 183 Occohannock Neck Rd								
(1123) Elm Tree Ct	0.08	7	R			From:	Cul-de-Sac				NA		NA	NA	03/08/2004
						To:	65-1122 Pine Meadows Way								
(1124) Spruce Tree Ct	0.05	5	R			From:	Cul-de-Sac				NA		NA	NA	03/08/2004
						To:	65-1122 Pine Meadows Way								
(1130)	0.70	120	R			From:	65-630				NA		NA	NA	03/08/2004
						To:	Cul-de-Sac								
(1134) Bluff Dr	0.97	170	R			From:	Dead End				NA		NA	NA	03/12/2004
						To:	65-645 Arlington Rd								
(1135) Bluff Ct	0.12	70	R			From:	65-1134 Bluff Dr				NA		NA	NA	03/12/2004
						To:	Dead End								
(1140) Wilsonia Shore Dr	0.82	80	R			From:	Cul-de-Sac				NA		NA	NA	02/05/2004
						To:	65-664 Jacobus Creek Rd								
(1141) Wilsonia Dr	0.99	50	R			From:	65-628				NA		NA	NA	02/05/2004
						To:	65-1142 Wilsonia Harbor Lane								
(1142) Wilsonia Harbor Lane	0.20	30	R			From:	65-1141 Wilsonia Dr				NA		NA	NA	02/05/2004
						To:	65-1143 Wilsonia Harbor								
(1143) Wilsonia Harbor	0.07	30	R			From:	Dead End				NA		NA	NA	02/05/2004
						To:	65-1142 Wilsonia Harbor Lane								
(1143) Wilsonia Harbor	0.23	30	R			From:	Dead End				NA		NA	NA	07/31/2007
						To:	65-1142 Wilsonia Harbor Lane								
(1201) Major Ct	0.10	90	R			From:	65-603 Willis Wharf Rd				NA		NA	NA	03/02/2004
						To:	Dead End								
(1202) Bowen Circle	0.10	140	R			From:	Dead End				NA		NA	NA	03/02/2004
						To:	65-1204 Parting Creek Rd								
(1203) Hog Island Lane	0.12	50	R			From:	65-603 Willis Wharf Rd				NA		NA	NA	03/02/2004
						To:	Dead End								

Virginia Department of Transportation
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Northampton County															
(1204) Parting Creek Rd	0.10	300	R											NA	03/02/2004
						From:	65-603 Willis Wharf Rd								
(1204) Parting Creek Rd	0.20	160	R											NA	03/02/2004
						To:	65-1202 Bowen Circle								
(1210) Ashby Rd	0.29	170	R											NA	03/08/2004
						From:	65-602 Cemetery Rd								
						To:	65-1211 Occohannock Blvd								
(1211) Occohannock Blvd	0.30	70	R											NA	03/08/2004
						From:	65-1212 Highland Ct								
						To:	65-1210 Ashby Rd								
(1212) Highland Ct	0.08	40	R											NA	03/08/2004
						From:	65-1211 Occohannock Blvd								
						To:	Cul-de-Sac								
(1230)	0.20	110	R											NA	02/24/2004
						From:	65-618								
						To:	Cul-de-Sac								
(1231)	0.02	30	R											NA	02/24/2004
						From:	65-1230								
						To:	Cul-de-Sac								
Town of Cheriton															
(1301) Stoakley Rd	0.48	130	R											NA	03/02/2004
						From:	US 13 BUS; 65-680								
						To:	65-638 Mill St								
Northampton County															
(1302) Banks Rd	0.30	230	R											NA	02/10/2004
						From:	65-684								
						To:	65-1303 Banks Rd								
(1303) Banks Rd	0.30	170	R											NA	02/10/2004
						From:	65-642 Seaview Dr								
						To:	65-1302 Banks Rd								
Town of Cheriton															
(1304) Maple Dr	0.25	230	R											NA	03/02/2004
						From:	65-1301 Stoakley Rd								
						To:	65-638 Mill St								
Northampton County															
(1305) Casey Lane	0.34	130	R											NA	03/02/2004
						From:	Dead End								
						To:	SCL Cheriton								
Town of Cheriton															
(1305) Casey Lane	0.06	30	R											NA	09/27/2001
						From:	SCL Cheriton								
						To:	65-639 Sunnyside Rd								
(1306) Wilson Rd	0.10	300	R											NA	02/11/2004
						From:	Bus US 13								
						To:	65-1308 Holland Dr								
(1306) Wilson Rd	0.03	240	R											NA	02/11/2004
						From:	65-1318 Wilson Ct								
						To:									
(1308) Holland Dr	0.24	100	R											NA	02/11/2004
						From:	Bus US 13								
						To:	65-1306 Wilson Rd								
(1309) Sunnyside Rd	0.05	50	R											NA	02/11/2004
						From:	Dead End								
						To:	65-1313 Pine View Rd								
(1309) Sunnyside Rd	0.05	100	R											NA	02/11/2004
						To:	65-1310 Huntington St								

Virginia Department of Transportation
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Town of Cheriton															
(1309) Sunnyside Rd	0.18	380	R			From:	65-1310 Huntington St				NA		NA	NA	02/11/2004
						To:	US 13 BUS; 65-639								
(1310) Huntington Rd	0.09	120	R			From:	65-1309 Sunnyside Rd				NA		NA	NA	02/11/2004
						To:	65-1314								
(1310) Huntington Rd	0.08	120	R			From:					NA		NA	NA	02/11/2004
						To:	65-680 Townfield Dr								
Northampton County															
(1311) Fisher Ct	0.34	330	R			From:	65-642 Seaview Dr				NA		NA	NA	02/10/2004
						To:	Dead End								
(1312)	0.16	50	R			From:	Dead End						NA	NA	02/10/2004
						To:									
Town of Cheriton															
(1313) Pine View Rd	0.08	80	R			From:	65-1309 Sunnyside Rd				NA		NA	NA	02/11/2004
						To:	65-1314								
(1314)	0.05	30	R			From:	65-1313 Pine View Rd				NA		NA	NA	02/11/2004
						To:	65-1310 Huntington Rd								
Northampton County															
(1315) Cheriton Dr	0.11	420	R			From:	65-639 Sunnyside Rd				NA		NA	NA	03/02/2004
						To:	65-1316; 65-1317								
(1315) Cheriton Dr	0.06	45	R			From:	65-1316; 65-131				NA		NA	NA	03/02/2004
						To:	Dead End								
(1316) Eastway Ct	0.04	90	R			From:	65-1315; 65-1317				NA		NA	NA	03/02/2004
						To:	Dead End								
(1317)	0.04	70	R			From:	Dead End				NA		NA	NA	03/02/2004
						To:									
Town of Cheriton															
(1318) Wilson Ct	0.50	210	R			From:	65-1306 Wilson Rd				NA		NA	NA	03/02/2004
						To:	End Loop								
Northampton County															
(1320)	0.12	NA				From:	65-641				NA		NA	NA	
						To:	65-1321								
(1321)	0.32	NA				From:	65-1320				NA		NA	NA	
						To:	65-1322								
(1322)	0.22	NA				From:	65-1324; 65-1325				NA		NA	NA	
						To:	65-1321								
(1323)	0.08	NA				From:	Dead End				NA		NA	NA	
						To:	65-1324; 65-1325								
(1324)	0.18	NA				From:	Dead End				NA		NA	NA	
						To:	65-1322; 65-1323								
(1325)	0.27	NA				From:	65-1322; 65-1323				NA		NA	NA	
						To:	Dead End								

Virginia Department of Transportation
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Northampton County															
(1401) Machipongo Lane	0.27	300	R			From:	65-627 Machipongo Dr						NA	NA	03/02/2004
						To:	Dead End								
(1501) Bannister St	0.20	20	R			From:	Dead End						NA	NA	02/23/2004
						To:	65-1504 Seay Rd						NA	NA	02/23/2004
(1501) Bannister St	0.20	250	R			From:	65-1504 Seay Rd						NA	NA	02/23/2004
						To:	65-622 Treherneville Dr								
(1502) Kates Dr	0.20	470	R			From:	65-1503 Harmon Rd						NA	NA	02/23/2004
						To:	65-1504 Seay Rd								
(1502) Kates Dr	0.15	590	R			From:	65-1504 Seay Rd						NA	NA	02/23/2004
						To:	US 13 Lankford Hwy								
(1503) Harmon Rd	0.15	350	R			From:	Dead End						NA	NA	02/23/2004
						To:	65-1502 Kates Dr								
(1504) Seay Rd	0.35	270	R			From:	65-1502 Kates Dr						NA	NA	02/23/2004
						To:	65-1501 Bannister St								
(1509) Pheasant Court	0.04	48	R			From:	65-1510 Swan Dr						NA	NA	02/23/2004
						To:	Dead End								
(1510) Swan Dr	0.60	90	R			From:	Dead End						NA	NA	02/23/2004
						To:	65-1511 Swan Lane								
(1510) Swan Dr	0.17	130	R			From:	65-1511 Swan Lane						NA	NA	02/23/2004
						To:	65-619 Church Neck Rd								
(1511) Swan Lane	0.08	10	R			From:	Cul-de-Sac						NA	NA	02/23/2004
						To:	65-1510 Swan Dr								
(1512) Heron Dr	0.58	150	R			From:	Cul-de-Sac						NA	NA	02/23/2004
						To:	65-1519 Bluefish Lane								
(1512) Heron Dr	0.56	210	R			From:	65-1519 Bluefish Lane						NA	NA	02/23/2004
						To:	65-619 Church Neck Rd								
(1513) Trout Lane	0.66	120	R			From:	Cul-de-Sac						NA	NA	02/23/2004
						To:	65-1512 Heron Dr								
(1514) Mallard Lane	0.16	10	R			From:	Cul-de-Sac						NA	NA	02/23/2004
						To:	65-619 Church Neck Rd								
(1515) Peacock Lane	0.09	20	R			From:	Cul-de-Sac						NA	NA	02/23/2004
						To:	65-1516 Pintail Court								
(1515) Peacock Lane	0.06	49	R			From:	65-1516 Pintail Court						NA	NA	02/23/2004
						To:	65-1517 Blue Teal Lane								
(1515) Peacock Lane	0.07	150	R			From:	65-1517 Blue Teal Lane						NA	NA	02/23/2004
						To:	65-619 Church Neck Rd								
(1516) Pintail Court	0.06	30	R			From:	Cul-de-Sac						NA	NA	02/23/2004
						To:	65-1515 Peacock Lane								
(1517) Blue Teal Lane	0.29	90	R			From:	Cul-de-Sac						NA	NA	02/23/2004
						To:	65-1515 Peacock Lane								

Virginia Department of Transportation
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Northampton County															
(1518) Channel Bass Lane	0.15	90	R			From: 65-1513 Trout Lane					NA		NA		02/23/2004
			To: 65-1512 Heron Dr												
(1519) Bluefish Lane	0.06	10	R			From: Cul-de-Sac					NA		NA		02/23/2004
			To: 65-1512 Heron Dr												
(1520) Black Drum Lane	0.13	40	R			From: 65-1512 Heron Dr					NA		NA		02/23/2004
			To: Cul-de-Sac												
(1521) Cardinal Court	0.02	8	R			From: 65-1510 Swan Dr					NA		NA		02/23/2004
			To: Cul-de-Sac												
(1522) Quail Lane	0.09	70	R			From: 65-1510 Swan Dr					NA		NA		02/23/2004
			To: 65-1523 Snipe Lane												
(1523) Snipe Lane	0.06	60	R			From: Cul-de-Sac					NA		NA		02/23/2004
			To: 65-1522 Quail Lane												
(1524) Spoon Bill Lane	0.05	20	R			From: Cul-de-Sac					NA		NA		02/23/2004
			To: 65-1512 Heron Dr												
(1525)	0.03	3	R			From: Dead End					NA		NA		07/31/2007
			To: 65-1510 Swan Dr; 65-1511 Swan Lane												
(1526)	0.03	280	R			From: 65-1512 Heron Dr					NA		NA		07/31/2007
			To: Dead End												
Town of Eastville															
(1601)	0.13	120	R			From: 65-631 Crossroad Ave					NA		NA		02/11/2004
			To: ECL Eastville												
Northampton County															
(1602) James St	0.15	100	R			From: 65-631 Crossroad Ave					NA		NA		02/11/2004
			To: Dead End												
Town of Eastville															
(1603) Holland Ct	0.20	230	R			From: SCL Eastville					NA		NA		02/05/2004
			To: 65-631 Crossroad Ave												
(1604) Debedeavon Lane	0.08	170	R			From: WCL Eastville					NA		NA		02/05/2004
			To: Bus US 13, Courthouse Rd												
(1605) Tyson Circle	0.38	170	R			From: 65-631 W, Crossroad Ave					NA		NA		02/05/2004
			To: 65-631 E, Crossroad Ave												
(1606)	0.14	370	R			From: 65-631 W, Crossroad Ave					NA		NA		02/05/2004
			To: 65-631 Crossroad Ave												
Northampton County															
(1610) Meadows Dr	0.15	100	R			From: Cul-de-Sac					NA		NA		02/05/2004
			To: 65-1611 Meadowood Lane												
(1610) Meadows Dr	0.09	350	R			From: 65-633 Captain Howe Lane					NA		NA		02/05/2004
			To: Cul-de-Sac												
(1611) Meadowood Lane	0.06	30	R			From: 65-1610 Meadows Dr					NA		NA		03/05/2004
			To: Cul-de-Sac												

Virginia Department of Transportation
Traffic Engineering Division

2007

Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Northampton County															
(1701) Bell Lane	0.40	190	R			From: US 13 Lankford Hwy					NA		NA		03/02/2004
			To: Dead End												
(1702) Martins Siding Rd	0.35	160	R			From: US 13 Lankford Hwy					NA		NA		03/02/2004
			To: Dead End												
(1703) Reedtown Lane	0.25	200	R			From: US 13 Lankford Hwy					NA		NA		03/02/2004
			To: Dead End												
(1801) Broadwater Circle	0.36	100	R			From: 65-639 W, Sunnyside Rd					NA		NA		02/10/2004
			To: 65-639 E, Sunnyside Rd												
(1802) Crumb Hill Rd	0.75	270	R			From: 65-639 Sunnyside Rd					NA		NA		02/10/2004
			To: Dead End												
(1803)	0.10	80	R			From: 65-639 W, Sunnyside Rd					NA		NA		02/10/2004
			To: 65-639 E, Sunnyside Rd												
(1901) Guys Neck Rd	1.40	300	R			From: 65-1904					NA		NA		03/12/2004
			To: 65-645 Arlington Rd												
(1902) Blueberry Dr	0.20	80	R			From: 65-1903					NA		NA		03/12/2004
			To: 65-1901 Guys Neck Rd												
(1903)	0.30	150	R			From: 65-1902 Blueberry Dr					NA		NA		03/12/2004
			To: 65-645 Arlington Rd												
(1904)	0.40	50	R			From: Cul-de-Sac					NA		NA		03/12/2004
			To: 65-1901 Guys Neck Rd												
(1905) Sand Hill Dr	0.62	90	R			From: 65-1901; 65-1904					NA		NA		03/12/2004
			To: Dead End												
(9290) Bus Loop Access Rd	0.20	470	R			From: 65-684					NA		NA		03/12/2004
			To: 65-684												
(9291)	0.09	980	R			From: 65-627					NA		NA		02/05/2004
			To: Machipongo Elem Sch												
(9293) Bus Loop Access Rd	0.10	80	R			From: 65-600 Seaside Dr					NA		NA		03/02/2004
			To: 65-600 Seaside Dr												
(9585)	0.25	1800	R			From: US 13					NA		NA		03/08/2004
			To: Northampton HS												
(9586)	0.40	580	R			From: 65-627					NA		NA		02/05/2004
			To: Northampton Jr HS												
(9959)	0.11	320	R			From: 65-618					NA		NA		03/09/2004
			To: Har Valley Elem Sch												