

2008

**Virginia Department of Transportation
Daily Traffic Volume Estimates
Including Vehicle Classification Estimates**

where available

**Jurisdiction Report
65**

Northampton County
Town of Cape Charles
Town of Cheriton
Town of Eastville
Town of Exmore
Town of Nassawadox

Prepared By
**Virginia Department of Transportation
Traffic Engineering Division**

In Cooperation With
**U.S. Department of Transportation
Federal Highway Administration**

Virginia Department of Transportation
Traffic Engineering Division
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is “R”, the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems

 Interstate Route Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.

 US Route

 Virginia State Route

 Frontage Road (F precedes frontage route number)

 Secondary Route

Special Routes

 Bus - Business Route
 Bypas - Bypass Route
 Truck - Truck Route
 ALT - Alternate Route
 Wye - Wye Route connector

 P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.

 The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation
Traffic Engineering Division
2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
13 Chesapeake Bay Bridge Tunnel	Northampton County (Maint: TOL)	19.14	8400	G	93%	1%	1%	1%	5%	0%	F	0.076	F	0.52	7900	G
13 Lankford Hwy	Northampton County	4.78	9200	G	93%	1%	1%	1%	5%	0%	F	0.077	F	0.533	8600	G
13 Lankford Hwy	Northampton County	4.56	12000	G	93%	1%	1%	1%	5%	0%	F	0.078	F	0.521	11000	G
13 Lankford Hwy	Northampton County	1.28	13000	G	93%	1%	1%	1%	5%	0%	F	0.080	F	0.522	12000	G
13 Lankford Hwy	Town of Cheriton (Maint: 65)	0.07	13000	N	93%	1%	1%	1%	5%	0%	N	0.080	N	0.522	12000	N
13 Lankford Hwy	Northampton County	0.29	13000	N	93%	1%	1%	1%	5%	0%	N	0.080	N	0.522	12000	N
13 Lankford Hwy	Town of Cheriton (Maint: 65)	0.07	13000	N	93%	1%	1%	1%	5%	0%	N	0.080	N	0.522	12000	N
13 Lankford Hwy	Town of Cheriton (Maint: 65)	0.48	14000	G	93%	1%	1%	1%	5%	0%	F	0.081	F	0.517	13000	G
13 Lankford Hwy	Northampton County	2.73	14000	N	93%	1%	1%	1%	5%	0%	N	0.081	N	0.517	13000	N
13 Lankford Hwy	Northampton County	1.06	13000	G	93%	1%	1%	1%	5%	0%	F	0.08	F	0.502	12000	G
13 Lankford Hwy	Town of Eastville (Maint: 65)	0.24	13000	N	93%	1%	1%	1%	5%	0%	N	0.08	N	0.502	12000	N
13 Lankford Hwy	Northampton County	1.03	13000	N	93%	1%	1%	1%	5%	0%	N	0.08	N	0.502	12000	N
13 Lankford Hwy	Northampton County	2.45	14000	G	93%	1%	1%	1%	5%	0%	F	0.082	F	0.520	13000	G
13 Lankford Hwy	Northampton County	3.29	14000	G	93%	1%	1%	1%	5%	0%	F	0.082	F	0.503	13000	G
13 Lankford Hwy	Northampton County	2.41	14000	G	93%	1%	1%	1%	5%	0%	F	0.083	F	0.513	13000	G
13 Lankford Hwy	Town of Nassawadox (Maint: 65)	0.85	14000	N	93%	1%	1%	1%	5%	0%	N	0.083	N	0.513	13000	N
13 Lankford Hwy	Town of Nassawadox (Maint: 65)	0.13	16000	G	93%	1%	1%	1%	5%	0%	F	0.082	F	0.510	15000	G
13 Lankford Hwy	Northampton County	2.63	16000	N	93%	1%	1%	1%	5%	0%	N	0.082	N	0.510	15000	N

Virginia Department of Transportation
Traffic Engineering Division
2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
13 Lankford Hwy	Northampton County	1.25	17000	G	93%	1%	1%	1%	5%	0%	F	0.082	F	0.541	16000	G
13 Lankford Hwy	Town of Exmore (Maint: 65)	0.15	17000	N	93%	1%	1%	1%	5%	0%	N	0.082	N	0.541	16000	N
13 Lankford Hwy	Town of Exmore (Maint: 65)	0.52	17000	G	93%	1%	1%	1%	5%	0%	F	0.082	F	0.532	16000	G
13 Lankford Hwy	Town of Exmore (Maint: 65)	0.21	15000	G	93%	1%	1%	1%	5%	0%	F	0.078	F	0.525	14000	G
13 Lankford Hwy	Northampton County	0.14	15000	N	93%	1%	1%	1%	5%	0%	N	0.078	N	0.525	14000	N
13 Lankford Hwy	Accomack County (Maint: 65)	0.19	15000	G	93%	1%	1%	1%	5%	0%	F	0.091	F	0.562	15000	G
Bus 13 Main St	Northampton County	0.40	2500	G	96%	1%	1%	1%	1%	0%	C	0.096	F	0.542	2700	G
Bus 13 Main St	Town of Exmore (Maint: 65)	1.10	2500	N	96%	1%	1%	1%	1%	0%	N	0.096	N	0.542	2700	N
Bus 13 Lincoln Ave	Town of Exmore (Maint: 65)	0.47	2500	N	96%	1%	1%	1%	1%	0%	N	0.096	N	0.542	2700	N
Bus 13 Lincoln Ave	Northampton County	0.17	2500	N	96%	1%	1%	1%	1%	0%	N	0.096	N	0.542	2700	N
Bus 13 Courthouse Rd	Northampton County	1.17	1700	G	96%	1%	2%	1%	1%	0%	C	0.103	F	0.6	1900	G
Bus 13 Courthouse Rd	Town of Eastville (Maint: 65)	0.17	1700	N	96%	1%	2%	1%	1%	0%	N	0.103	N	0.6	1900	N
Bus 13 Courthouse Rd	Town of Eastville (Maint: 65)	0.19	1900	G	96%	1%	2%	1%	1%	0%	F	0.133	F	0.532	2000	G
Bus 13 Courthouse Rd	Northampton County	1.18	1900	N	96%	1%	2%	1%	1%	0%	N	0.133	N	0.532	2000	N
Bus 13 Bayside Dr	Northampton County	0.80	2300	G	97%	1%	1%	0%	1%	0%	C	0.098	F	0.502	2500	G
Bus 13 Bayside Dr	Town of Cheriton (Maint: 65)	0.79	2300	N	97%	1%	1%	0%	1%	0%	N	0.098	N	0.502	2500	N

Virginia Department of Transportation
Traffic Engineering Division
2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
178 Main St	Town of Exmore (Maint: 65)	0.36	2400	G	99%	0%	1%	0%	0%	0%	F	0.105	F	0.563	2600	G
178 Belle Haven Rd	Town of Exmore (Maint: 65)	0.15	NA									NA		NA		
178 Belle Haven Rd	Town of Belle Haven (Maint: 65)	0.35	NA									NA		NA		
183 Occohannock Neck Rd	Northampton County	6.94	1600	G	96%	0%	2%	0%	1%	0%	C	0.105	F	0.52	1700	G
183 Occohannock Neck Rd	Town of Exmore (Maint: 65)	0.51	1300	G	96%	0%	2%	0%	1%	0%	F	0.148	F	0.582	1400	G
184 Bay Ave;Mason Ave	Town of Cape Charles (Maint: 65)	1.21	1900	G	97%	1%	1%	0%	0%	0%	F	0.113	F	0.516	2000	G
184 Stone Rd	Town of Cape Charles (Maint: 65)	0.21	1900	N	97%	1%	1%	0%	0%	0%	N	0.113	N	0.516	2000	N
184 Stone Rd	Town of Cape Charles (Maint: 65)	0.06	3800	G	97%	1%	1%	0%	0%	0%	C	0.092	F	0.555	4100	G
184 Stone Rd	Northampton County	1.72	3800	N	97%	1%	1%	0%	0%	0%	N	0.092	N	0.555	4100	N
							US 13 South of Bayview									

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Northampton County																
(F681) Latimers Bluff Rd	0.57	390	R											NA	07/31/2007	
			From:	US 13 Lankford Hwy												
			To:	US 13 Lankford Hwy; 65-718 Latimer Siding Rd												
(F682) Morris Court	0.13	180	R											NA	07/31/2007	
			From:	Dead End												
(600) Seaside Rd	0.20	150	R											NA	03/12/2004	
			From:	Dead End												
(600) Seaside Rd	1.55	130	R											NA	03/12/2004	
			From:	US 13 Lankford Hwy; Chesapeake Bay Bridge Tunnel												
(600) Seaside Rd	1.35	210	R											NA	02/10/2004	
			From:	65-718 Latimer Siding Rd												
(600) Seaside Rd	2.05	380	G	95%	2%	1%	1%	1%	0%	F	0.129	F	0.539	410	G	2008
			From:	65-645 Cedar Grove Rd												
(600) Seaside Rd	3.05	220	R											NA	02/10/2004	
			From:	65-624 Dunton Cove Dr												
(600) Seaside Rd	1.30	220	R											NA	02/10/2004	
			From:	65-643 Plantation Dr												
(600) Seaside Rd	1.90	430	G	95%	2%	1%	1%	1%	0%	F	0.103	F	0.531	460	G	2008
			From:	65-639 W, Sunnyside Rd												
(600) Seaside Rd	1.50	430	G	95%	2%	1%	1%	1%	0%	F	0.116	F	0.613	470	G	2008
			From:	65-639 E, Sunnyside Rd												
(600) Seaside Rd	3.10	390	R											NA	02/10/2004	
			From:	65-631 Indiantown Rd												
(600) Seaside Rd	2.29	320	G	95%	2%	1%	1%	1%	0%	C	0.117	F	0.61	340	G	2008
			From:	65-630 Cherrydale Dr												
(600) Seaside Rd	1.13	280	R											NA	03/02/2004	
			From:	65-630												
(600) Seaside Rd	1.40	240	R											NA	03/02/2004	
			From:	65-628 James Allen Dr												
(600) Seaside Rd	1.76	430	R											NA	03/02/2004	
			From:	65-627 Box Tree Dr; Machipongo Dr												
(600) Seaside Rd	1.26	380	R											NA	03/02/2004	
			From:	65-622 Treherneville Dr												
(600) Seaside Rd	1.30	560	R											NA	03/02/2004	
			From:	65-620 S, Birdsnest Dr												
(600) Seaside Rd	1.38	460	R											NA	03/02/2004	
			From:	65-617 Red Bank Rd												
(600) Seaside Rd			To:	65-609 Franktown Rd												
Town of Nassawadox																
(600) Seaside Rd	0.29	700	R											NA	03/02/2004	
			From:	65-609 Franktown Rd												
(600) Seaside Dr	0.20	750	G	97%	1%	1%	0%	1%	0%	C	0.126	F	0.561	820	G	2008
			From:	65-606												
			To:	65-608 Brownsville Rd												
Northampton County																
(600) Seaside Dr	3.25	650	G	97%	1%	1%	0%	1%	0%	F	0.127	F	0.55	700	G	2008
			From:	65-608 Brownsville Rd												
(600) Seaside Dr	2.25	820	G	97%	1%	1%	0%	1%	0%	F	0.114	F	0.61	890	G	2008
			From:	Accomack County Line												
			To:													

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Northampton County																
(601) County Line Rd	0.56	880	R			From: Accomack County Line					NA		NA		03/03/2004	
						To: 65-600 Seaside Dr										
(602) Cemetery Rd	1.14	740	R			From: SR 183 Occohannock Neck Rd					NA		NA		03/08/2004	
						To: WCL Belle Haven										
Town of Belle Haven																
(602) Cemetery Rd	0.06	760	R			From: WCL Belle Haven					NA		NA		03/08/2004	
						To: 01-602 Lee St										
Northampton County																
(603) Willis Wharf Rd	0.10	20	R			From: Dead End					NA		NA		03/02/2004	
						To: 65-1203 Hog Island Lane										
(603) Willis Wharf Rd	0.70	470	R			From: 65-660 Ballard Dr					NA		NA		03/02/2004	
						To: 65-1201 Major Ct										
(603) Willis Wharf Rd	0.40	870	G	98%	1%	1%	0%	0%	0%	F	0.136	F	0.539	940	G	2008
						To: ECL Exmore										
(603) Willis Wharf Rd	0.85	1000	G	98%	1%	1%	0%	0%	0%	C	0.115	F	0.515	1100	G	2008
						To: ECL Exmore										
Town of Exmore																
(603) Willis Wharf Rd	0.36	2300	G	98%	1%	1%	0%	0%	0%	F	0.097	F	0.505	2500	G	2008
						To: Bus US 13 Main St										
Northampton County																
(604) Bayside Dr	0.12	1700	G	97%	1%	1%	0%	1%	0%	F	0.114	F	0.530	1800	G	2008
						To: 65-618 Hadlock Lane										
(604) Oakland Dr	0.08	1200	G	97%	1%	1%	0%	1%	0%	F	0.101	F	0.579	1300	G	2008
						To: US 13 Lankford Hwy										
(604) Oakland Dr	0.60	1300	G	97%	1%	1%	0%	1%	0%	C	0.113	F	0.542	1400	G	2008
						To: Bus US 13 Main St										
(605) Milton Ames Dr	1.30	240	R			From: 65-606 Wardtown Rd					NA		NA		02/25/2004	
						To: 65-618 N. Bayside Rd										
(605) Brickhouse Dr	0.70	830	R			From: 65-618 S. Bayside Rd					NA		NA		02/25/2004	
						To: US 13 Lankford Hwy										
Town of Nassawadox																
(606) Rogers Dr	0.20	960	G	97%	1%	1%	0%	0%	0%	F	0.097	F	0.597	1000	G	2008
						To: 65-600 Seaside Rd										
(606) Rogers Dr	0.58	1400	G	97%	1%	1%	0%	0%	0%	C	0.09	F	0.731	1500	G	2008
						To: US 13 Lankford Hwy										
Northampton County																
(606) Rogers Dr	0.19	1300	G	97%	1%	1%	0%	0%	0%	F	0.096	F	0.521	1400	G	2008
						To: WCL Nassawadox										
(606) Rogers Dr	0.60	650	R			From: 65-618 Bayside Dr					NA		NA		02/25/2004	
						To: 65-610 Short St										
(606) Wardtown Rd	1.30	590	R			From: 65-610 Short St					NA		NA		02/25/2004	
						To: 65-605 Milton Ames Dr										
(606) Wardtown Rd	1.20	570	R			From: 65-605 Milton Ames Dr					NA		NA		02/25/2004	
						To: 65-607 N. TB Rd										
(606) Wardtown Rd	1.20	570	R			From: 65-607 N. TB Rd					NA		NA		02/25/2004	
						To: SR 183 W. Occohannock Neck Rd										

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Northampton County																
(606) Morleys Wharf Rd	1.00	120	R			From:	SR 183 E, Occohannock Neck Rd				NA		NA		02/25/2004	
						To:	Dead End									
(607) Stewarts Wharf Rd	1.60	50	R			From:	Dead End				NA		NA		02/25/2004	
						To:	65-606 S, Wardtown Rd									
(607) TB Rd	2.20	160	R			From:	65-606 N, Wardtown Rd				NA		NA		02/25/2004	
						To:	65-618 Bayside Rd									
(608) Brownsville Rd	1.20	90	R			From:	65-600 Seaside Dr				NA		NA		03/02/2004	
						To:	Dead End									
(609) Franktown Rd	0.67	680	R			From:	65-618 E, Bayside Rd				NA		NA		02/24/2004	
						To:	WCL Nassawadox									
Town of Nassawadox																
(609) Franktown Rd	0.15	910	R			From:	WCL Nassawadox				NA		NA		02/24/2004	
						To:	65-681 Hospital Ave									
(609) Franktown Rd	0.17	1400	G	97%	1%	1%	0%	1%	0%	F	0.108	F	0.566	1500	G	2008
						From:	65-619 Giddens Rd									
(609) Franktown Rd	0.16	1300	G	97%	1%	1%	0%	1%	0%	C	0.101	F	0.582	1400	G	2008
						To:	US 13 Lankford Hwy									
(609) Franktown Rd	0.17	200	R			From:	US 13 Lankford Hwy				NA		NA		03/02/2004	
						To:	65-600 Seaside Rd									
Northampton County																
(610) Short St	0.94	310	R			From:	65-618 Bayside Rd				NA		NA		02/24/2004	
						To:	65-606 Wardtown Rd; Rogers Dr									
(611) Concord Wharf Rd	1.30	350	R			From:	SR 183 Occohannock Neck Rd				NA		NA		02/25/2004	
						To:	Dead End									
(612) Old Neck Rd	2.00	170	R			From:	Dead End				NA		NA		02/25/2004	
						To:	65-611 Concord Wharf Rd									
(613)	0.01	40	R			From:	Dead End				NA		NA		02/25/2004	
						To:	65-651 Chesapeake Ave									
(613)	0.05	47	R			From:	65-651 Chesapeake Ave				NA		NA		02/25/2004	
						To:	65-677 W, Prettyman Circle									
(613)	0.53	250	R			From:	65-677 W, Prettyman Circle				NA		NA		02/25/2004	
						To:	65-677 E, 65-711									
(613)	1.91	440	G	97%	1%	1%	0%	1%	0%	C	0.095	F	0.5	470	G	2008
						To:	65-677 E, 65-711									
						From:	SR 183 Occohannock Neck Rd									
(614) James Wharf Rd	0.45	40	R			From:	Dead End				NA		NA		02/25/2004	
						To:	65-702 Kelly Cove Rd									
(614) James Wharf Rd	0.80	100	R			From:	65-702 Kelly Cove Rd				NA		NA		02/25/2004	
						To:	SR 183 Occohannock Neck Rd									
(615) Saltworks Rd	2.50	190	R			From:	Dead End				NA		NA		02/25/2004	
						To:	SR 183 Occohannock Neck Rd									
(616) Cedar Cottage Rd	0.50	60	R			From:	65-618 Bayside Rd				NA		NA		02/23/2004	
						To:	Dead End									

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Northampton County															
(617) Bayford Rd	1.98	280	R											NA	02/23/2004
(617) Bayford Rd	0.72	310	R											NA	02/23/2004
(617) Bayford Rd	1.63	430	G	95%	2%	2%	1%	1%	0%	C	0.099	F	0.546	470	G 2008
(617) Red Bank Rd	0.89	200	R											NA	03/02/2004
(617) Red Bank Rd	0.99	100	R											NA	03/02/2004
(618) Bayside Rd	0.41	570	R											NA	02/23/2004
(618) Bayside Rd	1.56	480	R											NA	02/23/2004
(618) Johnsontown Rd	1.46	260	R											NA	02/23/2004
(618) Johnsontown Rd	0.94	250	R											NA	02/23/2004
(618) Bayside Rd	6.54	960	G	97%	1%	1%	0%	1%	0%	C	0.111	F	0.54	1000	G 2008
(618) Hadlock Lane	0.16	30	R											NA	02/23/2004
(619) Church Neck Rd	3.33	350	R											NA	02/23/2004
(619) Church Neck Rd	0.85	500	R											NA	02/23/2004
(619) Bayside Rd	1.22	620	G	96%	1%	3%	1%	0%	0%	C	0.106	F	0.563	670	G 2008
(619) Bayside Rd	0.20	690	G	96%	1%	3%	1%	0%	0%	F	0.117	F	0.519	750	G 2008
(619) Cabarrus Dr	1.30	220	R											NA	02/23/2004
(619) Giddens Rd	0.96	900	R											NA	02/23/2004
Town of Nassawadox															
(619) Giddens Rd	0.04	890	R											NA	04/25/2001
Northampton County															
(620) Birdsnest Dr	0.80	660	R											NA	03/08/2004
(620) Birdsnest Dr	0.80	300	R											NA	03/02/2004
(620) Locust Lawn Dr	1.00	90	R											NA	03/02/2004

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Northampton County																
(621) Goshen Rd	1.04	40	R			From:	65-600 Seaside Rd					NA		NA	03/02/2004	
						To:	Dead End									
(622) Glebe Rd	1.23	70	R			From:	Dead End					NA		NA	02/23/2004	
						To:	65-619 W, Church Neck Rd									
(622) Bayside Rd	1.58	400	R			From:	65-619 E, Church Neck Rd					NA		NA	02/23/2004	
						To:	65-618 S, Johnsontown Rd									
						From:	65-618 N, Johnsontown Rd									
(622) Treherneville Dr	1.01	140	R									NA		NA	02/23/2004	
						To:	US 13 Lankford Hwy									
(622) Treherneville Dr	1.10	280	R			From:	65-600 Seaside Rd					NA		NA	03/02/2004	
						To:	65-600 Seaside Rd									
(623) Harmontown Rd	1.10	70	R			From:	Dead End					NA		NA	02/05/2004	
						To:	65-622 Bayside Rd									
(624) Capeville Dr	0.60	140	G	97%	1%	1%	0%	1%	0%	F	0.121	F	0.55	150	G	2008
						To:	65-645 Arlington Rd									
(624) Capeville Dr	0.66	410	G	97%	1%	1%	0%	1%	0%	C	0.099	F	0.533	450	G	2008
						To:	65-650 Cheapside Rd									
(624) Capeville Dr	0.04	650	N	97%	1%	1%	0%	0%	0%	N	0.100	N	0.571	710	N	2008
						To:	US 13 Lankford Hwy									
(624) Capeville Dr						From:	65-683 Siding Rd									
(624) Dunton Cove Dr	0.80	120	R			From:	65-600 Seaside Rd					NA		NA	02/10/2004	
						To:	Dead End									
(625) Sylvan Scene Dr	1.00	50	R			From:	65-618 Bayside Rd					NA		NA	02/05/2004	
						To:	US 13 Lankford Hwy									
(625) Sylvan Scene Dr	1.00	400	R			From:	65-600 Seaside Rd					NA		NA	03/02/2004	
						To:	65-600 Seaside Rd									
(626)	0.05	610	R			From:	65-627 Machipongo Dr					NA		NA	03/02/2004	
						To:	US 13 Lankford Hwy									
(627) Young St	0.26	930	R			From:	65-618 Bayside Rd					NA		NA	02/05/2004	
						To:	US 13 S, Lankford Hwy									
(627) Machipongo Dr	0.07	250	R			From:	US 13 N, Lankford Hwy					NA		NA	03/02/2004	
						To:	65-626									
(627) Machipongo Dr	1.18	300	R			From:	65-600 Seaside Rd					NA		NA	03/02/2004	
						To:	Dead End									
(627) Box Tree Dr	0.80	30	R			From:	Dead End					NA		NA	03/02/2004	
						To:	Dead End									
(628) Wilsonia Neck Dr	1.50	300	R			From:	Dead End					NA		NA	02/05/2004	
						To:	65-664 Jacobus Creek Rd									
(628) Wilsonia Neck Dr	1.70	510	R			From:	US 13 N, Lankford Hwy					NA		NA	02/05/2004	
						To:	US 13 S, Lankford Hwy									
(628) James Allen Dr	1.10	240	R			From:	US 13 S, Lankford Hwy					NA		NA	03/02/2004	
						To:	65-600 Seaside Rd									
(629) Webb Island Dr	1.00	130	R			From:	65-600 Seaside Rd					NA		NA	03/02/2004	
						To:	Dead End									

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Northampton County																
(630) Old Town Neck Rd	2.80	290	R											NA	02/05/2004	
			From:	Dead End												
			To:	Bus US 13; Gap												
(630) Cherrydale Dr	1.23	440	R											NA	03/02/2004	
			From:	US 13 Lankford Hwy; Gap												
			To:	65-600 Seaside Rd												
Town of Eastville																
(631) Willow Oak Rd	0.43	1500	G	97%	2%	1%	0%	0%	0%	C	0.102	F	0.554	1600	G	2008
			From:	Bus US 13 Courthouse Rd												
(631) Willow Oak Rd	0.42	980	G	97%	2%	1%	0%	0%	0%	F	0.091	F	0.632	1100	G	2008
			From:	US 13 Lankford Hwy												
			To:	ECL Eastville												
Northampton County																
(631) Indiantown Rd	0.45	740	G	97%	2%	1%	0%	0%	0%	F	0.099	F	0.623	800	G	2008
			From:	ECL Eastville												
(631) Indiantown Rd	1.00	130	R											NA	02/10/2004	
			From:	65-600 Seaside Rd												
			To:	Dead End												
(632) Indian Walk Lane	0.70	20	R											NA	02/10/2004	
			From:	Dead End												
			To:	65-600 Seaside Rd												
(633) Captain Howe Lane	0.30	370	R											NA	02/05/2004	
			From:	Dead End												
			To:	US 13 N, Lankford Hwy												
(633) Simpkins Dr	1.40	120	R											NA	02/10/2004	
			From:	US 13 S, Lankford Hwy												
			To:	65-600 Seaside Rd												
(634) Savage Neck Dr	3.15	160	R											NA	02/05/2004	
			From:	Dead End												
(634) Savage Neck Dr	1.20	670	G	95%	1%	2%	0%	1%	0%	F	0.093	F	0.596	720	G	2008
			From:	65-666 Smiths Beach Rd												
(634) Savage Neck Dr	1.20	770	G	95%	1%	2%	0%	1%	0%	C	0.103	F	0.552	830	G	2008
			From:	65-665 Elkington Rd, Old Castle Rd												
			To:	Bus US 13												
(635) Batchelers Branch Rd	0.35	140	R											NA	02/25/2004	
			From:	65-611 Concord Wharf Rd												
			To:	Dead End												
(636) Mount Hebron Rd	1.60	470	G	96%	2%	1%	1%	1%	0%	C	0.11	F	0.544	510	G	2008
			From:	US 13												
			To:	65-600 Seaside Rd												
(637) Pat Town Rd	1.50	370	R											NA	02/10/2004	
			From:	65-639 Sunnyside Rd												
			To:	65-636 Mount Hebron Rd												
Town of Cheriton																
(638) Mill St	0.46	410	R											NA	03/12/2004	
			From:	65-639 Sunnyside Rd												
			To:	NCL Cheriton												
Northampton County																
(638) Mill St	0.20	150	R											NA	04/18/2001	
			From:	NCL Cheriton												
			To:	Dead End												
Town of Cheriton																
(639) Sunnyside Rd	0.42	1900	G	97%	1%	1%	1%	1%	0%	C	0.101	F	0.558	2000	G	2008
			From:	Bus US 13												
(639) Sunnyside Rd	0.26	1500	G	97%	1%	1%	1%	1%	0%	F	0.095	F	0.573	1600	G	2008
			From:	65-638 Mill St												
			To:	ECL Cheriton												

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Northampton County																
(639) Sunnyside Rd	2.03	810	G	97%	1%	1%	1%	1%	0%	F	0.104	F	0.566	880	G	2008
(639) Sunnyside Rd	0.13	170	R									NA		NA		02/10/2004
(640) Bellevue Lane	0.40	60	R									NA		NA		02/23/2004
(640) Wilkins Dr	0.92	140	R									NA		NA		02/23/2004
(641) Parsons Circle	0.18	1100	R									NA		NA		02/05/2004
(641) Parsons Circle	0.52	350	R									NA		NA		02/05/2004
(641) Bayview Circle	0.56	660	R									NA		NA		02/10/2004
(641) Bayview Circle	0.16	1400	G	97%	1%	1%	0%	0%	0%	C	0.092	F	0.657	1500	G	2008
(641) Culls Dr	0.77	570	R									NA		NA		02/10/2004
(641) Culls Dr	0.40	70	R									NA		NA		02/10/2004
(642) Seaview Dr	1.28	670	G	95%	0%	1%	3%	1%	0%	F	0.105	F	0.552	730	G	2008
(642) Parsons Circle	0.30	1300	G	95%	0%	1%	3%	1%	0%	F	0.1	F	0.509	1400	G	2008
(642) Parsons Circle	0.59	680	G	95%	0%	1%	3%	1%	0%	F	0.109	F	0.601	730	G	2008
(642) Old Cape Charles Rd	1.70	1300	G	95%	0%	1%	3%	1%	0%	C	0.128	F	0.91	1400	G	2008
(642) Old Cape Charles Rd	0.17	1100	G	95%	0%	1%	3%	1%	0%	F	0.115	F	0.676	1200	G	2008
Town of Cape Charles																
(642) Old Cape Charles Rd	0.08	910	G	95%	0%	1%	3%	1%	0%	F	0.115	N	0.676	900	G	2008
(642) Nectarine St	0.06	160	R									NA		NA		02/05/2004
(642) Nectarine St	0.06	170	R									NA		NA		02/05/2004
(642) Nectarine St	0.08	130	R									NA		NA		02/05/2004
(642) Nectarine St	0.07	100	R									NA		NA		02/05/2004
(642) Nectarine St	0.05	100	R									NA		NA		02/05/2004
(642) Nectarine St	0.07	60	R									NA		NA		02/05/2004

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Northampton County																
(643) Plantation Dr	1.40	180	R			From:	US 13 Lankford Hwy				NA			NA		02/10/2004
						To:	65-600 Seaside Rd									
(644) Custom Tomb Dr	1.88	130	R			From:	Cul-de-Sac				NA			NA		03/12/2004
						To:	65-645 Arlington Rd									
(644) Arlington Rd	0.80	520	R			From:	65-645; Custom Tomb Dr				NA			NA		03/12/2004
						To:	US 13 Lankford Hwy									
(645) Cedar Grove Rd	0.23	310	G	98%	1%	1%	0%	1%	0%	C	0.101	F	0.571	330	G	2008
						To:	US 13 Lankford Hwy									
(645) Arlington Rd	0.24	250	G	98%	1%	1%	0%	1%	0%	F	0.111	F	0.509	270	G	2008
						To:	65-704 Kiptopeke Dr									
(645) Arlington Rd	3.01	430	G	98%	1%	1%	0%	1%	0%	F	0.099	F	0.613	470	G	2008
						To:	65-624 Capeville Dr									
(645) Arlington Rd	0.24	390	R			From:	65-624 Capeville Dr				NA			NA		03/10/2004
						To:	65-644 Arlington Rd; Custom Tomb Dr									
(646) Picketts Harbor Rd	0.90	90	R			From:	Dead End				NA			NA		03/10/2004
						To:	65-645 N, Arlington Rd									
(646) Townsend Dr	0.74	380	G	95%	2%	2%	1%	0%	0%	F	0.102	F	0.56	410	G	2008
						To:	US 13 Lankford Hwy									
(646) Townsend Dr	0.56	420	G	95%	2%	2%	1%	0%	0%	C	0.117	F	0.709	460	G	2008
						To:	65-600 S, Seaside Rd									
(646) Martins Landing Rd	0.60	170	R			From:	65-600 N, Seaside Rd				NA			NA		03/10/2004
						To:	65-696 Harmony Rd									
(647)	0.30	10	R			From:	Dead End				NA			NA		03/10/2004
						To:	65-646 Townsend Dr									
(648) Stumptown Dr	0.35	160	R			From:	Bus US 13				NA			NA		02/05/2004
						To:	US 13 Lankford Hwy									
(648) Stumptown Dr	0.45	50	R			From:	US 13 Lankford Hwy				NA			NA		02/05/2004
						To:	Dead End									
(649) Raymond Lane	0.40	270	R			From:	65-641 Culls Dr				NA			NA		03/10/2004
						To:	Dead End									
(650) Cheapside Rd	1.10	250	R			From:	65-645 Arlington Rd				NA			NA		03/12/2004
						To:	65-624 Capeville Dr									
(651) Chesapeake Ave	0.15	20	R			From:	65-613				NA			NA		02/25/2004
						To:	Dead End									
(652) Cathey Ave	0.23	670	R			From:	Bus US 13 Main St				NA			NA		03/12/2004
						To:	US 13 Lankford Hwy									
(652) Broadwater Rd	1.39	870	R			From:	US 13 Lankford Hwy				NA			NA		03/08/2004
						To:	SR 183 Occohannock Neck Rd									
(654) Miles Wharf Rd	0.62	60	R			From:	SR 183 Occohannock Neck Rd				NA			NA		02/24/2004
						To:	Dead End									
(655) Magotha Rd	1.00	180	R			From:	65-600 Seaside Rd				NA			NA		02/10/2004
						To:	Dead End									

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Northampton County																
(657) Sparrow Point Rd	1.75	100	R			From:	Dead End				NA		NA		02/05/2004	
						To:	65-619 Church Neck Rd									
(658) Walnut Grove Lane	0.35	60	R			From:	Dead End				NA		NA		02/10/2004	
						To:	65-683 Capeville Dr									
(659) Church St	0.14	190	R			From:	Bus US 13				NA		NA		02/05/2004	
						To:	65-630 Old Town Neck Rd									
(660) Ballard Dr	0.70	250	R			From:	65-600 Seaside Dr				NA		NA		03/02/2004	
						To:	65-603 Willis Wharf Rd									
(661) Obedience Lane	0.37	30	R			From:	Dead End				NA		NA		02/04/2004	
						To:	65-680 Townfield Dr									
(662) Indian Village Rd	0.82	20	R			From:	65-600 Seaside Rd				NA		NA		03/02/2004	
						To:	Dead End									
(663) Cherrystone Rd	1.47	150	G	98%	2%	1%	0%	0%	0%	F	0.145	F	0.519	160	G	2008
						To:	65-640 Wilkins Dr									
(663) Cherrystone Rd	0.55	370	G	98%	2%	1%	0%	0%	0%	C	0.104	F	0.544	410	G	2008
						To:	65-680 Townfield Dr									
(664) Jacobus Creek Rd	1.50	180	R			From:	65-628 Wilsonia Neck Dr				NA		NA		02/05/2004	
						To:	Dead End									
(665) Old Castle Rd	1.10	60	R			From:	Dead End				NA		NA		02/05/2004	
						To:										
(665) Elkington Rd	0.70	60	R			From:	65-634 Savage Neck Dr				NA		NA		07/31/2007	
						To:	Dead End									
(666) Smith Beach Rd	1.75	350	R			From:	65-634 Savage Neck Dr				NA		NA		02/05/2004	
						To:	Cul-de-Sac									
(667) Benders Lane	0.20	90	R			From:	65-642 Old Cape Charles Rd				NA		NA		02/04/2004	
						To:	Dead End									
(668) Robin Rd	1.00	40	R			From:	65-663 Cherrystone Rd				NA		NA		02/04/2004	
						To:	Dead End									
(669) Vincent Lane	0.40	150	R			From:	Dead End				NA		NA		03/02/2004	
						To:	65-600 Seaside Rd									
(670) James Circle	0.37	100	R			From:	65-630 Old Town Neck Rd				NA		NA		02/05/2004	
						To:	65-659 Church St									
(671) Oakland Farm Rd	0.90	30	R			From:	65-663 Cherrystone Rd				NA		NA		02/04/2004	
						To:	Dead End									
(672) Johnson Cove Rd	0.70	20	R			From:	Dead End				NA		NA		02/25/2004	
						To:	65-611 Concord Wharf Rd									
(673) Harrington Dr	0.40	60	R			From:	65-600 Seaside Rd				NA		NA		03/02/2004	
						To:	Dead End									

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Northampton County																
(674) Kendall Grove Rd	1.25	30	R			From: Dead End					NA		NA		02/05/2004	
			To: US 13 Lankford Hwy													
(675) Press Lane	0.20	60	R			From: 65-636 Mount Hebron Rd					NA		NA		02/10/2004	
			To: Dead End													
(676) Sturgis House Dr	0.60	30	R			From: Dead End					NA		NA		02/25/2004	
			To: SR 183 Occohannock Neck Rd													
(677) Prettyman Circle	0.16	20	R			From: 65-685 Deagonal St					NA		NA		02/25/2004	
			To: 65-613 MID													
(677) Prettyman Circle	1.70	90	R			From: 65-613 SOUTH					NA		NA		02/25/2004	
			To: 65-613 EAST													
Town of Nassawadox																
(678) Pine Ave	0.35	350	R			From: 65-606					NA		NA		03/08/2004	
			To: US 13 Lankford Hwy													
Northampton County																
(679) Denwood Rd	0.90	150	R			From: Dead End					NA		NA		02/23/2004	
			To: 65-617 Bayford Rd													
Town of Cheriton																
(680) Townfield Dr	0.34	700	G	97%	1%	1%	0%	0%	0%	C	0.112	F	0.528	760	G	2008
			To: WCL Cheriton													
(680) Townfield Dr	0.04	700	N	97%	1%	1%	0%	0%	0%	N	0.112	N	0.528	760	N	2008
			To: WCL Cheriton													
(680) Townfield Dr	0.96	540	G	97%	1%	1%	0%	0%	0%	F	0.131	F	0.517	590	G	2008
			To: 65-640 Wilkins Dr													
(680) Townfield Dr	0.83	380	R			From: NA					NA		NA		02/05/2004	
			To: Dead End													
Town of Nassawadox																
(681) Hospital Ave	0.50	3100	G	99%	0%	1%	0%	0%	0%	C	0.090	F	0.54	3400	G	2008
			To: 65-606													
Northampton County																
(682) Jocabia Lane	1.10	70	R			From: Dead End					NA		NA		02/04/2004	
			To: US 13 Lankford Hwy													
(683) Siding Rd	0.40	720	R			From: US 13 Lankford Hwy					NA		NA		07/31/2007	
			To: 65-624 Capeville Dr													
(683) Capeville Dr	0.45	650	G	97%	1%	1%	0%	0%	0%	C	0.100	F	0.571	710	G	2008
			To: 65-600 Seaside Rd													
(684) Fairview Rd	0.89	360	G	93%	4%	2%	1%	1%	0%	C	0.182	F	0.5	390	G	2008
			To: US 13 Lankford Hwy													
(684) Bayview Circle	1.10	810	G	93%	4%	2%	1%	1%	0%	F	0.102	F	0.514	880	G	2008
			To: 65-642 S. Seaview Dr													
(685) Deagonal St	0.13	46	R			From: 65-613					NA		NA		02/25/2004	
			To: 65-677 Prettyman Circle													

Virginia Department of Transportation
Traffic Engineering Division

2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck	QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail			
Northampton County												
(685) Deagonal St	0.24	10	R			From: 65-677 Prettyman Circle				NA	NA	02/25/2004
			To:			Dead End						
(686) Kellam Dr	0.30	50	R			From: Dead End				NA	NA	02/25/2004
			To:			65-677 Prettyman Circle						
Town of Belle Haven												
(687) Tower Way	0.15	190	R			From: SR 178 Belle Haven Rd				NA	NA	03/08/2004
			To:			ECL Belle Haven						
Northampton County												
(687) Tower Way	0.23	290	R			From: ECL Belle Haven				NA	NA	04/25/2001
			To:			US 13; Bus US 13						
(688) Hare Valley Dr	0.80	180	R			From: 65-618 Bayside Rd				NA	NA	03/08/2004
			To:			US 13 Lankford Hwy						
(689) Pear Cottage Dr	0.28	9	R			From: Dead End				NA	NA	02/05/2004
			To:			65-628 Wilsonia Neck Dr						
(690) Poplar Grove Rd	0.50	30	R			From: 65-600 Seaside Rd				NA	NA	02/10/2004
			To:			Dead End						
(691) Downing Beach Rd	0.50	100	R			From: Dead End				NA	NA	02/25/2004
			To:			65-613						
(692) Happy Union Dr	1.30	50	R			From: Dead End				NA	NA	02/24/2004
			To:			65-606 Wardtown Rd						
Town of Exmore												
(693) Wainhouse Rd	0.03	120	R			From: Dead End				NA	NA	03/08/2004
			To:			SCL Belle Haven						
Town of Belle Haven												
(693) Wainhouse Rd	0.30	110	R			From: SCL Belle Haven				NA	NA	04/25/2001
			To:			Dead End						
Northampton County												
(694) Terry Lane	0.10	60	R			From: Dead End				NA	NA	03/02/2004
			To:			65-603 Willis Wharf Rd						
(695) Cedar Grove Farm Rd	0.85	20	R			From: Dead End				NA	NA	02/05/2004
			To:			65-619 Bayside Rd						
(696) Harmony Rd	0.40	100	R			From: 65-655 Magotha Rd				NA	NA	02/10/2004
			To:			65-646 Martins Landing Rd						
(697) Beverly Lane	0.25	660	R			From: 65-637 Pat Town Rd				NA	NA	02/10/2004
			To:			Dead End						
(698) Adron St	0.12	140	R			From: Dead End				NA	NA	03/04/2004
			To:			65-700 Cross St						
(698) Adron St	0.08	190	R			From: Dead End				NA	NA	03/04/2004
			To:			65-652 Cathey Ave						
(699) Baxley Lane	0.11	30	R			From: Dead End				NA	NA	03/04/2004
			To:			65-617 Red Bank Rd						

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Northampton County															
(700) Cross St	0.06	30	R			From: 65-698 Adron St					NA		NA		03/04/2004
Town of Nassawadox															
(701) Shell St	0.15	50	R			From: Dead End					NA		NA		03/02/2004
Northampton County															
(702) Kelly Cove Rd	0.18	40	R			From: Dead End					NA		NA		02/25/2004
(703) Beetle St	0.09	46	R			From: 65-704 Kiptopeke Dr					NA		NA		03/12/2004
(704) Kiptopeke Dr	0.21	240	R			From: Dead End					NA		NA		07/31/2007
(704) Kiptopeke Dr	0.40	420	R			From: 65-645 Arlington Rd					NA		NA		03/12/2004
(705) Kirwan Hall Lane	0.70	30	R			From: 65-634 Savage Neck Dr					NA		NA		02/05/2004
Town of Nassawadox															
(706) Church Ct	0.23	180	R			From: 65-609 Franktown Rd					NA		NA		02/24/2004
Northampton County															
(707) Mattasippy Dr	0.20	40	R			From: Dead End					NA		NA		02/25/2004
(708) Narrow Channel Dr	0.43	80	R			From: 65-600 Seaside Rd					NA		NA		02/10/2004
(709) Battle Point Rd	0.91	180	R			From: Dead End					NA		NA		02/25/2004
(709) Battle Point Rd	0.23	360	R			From: 65-719 Peaceful Lakes Dr					NA		NA		02/25/2004
(710) Hallidon Dr	0.25	40	R			From: Dead End					NA		NA		02/23/2004
(711) Long Point Rd	1.00	30	R			From: Dead End					NA		NA		02/23/2004
Town of Nassawadox															
(712) Mill St	0.17	410	R			From: US 13 Lankford Hwy					NA		NA		02/25/2004
Northampton County															
(713) Mackatouces Point Rd	1.00	130	R			From: Dead End					NA		NA		02/25/2004
Town of Nassawadox															
(714) Woodstock Dr	0.24	110	R			From: Dead End					NA		NA		03/12/2004

Virginia Department of Transportation
Traffic Engineering Division

2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Northampton County															
(715) Red Back Ct	0.13	30	R			From: 65-617 Red Bank Rd				NA		NA	NA	03/02/2004	
			To: Dead End												
(716) Smau Dr	0.24	180	R			From: Dead End				NA		NA	NA	03/12/2004	
			To: 65-645 Arlington Rd												
(717) Doggett Lane	0.09	100	R			From: 65-645 Arlington Rd				NA		NA	NA	03/11/2004	
			To: Dead End												
(718) Latimer Siding Rd	0.18	90	R			From: US 13 Lankford Hwy				NA		NA	NA	02/10/2004	
			To: 65-600 Seaside Rd												
(719) Peaceful Lakes Dr	0.77	46	R			From: Cul-de-Sac				NA		NA	NA	02/25/2004	
			To: 65-724 Peaceful Pond Dr												
(719) Peaceful Lakes Dr	0.43	90	R			From: 65-709 Battle Point Rd				NA		NA	NA	02/25/2004	
			To: 65-613												
(720) Hideaway Cove Rd	0.62	20	R			From: 65-721 Hideaway Lane				NA		NA	NA	02/25/2004	
			To: Cul-de-Sac												
(720) Hideaway Cove Rd	0.12	10	R			From: 65-720 Hideaway Cove Rd				NA		NA	NA	02/25/2004	
			To: Cul-de-Sac												
(721) Hideaway Lane	0.06	7	R			From: Cul-de-Sac				NA		NA	NA	02/25/2004	
			To: 65-720 Hideaway Cove Rd												
(723) Chesawadox Dr	0.60	120	R			From: 65-713 Mackatouces Point Rd				NA		NA	NA	02/25/2004	
			To: Cul-de-Sac												
(724) Peaceful Pond Dr	0.57	40	R			From: Cul-de-Sac				NA		NA	NA	02/25/2004	
			To: 65-719 Peaceful Lakes Dr												
Town of Nassawadox															
(725)	0.06	80	R			From: 65-609 Franktown Rd				NA		NA	NA	02/24/2004	
			To: Cul-de-Sac												
Northampton County															
(729) Chesapeake Dr	0.17	6	R			From: Dead End				NA		NA	NA	02/25/2004	
			To: 65-677 Prettyman Circle												
(730) Jones Cove Dr	0.70	60	R			From: 65-600 Seaside Rd				NA		NA	NA	02/10/2004	
			To: Dead End												
(735)	0.32	NA				From: 65-642 Seaview Dr				NA		NA	NA		
			To: 65-1302 Banks Rd												
(740) Clearview Rd	0.51	80	R			From: 65-635 Batchelers Branch Rd				NA		NA	NA	02/25/2004	
			To: Cul-de-Sac												
(741) Clearview Way	0.13	30	R			From: Cul-de-Sac				NA		NA	NA	02/25/2004	
			To: 65-740 Clearview Rd												
(846)	1.98	NA				From: Dead End				NA		NA	NA		
			To: 65-610 Short St												

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Town of Exmore															
(1001) Bank Ave	0.06	80	R			From:	65-1033 Charnock St				NA		NA		03/09/2004
(1001) Bank Ave	0.05	130	R			To:	65-1009 Lee St				NA		NA		03/09/2004
(1001) Bank Ave	0.05	260	R			To:	65-1010 Jackson St				NA		NA		03/09/2004
(1001) Bank Ave	0.05	310	R			To:	65-1015 Fourth St				NA		NA		03/09/2004
(1001) Bank Ave	0.04	870	R			To:	65-1016 Third St				NA		NA		03/09/2004
(1001) Bank Ave	0.06	930	R			To:	65-1017 Broad St				NA		NA		03/09/2004
(1001) Bank Ave	0.10	890	R			To:	Bus US 13				NA		NA		03/09/2004
(1002) Front St	0.03	350	R			To:	65-1002 Front St				NA		NA		03/09/2004
(1002) Front St	0.06	370	R			To:	65-603 Willis Wharf Rd				NA		NA		03/09/2004
(1002) Front St	0.22	620	R			To:	65-1003 Commercial Ave				NA		NA		03/09/2004
(1002) Front St						To:	65-1003 Commercial St				NA		NA		03/09/2004
(1003) Commercial St	0.06	1000	R			To:	65-1001 Bank Ave				NA		NA		03/09/2004
(1004) Monroe	0.04	240	R			To:	SR 183 Occohannock Neck Rd				NA		NA		03/09/2004
(1004) Monroe	0.06	180	R			To:	65-1024 Grayson				NA		NA		03/09/2004
(1004) Monroe	0.10	130	R			To:	65-1030 Washington				NA		NA		03/09/2004
(1004) Monroe	0.18	110	R			To:	65-1031 Jefferson St				NA		NA		03/09/2004
(1004) Monroe	0.04	10	R			To:	65-1028 Madison Ave				NA		NA		03/09/2004
(1005) Elm St	0.09	210	R			To:	65-103				NA		NA		03/03/2004
(1006) Myrtle St	0.09	370	R			To:	65-1007 Browne Ave				NA		NA		03/03/2004
(1006) Myrtle St	0.10	110	R			To:	65-603 Willis Wharf Rd				NA		NA		03/03/2004
(1007) Browne Ave	0.08	80	R			To:	65-1007 Browne Ave				NA		NA		03/03/2004
(1007) Browne Ave	0.07	30	R			To:	65-1005 Elm St				NA		NA		03/03/2004
(1008) Poplar Ave	0.15	170	R			To:	65-1006 Myrtle St				NA		NA		03/04/2004
(1008) Poplar Ave						To:	65-1010 Jackson St				NA		NA		03/04/2004
(1008) Poplar Ave						To:	65-1017 Broad St				NA		NA		03/04/2004

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Town of Exmore															
(1009) Lee St	0.07	50	R			From:	65-1014 Roosevelt Ave				NA		NA		03/09/2004
(1009) Lee St	0.09	100	R			To:	65-1001 Bank Ave				NA		NA		03/09/2004
(1009) Lee St	0.06	160	R			From:	SR 183 Occohannock Neck Rd				NA		NA		03/09/2004
(1009) Lee St	0.10	150	R			To:	65-1030 Washington				NA		NA		03/09/2004
(1009) Lee St	0.03	45	R			From:	65-1031 Jefferson St				NA		NA		03/09/2004
						To:	Dead End								
(1010) Jackson St	0.05	10	R			From:	65-1045 Holly Circle				NA		NA		03/04/2004
(1010) Jackson St	0.07	80	R			To:	65-1026 Park Ave				NA		NA		03/04/2004
(1010) Jackson St	0.07	110	R			From:	65-1008 Poplar Ave				NA		NA		03/04/2004
(1010) Jackson St	0.07	170	R			To:	65-1014 Roosevelt Ave				NA		NA		03/04/2004
						From:	65-1001 Westfield Ave								
(1011) Virginia Ave	0.09	740	R			From:	65-603 Willis Wharf Rd				NA		NA		03/02/2004
(1011) Virginia Ave	0.39	600	R			To:	65-1007 Browne Ave				NA		NA		03/02/2004
						From:	Dead End								
(1012) Stockton Lane	0.09	140	R			From:	SR 183 Occohannock Neck Rd				NA		NA		03/12/2004
						To:	Dead End								
(1014) Roosevelt Ave	0.05	40	R			From:	65-1009 Lee St				NA		NA		03/12/2004
(1014) Roosevelt Ave	0.06	110	R			To:	65-1010 Jackson St				NA		NA		03/12/2004
(1014) Roosevelt Ave	0.05	170	R			From:	65-1015 Fourth St				NA		NA		03/12/2004
(1014) Roosevelt Ave	0.04	220	R			To:	65-1016 Third St				NA		NA		03/12/2004
						From:	65-1017 Broad St								
(1015) Fourth St	0.08	90	R			From:	65-1014 Roosevelt Ave				NA		NA		03/12/2004
						To:	65-1001 Bank Ave								
(1016) Third St	0.08	47	R			From:	65-1014 Roosevelt Ave				NA		NA		03/12/2004
						To:	65-1001 Bank Ave								
(1017) Broad St	0.15	560	R			From:	65-1043 Benjamin St				NA		NA		03/04/2004
						To:	65-1027 Bright Ave								
(1017) Broad St	0.25	590	R			From:	65-1001 Westfield Ave				NA		NA		03/04/2004
						To:	Bus US 13								
(1018) Ann Ave	0.11	110	R			From:	Bus US 13				NA		NA		03/09/2004
						To:	65-1023 Houston								
(1019) Temple Dr	0.04	160	R			From:	Bus US 13 Main St				NA		NA		03/04/2004
						To:	ECL Exmore								

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Northampton County															
(1019) Temple Dr	0.09	40	R			From: ECL Exmore					NA		NA		03/04/2004
			To: Dead End												
Town of Exmore															
(1021) Westmore Rd	0.05	400	N			From: 65-1050 Westmore Court					NA		NA		03/08/2004
			To: 65-1040 Manor St												
Northampton County															
(1021) Westmore Rd	0.04	400	R			From: 65-1040 Manor St					NA		NA		03/08/2004
			To: SCL Exmore												
Town of Exmore															
(1021) Westmore Rd	0.15	410	R			From: SCL Exmore					NA		NA		03/08/2004
			To: SR 183 Occohannock Neck Rd												
(1022) Blunt St	0.06	30	R			From: Dead End					NA		NA		03/12/2004
			To: SR 183 Occohannock Neck Rd												
(1023) Houston	0.05	90	R			From: 65-1024 Grayson Ave					NA		NA		03/09/2004
			To: 65-1018 Anne Ave												
(1023) Houston	0.09	70	R			From: 65-1025 Carolyn Ave					NA		NA		03/09/2004
			To: 65-1032 Pacific Ave												
(1023) Houston	0.02	40	R			From: NCL Exmore					NA		NA		03/09/2004
			To: 65-1004 Monroe												
(1024) Grayson Ave	0.08	130	R			From: Bus US 13					NA		NA		03/12/2004
			To: 65-1023 Houston												
(1024) Grayson Ave	0.04	20	R			From: Dead End					NA		NA		03/12/2004
			To: 65-1023 Houston												
(1025) Carolyn Ave	0.06	30	R			From: Dead End					NA		NA		03/09/2004
			To: 65-1039 Holman Ave												
(1025) Carolyn Ave	0.03	60	R			From: Bus US 13					NA		NA		03/09/2004
			To: 65-1023 Houston												
(1025) Carolyn Ave	0.10	90	R			From: Dead End					NA		NA		03/09/2004
			To: 65-1023 Houston												
(1025) Carolyn Ave	0.09	5	R			From: 65-1023 Houston					NA		NA		03/09/2004
			To: Dead End												
(1026) Park Ave	0.11	120	R			From: 65-1010 Jackson St					NA		NA		03/04/2004
			To: 65-1044												
(1026) Park Ave	0.04	230	R			From: 65-1017 Broad St					NA		NA		03/04/2004
			To: 65-1017 Broad St												
(1027) Bright Ave	0.09	330	R			From: Bus US 13					NA		NA		03/04/2004
			To: Bus US 13												
(1028) Madison Ave	0.08	110	R			From: 65-1004 Monroe					NA		NA		03/09/2004
			To: SR 178 Belle Haven Rd												

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Town of Exmore															
(1029) Vine Court	0.04	90	R			From: Dead End					NA		NA		03/04/2004
						To: Bus US 13									
(1030) Washington St	0.09	60	R			From: 65-1009 Lee St					NA		NA		03/09/2004
						To: 65-1004 Monroe									
(1030) Washington St	0.08	100	R			From: 65-1004 Monroe					NA		NA		03/09/2004
						To: SR 178 Belle Haven Rd									
(1031) Jefferson St	0.07	150	R			From: 65-1009 Lee St					NA		NA		03/09/2004
						To: 65-1004 Monroe									
(1031) Jefferson St	0.08	210	R			From: 65-1004 Monroe					NA		NA		03/09/2004
						To: SR 178 Belle Haven Rd									
(1032) Houston Ave	0.09	90	R			From: 65-1023 Houston					NA		NA		03/09/2004
						To: Bus US 13									
(1032) Houston Ave	0.03	30	R			From: 65-1039 Holman Ave					NA		NA		03/09/2004
						To: WCL Exmore									
(1033) Charnock St	0.07	30	R			From: 65-1001 Westfield Ave					NA		NA		03/09/2004
						To: 65-1001 Bank Ave									
(1033) Charnock St	0.09	100	R			From: 65-1001 Bank Ave					NA		NA		03/09/2004
						To: SR 183 Occohannock Neck Rd									
(1034) York Circle	0.06	50	R			From: 65-1035 York Circle					NA		NA		03/03/2004
						To: 65-1006 Myrtle St									
(1035) York Circle	0.06	50	R			From: 65-1034 York Circle					NA		NA		03/03/2004
						To: 65-1036 York Circle									
(1036) York Circle	0.08	70	R			From: Dead End					NA		NA		03/03/2004
						To: 65-1035 York Circle									
(1037) Crown St	0.24	160	R			From: SR 178 Belle Haven Rd					NA		NA		03/12/2004
						To: US 13 Lankford Hwy									
(1038) Atlantic Ave	0.05	20	R			From: Dead End					NA		NA		03/09/2004
						To: 65-1039 Holman Ave									
(1038) Atlantic Ave	0.03	30	R			From: 65-1039 Holman Ave					NA		NA		03/09/2004
						To: Bus US 13									
(1039) Holman Ave	0.13	100	R			From: SR 178 Belle Haven Rd					NA		NA		03/09/2004
						To: 65-1025 Carolyn Ave									
(1039) Holman Ave	0.16	40	R			From: 65-1025 Carolyn Ave					NA		NA		03/09/2004
						To: Dead End									
(1040) Manor St	0.11	170	R			From: 65-1041					NA		NA		03/08/2004
						To: Dead End									
(1041) Westmore Place	0.22	90	R			From: 65-1052 Westmore Lane					NA		NA		03/08/2004
						To: SCL Exmore									
(1041) Westmore Place	0.04	40	R			From: SCL Exmore					NA		NA		03/08/2004
						To: Dead End									

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Northampton County															
(1042) Hadlock Rd	0.06	360	R			From:	65-700 Cross St				NA		NA		03/04/2004
(1042) Hadlock Rd	0.22	310	R			From:	65-652 Cathey Ave				NA		NA		07/31/2007
			To:	SCL Exmore											
Town of Exmore															
(1042) Hadlock Rd	0.21	610	R			From:	SCL Exmore				NA		NA		09/18/2001
			To:	Bus US 13											
Northampton County															
(1043) Benjamin St	0.15	1300	R			From:	US 13 Lankford Hwy				NA		NA		07/31/2007
			To:	WCL Exmore											
Town of Exmore															
(1043) Benjamin St	0.14	1300	R			From:	WCL Exmore				NA		NA		09/18/2001
(1043) Benjamin St	0.08	760	R			From:	65-1017 Broad St				NA		NA		03/04/2004
			To:	Bus US 13											
(1044) Holly Circle	0.05	80	R			From:	65-1045 Holly Circle				NA		NA		03/04/2004
			To:	65-1026 Park Ave											
(1045) Holly Circle	0.10	45	R			From:	65-1010 Jackson St				NA		NA		03/04/2004
			To:	65-1044											
(1046) Commonwealth Ave	0.20	60	R			From:	65-1011 Virginia Ave				NA		NA		03/03/2004
			To:	65-1011 Virginia Ave											
(1048)	0.03	110	R			From:	Dead End				NA		NA		07/31/2007
			To:	65-1011 Virginia Ave											
(1049) Gum Tree Lane	0.05	110	R			From:	65-1011 Virginia Ave				NA		NA		07/31/2007
			To:	Dead End											
(1050) Westmore Court	0.25	180	R			From:	US 13 Lankford Hwy				NA		NA		07/31/2007
			To:	Dead End											
(1051) Westmore Dr	0.05	160	R			From:	65-1050 Westmore Court				NA		NA		07/31/2007
			To:	65-1040 Manor St											
(1052) Westmore Lane	0.02	60	R			From:	Dead End				NA		NA		07/31/2007
			To:	65-1041 Westmore Place											
(1052) Westmore Lane	0.08	460	N			From:	65-1041 Westmore Place				NA		NA		09/14/2005
			To:	Dead End											
Town of Nassawadox															
(1070) Rescue Lane	0.23	NA				From:	65-678 Pine Ave				NA		NA		
			To:	Dead End											
Northampton County															
(1080) Holly Bluff Dr	0.44	230	R			From:	65-609 Wellington Neck Rd				NA		NA		07/31/2007
			To:	Dead End											
Town of Cape Charles															
(1101) Pine St	0.06	610	R			From:	SR 184 S, Bay Ave; Mason Ave				NA		NA		02/04/2004
			To:	65-1112 Randolph Ave											

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Town of Cape Charles															
(1101) Pine St	0.06	400	R			From:	65-1112 Randolph Ave				NA		NA	NA	02/04/2004
(1101) Pine St	0.06	160	R			To:	65-1111 Tazewell Ave				NA		NA	NA	02/04/2004
(1101) Pine St	0.07	70	R			From:	65-1110 Monroe Ave				NA		NA	NA	02/04/2004
(1101) Pine St	0.06	120	R			To:	65-1104 Madison Ave				NA		NA	NA	02/04/2004
(1101) Pine St	0.06	140	R			From:	65-1103 Jefferson Ave				NA		NA	NA	02/04/2004
						To:	SR 184 N; 65-1106								
(1102) Strawberry St	0.05	990	R			From:	SR 184 Bay Ave; Mason Ave				NA		NA	NA	02/04/2004
(1102) Strawberry St	0.06	810	R			To:	65-1112 Randolph Ave				NA		NA	NA	02/04/2004
(1102) Strawberry St	0.06	300	R			From:	65-1111 Tazewell Ave				NA		NA	NA	02/04/2004
(1102) Strawberry St	0.03	380	R			To:	65-1110 Monroe Ave				NA		NA	NA	02/04/2004
(1102) Strawberry St	0.03	410	R			From:	65-1115 Park Row				NA		NA	NA	02/04/2004
(1102) Strawberry St	0.06	100	R			To:	65-1104 Madison Ave				NA		NA	NA	02/04/2004
(1102) Strawberry St	0.06	110	R			From:	65-1103 Jefferson Ave				NA		NA	NA	02/04/2004
						To:	65-1106 Washington Ave								
(1103) Jefferson Ave	0.05	120	R			From:	SR 184 Bay Ave; Mason Ave				NA		NA	NA	02/03/2004
(1103) Jefferson Ave	0.02	100	R			To:	65-1107 Harbor St				NA		NA	NA	02/03/2004
(1103) Jefferson Ave	0.13	90	R			From:	65-1101 Pine St				NA		NA	NA	02/03/2004
(1103) Jefferson Ave	0.05	160	R			To:	65-1102 Strawberry St				NA		NA	NA	02/03/2004
(1103) Jefferson Ave	0.06	190	R			From:	65-1109 Peach St				NA		NA	NA	02/03/2004
(1103) Jefferson Ave	0.12	160	R			To:	65-1113 Plum St				NA		NA	NA	02/03/2004
(1103) Jefferson Ave	0.12	240	R			From:	65-642 Nectarine St				NA		NA	NA	02/03/2004
						To:	65-1105 Fig St								
(1104) Madison Ave	0.05	100	R			From:	SR 184 Bay Ave; Mason Ave				NA		NA	NA	02/03/2004
(1104) Madison Ave	0.04	100	R			To:	65-1107 Harbor St				NA		NA	NA	02/03/2004
(1104) Madison Ave	0.13	150	R			From:	65-1101 Pine St				NA		NA	NA	02/03/2004
(1104) Madison Ave	0.06	260	R			To:	65-1102 Strawberry St				NA		NA	NA	02/03/2004
						From:	65-1109 Peach St								
(1104) Madison Ave	0.07	160	R			To:	65-1113 Plum St				NA		NA	NA	02/03/2004

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Town of Cape Charles															
(1104) Madison Ave	0.12	210	R			From:	65-1113 Plum St							NA	02/03/2004
(1104) Madison Ave	0.12	610	R			From:	65-642 Nectarine St							NA	02/03/2004
			To:	65-1105 Fig St											
(1105) Fig St	0.10	1500	R			From:	SR 184; 65-1112							NA	02/04/2004
(1105) Fig St	0.11	850	R			From:	65-1110 Monroe Ave							NA	02/04/2004
			To:	65-1103 Jefferson Ave											
(1105) Fig St	0.38	840	R			From:	Dead End							NA	02/04/2004
(1106) Washington Ave	0.13	380	R			From:	SR 184; 65-1101							NA	02/04/2004
(1106) Washington Ave	0.06	340	R			From:	65-1102 Strawberry St							NA	02/04/2004
			To:	65-1109 Peach St											
(1106) Washington Ave	0.06	360	R			From:	65-1113 Plum St							NA	02/04/2004
(1106) Washington Ave	0.12	330	R			From:	65-642 Nectarine St							NA	02/04/2004
			To:	65-1105 Fig St											
(1106) Washington Ave	0.12	350	R			From:	SR 184 Bay Ave; Mason Ave							NA	02/04/2004
(1107) Harbor Ave	0.06	160	R			From:	65-1112 Randolph Ave							NA	02/04/2004
(1107) Harbor Ave	0.06	220	R			From:	65-1111 Tazewell Ave							NA	02/04/2004
			To:	65-1110 Monroe Ave											
(1107) Harbor Ave	0.07	160	R			From:	65-1104 Madison Ave							NA	02/04/2004
(1107) Harbor Ave	0.06	60	R			From:	65-1103 Jefferson Ave							NA	02/04/2004
			To:	Dead End											
(1108) Marina Dr	0.23	430	R			From:	65-1116							NA	02/03/2004
(1108) Marina Dr	0.32	1300	R			From:	65-642 Old Cape Charles Rd							NA	02/03/2004
			To:	SR 184 Bay Ave; Mason Ave											
(1109) Peach St	0.05	310	R			From:	65-1112 Randolph Ave							NA	02/03/2004
(1109) Peach St	0.05	110	R			From:	65-1111 Tazewell Ave							NA	02/03/2004
			To:	65-1104 Madison Ave; Gap											
(1109) Peach St	0.03	130	R			From:	Dead End; Gap							NA	02/03/2004
(1109) Peach St	0.06	110	R			From:	65-1104 Madison Ave; Gap							NA	02/03/2004
			To:	65-1103 Jefferson Ave											
(1109) Peach St	0.06	100	R			From:	65-1106 Washington Ave							NA	02/03/2004
			To:	SR 184 Bay Ave; Mason Ave											
(1110) Monroe Ave	0.06	190	R			From:	65-1107 Harbor Ave							NA	02/03/2004
			To:												

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Town of Cape Charles															
(1110) Monroe Ave	0.03	210	R			From:	65-1107 Harbor Ave					NA		NA	02/03/2004
(1110) Monroe Ave	0.11	100	R			To:	65-1101 Pine St					NA		NA	02/03/2004
(1110) Monroe Ave	0.11	120	R			To:	65-1102 Strawberry St; Gap					NA		NA	02/03/2004
(1110) Monroe Ave	0.11	230	R			From:	65-1113 Plum St; Gap					NA		NA	02/03/2004
(1110) Monroe Ave	0.09	130	R			To:	65-642 Nectarine St					NA		NA	02/03/2004
(1111) Tazewell Ave	0.07	140	R			From:	SR 184 Bay Ave; Mason Ave					NA		NA	02/03/2004
(1111) Tazewell Ave	0.05	160	R			To:	65-1107 Harbor St					NA		NA	02/03/2004
(1111) Tazewell Ave	0.17	210	R			To:	65-1101 Pine St					NA		NA	02/03/2004
(1111) Tazewell Ave	0.07	400	R			To:	65-1109 Peach St					NA		NA	02/03/2004
(1111) Tazewell Ave	0.12	320	R			To:	65-1113 Plum St					NA		NA	02/03/2004
(1111) Tazewell Ave	0.12	310	R			To:	65-642 Nectarine St					NA		NA	02/03/2004
(1111) Tazewell Ave	0.10	280	R			To:	65-1105 Fig St					NA		NA	02/03/2004
(1111) Tazewell Ave						To:	65-1114 Fulcher St					NA		NA	
(1112) Randolph Ave	0.08	280	R			From:	SR 184 Bay Ave; Mason Ave					NA		NA	02/03/2004
(1112) Randolph Ave	0.06	330	R			To:	65-1107 Harbor Ave					NA		NA	02/03/2004
(1112) Randolph Ave	0.11	790	R			To:	65-1101 Pine St					NA		NA	02/03/2004
(1112) Randolph Ave	0.06	1000	R			To:	65-1102 Strawberry St					NA		NA	02/03/2004
(1112) Randolph Ave	0.07	1100	R			To:	65-1109 Peach St					NA		NA	02/03/2004
(1112) Randolph Ave	0.12	1200	R			To:	65-1113 Plum St					NA		NA	02/03/2004
(1112) Randolph Ave	0.12	1500	R			To:	65-642 Nectarine St					NA		NA	02/03/2004
(1113) Plum St	0.05	310	R			To:	SR 184; 65-1105					NA		NA	
(1113) Plum St	0.05	350	R			From:	SR 184 Bay Ave; Mason Ave					NA		NA	02/04/2004
(1113) Plum St	0.06	310	R			To:	65-1112 Randolph Ave					NA		NA	02/04/2004
(1113) Plum St	0.07	380	R			To:	65-1111 Tazewell Ave					NA		NA	02/04/2004
(1113) Plum St	0.06	300	R			To:	65-1110 Monroe Ave					NA		NA	02/04/2004
(1113) Plum St						To:	65-1104 Madison Ave					NA		NA	
(1113) Plum St						To:	65-1103 Jefferson Ave					NA		NA	

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Town of Cape Charles															
(1113) Plum St	0.05	270	R			From:	65-1103 Jefferson Ave				NA		NA	02/04/2004	
			To:			65-1106 Washington Ave									
(1114) Fulcher St	0.08	310	R			From:	SR 184 Stone Rd				NA		NA	02/04/2004	
			To:			65-1111 Tazewell Ave									
(1114) Fulcher St	0.07	170	R			From:	65-1111 Tazewell Ave				NA		NA	02/04/2004	
			To:			65-1110 Monroe Ave									
(1115) Park Row	0.06	40	R			From:	65-1102 Strawberry St				NA		NA	02/04/2004	
			To:			Dead End									
(1116)	0.08	850	R			From:	Dead End				NA		NA	02/03/2004	
			To:			65-1108 Marina Dr									
(1117)	0.33	NA				From:	Dead End				NA		NA		
			To:			65-1108 Marina Dr									
Northampton County															
(1120) Eden Meadows Way	0.42	100	R			From:	Cul-de-Sac				NA		NA	03/08/2004	
			To:			SR 183 Occohannock Neck Rd									
(1122) Pine Meadows Way	0.62	70	R			From:	Cul-de-Sac				NA		NA	03/08/2004	
			To:			SR 183 Occohannock Neck Rd									
(1123) Elm Tree Ct	0.08	7	R			From:	Cul-de-Sac				NA		NA	03/08/2004	
			To:			65-1122 Pine Meadows Way									
(1124) Spruce Tree Ct	0.05	5	R			From:	Cul-de-Sac				NA		NA	03/08/2004	
			To:			65-1122 Pine Meadows Way									
(1130) Harbour Lane	0.70	120	R			From:	65-630 Old Town Neck Rd				NA		NA	03/08/2004	
			To:			Cul-de-Sac									
(1134) Bluff Dr	0.97	170	R			From:	Dead End				NA		NA	03/12/2004	
			To:			65-645 Arlington Rd									
(1135) Bluff Ct	0.12	70	R			From:	65-1134 Bluff Dr				NA		NA	03/12/2004	
			To:			Dead End									
(1140) Wilsonia Shore Dr	0.82	80	R			From:	Cul-de-Sac				NA		NA	02/05/2004	
			To:			65-664 Jacobus Creek Rd									
(1141) Wilsonia Dr	0.99	50	R			From:	65-628 Wilsonia Neck Dr				NA		NA	02/05/2004	
			To:			65-1142 Wilsonia Harbor Lane									
(1142) Wilsonia Harbor Lane	0.20	30	R			From:	65-1141 Wilsonia Dr				NA		NA	02/05/2004	
			To:			65-1143 Wilsonia Harbor									
(1143) Wilsonia Harbor	0.07	30	R			From:	Dead End				NA		NA	02/05/2004	
			To:			65-1142 Wilsonia Harbor Lane									
(1143) Wilsonia Harbor	0.23	30	R			From:	Dead End				NA		NA	07/31/2007	
			To:			65-1142 Wilsonia Harbor Lane									
(1144)	0.30	NA				From:	Cul-de-Sac				NA		NA		
			To:			65-1141 Wilsonia Dr									

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Northampton County															
(1144)	0.25	NA				From: 65-1141 Wilsonia Dr					NA		NA		
						To: Cul-de-Sac									
(1201) Major Ct	0.10	90	R			From: 65-603 Willis Wharf Rd					NA		NA	03/02/2004	
						To: Dead End									
(1202) Bowen Circle	0.10	140	R			From: Dead End					NA		NA	03/02/2004	
						To: 65-1204 Parting Creek Rd									
(1203) Hog Island Lane	0.12	50	R			From: 65-603 Willis Wharf Rd					NA		NA	03/02/2004	
						To: Dead End									
(1204) Parting Creek Rd	0.10	300	R			From: 65-603 Willis Wharf Rd					NA		NA	03/02/2004	
						To: 65-1202 Bowen Circle									
(1204) Parting Creek Rd	0.20	160	R			From: NA					NA		NA	03/02/2004	
						To: Dead End									
(1210) Ashby Rd	0.29	170	R			From: 65-602 Cemetery Rd					NA		NA	03/08/2004	
						To: 65-1211 Occohannock Blvd									
(1211) Occohannock Blvd	0.30	70	R			From: 65-1212 Highland Ct					NA		NA	03/08/2004	
						To: 65-1210 Ashby Rd									
(1212) Highland Ct	0.08	40	R			From: 65-1211 Occohannock Blvd					NA		NA	03/08/2004	
						To: Cul-de-Sac									
(1230) Hare Valley Trail	0.20	110	R			From: 65-618 Bayside Rd					NA		NA	02/24/2004	
						To: Cul-de-Sac									
(1231) Hare Valley Court	0.02	30	R			From: 65-1230 Hare Valley Trail					NA		NA	02/24/2004	
						To: Cul-de-Sac									
Town of Cheriton															
(1301) Stoakley Rd	0.48	130	R			From: US 13 BUS; 65-680					NA		NA	03/02/2004	
						To: 65-638 Mill St									
Northampton County															
(1302) Banks Rd	0.30	230	R			From: 65-684 Bayview Circle					NA		NA	02/10/2004	
						To: 65-1303 Banks Rd									
(1303) Banks Rd	0.30	170	R			From: 65-642 Seaview Dr					NA		NA	02/10/2004	
						To: 65-1302 Banks Rd									
Town of Cheriton															
(1304) Maple Dr	0.25	230	R			From: 65-1301 Stoakley Rd					NA		NA	03/02/2004	
						To: 65-638 Mill St									
Northampton County															
(1305) Casey Lane	0.34	130	R			From: Dead End					NA		NA	03/02/2004	
						To: SCL Cheriton									
Town of Cheriton															
(1305) Casey Lane	0.06	30	R			From: SCL Cheriton					NA		NA	09/27/2001	
						To: 65-639 Sunnyside Rd									
(1306) Wilson Rd	0.10	300	R			From: Bus US 13					NA		NA	02/11/2004	
						To: 65-1308 Holland Dr									

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Town of Cheriton															
(1306) Wilson Rd	0.03	240	R			From: 65-1308 Holland Dr					NA		NA		02/11/2004
			To: 65-1318 Wilson Ct												
(1308) Holland Dr	0.24	100	R			From: Bus US 13					NA		NA		02/11/2004
			To: 65-1306 Wilson Rd												
(1309) Sunnyside Rd	0.05	50	R			From: Dead End					NA		NA		02/11/2004
			To: 65-1313 Pine View Rd												
(1309) Sunnyside Rd	0.05	100	R			From: 65-1310 Huntington St					NA		NA		02/11/2004
			To: US 13 BUS; 65-639												
(1310) Huntington Rd	0.09	120	R			From: 65-1309 Sunnyside Rd					NA		NA		02/11/2004
			To: 65-1314												
(1310) Huntington Rd	0.08	120	R			From: 65-680 Townfield Dr					NA		NA		02/11/2004
			To: 65-680 Townfield Dr												
Northampton County															
(1311) Fisher Ct	0.34	330	R			From: 65-642 Seaview Dr					NA		NA		02/10/2004
			To: Dead End												
(1312) Mildreds Lane	0.16	50	R			From: Dead End					NA		NA		02/10/2004
			To: 65-1303 Banks Rd												
Town of Cheriton															
(1313) Pine View Rd	0.08	80	R			From: 65-1309 Sunnyside Rd					NA		NA		02/11/2004
			To: 65-1314												
(1314)	0.05	30	R			From: 65-1313 Pine View Rd					NA		NA		02/11/2004
			To: 65-1310 Huntington Rd												
Northampton County															
(1315) Cheriton Dr	0.11	420	R			From: 65-639 Sunnyside Rd					NA		NA		03/02/2004
			To: 65-1316; 65-1317												
(1315) Cheriton Dr	0.06	45	R			From: 65-1316; 65-131					NA		NA		03/02/2004
			To: Dead End												
(1316) Eastway Ct	0.04	90	R			From: 65-1315; 65-1317					NA		NA		03/02/2004
			To: Dead End												
(1317)	0.04	70	R			From: Dead End					NA		NA		03/02/2004
			To: 65-1315; 65-1316												
Town of Cheriton															
(1318) Wilson Ct	0.50	210	R			From: 65-1306 Wilson Rd					NA		NA		03/02/2004
			To: End Loop												
Northampton County															
(1320) Kings Creek Pkwy	0.12	NA				From: 65-641 Parsons Circle					NA		NA		
						To: 65-1321 Tower Hill Circle									
(1321) Tower Hill Circle	0.32	NA				From: 65-1320 Kings Creek Pkwy					NA		NA		
						To: 65-1322 Bunbury Plantation Lane									

Virginia Department of Transportation
Traffic Engineering Division

2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Northampton County															
(1322) Bunbury Plantation Lan	0.22	NA				From: 65-1324; 65-1325 Verlinda Landing				NA			NA		
						To: 65-1321 Tower Hill Circle									
(1323) Bowden Landing	0.08	NA				From: Dead End				NA			NA		
						To: 65-1325 Verlinda Landing									
(1324) Verlinda Landing S	0.18	NA				From: Dead End				NA			NA		
						To: 65-1322 Bunbury Plantation Lane									
(1325) Verlinda Landing N	0.27	NA				From: 65-1322 Bunbury Plantation Lane				NA			NA		
						To: Dead End									
(1401) Machipongo Lane	0.27	300	R			From: 65-627 Machipongo Dr				NA			NA	03/02/2004	
						To: Dead End									
(1501) Bannister St	0.20	20	R			From: Dead End				NA			NA	02/23/2004	
						To: 65-1504 Seay Rd									
(1501) Bannister St	0.20	250	R			From: 65-622 Treherneville Dr				NA			NA	02/23/2004	
						To: 65-1503 Harmon Rd									
(1502) Kates Dr	0.20	470	R			From: 65-1504 Seay Rd				NA			NA	02/23/2004	
						To: US 13 Lankford Hwy									
(1502) Kates Dr	0.15	590	R			From: Dead End				NA			NA	02/23/2004	
						To: 65-1502 Kates Dr									
(1503) Harmon Rd	0.15	350	R			From: 65-1502 Kates Dr				NA			NA	02/23/2004	
						To: 65-1501 Bannister St									
(1504) Seay Rd	0.35	270	R			From: 65-1510 Swan Dr				NA			NA	02/23/2004	
						To: Dead End									
(1509) Pheasant Court	0.04	48	R			From: 65-1510 Swan Dr				NA			NA	02/23/2004	
						To: Dead End									
(1510) Swan Dr	0.60	90	R			From: Dead End				NA			NA	02/23/2004	
						To: 65-1511 Swan Lane									
(1510) Swan Dr	0.17	130	R			From: 65-619 Church Neck Rd				NA			NA	02/23/2004	
						To: Cul-de-Sac									
(1511) Swan Lane	0.08	10	R			From: Cul-de-Sac				NA			NA	02/23/2004	
						To: 65-1510 Swan Dr									
(1512) Heron Dr	0.58	150	R			From: Cul-de-Sac				NA			NA	02/23/2004	
						To: 65-1519 Bluefish Lane									
(1512) Heron Dr	0.56	210	R			From: 65-619 Church Neck Rd				NA			NA	02/23/2004	
						To: Cul-de-Sac									
(1513) Trout Lane	0.66	120	R			From: Cul-de-Sac				NA			NA	02/23/2004	
						To: 65-1512 Heron Dr									
(1514) Mallard Lane	0.16	10	R			From: Cul-de-Sac				NA			NA	02/23/2004	
						To: 65-619 Church Neck Rd									
(1515) Peacock Lane	0.09	20	R			From: Cul-de-Sac				NA			NA	02/23/2004	
						To: 65-1516 Pintail Court									

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Northampton County															
(1515) Peacock Lane	0.06	49	R								NA		NA		02/23/2004
(1515) Peacock Lane	0.07	150	R								NA		NA		02/23/2004
(1516) Pintail Court	0.06	30	R								NA		NA		02/23/2004
(1517) Blue Teal Lane	0.29	90	R								NA		NA		02/23/2004
(1518) Channel Bass Lane	0.15	90	R								NA		NA		02/23/2004
(1519) Bluefish Lane	0.06	10	R								NA		NA		02/23/2004
(1520) Black Drum Lane	0.13	40	R								NA		NA		02/23/2004
(1521) Cardinal Court	0.02	8	R								NA		NA		02/23/2004
(1522) Quail Lane	0.09	70	R								NA		NA		02/23/2004
(1523) Snipe Lane	0.06	60	R								NA		NA		02/23/2004
(1524) Spoon Bill Lane	0.05	20	R								NA		NA		02/23/2004
(1525)	0.03	3	R								NA		NA		07/31/2007
Town of Eastville															
(1601) James St	0.13	120	R								NA		NA		02/11/2004
(1602) Rockefellow Lane	0.15	100	R								NA		NA		02/11/2004
Northampton County															
(1603) Holland Ct	0.20	230	R								NA		NA		02/05/2004
(1604) Debedeavon Lane	0.08	170	R								NA		NA		02/05/2004
(1605) Tyson Circle	0.38	170	R								NA		NA		02/05/2004

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Town of Eastville															
(1606)	0.14	370	R			From: 65-631 W, Willow Oak Rd					NA		NA		02/05/2004
			To: 65-631 E, Willow Oak Rd												
Northampton County															
(1610) Meadows Dr	0.15	100	R			From: Cul-de-Sac					NA		NA		02/05/2004
			To: 65-1611 Meadowood Lane												
(1610) Meadows Dr	0.09	350	R			From: 65-1633 Captain Howe Lane					NA		NA		02/05/2004
			To: 65-633 Captain Howe Lane												
(1611) Meadowood Lane	0.06	30	R			From: Cul-de-Sac					NA		NA		03/05/2004
			To: 65-1610 Meadows Dr												
(1701) Bell Lane	0.40	190	R			From: US 13 Lankford Hwy					NA		NA		03/02/2004
			To: Dead End												
(1702) Martins Siding Rd	0.35	160	R			From: US 13 Lankford Hwy					NA		NA		03/02/2004
			To: Dead End												
(1703) Reedtown Lane	0.25	200	R			From: US 13 Lankford Hwy					NA		NA		03/02/2004
			To: Dead End												
(1801) Broadwater Circle	0.36	100	R			From: 65-639 W, Sunnyside Rd					NA		NA		02/10/2004
			To: 65-639 E, Sunnyside Rd												
(1802) Crumb Hill Rd	0.75	270	R			From: 65-639 Sunnyside Rd					NA		NA		02/10/2004
			To: Dead End												
(1803)	0.10	80	R			From: 65-639 W, Sunnyside Rd					NA		NA		02/10/2004
			To: 65-639 E, Sunnyside Rd												
(1901) Sand Hill Rd	1.40	300	R			From: 65-1904 Lake Dr					NA		NA		03/12/2004
			To: 65-645 Arlington Rd												
(1902) Blueberry Dr	0.20	80	R			From: 65-1903 Blueberry Dr					NA		NA		03/12/2004
			To: 65-1901 Guys Neck Rd												
(1903) Blueberry Dr	0.30	150	R			From: 65-1902 Blueberry Dr					NA		NA		03/12/2004
			To: 65-645 Arlington Rd												
(1904) Lake Dr	0.40	50	R			From: Cul-de-Sac					NA		NA		03/12/2004
			To: 65-1901 Sand Hill Rd												
(1905) Sand Hill Dr	0.62	90	R			From: 65-1904 Lake Dr; 65-1901 Sand Hill Rd					NA		NA		03/12/2004
			To: Dead End												
(9290) Bus Loop Access Rd	0.20	470	R			From: 65-684 Fairview Rd					NA		NA		03/12/2004
			To: 65-684 Fairview Rd												
(9291)	0.09	980	R			From: 65-627 Young St					NA		NA		02/05/2004
			To: Machipongo Elem Sch												
(9293) Bus Loop Access Rd	0.10	80	R			From: 65-600 Seaside Dr					NA		NA		03/02/2004
			To: 65-600 Seaside Dr												
(9585)	0.25	1800	R			From: US 13					NA		NA		03/08/2004
			To: Northampton HS												

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Northampton Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Northampton County															
9586	0.40	580	R			From:	65-627 Young St				NA		NA		02/05/2004
						To:	Northampton Jr HS								
9959	0.11	320	R			From:	65-618 Bayside Rd				NA		NA		03/09/2004
						To:	Har Valley Elem Sch								