

**2008**

**Virginia Department of Transportation  
Daily Traffic Volume Estimates  
Including Vehicle Classification Estimates**

where available

**Jurisdiction Report**

**75**

City of Virginia Beach

Prepared By

**Virginia Department of Transportation  
Traffic Engineering Division**

In Cooperation With

**U.S. Department of Transportation  
Federal Highway Administration**

Virginia Department of Transportation  
Traffic Engineering Division  
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

## **Publication Notes**

### **Parallel Roads**

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

---

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

**Route:** The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

**Length:** Length of the traffic segment in miles.

**AADT:** Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

**QA:** Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

**4Tire:** Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

**Bus:** Percentage of the traffic volume made up of busses.

**2Axle Truck:** Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

**3+Axle Truck:** Percentage of the traffic volume made up of single unit trucks with three or more axles.

**1Trail Truck:** Percentage of the traffic volume made up of units with a single trailer.

**2Trail Truck:** Percentage of the traffic volume made up of units with more than one trailer.

**QC:** Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

**K Factor:** The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

**QK:** Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

**Dir Factor:** The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

**AAWDT:** Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

**QW:** Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

**Year:** Year for which the published values are appropriate. If the Quality of AADT (QA) is “R”, the year is the year that the raw traffic count was collected, and if available,

## Route Shield Legend

### Route Systems

 Interstate Route      Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.

 US Route

 Virginia State Route

 Frontage Road (F precedes frontage route number)

 Secondary Route

### Special Routes

 Bus - Business Route  
 Bypas - Bypass Route  
 Truck - Truck Route  
 ALT - Alternate Route  
 Wye - Wye Route connector

 P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.

 The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation  
Traffic Engineering Division  
2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Princess Anne Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
13 Military Hwy	City of Virginia Beach	0.67	31000	G	97%	1%	1%	0%	1%	0%	C	0.103	F	0.630	34000	G
13 Military Hwy	City of Virginia Beach	1.02	52000	G	98%	0%	1%	0%	1%	0%	F	0.102	F	0.661	55000	G
13 166 Northampton Blvd	City of Virginia Beach	0.95	66000	G	96%	0%	1%	0%	2%	0%	F	0.074	F	0.506	67000	G
13 Northampton Blvd	City of Virginia Beach	2.14	37000	A	96%	0%	1%	0%	2%	0%	C	0.095	A		38000	A
13 Northampton Blvd	City of Virginia Beach	1.19	27000	G	96%	0%	1%	0%	2%	0%	F	0.073	F	0.614	27000	G
13 Northampton Blvd	City of Virginia Beach	0.78	11000	G	96%	0%	1%	0%	2%	0%	F	0.078	F	0.503	12000	G
58 Virginia Beach Blvd	City of Virginia Beach	1.33	40000	G	98%	1%	1%	0%	0%	0%	C	0.087	F	0.501	40000	G
58 Virginia Beach Blvd	City of Virginia Beach	1.11	36000	F	98%	1%	1%	0%	0%	0%	F	0.094	B		34000	F
58 Virginia Beach Blvd	City of Virginia Beach	2.18	44000	G	98%	1%	1%	0%	0%	0%	F	0.088	F	0.553	43000	G
58 Virginia Beach Blvd	City of Virginia Beach	0.41	57000	G	98%	0%	1%	0%	0%	0%	F	0.086	F	0.544	56000	G
58 Virginia Beach Blvd	City of Virginia Beach	1.37	41000	G	98%	0%	1%	0%	0%	0%	C	0.088	F	0.550	41000	G
58 Virginia Beach Blvd	City of Virginia Beach	1.06	58000	G	99%	0%	0%	0%	0%	0%	F	0.081	F	0.58	58000	G
58 Virginia Beach Blvd	City of Virginia Beach	0.14	34000	G	99%	0%	0%	0%	0%	0%	F	0.084	F	0.546	34000	G
58 Laskin Rd	City of Virginia Beach	1.47	28000	A	99%	0%	0%	0%	0%	0%	C	0.098	A		29000	A
58 Laskin Rd	City of Virginia Beach	1.53	28000	G	99%	0%	1%	0%	0%	0%	C	0.081	F	0.504	28000	G
58 Laskin Rd	City of Virginia Beach	0.97	27000	G	99%	0%	0%	0%	0%	0%	F	0.075	F	0.521	26000	G
Bus 58 Virginia Beach Blvd	City of Virginia Beach	1.40	32000	G	97%	1%	1%	1%	0%	0%	F	0.075	F	0.63	35000	G
	To:															

Virginia Department of Transportation  
Traffic Engineering Division  
2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Princess Anne Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
Bus 58 Virginia Beach Blvd	City of Virginia Beach	0.44	20000	G	97%	1%	1%	1%	0%	0%	F	0.077	F	0.545	20000	G
Bus 58 Virginia Beach Blvd	City of Virginia Beach	0.96	14000	G	97%	1%	1%	1%	0%	0%	F	0.078	F	0.534	14000	G
Bus 58 Virginia Beach Blvd	City of Virginia Beach	1.17	14000	G	97%	1%	1%	1%	0%	0%	C	0.071	F	0.517	14000	G
60 Shore Dr	City of Virginia Beach	0.22	32000	G	99%	0%	1%	0%	0%	0%	F	0.093	F	0.576	33000	G
60 Shore Dr	City of Virginia Beach	1.81	27000	G	99%	0%	1%	0%	0%	0%	F	0.091	F	0.532	28000	G
60 Shore Dr	City of Virginia Beach	1.05	17000	G	99%	0%	1%	0%	0%	0%	F	0.087	F	0.607	17000	G
60 Shore Dr	City of Virginia Beach	0.66	37000	A	99%	0%	1%	0%	0%	0%	C	0.100	A		39000	A
60 Shore Dr	City of Virginia Beach	2.60	36000	G	99%	0%	1%	0%	0%	0%	F	0.084	F	0.581	37000	G
60 Shore Dr	City of Virginia Beach	1.18	14000	G	99%	0%	1%	0%	0%	0%	F	0.080	F	0.507	14000	G
60 Shore Dr	City of Virginia Beach	3.58	11000	G	99%	0%	1%	0%	0%	0%	F	0.084	F	0.541	11000	G
60 Atlantic Ave	City of Virginia Beach	2.07	15000	G	99%	0%	1%	0%	0%	0%	F	0.079	F	0.517	16000	G
60 Atlantic Ave	City of Virginia Beach	0.59	20000	G	99%	0%	1%	0%	0%	0%	F	0.072	F	0.552	21000	G
60 Pacific Ave	City of Virginia Beach	0.73	22000	G	99%	0%	1%	0%	0%	0%	F	0.071	F	0.571	22000	G
60 Pacific Ave	City of Virginia Beach	0.65	18000	G	99%	0%	1%	0%	0%	0%	F	0.070	F	0.542	19000	G
60 Pacific Ave	City of Virginia Beach	0.34	19000	G	99%	0%	1%	0%	0%	0%	F	0.066	F	0.561	20000	G
60 Atlantic Ave	City of Virginia Beach	1.15	8800	G	98%	0%	1%	0%	0%	0%	F	0.077	F	0.531	9500	G

Virginia Department of Transportation  
 Traffic Engineering Division  
 2008  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Princess Anne Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail						
East 64	From: ECL Norfolk															
	City of Virginia Beach (Maint: 64)	1.35	<b>73000</b>	<b>G</b>	97%	0%	0%	1%	2%	0%	C	0.104	A	79000	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route: <b>140000</b> <b>G</b> 97% 0% 0%															151000 G	
East 64	To: Indian River Rd															
	City of Virginia Beach (Maint: 64)	1.57	<b>64000</b>	<b>G</b>	97%	0%	0%	1%	2%	0%	F	0.096	B	63000	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route: <b>122000</b> <b>G</b> 97% 0% 0%															126000 G	
West 64	To: ECL Chesapeake															
	From: ECL Norfolk															
City of Virginia Beach (Maint: 64) 1.75 <b>67000</b> <b>A</b> 97% 0% 0%															72000 A	
Combined Traffic Estimates for 2 Parallel Roadways on this Route: <b>140000</b> <b>G</b> 97% 0% 0%															151000 G	
West 64	To: Indian River Rd															
	City of Virginia Beach (Maint: 64)	1.17	<b>58000</b>	<b>A</b>	97%	0%	0%	1%	2%	0%	C	0.096	A	63000	A	
Combined Traffic Estimates for 2 Parallel Roadways on this Route: <b>122000</b> <b>G</b> 97% 0% 0%															126000 G	
149	To: ECL Chesapeake															
	From: SR 165; N Landing Rd															
Princess Anne Rd	City of Virginia Beach	1.92	<b>26000</b>	<b>G</b>	98%	0%	1%	0%	0%	0%	C	0.081	F	0.531	28000	G
	To: Princess Anne Rd															
165	From: ECL Chesapeake															
	North Landing Rd	City of Virginia Beach	1.49	<b>12000</b>	<b>G</b>	99%	0%	1%	0%	0%	F	0.116	F	0.630	13000	G
165	To: 134-8667 Salem Rd															
	North Landing Rd	City of Virginia Beach	2.64	<b>14000</b>	<b>G</b>	99%	0%	1%	0%	0%	C	0.099	F	0.638	15000	G
165	To: SR 149 Princess Anne Rd															
	From: North Landing Rd															
165	Princess Anne Rd	City of Virginia Beach	2.68	<b>27000</b>	<b>G</b>	99%	0%	1%	0%	0%	F	0.087	F	0.589	30000	G
	To: Dam Neck Rd															
165	From: City of Virginia Beach	1.46	<b>43000</b>	<b>G</b>	99%	0%	1%	0%	0%	0%	F	0.086	F	0.540	38000	G
	To: Independence Blvd South															
165	From: Independence Blvd Blvd															
	Princess Anne Rd	City of Virginia Beach	0.48	<b>44000</b>	<b>G</b>	99%	0%	1%	0%	0%	F	0.084	F	0.501	48000	G
165	To: Lynnhaven Pkwy															
	Princess Anne Rd	City of Virginia Beach	0.40	<b>56000</b>	<b>G</b>	99%	0%	1%	0%	0%	F	0.085	F	0.537	60000	G
165	To: Ferrell Pkwy															
	Princess Anne Rd	City of Virginia Beach	0.69	<b>35000</b>	<b>G</b>	99%	0%	1%	0%	0%	C	0.092	F	0.634	38000	G
165	To: 134-8640 Providence Rd															
	Princess Anne Rd	City of Virginia Beach	1.07	<b>27000</b>	<b>G</b>	99%	0%	1%	0%	0%	F	0.089	F	0.621	29000	G
165	To: 134-7837 Edwin Dr															
	Princess Anne Rd	City of Virginia Beach	1.19	<b>36000</b>	<b>G</b>	99%	0%	1%	0%	0%	F	0.090	F	0.644	39000	G
165	To: SR 190 Kemptsville Rd															
	Princess Anne Rd	City of Virginia Beach	1.62	<b>27000</b>	<b>G</b>	99%	0%	0%	0%	0%	C	0.09	F	0.613	30000	G
165	To: 134-8730 Cheyenne Rd															
	Princess Anne Rd	City of Virginia Beach														

Virginia Department of Transportation  
Traffic Engineering Division  
2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Princess Anne Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
165 Princess Anne Rd	City of Virginia Beach	0.31	30000	G	99%	0%	0%	0%	0%	0%	F	0.088	F	0.692	32000	G
	To:	ECL Norfolk; Newtown Rd														
166 13 Northampton Blvd	City of Virginia Beach	0.95	66000	G	96%	0%	1%	0%	2%	0%	F	0.074	F	0.506	67000	G
	To:	US 13; Diamond Springs Rd														
166 Diamond Springs Rd	City of Virginia Beach	1.32	33000	G	96%	0%	1%	1%	2%	0%	C	0.086	F	0.643	36000	G
	To:	US 60 Shore Dr														
190 Kempsville Rd	City of Virginia Beach	1.00	33000	G	99%	0%	1%	0%	0%	0%	F	0.101	F	0.537	35000	G
	To:	ECL Chesapeake														
190 Kempsville Rd	City of Virginia Beach	1.52	34000	G	99%	0%	1%	0%	0%	0%	C	0.086	F	0.516	37000	G
	To:	Centerville Tpke														
190 Kempsville Rd	City of Virginia Beach	1.29	30000	G	99%	0%	1%	0%	0%	0%	F	0.089	F	0.577	32000	G
	To:	Indian River Rd														
190 Kempsville Rd	City of Virginia Beach	0.98	32000	G	99%	0%	1%	0%	0%	0%	C	0.082	F	0.53	34000	G
	To:	Providence Rd														
190 Witchduck Rd	City of Virginia Beach	0.72	27000	G	98%	0%	1%	0%	1%	0%	F	0.071	F	0.537	29000	G
	To:	SR 165 Princess Anne Rd														
190 Witchduck Rd	City of Virginia Beach	0.60	34000	G	98%	0%	1%	0%	1%	0%	C	0.080	F	0.516	36000	G
	To:	I-264														
190 Witchduck Rd	City of Virginia Beach	1.29	19000	G	99%	0%	1%	0%	0%	0%	F	0.085	F	0.528	20000	G
	To:	US 58 Virginia Beach Blvd														
190 Pembroke Blvd	City of Virginia Beach	0.71	11000	G	99%	0%	1%	0%	0%	0%	C	0.086	F	0.542	12000	G
	To:	SR 225 Independence Blvd														
225 Independence Blvd	City of Virginia Beach	0.80	89000	G	99%	1%	0%	0%	0%	0%	F	0.079	F	0.553	96000	G
	To:	Baxter Rd														
225 Independence Blvd	City of Virginia Beach	1.35	51000	A	99%	1%	0%	0%	0%	0%	C	0.095	A		54000	A
	To:	US 58 Virginia Beach Blvd														
225 Independence Blvd	City of Virginia Beach	0.91	49000	G	99%	1%	0%	0%	0%	0%	F	0.081	F	0.536	53000	G
	To:	Pembroke Blvd														
225 Independence Blvd	City of Virginia Beach	1.81	43000	G	99%	1%	0%	0%	0%	0%	F	0.083	F	0.521	46000	G
	To:	Haygood Rd														
225 Independence Blvd	City of Virginia Beach	0.53	21000	G	99%	1%	0%	0%	0%	0%	F	0.092	F	0.682	23000	G
	To:	US 13 Northampton Blvd														
	To:	US 60 Shore Dr														

Virginia Department of Transportation  
Traffic Engineering Division  
2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Princess Anne Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail						
East 264 Virginia Beach Norfolk Expwy	City of Norfolk (Maint: 75)	0.74	<b>102000</b>	<b>G</b>	97%	0%	0%	2%	1%	0%	F	NA		103000	G	
East 264 Virginia Beach Norfolk Expwy	City of Virginia Beach (Maint: 75)	1.40	<b>102000</b>	<b>G</b>	97%	0%	0%	2%	1%	0%	F	NA		103000	G	
East 264 Virginia Beach Norfolk Expwy	City of Virginia Beach (Maint: 75)	1.28	<b>93000</b>	<b>A</b>	97%	0%	0%	2%	1%	0%	C	0.100	A		100000	A
East 264 Virginia Beach Norfolk Expwy	City of Virginia Beach (Maint: 75)	2.34	<b>76000</b>	<b>G</b>	95%	0%	1%	1%	3%	0%	F	0.094	A		82000	G
East 264 Virginia Beach Norfolk Expwy	City of Virginia Beach (Maint: 75)	1.84	<b>67000</b>	<b>A</b>	97%	0%	0%	2%	1%	0%	F	0.094	A		71000	A
East 264 Virginia Beach Norfolk Expwy	City of Virginia Beach (Maint: 75)	1.17	<b>53000</b>	<b>G</b>	97%	0%	0%	2%	1%	0%	F	NA		56000	G	
East 264 Virginia Beach Norfolk Expwy	City of Virginia Beach (Maint: 75)	1.42	<b>32000</b>	<b>G</b>	97%	0%	0%	2%	1%	0%	F	0.085	F		34000	G
East 264 Virginia Beach Norfolk Expwy	City of Virginia Beach (Maint: 75)	1.36	<b>25000</b>	<b>G</b>	97%	0%	0%	2%	1%	0%	F	0.085	N		31000	G
East 264 Virginia Beach Norfolk Expwy	City of Virginia Beach (Maint: 75)	0.64	<b>12000</b>	<b>G</b>	97%	0%	0%	2%	1%	0%	F	NA		15000	G	
West 264 Virginia Beach Norfolk Expwy	City of Norfolk (Maint: 75)	0.30	<b>97000</b>	<b>G</b>	98%	0%	1%	0%	1%	0%	F	NA		103000	G	
West 264 Virginia Beach Norfolk Expwy	City of Virginia Beach (Maint: 75)	1.63	<b>97000</b>	<b>G</b>	98%	0%	1%	0%	1%	0%	F	NA		103000	G	
To: SR 190 Witchduck Rd																

Virginia Department of Transportation  
Traffic Engineering Division  
2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Princess Anne Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail					
West 264 Virginia Beach Norfolk Expwy	City of Virginia Beach (Maint: 75)	1.21	95000	A	98%	0%	1%	0%	1%	0%	C	0.105	A	102000	A
Combined Traffic Estimates for 2 Parallel Roadways on this Route:		188000		A	97%	0%	1%	1%	1%	0%	C	0.088	A	202000	A
West 264 Virginia Beach Norfolk Expwy	City of Virginia Beach (Maint: 75)	2.74	77000	G	98%	0%	1%	0%	1%	0%	F	0.096	F	82000	G
Combined Traffic Estimates for 2 Parallel Roadways on this Route:		153000		G	97%	0%	1%	1%	2%	0%	F	0.083	F	0.591	164000 G
West 264 Virginia Beach Norfolk Expwy	City of Virginia Beach (Maint: 75)	1.59	67000	A	98%	0%	1%	0%	1%	0%	F	0.096	A	72000	A
Combined Traffic Estimates for 2 Parallel Roadways on this Route:		134000		A	97%	0%	1%	1%	1%	0%	F	0.09	A	143000	A
West 264 Virginia Beach Norfolk Expwy	City of Virginia Beach (Maint: 75)	1.35	53000	G	98%	0%	1%	0%	1%	0%	F	NA		50000	G
Combined Traffic Estimates for 2 Parallel Roadways on this Route:		106000		G	97%	0%	1%	1%	1%	0%	F	NA		106000	G
West 264 Virginia Beach Norfolk Expwy	City of Virginia Beach (Maint: 75)	1.19	38000	G	98%	0%	1%	0%	1%	0%	F	NA		42000	G
Combined Traffic Estimates for 2 Parallel Roadways on this Route:		69000		G	97%	0%	1%	1%	1%	0%	F	NA		76000	G
West 264 Virginia Beach Norfolk Expwy	City of Virginia Beach (Maint: 75)	1.52	27000	G	98%	0%	1%	0%	1%	0%	F	NA		31000	G
Combined Traffic Estimates for 2 Parallel Roadways on this Route:		52000		G	97%	0%	1%	1%	1%	0%	F	NA		63000	G
West 264 Virginia Beach Norfolk Expwy	City of Virginia Beach (Maint: 75)	0.66	10000	G	98%	0%	1%	0%	1%	0%	F	NA		11000	G
Combined Traffic Estimates for 2 Parallel Roadways on this Route:		22000		G	97%	0%	1%	1%	1%	0%	F	NA		26000	G
From: Parks Ave															
From: US 58 Va Beach Blvd															
279 Great Neck Rd	City of Virginia Beach	2.35	40000	G	99%	0%	1%	0%	0%	0%	F	0.088	F	0.515	43000 G
From: First Colonial Rd															
279 Great Neck Rd	City of Virginia Beach	0.99	44000	G	99%	0%	1%	0%	0%	0%	F	0.091	F	0.521	47000 G
From: Shorehaven Dr															
279 Great Neck Rd	City of Virginia Beach	1.42	37000	G	99%	0%	1%	0%	0%	0%	C	0.087	F	0.502	40000 G
From: Adam Keeling Rd															
279 N Great Neck Rd	City of Virginia Beach	0.79	29000	G	99%	0%	1%	0%	0%	0%	F	0.084	F	0.504	32000 G
From: US 60 Shore Dr															

Virginia Department of Transportation  
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route  
Princess Anne Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>City of Virginia Beach</b>																
(F143) Midtown Way	0.55	330	G							0.144	F		330	G	2008	
						From: Dead End										
						To: 134-8661 Regent University Dr										
(134) Churchill Dr	0.58	5400	G	99%	1%	1%	0%	0%	0%	C	0.105	F	0.579	5800	G	2008
						From: Providence Rd										
						To: Saratoga Circle										
(4) Indian Creek Rd	2.42	460	G	96%	0%	1%	1%	2%	0%	F	0.128	F	0.559	490	G	2008
						From: ECL Chesapeake										
						To: Blackwater Rd										
(5) Centerville Tpke	0.95	22000	G	97%	0%	1%	2%	1%	0%	C	0.097	F	0.740	24000	G	2008
						From: 134-8661 Jake Sears Rd										
						To: Indian River Rd										
(6) Newcastle Rd	0.22	450	G	99%	1%	1%	0%	0%	0%	F	0.113	F	0.642	490	G	2008
						From: Oxford Dr										
						To: Little Neck Rd										
(7) Indian River Rd	0.54	36000	G	99%	0%	1%	0%	0%	0%	F	0.085	F	0.531	39000	G	2008
						From: ECL Chesapeake										
						To: US 13 Military Hwy										
(7) Indian River Rd	0.57	33000	G	99%	0%	1%	0%	0%	0%	F	0.092	F	0.626	36000	G	2008
						From: Providence Rd										
(7) Indian River Rd	0.86	39000	G	99%	0%	1%	0%	0%	0%	F	0.081	F	0.517	42000	G	2008
						To: I-64										
(7) Indian River Rd	0.10	92000	G	97%	0%	1%	1%	1%	0%	F	0.078	F	0.655	99000	G	2008
						From: Centerville Tpke										
(7) Indian River Rd	1.05	65000	G	97%	0%	1%	1%	1%	0%	C	0.078	F	0.658	70000	G	2008
						To: SR 190 Kempsville Rd										
(8) Diamond Springs Rd	1.63	22000	G	99%	1%	1%	0%	0%	0%	F	0.087	F	0.554	24000	G	2008
						From: Newtown Rd										
						To: Hampshire Rd; Shurney Lane										
(9) First Colonial Rd	0.12	30000	G	99%	0%	1%	0%	0%	0%	F	0.078	F	0.529	32000	G	2008
						From: Bus US 58 Va Beach Blvd										
(9) First Colonial Rd	0.47	35000	G	99%	0%	1%	0%	0%	0%	F	0.074	F	0.533	38000	G	2008
						From: I-264										
(9) First Colonial Rd	1.97	43000	G	99%	0%	1%	0%	0%	0%	C	0.074	F	0.525	46000	G	2008
						To: US 58 Laskin Rd										
						From: SR 279 Great Neck Rd										
(10) Providence Rd	0.74	16000	G	99%	0%	1%	0%	0%	0%	F	0.079	F	0.682	17000	G	2008
						To: Indian River Rd										
(10) Providence Rd	2.28	24000	G	99%	0%	1%	0%	0%	0%	C	0.111	F	0.665	25000	G	2008
						From: SR 190 Kempsville Rd										
(11) Independence Blvd Sout	0.79	89000	G	98%	1%	1%	0%	0%	0%	F	0.082	F	0.637	95000	G	2008
						To: Holland Rd										
(12) Holland Rd	0.47	44000	G	98%	1%	1%	0%	0%	0%	C	0.077	F	0.601	48000	G	2008
						From: Independence Blvd South										
(12) Holland Rd	1.31	39000	G	98%	1%	1%	0%	0%	0%	F	0.075	F	0.557	42000	G	2008
						From: Plaza Trail										
(12) Holland Rd	1.14	34000	G	98%	1%	1%	0%	0%	0%	F	0.079	F	0.527	37000	G	2008
						From: Rosemont Rd										
(12) Holland Rd	0.64	42000	G	98%	0%	1%	0%	0%	0%	F	0.076	F	0.609	45000	G	2008
						To: Lynnhaven Pkwy										
						From: Shipps Corner Rd										

Virginia Department of Transportation  
Traffic Engineering Division

2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Princess Anne Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>City of Virginia Beach</b>																
(12) Holland Rd	0.43	27000	G	98%	0%	1%	0%	0%	0%	C	0.072	F	0.517	29000	G	2008
(12) Holland Rd	2.82	12000	G	98%	0%	1%	0%	0%	0%	F	0.085	F	0.518	13000	G	2008
(13) Rosemont Rd	1.17	34000	G	99%	0%	1%	0%	0%	0%	C	0.078	F	0.584	36000	G	2008
(13) Rosemont Rd	0.56	37000	G	99%	0%	1%	0%	0%	0%	F	0.070	F	0.577	40000	G	2008
(13) Rosemont Rd	0.18	37000	N	99%	0%	1%	0%	0%	0%	N	0.070	N	0.577	40000	N	2008
(14) Lynnhaven Pkwy	1.06	39000	G	99%	0%	0%	0%	0%	0%	C	0.073	F	0.54	41000	G	2008
(14) Lynnhaven Pkwy	0.51	39000	N	99%	0%	0%	0%	0%	0%	N	0.073	N	0.54	41000	N	2008
(14) Lynnhaven Pkwy	1.17	45000	G	99%	0%	0%	0%	0%	0%	F	0.073	F	0.507	48000	G	2008
(14) Lynnhaven Pkwy	0.25	73000	G	99%	0%	0%	0%	0%	0%	F	0.081	F	0.515	78000	G	2008
(8588) 31st Street; Laskin Rd	0.06	6900	G	98%	0%	1%	0%	0%	0%	F	0.074	F	0.542	7400	G	2008
(8589) International Pkwy	1.01	16000	G	96%	0%	1%	1%	2%	0%	C	0.098	F	0.633	17000	G	2008
(8590) Indian River Rd	0.25	71000	G	96%	0%	1%	2%	1%	0%	F	0.073	F	0.581	77000	G	2008
(8590) Indian River Rd	0.56	16000	N	96%	0%	1%	2%	1%	0%	N	0.087	N	0.62	17000	N	2008
(8590) Indian River Rd	0.46	16000	N	96%	0%	1%	2%	1%	0%	N	0.087	N	0.62	17000	N	2008
(8590) Indian River Rd	0.93	16000	G	96%	0%	1%	2%	1%	0%	F	0.087	F	0.62	17000	G	2008
(8590) Indian River Rd	1.07	7000	N	96%	0%	1%	2%	1%	0%	N	0.093	N	0.595	7600	N	2008
(8590) Elbow Rd	0.12	7000	N	96%	0%	1%	2%	1%	0%	N	0.093	N	0.595	7600	N	2008
(8590) Indian River Rd	2.99	7000	G	96%	0%	1%	2%	1%	0%	F	0.093	F	0.595	7600	G	2008
(8590) Indian River Rd	4.78	5800	G	96%	0%	1%	2%	1%	0%	C	0.103	F	0.541	6200	G	2008
(8590) Indian River Rd	0.94	2600	G	96%	0%	1%	2%	1%	0%	F	0.089	F	0.568	2800	G	2008
(8612) Cleveland St	0.43	7200	G	99%	0%	1%	0%	0%	0%	F	0.112	F	0.865	7700	G	2008
(8612) Cleveland St	0.97	8900	G	99%	0%	1%	0%	0%	0%	F	0.094	F	0.541	9600	G	2008

Virginia Department of Transportation  
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route  
Princess Anne Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>City of Virginia Beach</b>																
(8612) 134 Columbus St	0.22	9500	G	99%	0%	1%	0%	0%	0%	F	0.1	F	0.596	10000	G	2008
(8612) 134 Columbus St	0.31	18000	G	99%	0%	1%	0%	0%	0%	C	0.094	F	0.558	19000	G	2008
(8627) 134 S Independence Blvd	2.71	13000	G	98%	0%	1%	0%	0%	0%	F	0.099	F	0.574	14000	G	2008
(8627) 134 S Independence Blvd	0.55	29000	G	98%	0%	1%	0%	0%	0%	F	0.085	F	0.593	31000	G	2008
(8627) 134 S Independence Blvd	1.55	28000	G	98%	0%	1%	0%	0%	0%	C	0.086	F	0.614	30000	G	2008
(8627) 134 S Independence Blvd	0.73	39000	G	98%	0%	1%	0%	0%	0%	F	0.087	F	0.693	42000	G	2008
(8638) 134 Wesleyan Dr	0.42	19000	G	99%	0%	1%	0%	0%	0%	F	0.084	F	0.677	20000	G	2008
(8638) 134 Wesleyan Dr	0.54	15000	G	99%	0%	1%	0%	0%	0%	C	0.089	F	0.654	16000	G	2008
(8638) 134 Wesleyan Dr	1.16	22000	G	99%	0%	1%	0%	0%	0%	F	0.091	F	0.638	24000	G	2008
(8638) 134 Haygood Rd	1.08	16000	G	99%	0%	1%	0%	0%	0%	F	0.088	F	0.531	18000	G	2008
(8638) 134 Wishart Rd	0.77	1400	G	99%	0%	1%	0%	0%	0%	F	0.100	F	0.628	1500	G	2008
(8640) 134 Providence Rd	0.09	14000	G	97%	1%	1%	0%	0%	0%	F	0.101	F	0.582	15000	G	2008
(8640) 134 Providence Rd	2.03	15000	G	97%	1%	1%	0%	0%	0%	F	0.104	F	0.552	17000	G	2008
(8651) 134 Baker Rd	1.73	6100	G	97%	1%	1%	0%	0%	0%	C	0.099	F	0.641	6600	G	2008
(8652) 134 Burton Station Rd	0.75	5600	G	97%	1%	1%	0%	0%	0%	F	0.094	F	0.765	6100	G	2008
(8661) 134 Centerville Tpke	0.40	8600	G	97%	0%	1%	2%	1%	0%	F	0.090	F	0.643	9300	G	2008
(8661) 134 Centerville Tpke	0.75	21000	G	97%	0%	1%	2%	1%	0%	F	0.086	F	0.669	23000	G	2008
(8661) 134 Centerville Tpke	0.88	18000	G	97%	0%	1%	2%	1%	0%	F	0.091	F	0.703	19000	G	2008
(8661) 134 Regent University Dr	1.16	3000	G	96%	0%	1%	2%	0%	0%	C	0.110	F	0.841	3200	G	2008
(8667) 134 Blackwater Rd	2.89	920	G	92%	0%	2%	5%	1%	0%	F	0.101	F	0.731	980	G	2008
(8667) 134 Blackwater Rd	1.91	1500	G	92%	0%	2%	5%	1%	0%	F	0.099	F	0.693	1600	G	2008
(8667) 134 Blackwater Rd	4.43	2500	G	92%	0%	2%	5%	1%	0%	C	0.093	F	0.812	2700	G	2008

Virginia Department of Transportation  
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route  
Princess Anne Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>City of Virginia Beach</b>																
(8667) 134 Salem Rd	1.24	5000	G	92%	0%	2%	5%	1%	0%	F	0.128	F	0.648	5400	G	2008
(8667) 134 Salem Rd	1.33	4500	G	99%	0%	1%	0%	0%	0%	F	0.117	F	0.584	4800	G	2008
(8667) 134 Salem Rd	1.49	16000	G	99%	0%	1%	0%	0%	0%	C	0.09	F	0.596	17000	G	2008
(8667) 134 Salem Rd	0.77	14000	G	99%	0%	1%	0%	0%	0%	F	0.094	F	0.630	16000	G	2008
										SR 165 Princess Anne Rd						
(8668) 134 Head of River Rd	2.05	660	G	93%	0%	1%	5%	1%	0%	F	0.093	F	0.677	710	G	2008
										Blackwater Rd						
(8669) 134 Princess Anne Rd	5.72	3400	G	93%	0%	1%	5%	1%	0%	F	0.080	F	0.813	3700	G	2008
(8669) 134 Princess Anne Rd	7.66	7000	G	93%	0%	1%	5%	1%	0%	C	0.092	F	0.698	7500	G	2008
(8669) 134 Princess Anne Rd	0.53	11000	G	93%	0%	1%	5%	1%	0%	F	0.092	F	0.618	12000	G	2008
(8669) 134 Princess Anne Rd	1.70	11000	G	93%	0%	1%	5%	1%	0%	F	0.1	F	0.56	12000	G	2008
										Caymen Lane						
(8669) 134 Princess Anne Rd	0.86	18000	G	93%	0%	1%	5%	1%	0%	F	0.08	F	0.531	20000	G	2008
										Sandbridge Rd						
(8669) 134 General Booth Blvd	0.67	38000	G	93%	0%	1%	5%	1%	0%	F	0.082	F	0.578	42000	G	2008
(8669) 134 General Booth Blvd	1.46	33000	G	93%	0%	1%	5%	1%	0%	F	0.077	F	0.545	35000	G	2008
(8669) 134 General Booth Blvd	0.58	62000	G	98%	0%	1%	0%	0%	0%	F	0.077	F	0.553	66000	G	2008
(8669) 134 General Booth Blvd	1.18	32000	G	98%	0%	1%	0%	0%	0%	C	0.078	F	0.515	35000	G	2008
(8669) 134 General Booth Blvd	1.90	18000	F	98%	0%	1%	0%	0%	0%	F	0.082	F	0.517	18000	F	2008
										5th St						
(8669) 134 Pacific Ave	0.27	24000	G	98%	0%	1%	0%	0%	0%	F	0.076	F	0.520	25000	G	2008
(8669) 134 Pacific Ave	0.55	22000	G	99%	0%	1%	0%	0%	0%	F	0.073	F	0.574	24000	G	2008
(8669) 134 Atlantic Ave	0.44	3400	G	98%	0%	1%	0%	0%	0%	F	0.087	F	0.511	3600	G	2008
										89th St						
(8670) 134 Pungo Ferry Rd	2.78	3500	G	98%	0%	1%	0%	0%	0%	F	0.103	F	0.504	3700	G	2008
										Princess Anne Rd						
(8671) 134 Sandpiper Rd	0.67	1900	G	97%	1%	1%	1%	1%	0%	F	0.098	F	0.597	2000	G	2008
(8671) 134 Sandpiper Rd	1.49	3300	G	97%	1%	1%	1%	1%	0%	C	0.086	F	0.561	3500	G	2008
										Pike Lane						
(8671) 134 Sandpiper Rd	2.04	6300	G	97%	1%	1%	1%	1%	0%	F	0.082	F	0.578	6700	G	2008
										Sandbridge Rd						
(8672) 134 Mill Landing Rd	0.81	660	G	98%	0%	1%	0%	0%	0%	F	0.103	F	0.504	710	G	2008
										Nannys Creek Rd						





Virginia Department of Transportation  
Traffic Engineering Division

2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Princess Anne Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>City of Virginia Beach</b>																
8692 134 Ferrell Pkwy	0.44	52000	G	98%	0%	1%	1%	1%	0%	F	0.081	F	0.607	56000	G	2008
8692 134 Ferrell Pkwy	0.84	43000	G	98%	0%	1%	1%	1%	0%	C	0.077	F	0.541	46000	G	2008
8692 134 Ferrell Parkway	1.38	44000	G	98%	0%	1%	1%	1%	0%	F	0.08	F	0.521	47000	G	2008
8693 134 Indian Lakes Blvd	0.43	16000	G	98%	1%	1%	0%	0%	0%	C	0.094	F	0.9	17000	G	2008
8693 134 Indian Lakes Blvd	0.78	8800	G	98%	1%	1%	0%	0%	0%	F	0.117	F	0.61	9400	G	2008
8698 134 Pembroke Blvd	0.21	4000	G	98%	1%	1%	0%	0%	0%	F	0.081	F	0.581	4300	G	2008
8698 134 Pembroke Blvd	0.30	3200	G	98%	1%	1%	0%	0%	0%	F	0.082	F	0.688	3400	G	2008
8700 134 Alicia Dr	0.18	710	G	98%	1%	1%	0%	0%	0%	F	0.2	F	0.927	760	G	2008
8700 134 Bonney Rd	1.17	6800	G	98%	1%	1%	0%	0%	0%	C	0.112	F	0.773	7300	G	2008
8702 134 Broad Bay Rd	0.96	2600	G	98%	1%	1%	0%	0%	0%	F	0.079	F	0.674	2800	G	2008
8705 134 First Court Rd	1.55	8500	G	99%	0%	1%	0%	0%	0%	F	0.09	F	0.61	9100	G	2008
8705 134 Indian Hill Rd	0.47	2000	G	99%	0%	1%	0%	0%	0%	C	0.077	F	0.565	2100	G	2008
8705 134 Lookout Rd	0.95	1600	G	99%	0%	1%	0%	0%	0%	F	0.079	F	0.522	1700	G	2008
8706 134 Bells Rd	0.44	4200	G	98%	1%	1%	0%	0%	0%	F	0.086	F	0.539	4500	G	2008
8707 134 Ferry Plantation Rd	0.62	5100	G	98%	1%	1%	0%	0%	0%	F	0.104	F	0.538	5500	G	2008
8708 134 Jeanne St	0.37	2300	G	98%	0%	1%	0%	0%	0%	C	0.147	F	0.722	2500	G	2008
8708 134 Jeanne St	0.23	12000	G	98%	0%	1%	0%	0%	0%	F	0.112	F	0.554	12000	G	2008
8709 134 Five Forks Rd	0.78	630	G	98%	0%	2%	0%	0%	0%	C	0.094	F	0.587	680	G	2008
8709 134 Bromfield Rd	0.11	240	G	98%	0%	2%	0%	0%	0%	F	0.133	F	0.585	260	G	2008
8709 134 Ewell Rd	0.12	1800	G	98%	0%	2%	0%	0%	0%	F	0.098	F	0.555	1900	G	2008
8709 134 Five Forks Rd	0.55	1300	G	98%	0%	2%	0%	0%	0%	F	0.090	F	0.646	1400	G	2008

Virginia Department of Transportation  
 Traffic Engineering Division

2008

 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Princess Anne Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>City of Virginia Beach</b>																
8710 134	Laurel Cove Dr	0.74	1700	G	98%	0%	1%	0%	0%	F	0.098	F	0.506	1800	G	2008
8711 134	Lynnhaven Rd	0.61	11000	G	98%	0%	1%	0%	0%	F	0.094	F	0.52	11000	G	2008
8711 134	Lynnhaven Rd	0.55	11000	G	98%	0%	1%	0%	0%	F	0.092	F	0.639	12000	G	2008
8711 134	Lynnhaven Rd	0.89	4100	G	98%	0%	1%	0%	0%	F	0.116	F	0.531	4400	G	2008
8711 134	Little Neck Rd	0.51	14000	G	98%	0%	1%	0%	0%	C	0.089	F	0.618	15000	G	2008
8711 134	Little Neck Rd	1.82	3700	G	98%	0%	1%	0%	0%	F	0.087	F	0.581	4000	G	2008
8712 134	Plantation Dr	0.25	490	G	99%	1%	0%	0%	0%	C	0.115	F	0.691	530	G	2008
8713 134	Regency Dr	0.41	6600	G	98%	0%	1%	0%	0%	F	0.098	F	0.534	7100	G	2008
8714 134	Wolfsnare Rd	1.33	4900	G	98%	0%	1%	0%	0%	F	0.086	F	0.558	5300	G	2008
8715 134	Mill Dam Rd	0.60	9000	G	98%	0%	1%	1%	0%	C	0.089	F	0.588	9700	G	2008
8715 134	Mill Dam Rd	0.60	9000	G	98%	0%	1%	1%	0%	F	0.085	F	0.512	9700	G	2008
8716 134	Woodhouse Rd	1.10	3500	G	99%	0%	1%	0%	0%	C	0.088	F	0.585	3800	G	2008
8716 134	Alanton Dr	0.25	440	G	99%	0%	1%	0%	0%	F	0.098	F	0.568	480	G	2008
8717 134	Lynnhaven Pkwy	0.42	4600	G	99%	0%	1%	0%	0%	F	0.113	F	0.648	5000	G	2008
8717 134	Lynnhaven Pkwy	0.45	5100	G	99%	0%	1%	0%	0%	F	0.096	F	0.615	5500	G	2008
8717 134	Lynnhaven Pkwy	1.24	11000	G	99%	0%	1%	0%	0%	F	0.101	F	0.541	12000	G	2008
8717 134	Lynnhaven Pkwy	1.97	25000	G	99%	0%	1%	0%	0%	C	0.086	F	0.575	27000	G	2008
8717 134	Lynnhaven Pkwy	0.47	24000	G	99%	0%	1%	0%	0%	F	0.079	F	0.58	26000	G	2008
8717 134	Lynnhaven Pkwy	0.67	29000	G	99%	0%	1%	0%	0%	F	0.076	F	0.539	31000	G	2008
8717 134	Lynnhaven Pkwy	0.56	36000	G	99%	0%	1%	0%	0%	F	0.082	F	0.537	39000	G	2008
8717 134	Lynnhaven Pkwy	0.90	32000	G	99%	0%	1%	0%	0%	F	0.078	F	0.541	34000	G	2008
8718 134	York Lane	0.24	2100	G	99%	0%	1%	0%	0%	F	0.094	F	0.681	2200	G	2008

Virginia Department of Transportation  
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route  
Princess Anne Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>City of Virginia Beach</b>																
(8718) Cavalier Dr	0.57	4000	G	99%	0%	1%	0%	0%	0%	C	0.08	F	0.601	4300	G	2008
(8718) Cavalier Dr	0.23	290	G	99%	0%	1%	0%	0%	0%	F	0.105	F	0.587	320	G	2008
(8719) Atlantic Ave	0.28	10000	G	96%	1%	3%	0%	0%	0%	C	0.074	F	0.504	11000	G	2008
(8719) Atlantic Ave	0.71	9000	G	96%	1%	3%	0%	0%	0%	F	0.075	F	0.54	9800	G	2008
(8719) Atlantic Ave	0.77	6300	G	96%	1%	3%	0%	0%	0%	F	0.076	F	0.579	6800	G	2008
(8721) Baltic Ave	1.00	6600	G	99%	0%	1%	0%	0%	0%	F	0.095	F	0.567	7100	G	2008
(8721) Holly Rd	0.80	8200	G	99%	0%	1%	0%	0%	0%	C	0.090	F	0.692	8800	G	2008
(8722) 22nd St	0.53	15000	G	98%	1%	1%	0%	0%	0%	C	0.074	F		16000	G	2008
(8722) 22nd St	0.07	3600	G	98%	1%	1%	0%	0%	0%	F	0.07	F		3800	G	2008
(8723) Birdneck Rd	0.15	2400	G	98%	0%	1%	0%	0%	0%	C	0.142	F	0.752	2500	G	2008
(8723) Birdneck Rd	0.40	5600	G	97%	1%	1%	1%	0%	0%	F	0.117	F	0.698	6000	G	2008
(8723) Birdneck Rd	2.52	19000	G	97%	1%	1%	1%	0%	0%	C	0.09	F	0.537	21000	G	2008
(8723) Birdneck Rd	0.37	35000	G	97%	1%	1%	1%	0%	0%	F	0.083	F	0.523	38000	G	2008
(8723) Birdneck Rd	0.55	28000	G	97%	1%	1%	1%	0%	0%	F	0.085	F	0.525	30000	G	2008
(8723) Cardinal Rd	0.48	2500	G	97%	1%	1%	1%	0%	0%	F	0.085	F	0.510	2700	G	2008
(8724) Norfolk Ave	0.67	13000	G	98%	0%	1%	0%	0%	0%	F	0.085	F	0.606	14000	G	2008
(8724) Norfolk Ave	0.73	6900	G	98%	0%	1%	0%	0%	0%	C	0.085	F	0.518	7500	G	2008
(8724) Norfolk Ave	0.07	2900	G	98%	0%	1%	0%	0%	0%	F	0.088	F	0.555	3100	G	2008
(8725) Kings Arms Rd	0.44	800	G	99%	0%	0%	0%	0%	0%	F	0.104	F	0.541	860	G	2008
(8726) Lynnhaven Rd	1.98	20000	G	99%	0%	0%	0%	0%	0%	C	0.1	F	0.507	21000	G	2008
(8726) Potters Rd	0.93	16000	G	99%	0%	0%	0%	0%	0%	F	0.095	F	0.501	17000	G	2008
(8726) Potters Rd	2.09	5200	G	99%	0%	0%	0%	0%	0%	F	0.1	F	0.595	5600	G	2008

Virginia Department of Transportation  
Traffic Engineering Division

2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Princess Anne Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>City of Virginia Beach</b>																
(8727) Winwood Rd	0.23	920	G	98%	0%	0%	1%	0%	0%	F	0.099	F	0.534	990	G	2008
(8729) Oceana Blvd	0.97	32000	N	98%	0%	0%	1%	0%	0%	N	0.094	N	0.514	36000	N	2008
(8729) Oceana Blvd	2.98	32000	A	98%	0%	0%	1%	0%	0%	C	0.094	A	0.514	36000	A	2008
(8730) Parliament Dr	0.91	3300	G	98%	0%	0%	1%	0%	0%	F	0.105	F	0.620	3600	G	2008
(8730) S Parliament Dr	0.52	4700	G	98%	0%	0%	1%	0%	0%	F	0.101	F	0.586	5000	G	2008
(8731) Whitehurst Landing Rd	0.51	3900	G	98%	0%	1%	0%	1%	0%	F	0.096	F	0.513	4200	G	2008
(8731) Whitehurst Landing Rd	0.40	3800	G	98%	0%	1%	0%	1%	0%	F	0.104	F	0.607	4100	G	2008
(8732) Thalia Rd	0.44	4700	G	99%	0%	1%	0%	0%	0%	F	0.092	F	0.654	5100	G	2008
(8732) Edinburgh Dr	0.51	2600	G	99%	0%	1%	0%	0%	0%	C	0.093	F	0.589	2800	G	2008
(8732) Edinburgh Dr	1.08	3900	G	98%	0%	1%	0%	1%	0%	F	0.102	F	0.544	4100	G	2008
(8733) Plaza Trail S	0.51	11000	G	98%	0%	1%	0%	1%	0%	F	0.103	F	0.604	12000	G	2008
(8733) Plaza Trail S	1.63	11000	G	98%	0%	1%	0%	1%	0%	C	0.100	F	0.561	12000	G	2008
(8733) Plaza Trail	1.12	12000	G	98%	0%	1%	0%	1%	0%	F	0.113	F	0.553	13000	G	2008
(8733) Little Neck Rd	1.04	18000	G	98%	0%	1%	0%	1%	0%	F	0.092	F	0.642	19000	G	2008
(8734) Windsor Oaks	0.87	7400	G	99%	0%	0%	0%	0%	0%	F	0.1	F	0.5	8000	G	2008
(8734) Windsor Oaks Blvd	0.50	5900	G	99%	0%	0%	0%	0%	0%	F	0.11	F	0.549	6300	G	2008
(8736) Baxter Rd	0.95	24000	G	99%	0%	0%	0%	0%	0%	C	0.100	F	0.632	26000	G	2008
(8737) Edwin Dr	0.64	5200	G	99%	0%	1%	0%	0%	0%	F	0.106	F	0.761	5600	G	2008
(8737) Edwin Dr	0.78	5300	G	99%	0%	1%	0%	0%	0%	C	0.105	F	0.665	5700	G	2008
(8737) Edwin Dr	0.31	6200	G	99%	0%	1%	0%	0%	0%	F	0.103	F	0.702	6700	G	2008
(8737) Edwin Dr	0.53	3700	G	99%	0%	1%	0%	0%	0%	F	0.119	F	0.528	4000	G	2008

Virginia Department of Transportation  
Traffic Engineering Division

2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Princess Anne Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>City of Virginia Beach</b>																
(8738) Dorset Ave	0.13	3900	G	98%	0%	1%	0%	0%	0%	F	0.105	F	0.514	4200	G	2008
(8738) Euclid Rd	1.14	5800	G	98%	0%	1%	0%	0%	0%	F	0.107	F	0.677	6300	G	2008
(8738) Bonney Rd	2.38	15000	G	98%	0%	1%	0%	0%	0%	C	0.096	F	0.500	16000	G	2008
(8739) Rosemont Rd	0.93	14000	G	97%	0%	2%	1%	0%	0%	F	0.093	F	0.542	15000	G	2008
(8739) Rosemont Rd	0.51	19000	G	97%	0%	2%	1%	0%	0%	C	0.086	F	0.572	20000	G	2008
(8739) Rosemont Rd	0.63	23000	G	97%	0%	2%	1%	0%	0%	F	0.088	F	0.6	24000	G	2008
(8740) Constitution Dr	0.18	7700	G	98%	1%	1%	0%	0%	0%	F	0.101	F	0.569	8300	G	2008
(8740) Constitution Dr	0.88	11000	G	98%	1%	1%	0%	0%	0%	C	0.122	F	0.561	12000	G	2008
(8740) Jericho Rd	0.46	2500	G	98%	1%	1%	0%	0%	0%	F	0.108	F	0.515	2600	G	2008
(8742) Old Forge Rd	0.76	1800	G	98%	1%	1%	0%	0%	0%	F	0.120	F	0.512	1900	G	2008
(8744) Bow Creek Blvd	1.46	7700	G	98%	1%	1%	0%	0%	0%	F	0.104	F	0.551	8300	G	2008
(8746) St Marshall Rd	0.13	1500	G	98%	0%	1%	0%	0%	0%	F	0.108	F	0.708	1600	G	2008
(8747) Kings Grant Dr	1.01	5300	G	98%	0%	1%	0%	0%	0%	F	0.111	F	0.664	5700	G	2008
(8748) Chester St	0.32	1700	G	98%	1%	1%	0%	0%	0%	F	0.129	F	0.737	1800	G	2008
(8748) Dillon Dr	0.81	6100	G	98%	1%	1%	0%	0%	0%	F	0.109	F	0.536	6500	G	2008
(8749) Kellam Rd	0.19	4400	G	99%	0%	1%	0%	0%	0%	F	0.119	F	0.553	4700	G	2008
(8749) Kellam Rd	0.98	4300	G	99%	0%	1%	0%	0%	0%	C	0.116	F	0.513	4600	G	2008
(8750) Silina Dr	1.00	8800	G	98%	1%	1%	0%	0%	0%	F	0.095	F	0.567	9500	G	2008
(8751) Malibu Dr	0.42	1400	G	98%	1%	1%	0%	0%	0%	F	0.11	F	0.748	1600	G	2008
(8752) Lynn Shores Dr	0.51	3800	G	99%	0%	1%	0%	0%	0%	C	0.086	F	0.587	4100	G	2008
(8752) Lynn Shores Dr	0.35	1300	G	99%	0%	1%	0%	0%	0%	F	0.104	F	0.586	1400	G	2008

Virginia Department of Transportation  
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route  
Princess Anne Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>City of Virginia Beach</b>																
(8752) Thalia Dr	0.49	1100	G	99%	0%	1%	0%	0%	0%	F	0.100	F	0.664	1100	G	2008
			From:	Lynn Shores Rd								To:	Thalia Rd			
(8764) Janke Rd	0.48	1000	G	98%	1%	1%	0%	0%	0%	F	0.110	F	0.636	1100	G	2008
			From:	Bayside Rd								To:	Aragon Rd			
(8774) Southern Blvd	0.16	480	N	66%	25%	9%	0%	1%	0%	N	0.114	N	0.525	520	N	2008
			From:	First Colonial Rd								To:	Dead End			
(8774) Southern Blvd	0.23	480	G	66%	25%	9%	0%	1%	0%	C	0.114	F	0.525	520	G	2008
			From:	West Lane								To:	Old Oceana Blvd			
(8775) Albright Dr	1.22	8300	G	98%	0%	2%	0%	0%	0%	F	0.099	F	0.504	9000	G	2008
			From:	Lynnhaven Pkwy								To:	Brandon Blvd			
(8779) Landstown Rd	2.34	2700	G	98%	0%	2%	0%	0%	0%	C	0.125	F	0.669	2900	G	2008
			From:	Salem Rd								To:	Dam Neck Rd			
(8779) Dam Neck Rd	1.01	37000	G	98%	0%	2%	0%	0%	0%	F	0.092	F	0.552	40000	G	2008
			From:	Princess Anne Rd								To:	Holland Rd			
(8781) Sandpiper Rd	0.95	720	G	98%	0%	2%	0%	0%	0%	F	0.1	F	0.529	780	G	2008
			From:	Marlin Lane								To:	Widgeon Lane			
(8783) Lotus Dr	0.58	280	G	97%	0%	2%	1%	0%	0%	F	0.117	F	0.515	300	G	2008
			From:	Sandbridge Rd								To:	Atwoodtown Rd			
(8783) Sandbridge Rd	1.63	16000	G	97%	0%	2%	1%	0%	0%	C	0.083	F	0.510	17000	G	2008
			From:	Lotus Dr								To:	Princess Anne Rd			
(8785) Haygood Rd	0.29	2900	G	97%	0%	2%	1%	0%	0%	F	0.087	F	0.508	3100	G	2008
			From:	Newtown Rd								To:	Wesleyan Dr			
(8786) South Blvd	0.70	5300	G	99%	0%	0%	0%	0%	0%	F	0.113	F	0.685	5700	G	2008
			From:	Independence Blvd								To:	Edwin Dr			
(8786) South Blvd	0.59	5400	G	99%	0%	0%	0%	0%	0%	C	0.114	F	0.676	5900	G	2008
			From:	West Colonial Pkwy								To:	Palace Green			
(8786) Palace Green Blvd	0.59	2500	G	99%	0%	0%	0%	0%	0%	F	0.119	F	0.637	2700	G	2008
			From:	South Blvd								To:	Plaza Trail S			
(8805) Elbow Rd	0.26	7100	G	99%	0%	0%	0%	0%	0%	F	0.122	F	0.557	7600	G	2008
			From:	ECL Chesapeake								To:	Indian River Rd			
(8805) Elbow Rd	1.10	6900	G	99%	0%	0%	0%	0%	0%	C	0.102	F	0.521	7400	G	2008
			From:	Salem Rd								To:	Winthrope Dr			
(8816) Kings Grant Rd	1.24	5200	G	97%	2%	1%	0%	0%	0%	C	0.113	F	0.557	5600	G	2008
			From:	Little Neck Rd								To:	Five Point Rd			
(8817) Inlynnview Rd	0.66	2900	G	99%	0%	0%	0%	0%	0%	F	0.083	F	0.636	3100	G	2008
			From:	SR 279 Great Neck Rd								To:	First Colonial Rd			
(8817) Old Donation Pkwy	0.94	7000	G	99%	0%	0%	0%	0%	0%	C	0.086	F	0.671	7500	G	2008





Virginia Department of Transportation  
Traffic Engineering Division

2008  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Princess Anne Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>City of Virginia Beach</b>															
Burgesses Lane	520	G								0.095	F	0.644	520	G	2008
Cape Henry Dr	1800	G				From:	Great Neck Rd W			0.112	F	0.558	2000	G	2008
Carolyn Dr	190	G				To:	Starfish Rd								
Casanova Dr	220	G				From:	Winwood Dr			0.148	F		200	G	2008
Cedar Lane	260	G				To:	Culver Lane			0.13	F	0.719	220	G	2008
Chickasaw Rd	280	G				From:	Linbay Rd								
Chicken Valley Rd	700	G				To:	Wellsford Dr								
Clover St	200	G				From:	Etheridge Ave			0.097	F		290	G	2008
Coach House Lane	120	G				To:	Thalia Rd								
Coventry Rd	370	G				From:	Susquehanna Dr			0.102	F		310	G	2008
Crossborough Rd	1300	G				To:	Pontiac Rd								
Cypress Ave	1600	G				From:	Plantation Rd			0.081	F		760	G	2008
Delray Dr	170	G				To:	Cold Spring Rd								
Duke of Windsor Rd	900	G				From:	Kellam Lane			0.101	F		210	G	2008
Dunstan Lane	290	G				To:	Lavender Lane								
Eastwind Rd	440	G				From:	Burgesses Lane			0.15	F	0.6	130	G	2008
Elgin Rd	220	G				To:	Carriage Hill								
Floral St	320	G				From:	SR 165 Princess Anne Rd			0.118	F		400	G	2008
Gammon Rd	510	G				To:	Capot Rd								
						From:	Five Forks Rd			0.086	F		1300	G	2008
						To:	Harris Pt Dr								
						From:	23rd St			0.085	F		1700	G	2008
						To:	24th St								
						From:	Five Forks Rd			0.12	F		190	G	2008
						To:	Ewell Rd								
						From:	Alanton Dr			0.095	F	0.524	900	G	2008
						To:	Dead End								
						From:	Adam Rd			0.127	F		310	G	2008
						To:	Westerfield Rd								
						From:	Timberlake Dr			0.098	F		480	G	2008
						To:	Stockbridge Dr								
						From:	Avalon Ave			0.101	F	0.565	240	G	2008
						To:	Baden Ave								
						From:	Brian Ave			0.091	F		350	G	2008
						To:	Dorset Ave								
						From:	Indian River Rd			0.079	F	0.506	540	G	2008
						To:	Howell Place								



Virginia Department of Transportation  
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route  
Princess Anne Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b><u>City of Virginia Beach</u></b>															
Lake Shores Rd	280	G								0.109	F	0.6	300	G	2008
Lakeside Rd	370	G								0.108	F	0.646	400	G	2008
Lakeview Dr	130	G								0.127	F		140	G	2008
Linkhorne Dr	440	G								0.110	F		470	G	2008
Little Haven Rd	1600	G								0.114	F		1700	G	2008
MacDonald Rd	2200	G								0.087	F		2300	G	2008
Manatee Dr	370	G								0.109	F	0.687	400	G	2008
Mandan Rd	520	G								0.159	F	0.539	550	G	2008
Maryland Ave	250	G								0.110	F	0.5	270	G	2008
Meredith Rd	340	G								0.119	F		370	G	2008
Middle Lane	500	G								0.087	F		540	G	2008
Morgan Trail	330	G								0.084	F	0.597	360	G	2008
Muddy Creek Rd	680	G							NA				740	G	2008
Newstead Dr	2600	G								0.086	F	0.508	2600	G	2008
Normandy Ave	350	G								0.115	F	0.530	380	G	2008
Ocean View Ave	370	G								0.098	F		400	G	2008
Ohio Ave	140	G								0.135	F		150	G	2008
Old Providence Rd	210	G								0.117	F	0.64	230	G	2008
Old Shell Rd	210	G								0.111	F	0.652	230	G	2008



Virginia Department of Transportation  
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route  
Princess Anne Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year		
						2Axle	3+Axle	1Trail	2Trail								
<b><u>City of Virginia Beach</u></b>																	
Shell Rd	640	G								0.100	F		690	G	2008		
Silina Dr	2800	G				From:	Northampton Blvd						0.098	F	3000	G	2008
						To:	Plaza Trail										
Smith Lane	650	G				From:	Lynnhaven Rd				0.129	F		700	G	2008	
						To:	Edinburg Dr										
Smokey Rd	140	G				From:	Eagleton Lane				0.102	F	0.655	150	G	2008	
						To:	Frost Rd										
Southaven Dr	530	G				From:	Aborfield Ct				0.103	F	0.55	530	G	2008	
						To:	Kasba Ct										
Stanfield Rd	170	G				From:	Ewell Rd				0.123	F		190	G	2008	
						To:	Hermitage Pt Rd										
Stratford Hall Dr	140	G				From:	Old Towne Lane				0.111	F		150	G	2008	
						To:	Lynnhaven Pkwy										
Sugar Maple Dr	1900	G				From:	Holland Rd				0.098	F	0.540	1900	G	2008	
						To:	Sour Gum Ct										
Swallow Rd	200	G				From:	Hawk Ave				0.117	F	0.544	220	G	2008	
						To:	Finch Ave										
Terrazzo Trail	230	G				From:	Bernice Plaza				0.108	F		240	G	2008	
						To:	Cassady Ave										
Violet Bank Dr	230	G				From:	Luke Dr				0.096	F	0.652	230	G	2008	
						To:	Kittery Dr										
Vista Circle	1700	G				From:	US 60 Shore Dr				0.093	F		1900	G	2008	
						To:	Lynnhaven Dr										
Washington Ave	960	G				From:	19th St					NA		1000	G	2008	
						To:	Bus US 58 Va Beach Blvd										
Westminster Lane	3400	G				From:	Biltmore Dr				0.101	F		3600	G	2008	
						To:	Camaby Ct										
Woodlake Rd	370	G				From:	High Gate Circle				0.110	F		400	G	2008	
						To:	Smoke Rise Lane										
Woods Edge Rd	490	G				From:	Weller Blvd				0.146	F	0.514	520	G	2008	
						To:	Marlwood Way										