

2008

**Virginia Department of Transportation
Daily Traffic Volume Estimates
Including Vehicle Classification Estimates**

where available

Jurisdiction Report

91

Sussex County
Town of Jarratt
Town of Stony Creek
Town of Wakefield
Town of Waverly

Prepared By

**Virginia Department of Transportation
Traffic Engineering Division**

In Cooperation With

**U.S. Department of Transportation
Federal Highway Administration**

Virginia Department of Transportation
Traffic Engineering Division
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is “R”, the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems

 Interstate Route Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.

 US Route

 Virginia State Route

 Frontage Road (F precedes frontage route number)

 Secondary Route

Special Routes

 Bus - Business Route
 Bypas - Bypass Route
 Truck - Truck Route
 ALT - Alternate Route
 Wye - Wye Route connector

 P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.

 The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation
Traffic Engineering Division
2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Sussex Maintenance Area

| Route | Jurisdiction | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW |
|--|---------------------------------|--------|--------------|-----------|-------|-----|-------|-------|--------|--------|----|----------|----|------------|-------|----|
| | | | | | | | 2Axe | 3+Axe | 1Trail | 2Trail | | | | | | |
|  Bus  | Town of Stony Creek (Maint: 91) | 0.22 | 2300 | N | 93% | 0% | 2% | 4% | 2% | 0% | N | 0.083 | N | | 2400 | N |
|  | Sussex County | 3.52 | 1600 | F | 86% | 0% | 2% | 2% | 10% | 0% | F | 0.095 | F | 0.518 | 1700 | F |
|  | Prince George County Line | | | | | | | | | | | | | | | |
|  | Sussex County | 6.24 | 12000 | F | 82% | 1% | 1% | 1% | 15% | 0% | F | NA | | | 11000 | F |
|  | WCL Waverly | | | | | | | | | | | | | | | |
|  | Town of Waverly (Maint: 91) | 0.66 | 12000 | N | 82% | 1% | 1% | 1% | 15% | 0% | N | NA | | | 11000 | N |
|  | SR 40 | | | | | | | | | | | | | | | |
|  | Town of Waverly (Maint: 91) | 0.72 | 9600 | N | 80% | 1% | 1% | 2% | 16% | 0% | N | 0.089 | N | 0.501 | 8500 | N |
|  | ECL Waverly | | | | | | | | | | | | | | | |
|  | Sussex County | 6.28 | 9600 | N | 80% | 1% | 1% | 2% | 16% | 0% | N | 0.089 | N | 0.501 | 8500 | N |
|  | WCL Wakefield | | | | | | | | | | | | | | | |
|  | Town of Wakefield (Maint: 91) | 1.06 | 9600 | N | 80% | 1% | 1% | 2% | 16% | 0% | N | 0.089 | N | 0.501 | 8500 | N |
|  | ECL Wakefield | | | | | | | | | | | | | | | |
|  | Sussex County | 1.80 | 9600 | F | 80% | 1% | 1% | 2% | 16% | 0% | C | 0.089 | F | 0.501 | 8500 | F |
| | To: | | | | | | | | | | | | | | | |
| | Southampton County Line | | | | | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Sussex Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | Dir Factor | AAWDT | QW | Year | |
|-------------------------------|--------|-------------|-----------|-------|-----|-----------------------------|--------|--------|--------|-----------|-----------------|-------------------|--------------|-----------|-------------|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Sussex County | | | | | | | | | | | | | | | | |
| (681) | 1.38 | 250 | F | 95% | 2% | 1% | 1% | 0% | 0% | F | 0.112 | F | 0.656 | 270 | F | 2008 |
| | | | From: | | | 91-657 | | | | | | | | | | |
| (681) | 1.23 | 280 | R | | | SR 40 Sussex Dr | | | | | | NA | | | NA | 04/01/2008 |
| | | | To: | | | Dinwiddie County Line | | | | | | | | | | |
| Town of Wakefield | | | | | | | | | | | | | | | | |
| (682) Knight St | 0.06 | 370 | R | | | 91-705 Railroad Ave | | | | | | NA | | | NA | 04/01/2008 |
| | | | From: | | | | | | | | | | | | | |
| (682) Knight St | 0.06 | 250 | R | | | 91-678 Higgins St | | | | | | NA | | | NA | 04/01/2008 |
| | | | To: | | | | | | | | | | | | | |
| (682) Knight St | 0.05 | 220 | R | | | 91-731 Twilight St | | | | | | NA | | | NA | 04/01/2008 |
| | | | To: | | | 91-732 King St | | | | | | | | | | |
| Sussex County | | | | | | | | | | | | | | | | |
| (683) Wyte Lane | 0.10 | 2 | R | | | Dead End | | | | | | NA | | | NA | 02/04/2002 |
| | | | To: | | | 91-645 Green Church Rd | | | | | | | | | | |
| (684) Jefferson Rd | 1.10 | 80 | R | | | 91-609 WEST | | | | | | NA | | | NA | 04/09/2008 |
| | | | From: | | | | | | | | | | | | | |
| | | | To: | | | 91-609 E, Lebanon Church Rd | | | | | | | | | | |
| (685) | 0.60 | 30 | R | | | Dead End | | | | | | NA | | | NA | 04/09/2008 |
| | | | To: | | | 91-638 Zion Rd | | | | | | | | | | |
| (686) Spiers Rd | 0.60 | 40 | R | | | Dead End | | | | | | NA | | | NA | 04/09/2008 |
| | | | To: | | | 91-698 Sandy Field Rd | | | | | | | | | | |
| (687) Parham Rd | 0.20 | 40 | R | | | Dead End | | | | | | NA | | | NA | 04/09/2008 |
| | | | To: | | | 91-630 | | | | | | | | | | |
| (697) | 1.79 | 30 | R | | | Southampton County Line | | | | | | NA | | | NA | 04/09/2008 |
| | | | To: | | | 91-609 | | | | | | | | | | |
| (698) Sandy Field Rd | 2.00 | 80 | R | | | 91-681 | | | | | | NA | | | NA | 04/09/2008 |
| | | | To: | | | Dinwiddie County Line | | | | | | | | | | |
| (699) Rocky Branch Rd | 2.20 | 20 | R | | | 91-698 Sandy Field Rd | | | | | | NA | | | NA | 04/09/2008 |
| | | | To: | | | 91-630 Little Mill Rd | | | | | | | | | | |
| (700) George Town Rd | 0.30 | 70 | R | | | US 460 | | | | | | NA | | | NA | 04/09/2008 |
| | | | To: | | | 91-615 | | | | | | | | | | |
| Town of Wakefield | | | | | | | | | | | | | | | | |
| (701) Railroad Ave | 0.03 | 770 | R | | | 91-628 Main St | | | | | | NA | | | NA | 04/09/2008 |
| | | | To: | | | | | | | | | | | | | |
| (701) Railroad Ave | 0.09 | 810 | R | | | 91-766 Prospect St | | | | | | NA | | | NA | 04/09/2008 |
| | | | To: | | | | | | | | | | | | | |
| (701) Railroad Ave | 0.08 | 430 | R | | | 91-680 Wilson Ave | | | | | | NA | | | NA | 04/09/2008 |
| | | | To: | | | | | | | | | | | | | |
| (701) Railroad Ave; Sussex Av | 0.05 | 360 | R | | | 91-706 Fleetwood St | | | | | | NA | | | NA | 04/09/2008 |
| | | | To: | | | | | | | | | | | | | |
| (701) Sussex Ave | 0.09 | 880 | R | | | 91-705 Railroad Ave | | | | | | NA | | | NA | 04/09/2008 |
| | | | To: | | | | | | | | | | | | | |
| (701) Sussex Ave | 0.16 | 610 | R | | | 91-714 Grace St | | | | | | NA | | | NA | 04/09/2008 |
| | | | To: | | | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Sussex Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | Dir Factor | AAWDT | QW | Year |
|----------------------------|--------|------|----|-------|-----|-------|--------|--------|--------|----|----------|------------|-------|----|-----------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | |
| Town of Stony Creek | | | | | | | | | | | | | | | |
| (702) Owen St | 0.07 | 270 | R | | | | | | | | NA | | NA | NA | 04/09/2008 |
| (702) Owen St | 0.10 | 220 | R | | | | | | | | NA | | NA | NA | 04/09/2008 |
| (703) Park Ave | 0.08 | 90 | R | | | | | | | | NA | | NA | NA | 04/07/2008 |
| (703) Park Ave | 0.04 | 48 | R | | | | | | | | NA | | NA | NA | 04/07/2008 |
| | | | | | | | | | | | | | | | Dead End |
| Sussex County | | | | | | | | | | | | | | | |
| (704) River Town Rd | 2.50 | 140 | R | | | | | | | | NA | | NA | NA | 04/07/2008 |
| (705) | 0.27 | 180 | R | | | | | | | | NA | | NA | NA | 04/07/2008 |
| (705) | 0.07 | 280 | R | | | | | | | | NA | | NA | NA | 04/07/2008 |
| | | | | | | | | | | | | | | | WCL Wakefield |
| Town of Wakefield | | | | | | | | | | | | | | | |
| (705) Railroad Ave | 0.20 | 280 | R | | | | | | | | NA | | NA | NA | 04/07/2008 |
| (705) Railroad Ave | 0.22 | 250 | R | | | | | | | | NA | | NA | NA | 04/07/2008 |
| (706) Fleetwood St | 0.12 | 360 | R | | | | | | | | NA | | NA | NA | 04/07/2008 |
| (706) Fleetwood St | 0.17 | 610 | R | | | | | | | | NA | | NA | NA | 04/07/2008 |
| | | | | | | | | | | | | | | | US 460; 91-603 |
| Sussex County | | | | | | | | | | | | | | | |
| (707) Maclin | 0.29 | 220 | R | | | | | | | | NA | | NA | NA | 04/07/2008 |
| (708) Carver Ave | 0.26 | 170 | R | | | | | | | | NA | | NA | NA | 04/07/2008 |
| (709) | 0.21 | 120 | R | | | | | | | | NA | | NA | NA | 04/07/2008 |
| | | | | | | | | | | | | | | | 91-660 |
| Town of Wakefield | | | | | | | | | | | | | | | |
| (710) New St | 0.14 | 60 | R | | | | | | | | NA | | NA | NA | 04/07/2008 |
| (711) Savedge Ave | 0.14 | 210 | R | | | | | | | | NA | | NA | NA | 04/07/2008 |
| (712) Virginia Ave | 0.11 | 90 | R | | | | | | | | NA | | NA | NA | 04/07/2008 |
| | | | | | | | | | | | | | | | 91-647 North St |
| Sussex County | | | | | | | | | | | | | | | |
| (713) | 0.75 | 140 | R | | | | | | | | NA | | NA | NA | 04/07/2008 |
| | | | | | | | | | | | | | | | SR 40 Sussex Dr |

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Sussex Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | Dir Factor | AAWDT | QW | Year |
|--------------------------|--------|------|----|-------|-----|---|--------|--------|--------|----|----------|------------|-------|------------|------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | |
| Town of Wakefield | | | | | | | | | | | | | | | |
| (714) Grace St | 0.08 | 200 | R | | | From: 91-680 Wilson Ave | | | | | NA | | NA | 04/07/2008 | |
| (714) Grace St | 0.05 | 160 | R | | | From: 91-706 Fleetwood St | | | | | NA | | NA | 04/07/2008 | |
| (714) Grace St | 0.19 | 530 | R | | | From: 91-701 Sussex Ave | | | | | NA | | NA | 04/07/2008 | |
| (714) Grace St | 0.09 | 280 | R | | | From: US 460 | | | | | NA | | NA | 04/07/2008 | |
| (714) Grace St | | | | | | To: NCL Wakefield | | | | | | | | | |
| Sussex County | | | | | | | | | | | | | | | |
| (714) | 0.39 | 410 | R | | | From: NCL Wakefield | | | | | NA | | NA | 04/07/2008 | |
| (714) | | | | | | To: 91-603 | | | | | | | | | |
| (715) | 1.14 | 30 | R | | | From: Southampton County Line | | | | | NA | | NA | 04/07/2008 | |
| (715) | | | | | | To: 91-635 | | | | | | | | | |
| Town of Wakefield | | | | | | | | | | | | | | | |
| (716) Clay St | 0.06 | 60 | R | | | From: 91-714 Grace St | | | | | NA | | NA | 04/07/2008 | |
| (716) Clay St | | | | | | To: Dead End | | | | | | | | | |
| (717) Richardson St | 0.10 | 100 | R | | | From: 91-647 North St | | | | | NA | | NA | 04/07/2008 | |
| (717) Richardson St | | | | | | To: Dead End | | | | | | | | | |
| Sussex County | | | | | | | | | | | | | | | |
| (718) | 3.80 | 10 | R | | | From: 91-735 Courthouse Rd | | | | | NA | | NA | 04/07/2008 | |
| (718) | | | | | | To: 91-632 Hunting Quarter Rd; Gilliam Rd | | | | | | | | | |
| Town of Wakefield | | | | | | | | | | | | | | | |
| (719) South St | 0.10 | 140 | R | | | From: Dead End | | | | | NA | | NA | 04/17/2008 | |
| (719) South St | | | | | | To: SR 31 | | | | | | | | | |
| (720) Baptist St | 0.08 | 20 | R | | | From: Dead End | | | | | NA | | NA | 04/07/2008 | |
| (720) Baptist St | | | | | | To: US 460; 91-652 | | | | | | | | | |
| Sussex County | | | | | | | | | | | | | | | |
| (721) | 2.20 | 310 | R | | | From: 91-644 W, Faison Rd | | | | | NA | | NA | 04/07/2008 | |
| (721) | | | | | | To: 91-644 E, Faison Rd | | | | | | | | | |
| Town of Wakefield | | | | | | | | | | | | | | | |
| (722) Tunnel Rd | 0.20 | 3 | R | | | From: 91-620 Brittles Neck Rd | | | | | NA | | NA | 04/07/2008 | |
| (722) Tunnel Rd | | | | | | To: Dead End | | | | | | | | | |
| (723) Nicholson Dr | 0.17 | 9 | R | | | From: Dead End | | | | | NA | | NA | 04/07/2008 | |
| (723) Nicholson Dr | 0.09 | 40 | R | | | From: 91-730 Chipen Rd | | | | | NA | | NA | 04/07/2008 | |
| (723) Nicholson Dr | | | | | | To: 91-628 Main St | | | | | | | | | |
| Sussex County | | | | | | | | | | | | | | | |
| (724) Bailey Rd | 0.70 | 48 | R | | | From: SR 35 Jeruselem Plank Rd | | | | | NA | | NA | 02/07/2008 | |
| (724) Bailey Rd | | | | | | To: Dead End | | | | | | | | | |
| Town of Wakefield | | | | | | | | | | | | | | | |
| (725) Club Dr | 0.16 | 90 | R | | | From: Dead End | | | | | NA | | NA | 02/07/2008 | |
| (725) Club Dr | | | | | | To: 91-647 North St | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Sussex Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | Dir Factor | AAWDT | QW | Year | |
|--------------------------|--------|------|-----|-------|-----|-------|----------------------------|--------|--------|----|----------|------------|-------|------|------------|------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Sussex County | | | | | | | | | | | | | | | | |
| (726) | 0.19 | 1 | R | | | From: | Dead End | | | | NA | | NA | | 06/21/2005 | |
| | | | To: | | | | 91-642 | | | | | | | | | |
| (727) | 0.14 | 40 | R | | | From: | 91-642 Coman Wells Rd | | | | NA | | NA | | 02/07/2008 | |
| | | | To: | | | | Dead End | | | | | | | | | |
| (728) | 0.33 | 70 | R | | | From: | Dead End | | | | NA | | NA | | 02/07/2008 | |
| | | | To: | | | | SR 40 Sussex Dr | | | | | | | | | |
| (729) | 1.35 | 49 | R | | | From: | Dead End | | | | NA | | NA | | 02/07/2008 | |
| | | | To: | | | | 91-737 | | | | | | | | | |
| (729) | 0.85 | 120 | R | | | From: | | | | | NA | | NA | | 02/07/2008 | |
| | | | To: | | | | 91-628 | | | | | | | | | |
| Town of Wakefield | | | | | | | | | | | | | | | | |
| (730) Chipen Rd | 0.07 | 10 | R | | | From: | Dead End | | | | NA | | NA | | 02/07/2008 | |
| | | | To: | | | | 91-723 Nicholson Dr | | | | | | | | | |
| (731) Twilight St | 0.10 | 120 | R | | | From: | Dead End | | | | NA | | NA | | 02/07/2008 | |
| | | | To: | | | | 91-682 Knight St | | | | | | | | | |
| (732) King St | 0.10 | 90 | R | | | From: | Dead End | | | | NA | | NA | | 02/07/2008 | |
| | | | To: | | | | 91-682 Knight St | | | | | | | | | |
| Sussex County | | | | | | | | | | | | | | | | |
| (733) Optimist Rd | 0.40 | 90 | R | | | From: | Dead End | | | | NA | | NA | | 02/07/2008 | |
| | | | To: | | | | SR 40 Sussex Dr | | | | | | | | | |
| (734) | 0.17 | 170 | R | | | From: | US 301 | | | | NA | | NA | | 02/07/2008 | |
| | | | To: | | | | 91-648 Reed Rd | | | | | | | | | |
| (735) Courthouse Rd | 2.20 | 350 | F | 90% | 0% | 1% | 1% | 8% | 0% | F | 0.102 | F | 0.552 | 370 | F | 2008 |
| | | | To: | | | | Southampton County Line | | | | | | | | | |
| (735) Courthouse Rd | 0.50 | 390 | F | 90% | 0% | 1% | 1% | 8% | 0% | F | 0.094 | F | 0.598 | 420 | F | 2008 |
| | | | To: | | | | 91-631 E. Gary Rd | | | | | | | | | |
| (735) Courthouse Rd | 2.08 | 380 | F | 90% | 0% | 1% | 1% | 8% | 0% | C | 0.103 | F | 0.5 | 410 | F | 2008 |
| | | | To: | | | | 91-660 S. Gilliam Rd | | | | | | | | | |
| (735) Courthouse Rd | 5.22 | 680 | F | 90% | 0% | 1% | 1% | 8% | 0% | F | 0.097 | F | 0.529 | 730 | F | 2008 |
| | | | To: | | | | 91-660 N. Gilliam Rd | | | | | | | | | |
| (735) Courthouse Rd | 0.32 | 940 | F | 90% | 0% | 1% | 1% | 8% | 0% | F | 0.114 | F | 0.514 | 1000 | F | 2008 |
| | | | To: | | | | 91-634 N. Old Forty Rd | | | | | | | | | |
| (736) Moores Lane | 0.10 | 60 | R | | | From: | 0.10 SE 91-667 Mongun Lane | | | | NA | | NA | | 02/07/2008 | |
| | | | To: | | | | 91-667 Mongun Lane | | | | | | | | | |
| (736) | 0.08 | 20 | R | | | From: | Dead End | | | | NA | | NA | | 02/07/2008 | |
| | | | To: | | | | | | | | | | | | | |
| (737) | 0.68 | 110 | R | | | From: | Dead End | | | | NA | | NA | | 02/07/2008 | |
| | | | To: | | | | 91-729 | | | | | | | | | |
| (738) | 0.14 | 40 | R | | | From: | US 460 | | | | NA | | NA | | 02/07/2008 | |
| | | | To: | | | | Dead End | | | | | | | | | |
| (739) | 0.17 | NA | | | | From: | 91-723 Nicholson Dr | | | | NA | | NA | | | |
| | | | To: | | | | Dead End | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Sussex Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | Dir Factor | AAWDT | QW | Year |
|--------------------------|--------|------|----|-------|-----|-------|-----------------------------|--------|--------|----|----------|------------|-------|------------|------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | |
| Sussex County | | | | | | | | | | | | | | | |
| (740) | 1.09 | 20 | R | | | From: | 91-622 | | | | NA | | NA | 02/07/2008 | |
| | | | | | | To: | 91-729 | | | | | | | | |
| (741) | 0.10 | 20 | R | | | From: | 91-642 | | | | NA | | NA | 06/21/2005 | |
| | | | | | | To: | Cul-de-Sac | | | | | | | | |
| Town of Wakefield | | | | | | | | | | | | | | | |
| (766) Prospect St | 0.20 | 470 | R | | | From: | 91-701 Railroad Ave | | | | NA | | NA | 02/07/2008 | |
| | | | | | | To: | 91-603 Church St | | | | | | | | |
| Town of Waverly | | | | | | | | | | | | | | | |
| (1001) New St | 0.11 | 1000 | R | | | From: | SR 40, W Main St | | | | NA | | NA | 02/07/2008 | |
| | | | | | | To: | | | | | | | | | |
| (1001) New St | 0.17 | 870 | R | | | From: | 91-1006 School St | | | | NA | | NA | 02/07/2008 | |
| | | | | | | To: | | | | | | | | | |
| (1001) New St | 0.06 | 490 | R | | | From: | 91-1009 Maple St | | | | NA | | NA | 02/07/2008 | |
| | | | | | | To: | | | | | | | | | |
| (1001) New St | 0.08 | 280 | R | | | From: | 91-1011 Pine St | | | | NA | | NA | 02/07/2008 | |
| | | | | | | To: | Dead End | | | | | | | | |
| (1002) | 0.25 | 720 | R | | | From: | SR 40, W Main St | | | | NA | | NA | 02/07/2008 | |
| | | | | | | To: | | | | | | | | | |
| (1002) | 0.06 | 180 | R | | | From: | US 460 | | | | NA | | NA | 02/07/2008 | |
| | | | | | | To: | 91-653 Hunter St | | | | | | | | |
| (1003) Railroad Ave | 0.13 | 720 | R | | | From: | 91-606 Beaver Dam Rd | | | | NA | | NA | 02/07/2008 | |
| | | | | | | To: | 91-1029 Locust Dr | | | | | | | | |
| (1003) Railroad Ave | 0.08 | 680 | R | | | From: | 91-1029 Locust St | | | | NA | | NA | 02/07/2008 | |
| | | | | | | To: | | | | | | | | | |
| (1003) Railroad Ave | 0.24 | 1200 | R | | | From: | 91-1028 Dogwood Ave | | | | NA | | NA | 02/07/2008 | |
| | | | | | | To: | | | | | | | | | |
| (1003) Railroad Ave | 0.20 | 1300 | R | | | From: | 91-1016 Butler St | | | | NA | | NA | 02/07/2008 | |
| | | | | | | To: | | | | | | | | | |
| (1003) Railroad Ave | 0.15 | 1500 | R | | | From: | 91-1005 Chestnut St | | | | NA | | NA | 02/07/2008 | |
| | | | | | | To: | SR 40, W Main St | | | | | | | | |
| (1004) Fleetwood Ave | 0.12 | 820 | R | | | From: | SR 40, W Main St | | | | NA | | NA | 02/07/2008 | |
| | | | | | | To: | | | | | | | | | |
| (1004) Fleetwood Ave | 0.15 | 390 | R | | | From: | 91-1021 Chappell Lane | | | | NA | | NA | 02/07/2008 | |
| | | | | | | To: | | | | | | | | | |
| (1004) Fleetwood Ave | 0.21 | 270 | R | | | From: | 91-1019 Thomas Circle | | | | NA | | NA | 02/07/2008 | |
| | | | | | | To: | 91-1023 Carpenter Dr | | | | | | | | |
| (1005) Chestnut St | 0.13 | 140 | R | | | From: | 91-653 Bank St | | | | NA | | NA | 02/26/2008 | |
| | | | | | | To: | 91-1003 Railroad Ave | | | | | | | | |
| (1006) School St | 0.13 | 420 | R | | | From: | 91-1008 Pleasant Spring Ave | | | | NA | | NA | 02/26/2008 | |
| | | | | | | To: | 91-1001 New St | | | | | | | | |
| (1007) Oak St | 0.18 | 300 | R | | | From: | 91-1008 Pleasant Spring Ave | | | | NA | | NA | 02/26/2008 | |
| | | | | | | To: | 91-1009 Maple St | | | | | | | | |
| (1007) Oak St | 0.05 | 200 | R | | | From: | 91-1011 Pine St | | | | NA | | NA | 02/26/2008 | |

Virginia Department of Transportation
Traffic Engineering Division

2008
Annual Average Daily Traffic Volume Estimates By Section of Route
Sussex Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | K Factor | Dir Factor | AAWDT | QW | Year |
|----------------------------|--------|-------------|-----------|-------|-----|-------|---------------------------|--------|--------|-----------------|-------------------|-------|-----------|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | |
| Town of Waverly | | | | | | | | | | | | | | |
| (1008) Pleasant Spring Ave | 0.13 | 820 | R | | | From: | SR 40, W Main St | | | | NA | | NA | 02/26/2008 |
| (1008) Pleasant Spring Ave | 0.10 | 100 | R | | | From: | 91-1006 School St | | | | NA | | NA | 02/26/2008 |
| (1008) Pleasant Spring Ave | 0.24 | 210 | R | | | From: | 91-1007 Oak St | | | | NA | | NA | 02/26/2008 |
| | | | | | | To: | WCL Waverly | | | | | | | |
| Sussex County | | | | | | | | | | | | | | |
| (1008) | 0.21 | 160 | R | | | From: | WCL Waverly | | | | NA | | NA | 02/26/2008 |
| | | | | | | To: | Dead End | | | | | | | |
| Town of Waverly | | | | | | | | | | | | | | |
| (1009) Maple St | 0.11 | 250 | R | | | From: | 91-1007 Oak St | | | | NA | | NA | 02/25/2008 |
| | | | | | | To: | 91-1001 New St | | | | | | | |
| (1010) Robert Wilkins Ave | 0.46 | 220 | R | | | From: | 91-1026 Wye St | | | | NA | | NA | 02/25/2008 |
| | | | | | | To: | SR 40, W Main St | | | | | | | |
| (1011) Pine St | 0.11 | 100 | R | | | From: | 91-1001 New St | | | | NA | | NA | 02/25/2008 |
| | | | | | | To: | 91-1007 Oak St | | | | | | | |
| (1012) Elm St | 0.27 | 360 | R | | | From: | SR 40, W Main St | | | | NA | | NA | 02/25/2008 |
| | | | | | | To: | 91-1013 Burt St | | | | | | | |
| (1012) Elm St | 0.05 | 110 | R | | | From: | 91-1013 Burt St | | | | NA | | NA | 02/25/2008 |
| | | | | | | To: | Dead End | | | | | | | |
| (1013) Burt St | 0.08 | 410 | R | | | From: | SR 40; 91-1018 | | | | NA | | NA | 02/25/2008 |
| | | | | | | To: | 91-1017 Gum Lane | | | | | | | |
| (1013) Burt St | 0.05 | 290 | R | | | From: | 91-1017 Gum Lane | | | | NA | | NA | 02/25/2008 |
| | | | | | | To: | 91-1012 Elm St | | | | | | | |
| (1013) Burt St | 0.05 | 110 | R | | | From: | 91-1012 Elm St | | | | NA | | NA | 02/25/2008 |
| | | | | | | To: | 91-1031 | | | | | | | |
| (1014) Norris Ave | 0.12 | 240 | R | | | From: | 91-654 Coppahaunk Rd | | | | NA | | NA | 02/25/2008 |
| | | | | | | To: | 91-1015 N; Graydon Circle | | | | | | | |
| (1014) Norris Ave | 0.10 | 270 | R | | | From: | 91-1015 N; Graydon Circle | | | | NA | | NA | 02/25/2008 |
| | | | | | | To: | 91-1015 S; Graydon Circle | | | | | | | |
| (1014) Norris Ave | 0.10 | 250 | R | | | From: | 91-1015 S; Graydon Circle | | | | NA | | NA | 02/25/2008 |
| | | | | | | To: | 91-653 Bank St | | | | | | | |
| (1015) Graydon Circle | 0.23 | 60 | R | | | From: | 91-1014 W; Norris Ave | | | | NA | | NA | 02/25/2008 |
| | | | | | | To: | 91-1014 E; Norris Ave | | | | | | | |
| (1016) Butler St | 0.10 | 340 | R | | | From: | Dead End | | | | NA | | NA | 02/25/2008 |
| | | | | | | To: | 91-1003 Railroad Ave | | | | | | | |
| (1017) Gum Lane | 0.07 | 40 | R | | | From: | 91-1013 Burt St | | | | NA | | NA | 02/25/2008 |
| | | | | | | To: | 91-1032 Horton Circle | | | | | | | |
| (1018) Coppahaunk Ave | 0.25 | 560 | R | | | From: | 91-654 Coppahaunk Rd | | | | NA | | NA | 03/25/2008 |
| | | | | | | To: | SR 40; 91-1013 | | | | | | | |
| (1019) Sylvan Rd | 0.10 | 560 | R | | | From: | SR 40, W Main St | | | | NA | | NA | 02/25/2008 |
| | | | | | | To: | 91-1027 Belvidere St | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Sussex Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | Dir Factor | AAWDT | QW | Year |
|------------------------|--------|------|----|-------|-----|-------|--------|--------|--------|----|----------|------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | |
| Town of Waverly | | | | | | | | | | | | | | | |
| (1019) Sylvan Rd | 0.11 | 230 | R | | | | | | | | NA | | NA | | 02/25/2008 |
| (1019) Sylvan Rd | 0.21 | 220 | R | | | | | | | | NA | | NA | | 02/25/2008 |
| (1019) Thomas Circle | 0.07 | 220 | R | | | | | | | | NA | | NA | | 02/25/2008 |
| (1019) Thomas Circle | 0.03 | 320 | R | | | | | | | | NA | | NA | | 02/25/2008 |
| (1020) Arthur Ct | 0.04 | 140 | R | | | | | | | | NA | | NA | | 02/25/2008 |
| (1021) Chappell Lane | 0.21 | 190 | R | | | | | | | | NA | | NA | | 02/25/2008 |
| (1022) Jasper Lane | 0.28 | 310 | R | | | | | | | | NA | | NA | | 02/25/2008 |
| (1022) Jasper Lane | 0.12 | 150 | R | | | | | | | | NA | | NA | | 02/25/2008 |
| (1022) Jasper Lane | 0.43 | 100 | R | | | | | | | | NA | | NA | | 02/25/2008 |
| (1023) Carpenter Dr | 0.13 | 160 | R | | | | | | | | NA | | NA | | 02/25/2008 |
| (1023) Carpenter Dr | 0.12 | 60 | R | | | | | | | | NA | | NA | | 02/25/2008 |
| (1023) Carpenter Dr | 0.06 | 9 | R | | | | | | | | NA | | NA | | 02/25/2008 |
| (1024) Branch St | 0.08 | 30 | R | | | | | | | | NA | | NA | | 02/25/2008 |
| (1024) Branch St | 0.04 | 8 | R | | | | | | | | NA | | NA | | 02/25/2008 |
| (1025) Cowling St | 0.03 | 8 | R | | | | | | | | NA | | NA | | 02/25/2008 |
| (1025) Cowling St | 0.08 | 50 | R | | | | | | | | NA | | NA | | 02/25/2008 |
| (1026) Wye St | 0.08 | 120 | R | | | | | | | | NA | | NA | | 02/25/2008 |
| (1026) | 0.08 | 60 | R | | | | | | | | NA | | NA | | 02/25/2008 |
| (1027) Belvidere St | 0.13 | 270 | R | | | | | | | | NA | | NA | | 02/25/2008 |
| (1028) Dogwood Ave | 0.20 | 450 | R | | | | | | | | NA | | NA | | 02/25/2008 |
| (1029) Locust Dr | 0.16 | 200 | R | | | | | | | | NA | | NA | | 02/25/2008 |

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Sussex Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|--------------------------|--------|------|-----|-------|-----|-----------------------------------|--------|----------|--------|------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | |
| Town of Waverly | | | | | | | | | | | | | |
| (1029) Locust Dr | 0.21 | 480 | R | | | From: 91-1030 Middle St | | | | NA | | NA | 02/26/2008 |
| | | | To: | | | 91-1003 Railroad Ave | | | | | | | |
| (1030) Middle St | 0.10 | 180 | R | | | From: Cul-de-Sac | | | | NA | | NA | 02/26/2008 |
| | | | To: | | | 91-1028 Dogwood Ave | | | | | | | |
| (1030) Middle St | 0.11 | 260 | R | | | From: 91-1029 Locust Dr | | | | NA | | NA | 02/26/2008 |
| | | | To: | | | Dead End | | | | | | | |
| (1030) Middle St | 0.09 | 270 | R | | | From: Dead End | | | | NA | | NA | 02/26/2008 |
| | | | To: | | | Dead End | | | | | | | |
| (1031) | 0.06 | 40 | R | | | From: 91-1013 Burt St | | | | NA | | NA | 02/26/2008 |
| | | | To: | | | 91-1017 Gum Lane | | | | | | | |
| (1032) Horton Circle | 0.05 | 20 | R | | | From: 91-1017 | | | | NA | | NA | 02/26/2008 |
| | | | To: | | | Dead End | | | | | | | |
| (1032) | 0.02 | 2 | R | | | From: Dead End | | | | NA | | NA | 02/26/2008 |
| | | | To: | | | Dead End | | | | | | | |
| (1034) Moore St | 0.02 | 200 | R | | | From: 91-1008 Pleasant Spring Ave | | | | NA | | NA | 02/25/2008 |
| | | | To: | | | Dead End | | | | | | | |
| (1035) Merchants Dr | 0.04 | 300 | R | | | From: Dead End | | | | NA | | NA | 02/25/2008 |
| | | | To: | | | 91-653 Bank St | | | | | | | |
| (1036) Cedar St | 0.07 | 60 | R | | | From: Dead End | | | | NA | | NA | 02/25/2008 |
| | | | To: | | | 91-1029 Locust Dr | | | | | | | |
| (1037) Barkley Place | 0.11 | 230 | R | | | From: Dead End | | | | NA | | NA | 02/25/2008 |
| | | | To: | | | 91-1038 Brian Dr | | | | | | | |
| (1037) | 0.08 | 570 | R | | | From: 91-653 Bank St | | | | NA | | NA | 02/25/2008 |
| | | | To: | | | 91-1037 Barkley Place | | | | | | | |
| (1038) Brian Dr | 0.22 | 180 | R | | | From: 91-606 Beaver Dam Rd | | | | NA | | NA | 02/25/2008 |
| | | | To: | | | 91-1037 Barkley Place | | | | | | | |
| (1039) | 0.09 | 70 | R | | | From: Cul-de-Sac | | | | NA | | NA | 02/25/2008 |
| | | | To: | | | Cul-de-Sac | | | | | | | |
| (1040) Brian Ct | 0.07 | 120 | R | | | From: Dead End | | | | NA | | NA | 02/26/2008 |
| | | | To: | | | 91-1038 Brian Dr | | | | | | | |
| (1041) Forest Lane | 0.28 | 120 | R | | | From: Dead End | | | | NA | | NA | 02/26/2008 |
| | | | To: | | | 91-1014 Norris Ave | | | | | | | |
| Town of Jarratt | | | | | | | | | | | | | |
| (1101) | 0.17 | 410 | R | | | From: Greenville County Line | | | | NA | | NA | 02/26/2008 |
| | | | To: | | | SR 139 Jarratt Ave | | | | | | | |
| (1101) North Braxton Ave | 0.10 | 120 | R | | | From: Dead End | | | | NA | | NA | 02/26/2008 |
| | | | To: | | | Dead End | | | | | | | |
| Sussex County | | | | | | | | | | | | | |
| (1102) Mayes Rd | 0.08 | 490 | R | | | From: Greenville County Line | | | | NA | | NA | 02/26/2008 |
| | | | To: | | | 91-1113 Harvell St | | | | | | | |
| (1102) | 0.02 | 670 | R | | | From: 91-646 | | | | NA | | NA | 02/26/2008 |
| | | | To: | | | 91-646 | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Sussex Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | Dir Factor | AAWDT | QW | Year |
|----------------------------|--------|------|----|-------|-----|-------|------------------------|--------|--------|----|----------|------------|-------|-----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | |
| Sussex County | | | | | | | | | | | | | | | |
| (1102) | 0.30 | 1000 | R | | | From: | 91-646 | | | | | | NA | NA | 02/26/2008 |
| | | | | | | To: | US 301 | | | | | | | | |
| Town of Jarratt | | | | | | | | | | | | | | | |
| (1103) Grigg Ave | 0.10 | 660 | R | | | From: | Greenville County Line | | | | | | NA | NA | 02/26/2008 |
| | | | | | | To: | 91-1105 Ivey St | | | | | | | | |
| (1103) Braxton Ave | 0.02 | 900 | R | | | From: | 91-1105 Ivey St | | | | | | NA | NA | 02/26/2008 |
| | | | | | | To: | 91-646 | | | | | | | | |
| Sussex County | | | | | | | | | | | | | | | |
| (1104) Marion Ave | 0.27 | 100 | R | | | From: | 91-646 | | | | | | NA | NA | 02/26/2008 |
| | | | | | | To: | US 301 | | | | | | | | |
| Town of Jarratt | | | | | | | | | | | | | | | |
| (1105) Ivey St | 0.10 | 20 | R | | | From: | Dead End | | | | | | NA | NA | 02/26/2008 |
| | | | | | | To: | 91-1103 Braxton Ave | | | | | | | | |
| (1105) Ivey St | 0.05 | 40 | R | | | From: | 91-1103 Braxton Ave | | | | | | NA | NA | 02/26/2008 |
| | | | | | | To: | Dead End | | | | | | | | |
| Sussex County | | | | | | | | | | | | | | | |
| (1106) | 0.18 | 40 | R | | | From: | 0.11 MW 91-1107 | | | | | | NA | NA | 02/26/2008 |
| | | | | | | To: | Dead End | | | | | | | | |
| (1107) Reese Town Rd | 0.02 | 50 | R | | | From: | 91-1106 | | | | | | NA | NA | 02/26/2008 |
| | | | | | | To: | FR-315; 91-646 | | | | | | | | |
| Town of Jarratt | | | | | | | | | | | | | | | |
| (1108) Willow Ave | 0.05 | 30 | R | | | From: | Dead End | | | | | | NA | NA | 02/26/2008 |
| | | | | | | To: | 91-646 Kientz Rd | | | | | | | | |
| (1110) | 0.23 | 120 | R | | | From: | Greenville County Line | | | | | | NA | NA | 02/26/2008 |
| | | | | | | To: | 91-1115 | | | | | | | | |
| Sussex County | | | | | | | | | | | | | | | |
| (1113) Harvell St | 0.25 | 90 | R | | | From: | Dead End | | | | | | NA | NA | 02/26/2008 |
| | | | | | | To: | 91-1102 Mayes Rd | | | | | | | | |
| Town of Jarratt | | | | | | | | | | | | | | | |
| (1115) | 0.07 | 40 | R | | | From: | Dead End | | | | | | NA | NA | 02/26/2008 |
| | | | | | | To: | 91-1110 | | | | | | | | |
| (1117) | 0.05 | 120 | R | | | From: | 91-1101 | | | | | | NA | NA | 02/26/2008 |
| | | | | | | To: | Greenville County Line | | | | | | | | |
| (1120) | 0.18 | 690 | F | 100% | 0% | 0% | 0% | 0% | 0% | C | 0.091 | F | 0.521 | 740 | F 2008 |
| | | | | | | To: | SR 139 Jarratt Ave | | | | | | | | |
| Town of Stony Creek | | | | | | | | | | | | | | | |
| (1201) May St | 0.05 | 40 | R | | | From: | 91-669 Maplewood Ave | | | | | | NA | NA | 02/26/2008 |
| | | | | | | To: | 91-658 Halifax Rd | | | | | | | | |
| Sussex County | | | | | | | | | | | | | | | |
| (1202) | 0.09 | 380 | R | | | From: | Dead End | | | | | | NA | NA | 02/26/2008 |
| | | | | | | To: | 91-602 Cabin Point Rd | | | | | | | | |
| Town of Stony Creek | | | | | | | | | | | | | | | |
| (1203) Hartley St | 0.08 | 140 | R | | | From: | Bus SR 40 | | | | | | NA | NA | 02/26/2008 |
| | | | | | | To: | 91-669 Maplewood Ave | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Sussex Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | Dir Factor | AAWDT | QW | Year |
|----------------------------|--------|------|-------------------------------|-------|-----|--------------------------------|--------|--------|--------|----|----------|------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | |
| Town of Stony Creek | | | | | | | | | | | | | | | |
| (1203) Hartley St | 0.10 | 130 | R | | | From: 91-669 Maplewood Ave | | | | | NA | | NA | | 02/26/2008 |
| | | | To: 91-658 Halifax Rd | | | | | | | | | | | | |
| (1204) Confederate Ave | 0.07 | 80 | R | | | From: Bus SR 40 | | | | | NA | | NA | | 02/26/2008 |
| | | | To: 91-1205 Peebles St | | | | | | | | | | | | |
| (1204) Confederate Ave | 0.04 | 70 | R | | | From: 91-1205 Peebles St | | | | | NA | | NA | | 02/26/2008 |
| | | | To: 91-658 Halifax Rd | | | | | | | | | | | | |
| (1205) Peebles St | 0.15 | 46 | R | | | From: Bus SR 40 | | | | | NA | | NA | | 02/26/2008 |
| | | | To: 91-1204 Confederate Ave | | | | | | | | | | | | |
| Sussex County | | | | | | | | | | | | | | | |
| (1210) | 0.08 | 20 | R | | | From: Dead End | | | | | NA | | NA | | 02/26/2008 |
| | | | To: Gap | | | | | | | | | | | | |
| (1210) | 0.05 | 7 | R | | | From: Dead End | | | | | NA | | NA | | 02/26/2008 |
| | | | To: T Intersection | | | | | | | | | | | | |
| (1210) | 0.02 | 30 | R | | | From: 91-602 Cabin Point Rd | | | | | NA | | NA | | 02/26/2008 |
| | | | To: 91-602 Cabin Point Rd | | | | | | | | | | | | |
| Town of Stony Creek | | | | | | | | | | | | | | | |
| (1212) | 0.12 | 2 | R | | | From: 91-657 Main St | | | | | NA | | NA | | 02/05/2002 |
| | | | To: Dead End | | | | | | | | | | | | |
| Sussex County | | | | | | | | | | | | | | | |
| (1213) | 0.18 | 100 | R | | | From: 91-657 | | | | | NA | | NA | | 02/26/2008 |
| | | | To: Dead End | | | | | | | | | | | | |
| (1214) | 0.11 | 290 | R | | | From: 91-670 Setzer Lane | | | | | NA | | NA | | 04/09/2008 |
| | | | To: US 301 | | | | | | | | | | | | |
| Town of Waverly | | | | | | | | | | | | | | | |
| (9403) | 0.07 | 30 | R | | | From: Waverly School | | | | | NA | | NA | | 04/09/2008 |
| | | | To: SR 40; 91-1018 | | | | | | | | | | | | |
| Sussex County | | | | | | | | | | | | | | | |
| (9871) | 0.07 | 410 | R | | | From: Central School; SR 40 | | | | | NA | | NA | | 04/09/2008 |
| | | | To: 0.07 ME SR 40 | | | | | | | | | | | | |
| (9871) | 0.21 | 420 | R | | | From: 0.07 ME SR 40 | | | | | NA | | NA | | 04/09/2008 |
| | | | To: 0.28 ME SR 40 | | | | | | | | | | | | |
| (9871) | 0.09 | 260 | R | | | From: 0.28 ME SR 40 | | | | | NA | | NA | | 04/09/2008 |
| | | | To: 0.37 ME SR 40 | | | | | | | | | | | | |
| (9871) | 0.07 | 290 | R | | | From: 0.37 ME SR 40 | | | | | NA | | NA | | 04/09/2008 |
| | | | To: SR 40 Sussex Dr | | | | | | | | | | | | |
| (9872) | 0.10 | 250 | R | | | From: Chambliss Elem School | | | | | NA | | NA | | 04/09/2008 |
| | | | To: 0.10 ME 91-678 | | | | | | | | | | | | |
| (9872) | 0.03 | 240 | R | | | From: 0.10 ME 91-678 | | | | | NA | | NA | | 04/09/2008 |
| | | | To: 91-678 | | | | | | | | | | | | |
| Town of Waverly | | | | | | | | | | | | | | | |
| (9873) | 0.01 | 210 | R | | | From: Jackson Elem School | | | | | NA | | NA | | 04/09/2008 |
| | | | To: 0.01 ME 91-1006 School St | | | | | | | | | | | | |
| (9873) | 0.11 | 290 | R | | | From: 0.01ME 91-1006 School St | | | | | NA | | NA | | 04/09/2008 |
| | | | To: 91-1006 School St | | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division

2008

Annual Average Daily Traffic Volume Estimates By Section of Route
Sussex Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | Dir Factor | AAWDT | QW | Year |
|----------------------------|--------|------------|----|-------|-----|-------------------------------|--------|--------|--------|----|----------|------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | |
| Sussex County | | | | | | | | | | | | | | | |
| 9874 | 0.05 | 240 | R | | | From: Jefferson Elem School | | | | | NA | | NA | | 04/09/2008 |
| 9874 | 0.11 | 200 | R | | | From: 0.05 ME 91-1102 | | | | | NA | | NA | | 04/16/2008 |
| | | | | | | To: 91-1102 | | | | | | | | | |
| Town of Stony Creek | | | | | | | | | | | | | | | |
| 9875 | 0.05 | 140 | R | | | From: 91-1204 Confederate Ave | | | | | NA | | NA | | 04/16/2008 |
| | | | | | | To: Dead End | | | | | | | | | |
| Sussex County | | | | | | | | | | | | | | | |
| 9876 | 0.07 | 30 | R | | | From: Stony Creek High School | | | | | NA | | NA | | 04/16/2008 |
| | | | | | | To: US 301 | | | | | | | | | |