2007

Virginia Department of Transportation Daily Traffic Volume Estimates Including Vehicle Classification Estimates

where available

Special Locality Report 112

Town of Front Royal

Information in this report is included in Report

93

(Warren County)

Prepared By

Virginia Department of Transportation Traffic Engineering Division

In Cooperation With

U.S. Department of Transportation Federal Highway Administration

Virginia Department of Transportation Traffic Engineering Division Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled "Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes" includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled "Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99".

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a "Combined Traffic Estimates for Parallel Roadways on this Route" or "Combined Traffic" identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate "NA" for not available.

VDOT's traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating "NA" for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate "NA" for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems

North 81	Interstate Route	Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.
29	US Route	
7	Virginia State Rou	te
(F241)	Frontage Road (F	precedes frontage route number)
(600)	Secondary Route	

Special Routes

Bus	Bus - Business Route
29	Bypas - Bypass Route
	Truck - Truck Route
ALT	ALT - Alternate Route
(220)	Wye - Wye Route connector

- P Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.
- The VDOT Maintainenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation Traffic Engineering Division 2007 Annual Average Daily Traffic Volume Estimates By Section of Route Town of Front Royal

						Truck K		Dir						
Route	Jurisdiction	Length AADT QA	A 4Tire	Bus	2Axle	3+Axle	1Trail	2Trail	QC	Factor	QK		AAWDT	Q۷
	From:	WCL Front Royal												
₅₅) Strasburg Rd	Town of Front Royal	0.90 9000 G	97%	1%	1%	1%	1%	0%	С	0.09	F	0.651	9900	C
	To:	US 340, US 522 Shenandoal	n Ave											
¬ ~~~	From:	CL Front Royal												
55) (522)(340) Shenandoah Ave	Town of Front Royal	0.34 25000 G	95%	1%	1%	2%	1%	0%	F	0.091	F	0.511	26000	(
	To	14 ST												
¬ ~~~	From:	Shenandoah Ave												
55) (522)(340)14th St	Town of Front Royal	0.24 22000 G	95%	1%	1%	2%	1%	0%	F	0.090	F	0.531	23000	(
	To:	North Royal Ave												
	From:	14TH ST							_		_			
55) (522)(340) North Royal Ave	Town of Front Royal	0.35 27000 G	95%	1%	1%	2%	1%	0%	C	0.087	F	0.531	28000	(
$\lor \lor \lor$	To	US 522 & US 340								QC Factor QK Factor AAWDT C 0.09 F 0.651 9900 F 0.091 F 0.511 26000 F 0.090 F 0.531 23000 C 0.087 F 0.531 28000 F 0.085 F 0.524 14000 C 0.087 F 0.566 17000 C 0.085 F 0.566 17000 C 0.091 F 0.646 15000 F 0.084 F 0.662 18000 C 0.087 F 0.505 20000 F 0.085 F 0.524 14000 C 0.087 F 0.531 28000 F 0.090 F 0.531 23000				
55) (340 North Royal Ave	Town of Front Royal	0.25 13000 G	97%	1%	1%	1%	1%	0%	F	0.085	F	0.524	14000	(
,	-													
	From:	6th St	070/	407		40/	407	00/	_	0.007	_	0.505	00000	
55) (340) North Royal Ave	Town of Front Royal	0.57 18000 G	97%	1%	1%	1%	1%	0%	C	0.087	F	0.505	20000	C
$\smile \smile$	To	E Main St			— —									
55) (340) South Royal Ave	Town of Front Royal		97%	1%	1%	1%	1%	0%	С	0.08	F	0.566	17000	(
33) (340)	To:													
	From:	US 340, S Royal Ave												
55) South St	Town of Front Royal	0.54 16000 G	97%	1%	1%	0%	1%	0%	С	0.085	F	0.566	17000	(
30)													9900 26000 23000 28000 14000 17000 15000 17000 20000 14000 28000 28000 26000	
Lab a Manak all I bara	From			00/	40/	00/	40/	00/	_	0.004	_	0.040	45000	,
55) John Marshall Hwy	Town of Front Royal		98%	0%	1%	0%	1%	0%	C	0.091	F	0.646	15000	C
<u> </u>	10"	ECL Front Royal												
~~	From:	SCL Front Royal												
South Royal Ave	Town of Front Royal	0.31 16000 G	95%	1%	2%	1%	2%	0%	F	0.084	F	0.662	18000	
~	To:	SR 55 South St			\lnot L									
340 55 South Royal Ave	Town of Front Royal		97%	1%	1%	1%	1%	0%	С	0.08	F	0.566	311 26000 331 23000 331 28000 324 14000 305 20000 366 17000 366 17000 362 18000 366 17000 366 17000 361 28000 331 28000 331 28000 331 23000	(
South Royal Ave		0.40 1000 0	0170	170	170	170	170	070	•	0.00	•	0.000	17000	`
~~	To: From:	E Main St												
340 55 North Royal Ave	Town of Front Royal	Oyal 0.57 18000 G 97% 1% 1% 1% 1% 0% C 0.087 F 0.505 E Main St Oyal 0.40 15000 G 97% 1% 1% 1% 0% C 0.08 F 0.566 US 340, 8 Royal Ave Oyal 0.54 16000 G 97% 1% 1% 0% C 0.085 F 0.566 US 322, S Commerce Ave Oyal 1.72 14000 G 98% 0% 1% 0% C 0.091 F 0.666 ECL Front Royal Oyal 0.31 16000 G 95% 1% 2% 1% 2% 0% F 0.084 F 0.662 SR 55 South St Oyal 0.40 15000 G 97% 1% 1% 1% 0% C 0.087 F 0.	0.505	20000	(
\sim	To	6th St											9900 26000 23000 28000 14000 17000 15000 17000 20000 14000 28000 23000	
340 (55) North Royal Ave	Town of Front Royal		97%	1%	1%	1%	1%	0%	F	0.085	F	0 524	14000	
340 (55) North Royal Ave			0170	170	170	1 70	170	070	•	0.000	•	0.024	14000	•
~~~	To: From:													
340 522 55 North Royal Ave	Town of Front Royal	0.35 <b>27000 G</b>	95%	1%	1%	2%	1%	0%	С	0.087	F	0.531	28000	(
$\sim$	To:													
~~~	From:													
340 (522) (55) 14th St	Town of Front Royal	0.24 22000 G	95%	1%	1%	2%	1%	0%	F	0.090	F	0.531	23000	(
~~~	To:													
~~ ~~ <u> </u>	From:													
	Town of Front Royal	0.34 <b>25000 G</b>	95%	1%	1%	2%	1%	0%	F	0.091	F	0.511	26000	(
340 ( 522 ( 55 ) Shenandoah Ave		CL Front Royal												
340) 522 55 Shenandoah Ave	To:	CL Front Royal												
340) (522) (55) Shenandoah Ave	To:	•												
340 522 55 Shenandoah Ave  522 Chester Gap Rd	To:  From:  Town of Front Royal	SCL Front Royal  0.60 <b>8800 G</b>	97%	1%	1%	1%	1%	0%	С	0.091	F	0.517	9100	(

#### Virginia Department of Transportation Traffic Engineering Division

### 2007 Annual Average Daily Traffic Volume Estimates By Section of Route Town of Front Royal

Route	Jurisdiction	Longth	AADT	QA	4Tire	Bus		Tru	ıck		QC	K	QK	Dir	^ ^\^/DT	OW
Roule	Julisdiction	Length	AADT	QA	41116	Du5	2Axle	3+Axle	1Trail	2Trail	QC	Factor	QN	Factor	AAWDI	QVV
	From:		Criser Rd													
(522) Chester Gap Rd	Town of Front Royal	0.35	12000	G	97%	1%	1%	1%	1%	0%	F	0.093	F	0.608	13000	G
	To: From:	Sl	R 55 South S	St												
(522) Commerce Ave	Town of Front Royal	0.47	24000	G	97%	1%	1%	0%	1%	0%	С	0.094	F	0.515	25000	G
<u> </u>	To		Main St													
(522) Commerce Ave	Town of Front Royal	0.74	17000	G	96%	1%	1%	1%	1%	0%	С	0.092	F	0.504	18000	G
<u></u>	To: From:	На	ppy Creek I	Rd												
(522) Commerce Ave	Town of Front Royal	0.35	15000	G	95%	1%	2%	1%	1%	0%	С	0.093	F	0.516	15000	G
$\bigcirc$	To:	US 340	0 North Roy	al Ave											25000 18000	
	From:	C	ommerce Av	ve												
522 340 55 North Royal Ave	Town of Front Royal	0.35	27000	G	95%	1%	1%	2%	1%	0%	С	0.087	F	0.531	28000	G
	To:		14th St													
~~~ ~~~ ~	From:	No	orth Royal A	ve												
(522)(340)(55) 14th St	Town of Front Royal	0.24	22000	G	95%	1%	1%	2%	1%	0%	F	0.090	F	0.531	23000	G
	To:	Sh	enandoah A	ve												
	From:		14th St													
522 340 55 Shenandoah Ave	Town of Front Royal	0.34	25000	G	95%	1%	1%	2%	1%	0%	F	0.091	F	0.511	26000	G
	To:	NO	L Front Ro	yal												

5/14/2008 8

Virginia Department of Transportation Traffic Engineering Division 2007 Annual Average Daily Traffic Volume Estimates By Section of Route Town of Front Royal

								Uyai								
Route	Length	AADT	QA	4Tire	Bus	2Axle	Tru 3+Axle		2Trail	QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
own of Front Roval		From	,ī			Ψ.										
2 Criser Rd	0.51	3000	G	96%	2%	1%	iray Ave 0%	0%	0%	С	0.135	F	0.608	3300	G	2007
2 Criser Rd	0.71	4800	G	96%	2%	1%	n Royal Ave	0%	0%	F	0.106	F	0.612	5200	G	2007
<u> </u>		To				Ches	ter Gap Rd									
		From					Front Roya								_	
001 Luray Ave	0.45	1800 To	G	96%	2%	1%	0% newall Dr	0%	0%	F	0.138	F	0.597	2000	G	2007
Luray Ave	0.21	2600 From	G	96%	2%	1%	0%	0%	0%	С	0.127	F	0.605	2800	G	2007
			<u> </u>				Main St									
Stonewall Dr	0.25	950	G			Lı	ıray Ave				0.139	F	0.635	1000	G	200
Stonewall Dr	0.20	To				US 340 S	outh Royal	Ave				·	0.000	1000	Ü	200
		From	:				Commerce .									
Stonewall Dr	0.42	3000	G								NA			3100	G	2007
<u> </u>		To	:			C	narles St									
$\widehat{}$		From	:				rfoot Ave									
West Main St	0.64	1600	G	97%	0%	1%	0%	1%	0%	F	0.097	F	0.569	1800	G	200
004) West Main St	0.07	3200	G	97%	0%	Lı 1%	ıray Ave 0%	1%	0%	F	0.112	F	0.744	3500	G	200
004)	0.07		_	J. 70	370				370	•		•	J., 1-1	5550	-	_00
004) East Main St	0.25	4400	G	97%	0%	North 1%	Royal Ave	1%	0%	С	0.088	F	0.543	4900	G	200.
East Main St	0.25	4400		97%	0%	1%	0%	170	0%	C	0.088	Г	0.543	4800	G	200
\		From					Ridge Ave				<u> </u>				_	
East Main St	0.13	3000 _{To}	G	97%	0%	1%	0%	1%	0%	F	0.09	F	0.512	3300	G	200
						Com	merce Ave									
~ ~		From					merce Ave				_	_			_	
Happy Creek Rd	0.85	3000 To	G	97%	1%	1%	0%	0%	0%	С	0.114	F	0.566	3300	G	200
			1				6Th St				_					
~ · · · · ·	0.40	From	<u> </u>	000/	407		andoah Ave		00/			_	0.540	0000	_	000
006 Kendrick Lane	0.19	8700	G	98%	1%	1%	0%	0%	0%	С	0.093	F	0.518	9600	G	200
		From					6Th St drick Lane				_					
006) 6th St	0.11	9200	G	96%	1%	1%	1%	1%	0%	F	0.089	F	0.530	10000	G	200
339		To					Jorth Royal									
006) 6th St	0.14	5100	G	96%	1%	1%	1%	1%	0%	F	0.089	F	0.560	5500	G	200
000) 3 31	0	T-	.—		.,,					•		•	0.000	0000	•	_00
006) 6th St	0.62	6200	G	98%	0%		merce Ave	0%	00/	С	0.088	F	0.511	6800	G	200
006) 6th St	0.62	0200		90%	0%	1%	y Creek Rd		0%	C	0.000	Г	0.511	0000	G	200
		From					6Th St	·								
006) Happy Creek Rd	2.19	6700	G	96%	1%	1%	1%	1%	0%	С	0.095	F	0.511	7300	G	200
<i></i>		To	:			ECL	Front Roya	1								
		From	:			Ken	drick Lane									
O10 Shenandoah Ave	0.50	6800	G	98%	0%	1%	0%	0%	0%	С	0.096	F	0.52	7500	G	200
<u> </u>		To]	4Th St									
		From	:			Vir	ginia Ave									
11th St		810	G								0.108	F	0.593	810	G	200
		To	c .			North	Royal Ave)								
		From				Jeffer	son Avenue	e								
13th St		530	G								0.109	F	0.597	530	G	200
		To	c			Mon	roe Avenue	:								
		From	:			Acc	omac Road									
Jamestown Rd		1300	G								0.102	F	0.639	1300	G	200
		To	:			Cha	rles Street									
		From	:			Massar	utten Aven	ue								
Kendrick Lane		3900	G								0.109	F	0.533	3900	G	200

5/14/2008 9

Virginia Department of Transportation Traffic Engineering Division 2007 Annual Average Daily Traffic Volume Estimates By Section of Route Town of Front Royal

Route	Length	AADT	QA	4Tire	Bus	Truck2Axle 3+Axle 1Trail 2Trail	QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
Town of Front Royal			_										
		From				Happy Creek Road							
Washington Avenue		300	G					0.117	F	0.653	300	G	2007
		To				6th Street							

5/14/2008 10