### 2003

### Virginia Department of Transportation Daily Traffic Volume Estimates

# Special Locality Report 217

Town of Exmore

Prepared By

Virginia Department of Transportation Mobility Management Division

In Cooperation With

U.S. Department of Transportation Federal Highway Administration

### Virginia Department of Transportation Mobility Management Division Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled "Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes" includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled "Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99".

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people at VDOT Mobility Management's Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

#### **Publication Notes**

#### Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a "Combined Traffic Estimates for Parallel Roadways on this Route" or "Combined Traffic" identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate "NA" for not available.

VDOT's traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating "NA" for not available. It is the intention of the VDOT's Mobility Management Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate "NA" for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

**4Tire**: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

**2Axle Truck**: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

**3+Axle Truck**: Percentage of the traffic volume made up of single unit trucks with three or more axles

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the Peak Hour estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Peak Hour Factor of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

### Route Shield Legend

#### Route Systems

North
81 Interstate Route Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.

(29) US Route

7 Virginia State Route

(600) Secondary Route

#### **Special Routes**

Bus Bus - Business Route
Bypas - Bypass Route
Truck - Truck Route
ALT ALT - Alternate Route
Wve - Wve Route connector

P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.

The VDOT Maintainenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

## Virginia Department of Transportation Mobility Management Division 2003 Annual Average Daily Traffic Volume Estimates By Section of Route Town of Exmore

Route	Length	AADT	QA		n of Exmore Route		Length	AADT	QA	Year
Town of Exmore	5		•	1 001	Town of Exmore					
From:	SCL Exmore		1			From:	65-1031			
[13]	0.15	17000	N	2003	(1004) 65		0.18	180	R	04/24/2001
To: From:	SR 183 Exmore		}—			To: From:	65-1028		}—	
13	0.52	16000	N	2003	1004		0.04	10	R	04/24/2001
To:	SR 178		1			To:	Dead End			
13) To:	0.21	16000	G	2003		From:	65-603 Willis Wharf Rd			
To:	NCL Exmore				(1005) 65	_	0.09	110	R	04/24/2001
Bus From:	SCL Exmore					To:	65-1007			
Bus From:	1.57	2400	N	2003		From:	65-603 Willis Wharf Rd		J _	
To:	NCL Exmore				(1006)		0.09	180	R	04/24/2001
From:	US 13 Bus					To: From:	65-1007		}—	
178)	0.51	3000	G	2003	(1006) 65		0.10	90	R	04/24/2001
To	SCL Belle Haven					To:	65-1034			
From:	WCL Exmore					From:	65-1011			
183)	0.51	1500	_ G	2003	(1007)		0.08	40 R	R	04/24/2001
To:	US 13 Bus					To: From:	65-1005		1—	
From:	ECL Exmore				1007		0.07	30	R	04/24/2001
603)	0.36	2100	G	2003	65	To:	65-1006			
To-	US 13 BUS				<del></del>	From:	65-1010			
From:	Dead End				1008		0.15	180	R	04/10/2001
693) <sub>To:</sub>	0.03	110	R R	04/25/2001	65	To:	65-1017			
To:	SCL Belle Haven				-	From:	65-1014			
From:	65-1033				1009		0.07	70	R	04/10/2001
1001	0.06	80	R	04/24/2001	65	To:	65-1001		1	
To: From:	65-1009		]		(1009)	From:	0.09	100	R	04/10/2001
1001	0.05	120	R	04/24/2001	(1009)	To:	SR 183		1	
65 To:	65-1010		1		(1000)	From:	0.06	170	_	04/10/2001
(1001)	0.05	260	R	04/24/2001	(1009)	_		170	¬ '`	3 ., 10/200 I
165 To:	65-1015		7			From:	65-1030		一	04/40/0004
From:	0.05	330	R	04/24/2001	(1009)	_	0.10	150 R	K	04/10/2001
1001			¬ ``	04/24/2001		To: From:	65-1031			
From:	65-1016	450	一	04/04/0004	(1009)		0.03	30	R	04/10/2001
1001	0.04	450	R	04/24/2001		To:	Dead End			
From	65-1017		_			From:	65-1045			
1001	0.06	860	R	04/24/2001	(1010) 65		0.05	40	R	04/10/2001
To: From:	US 13 BUS		]—			To: From:	65-1026		}—	
1001 65	0.10	720	R	04/24/2001	1010		0.07	70	R	04/10/2001
To:	65-1002				ns)	To	65-1008		1—	
From:	65-603 Willis Wharf Rd				1010	From:	0.07	130	R	04/10/2001
1002	0.03	330	R	04/24/2001	65	To:	65-1014		1	
To: From:	65-1003		}—		(1010)	From:	0.07	150	ן R	04/10/2001
1002	0.06	390	R	04/24/2001	(1010) 65	To:	65-1001		7	
To:	65-1001		<b>—</b>			From:	65-603 Willis Wharf Rd		i	
From:	0.22	170	R	04/24/2001	(1011)	<u>L</u>	0.09	1100	┛ R	04/10/2001
1002 65	US 13 BUS		¬ ¨`		(1011)	т			٦ : ١	
	US 13 BUS		Ì			From:	65-1007	280	」。	04/10/2001
From: 1003 65 To:	0.06	220	R	04/24/2001	(1011)	To:	Dead End	200	٦ ``	04/10/2001
To:	65-1002		7			From:			<u> </u>	
From:	SR 183		i			erom'	SR 183	190	J	04/10/2001
1004	0.04	200	R	04/24/2001	(1012)	To:	Dead End	190	٦ ٦	04/10/2001
65			- ··			From:			<u> </u>	
From:	65-1024	200	<u> </u>	04/24/2004		riom:	65-1009	40	٦ ٢	04/40/2004
1004	0.06	200	_ K	04/24/2001	(1014)		0.05	40	_ K	04/10/2001
To:	65-1030		_			From:	65-1010		$oldsymbol{\bot}$	
1004 65	0.10	170	¬ R	04/24/2001	(1014) 65		0.06	120	¬ R	04/10/2001
To:	65-1031		1			To:	65-1015		1	

7/14/2004 1

## Virginia Department of Transportation Mobility Management Division 2003 Annual Average Daily Traffic Volume Estimates By Section of Route Town of Exmore

Route	<u> </u>	Length	AADT	QA		of Exmore Rou	ite	Length	AADT	QA	Year
Town of Exr	nore					Town of Exmore					
1014	From:	65-1015		」 _			From:	65-1044		] _	
		0.05	160	R	04/10/2001	(1026) 65	To:	0.04	400	¬ R	04/10/2001
	To: From:	65-1016		}—				65-1017			
1014		0.04	160	_ R	04/10/2001		From:	65-1017	000	J ¯	0.4/4.0/0.004
	To:	65-1017				(1027) 65	To:	0.09 US 13 BUS	820	ד	04/10/2001
	From:	65-1014					From:			<del>                                     </del>	
1015		0.08	45	¬ R	04/10/2001		rioii.	65-1004 0.08	140	┙	04/12/2001
$\stackrel{\smile}{=}$	10.	65-1001		<u> </u>		1028	To:	SR 178	140	٦ ``	04/12/2001
	From:	65-1014	440	┙	0.4.40.4000.4		From:	Dead End		<del> </del>	
1016	To:	0.08	110	¬ K	04/10/2001	(1000)		0.04	100	J R	04/12/2001
	10.	65-1001		+		(1029) 65	To:	US 13 BUS	100	ן ``	0-1/12/2001
	From:	65-1043	200	┙	04/10/2001		From:	65-1009		=	
1017		0.15	320	_ R _	04/10/2001	(1020)		0.09	100	0 R	04/12/2001
	From:	65-1027				(1030)				- ·`	0 17 12/2001
1017		0.25	870	¬ R	04/10/2001		From:	65-1004 0.08	60		04/12/2001
$\stackrel{\sim}{=}$	10:	65-1001				(1030)	To:	SR 178	60	٦ ``	04/12/2001
	From:	US 13 BUS		┙	0.4.40.4000.4		From:			1	
1018	To:	0.11 65-1023	250	¬ R	04/10/2001	(1004)		65-1009 0.07	130	J	04/12/2001
				+		(1031)			100	_ K	04/12/2001
	From:	US 13 BUS 0.04 <b>220</b> R	┙╻	04/40/0004		From:	65-1004	400	┵	04/40/0004	
1019	To:	ECL Exmore	220	¬ ~	04/10/2001	(1031)	To:	0.08 SR 178	160	ד	04/12/2001
	Parame.						From:			1	
	FIGH	SCL Exmore 0.15	570 I	┙╻	04/10/2001		From	65-1023 0.09	170	┙	04/12/2001
1021	To:	SR 183	370	¬ ``	04/10/2001	(1032) 65			170	_ ``	
	From:						From:	US 13 BUS		┶	0.111010001
	T TOM.	Dead End 0.06	60	┙╻	04/10/2001	(1032) 65	To:	0.03	20	¬ R	04/12/2001
1022	To:	SR 183		¬ ``	04/10/2001			65-1039			
	From:	65-1024		_			From:	WCL Exmore	20	٦ _	04/40/0004
(1022)		0.05	140	— В	04/10/2001	1033		0.07	30 R	04/12/2001	
1023	To:			¬ ``	o		From:	65-1001		⊢	
	From:	65-1018 0.09	120	┙	04/10/2001	(1033) 65	To:	0.09	50	R ¬	04/12/2001
(1023) 65			120	_ ^	04/10/2001		<u> </u>	SR 183			
$\overline{}$	From:	65-1025		一	0.1.110.1000.1		From:	65-1035		J _	0.4/4.0/0004
1023		0.19	90	_ K	04/10/2001	1034	To:	0.06	50	ı ĸ	04/12/2001
	From:	65-1032		$\mathbf{J}$			l .	65-1006			
1023		0.02	40	¬ R	04/10/2001		From:	65-1034 0.06	60	┙	04/12/2001
$\stackrel{\smile}{=}$	To:	NCL Exmore				1035	To:	65-1036	60	٦ ٦	04/12/2001
	From: 65-1004 0			50 R	04/10/2001		From:				
1024		0.08	150			4000		Dead End 0.08	70	┙ R	04/12/2001
-	From:	US 13 BUS		}—		(1036) 65	To:	65-1035		ז `` ד	0-1/12/2001
1024		0.11	160	R	04/10/2001		From:	SR 178		ì	
	To: From:	65-1023		}—		(1037)	<u>L</u>	0.24	100	R	09/18/2001
1024		0.04	70	R	04/10/2001	(1037)	To:	US 13		7 ``	
0.57	To:	Dead End					From:	Dead End			
	From:	Dead End				(1038)		0.05	130	R	09/18/2001
1025		0.06	6	R	04/10/2001	1038	To:			7	
	To:	65-1039		$\neg$ —		4000	From:	65-1039 0.03	30		09/18/2001
1025		0.03	120	R	04/10/2001	(1038) 65	To	US 13 BUS		ן '`	03/10/2001
	To:	US 13 BUS	<b>—</b>			From:	SR 178				
1025	From:	0.10	150	R	04/10/2001	(1030)		0.13	520	⊿ R	09/18/2001
	To:	65-1023				(1039)	To:			- · · ·	
(1025)	From:	0.09	40	R	04/10/2001		From:	65-1025 0.16	30	_	09/18/2001
1025	To:	Dead End		ן ``	5	(1039)	To	Dead End	30	7 <sup>~</sup>	00/ 10/200 l
	From:	65-1010		i			From:			<del>                                     </del>	
(1026)	<u> </u>	0.11	220	┙ R	04/10/2001	(10)	From:	SCL Exmore 0.04	 30 R	A L	09/18/2001
1026	То:	65-1044		٦¨		(1041)	To:	Dead End	30	ר" ר	JJ1 101200 I
								Doug Liid		ч	

7/14/2004 2

## Virginia Department of Transportation Mobility Management Division 2003 Annual Average Daily Traffic Volume Estimates By Section of Route Town of Exmore

Route		Length AADT		QA	Year	
Town of Ex	more					
	From:	SCL Exmore				
(1042)		0.21	610	R	09/18/2001	
65	To	US 13 BUS				
	From:	WCL Exmore		j		
(1043)		0.14	1300	R	09/18/2001	
	From:	65-1017		<b>-</b>		
(1043)	r tom.	0.08	750	R	09/18/2001	
65	To:	US 13 BUS				
	From:	65-1045		j		
(1044) 65		0.05	150	R	09/18/2001	
65	To:	65-1026				
	From:	65-1010				
(1045) 65	_	0.10	40	R	09/18/2001	
65	To	65-1044				
	From:	65-1011 SW				
(1046)		0.20	50	R	09/18/2001	
65	To:	65-1011 NW				

7/14/2004 3