

2011
Virginia Department of Transportation
Daily Traffic Volume Estimates
Including Vehicle Classification Estimates

where available

Special Locality Report

121

City of Newport News

Information in this report is included in Report

94

(Warwick Maintenance Area)

Prepared By
Virginia Department of Transportation
Traffic Engineering Division

In Cooperation With
U.S. Department of Transportation
Federal Highway Administration

Virginia Department of Transportation
Traffic Engineering Division
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems



Interstate Route

Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.



US Route



Virginia State Route



Frontage Road (F precedes frontage route number)



Secondary Route

Special Routes



Bus - Business Route

Bypas - Bypass Route

Truck - Truck Route



ALT - Alternate Route

Wve - Wve Route connector



P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.



The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
City of Newport News

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
	From: Isle of Wight County Line															
17 258 32 Mercury Blvd	City of Newport News	0.22	28000	G	97%	0%	0%	1%	1%	0%	F	0.094	F	0.714	29000	G
	To: US 60 Warwick Blvd															
	From: US 60 Warwick Blvd															
17 258 32 Mercury Blvd	City of Newport News	0.56	38000	G	97%	0%	0%	1%	1%	0%	F	0.095	F	0.563	40000	G
	To: US 258, SR 143 Jefferson Ave															
	From: US 258 Mercury Blvd															
17 143 Jefferson Ave	City of Newport News	1.31	41000	G	97%	0%	0%	1%	1%	0%	F	0.083	F	0.569	44000	G
	To: SR 152 Main St															
	From: SR 152 Main St															
17 143 Jefferson Ave	City of Newport News	1.69	44000	G	98%	1%	1%	0%	0%	0%	C	0.092	B	0.563	48000	G
	To: SR 306 Harpersville Rd															
	From: SR 306 Harpersville Rd															
17 143 Jefferson Ave	City of Newport News	1.12	47000	G	97%	0%	0%	1%	1%	0%	F	0.087	F	0.527	51000	G
	To: SR 312 J Clyde Morris Blvd															
	From: SR 143 Jefferson Ave															
17 J Clyde Morris Blvd	City of Newport News	1.28	34000	G	97%	0%	0%	1%	1%	0%	F	0.074	F	0.593	36000	G
	To: I-64															
	From: I-64															
17 J Clyde Morris Blvd	City of Newport News	0.80	39000	G	98%	1%	0%	0%	0%	0%	F	0.078	F	0.569	42000	G
	To: 121-7034 Harpersville Rd															
	From: 121-7034 Harpersville Rd															
17 J Clyde Morris Blvd	City of Newport News	0.25	35000	G	98%	1%	0%	0%	0%	0%	F	0.083	F	0.564	38000	G
	To: NCL Newport News															
	From: NCL Newport News															
North 17 Ramp	City of Newport News (Maint: 99)	0.16	NA									NA			NA	
	To: I-64-E FROM US 17 NORTH															
	From: I-64-E FROM US 17 NORTH															
South 17 Ramp	City of Newport News (Maint: 99)	0.26	NA									NA			NA	
	To: I-64-E FROM US 17 SOUTH															
	From: I-64-E FROM US 17 SOUTH															
South 17 Ramp	City of Newport News (Maint: 99)	0.16	NA									NA			NA	
	To: I-64-W FROM US 17 SOUTH															
	From: I-64-W FROM US 17 SOUTH															
	From: Isle of Wight County Line															
32 17 258 Mercury Blvd	City of Newport News	0.22	28000	G	97%	0%	0%	1%	1%	0%	F	0.094	F	0.714	29000	G
	To: US 60 Warwick Blvd															
	From: US 60 Warwick Blvd															
32 17 258 Mercury Blvd	City of Newport News	0.56	38000	G	97%	0%	0%	1%	1%	0%	F	0.095	F	0.563	40000	G
	To: US 258, SR 143 Jefferson Ave															
	From: US 258, SR 143 Jefferson Ave															
60 Warwick Blvd	City of Newport News	1.70	11000	G	93%	2%	1%	1%	3%	0%	F	0.088	F	0.538	11000	G
	To: Yorktown Rd															
	From: Yorktown Rd															
60 Warwick Blvd	City of Newport News	1.61	15000	G	94%	0%	1%	3%	2%	0%	C	0.086	F	0.518	16000	G
	To: SR 105 Ft Eustis Blvd															
	From: SR 105 Ft Eustis Blvd															
60 Warwick Blvd	City of Newport News	1.68	26000	G	94%	0%	1%	3%	2%	0%	F	0.082	F	0.561	28000	G
	To: Snidow Blvd															
	From: Snidow Blvd															

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
City of Newport News

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
60 Warwick Blvd	From: Snidow Blvd City of Newport News	1.66	39000	G	99%	0%	1%	0%	0%	0%	C	0.084	F	0.516	41000	G
60 Warwick Blvd	To: Denbigh Blvd City of Newport News	0.78	34000	G	99%	1%	0%	0%	0%	0%	C	0.085	F	0.507	37000	G
60 Warwick Blvd	To: Bland Blvd City of Newport News	1.45	31000	G	99%	1%	0%	0%	0%	0%	F	0.088	F	0.51	34000	G
60 Warwick Blvd	To: Oyster Point Rd City of Newport News	2.39	28000	G	99%	0%	0%	0%	0%	0%	C	0.089	F	0.541	29000	G
60 Warwick Blvd	To: Deep Creek Road City of Newport News	0.89	31000	G	99%	0%	0%	0%	0%	0%	F	0.088	F	0.579	34000	G
60 Warwick Blvd	To: J Clyde Morris Blvd City of Newport News	1.07	25000	G	99%	1%	0%	0%	0%	0%	C	0.094	F	0.559	27000	G
60 Warwick Blvd	To: Harpersville Rd City of Newport News	1.49	25000	G	99%	1%	0%	0%	0%	0%	F	0.094	F	0.627	27000	G
60 Warwick Blvd	To: Main Street City of Newport News	1.08	21000	G	98%	1%	0%	0%	0%	0%	C	0.107	F	0.696	23000	G
60 Warwick Blvd	To: Mercury Blvd City of Newport News	0.61	22000	G	99%	1%	0%	0%	0%	0%	C	0.129	F	0.854	23000	G
60 Huntington Ave	To: Huntington Ave City of Newport News	1.24	9400	G	99%	1%	0%	0%	0%	0%	F	0.164	F		10000	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		21000	G	98%	1%	0%	0%	0%	0%	F	0.131	F	0.874	23000	G
60 Huntington Ave	To: 50th St City of Newport News	0.55	11000	G	98%	0%	1%	0%	0%	0%	C	0.141	F		12000	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		22000	G	99%	0%	1%	0%	0%	0%	F	0.129	F	0.669	23000	G
60 Huntington Ave	To: 39th St City of Newport News	0.50	11000	G	98%	0%	1%	0%	0%	0%	F	0.199	F		12000	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		14000	G	98%	0%	1%	0%	0%	0%	F	0.200	F	0.760	15000	G
60 Huntington Ave	To: 29th St City of Newport News	0.28	5100	G	98%	0%	1%	0%	0%	0%	F	0.144	F		5500	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		8400	G	99%	0%	1%	0%	0%	0%	F	NA			8900	G
60 25th St	To: 25th St From: Huntington Ave City of Newport News	0.42	1500	G	92%	6%	1%	0%	1%	0%	C	0.128	F		1600	G
60 25th St	To: Jefferson Ave From: Huntington Ave City of Newport News	0.82	2500	G	92%	6%	1%	0%	1%	0%	F	0.096	F		2700	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		4700	G	94%	4%	1%	0%	0%	0%	F	NA			5000	G
	To: Roanoke Ave															

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
City of Newport News

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
60 25th St	From: Roanoke Ave															
	City of Newport News	0.51	2200	G	92%	6%	1%	0%	1%	0%	F	0.087	F	0.586	2300	G
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			3400	G	92%	6%	1%	0%	0%	0%	F	NA		3600	G	
60 25th St	To: 26th St															
	City of Newport News	0.53	4200	G	92%	6%	1%	0%	1%	0%	F	0.088	F	0.563	4500	G
To: WCL Hampton																
60 Ramp	From: US 60-E267A FROM HUN															
	City of Newport News (Maint: 99)	0.10	NA									NA			NA	
To: I-664-E FROM 23RD & 26TH STREETS																
60 Ramp	From: 4US 60-P000B FROM HUN															
	City of Newport News (Maint: 99)	0.18	NA									NA			NA	
To: I-664-W FROM 23RD & 26TH STREETS																
East 60 Ramp	From: US 60 TO ROUTE 664 EAST															
	City of Newport News (Maint: 99)	0.20	NA									NA			NA	
To: US 60- 267A; 4US 60-P000A FROM HUN																
East 60 Ramp	From: US 60 TO ROUTE 664 WEST															
	City of Newport News (Maint: 99)	0.22	NA									NA			NA	
To: 4US 60-P000B FROM HUN																
60 Warwick Blvd	From: US 60															
	City of Newport News	1.21	12000	G	98%	1%	1%	0%	0%	0%	C	0.204	F		13000	G
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			21000	G	98%	1%	0%	0%	0%	0%	F	0.131	F	0.874	23000	G
60 Warwick Blvd	To: 50Th St															
	City of Newport News	0.59	11000	G	99%	0%	0%	0%	0%	0%	F	0.173	F		12000	G
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			22000	G	99%	0%	1%	0%	0%	0%	F	0.129	F	0.669	23000	G
60 Warwick Blvd	To: 38Th St															
	City of Newport News	0.77	3200	G	99%	0%	0%	0%	0%	0%	C	0.236	F		3400	G
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			14000	G	98%	0%	1%	0%	0%	0%	F	0.200	F	0.760	15000	G
60 26th St	From: US 60															
	City of Newport News	1.39	2200	G	96%	2%	1%	0%	0%	0%	C	0.089	F		2400	G
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			4700	G	94%	4%	1%	0%	0%	0%	F	NA		5000	G	
60 26th St	To: Chestnut Ave															
	City of Newport News	0.49	1200	G	92%	6%	1%	1%	0%	0%	C	0.078	F		1300	G
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			3400	G	92%	6%	1%	0%	0%	0%	F	NA		3600	G	
60 Ramp	From: 4US 60-P TO ROUTE 664 EAST															
	City of Newport News (Maint: 99)	0.29	NA									NA			NA	
To: US 60-E267A FROM HUNT																
60 Ramp	From: 4US 60-P TO ROUTE 664 WEST															
	City of Newport News (Maint: 99)	0.14	NA									NA			NA	
To: US 60-E267B US 60- 267B FROM HUNT																

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
City of Newport News

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
East 64	From: WCL Newport News															
	City of Newport News (Maint: 99)	1.32	40000	G	95%	0%	1%	1%	3%	0%	F	0.073	F	42000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		81000	G	95%	0%	1%	1%	3%	0%	F	0.071	F	0.527	83000	G
East 64	From: SR 238 Yorktown Rd															
	City of Newport News (Maint: 99)	2.04	44000	G	95%	0%	1%	1%	3%	0%	F	0.074	F	45000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		87000	G	95%	0%	1%	1%	3%	0%	F	0.069	F	0.536	90000	G
East 64	From: SR 105 Ft Eustis Blvd															
	City of Newport News (Maint: 99)	5.03	49000	G	95%	0%	1%	1%	3%	0%	F	0.076	F	50000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		96000	G	95%	0%	1%	1%	3%	0%	F	0.073	F	0.513	98000	G
East 64	From: SR 143 Jefferson Ave															
	City of Newport News (Maint: 99)	1.41	59000	G	95%	0%	1%	1%	3%	0%	F	0.074	F	60000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		118000	G	95%	0%	1%	1%	3%	0%	F	0.074	F	0.515	121000	G
East 64	From: SR 171 Oyster Point Rd															
	City of Newport News (Maint: 99)	1.81	66000	A	95%	0%	1%	1%	3%	0%	C	0.092	A	68000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		131000	A	95%	0%	1%	1%	3%	0%	C	0.086	A	134000	A	
East 64	From: US 17 J Clyde Morris Blvd															
	City of Newport News (Maint: 99)	1.06	78000	G	95%	0%	1%	1%	3%	0%	F	0.078	F	80000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		153000	G	95%	0%	1%	1%	3%	0%	F	NA		157000	G	
East 64 Ramp	From: I-64-E TO RT 105-FORT EUSTIS BOULEVARD															
	City of Newport News (Maint: 99)	0.29	NA										NA		NA	
	To: SR 105 FROM I-64 EAST															
East 64 Ramp	From: I-64-E TO RT 105-FORT EUSTIS BOULEVARD															
	City of Newport News (Maint: 99)	0.19	NA										NA		NA	
	To: SR 105 SR 105-W001A TO & FROM I-64															
East 64 Ramp	From: I-64-E TO RT 143 SOUTH-JEFFERSON AVENUE															
	City of Newport News (Maint: 99)	0.35	NA										NA		NA	
	To: SR 143 FROM I-64 EAST															
East 64 Ramp	From: I-64-E TO RT 143 NORTH00- JEFFERSON AVE															
	City of Newport News (Maint: 99)	0.12	NA										NA		NA	
	To: SR 143 FROM I-64 EAST															
East 64 Ramp	From: I-64-E BEGIN COLLECTOR ROAD00- RT 143 J															
	City of Newport News (Maint: 99)	0.27	NA										NA		NA	
	To: I-64-E255A TO ROUTE 14300- JEFFERSON AV															
East 64 Ramp	From: I-64-E255A TO ROUTE 14300- JEFFERSON AV															
	City of Newport News (Maint: 99)	0.07	NA										NA		NA	
	To: SR 143-S018A FROM ROUTE 14300- JEFFERSON															

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
City of Newport News

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
East 64 Ramp	From: SR 143-S018A FROM ROUTE 14300- JEFFERSON City of Newport News (Maint: 99)	0.21	NA											NA	NA	
East 64 Ramp	To: I-64-E255B TO ROUTE 14300- JEFFERSON AV From: City of Newport News (Maint: 99)	0.07	NA											NA	NA	
East 64 Ramp	To: SR 143-N018A FROM ROUTE 14300- JEFFERSON From: City of Newport News (Maint: 99)	0.33	19000	G								0.075	F	19000	G	
East 64 Ramp	To: I-64 East From: City of Newport News (Maint: 99)	0.36	NA											NA	NA	
East 64 Ramp	To: SR 171 FROM I-64 EAST From: City of Newport News (Maint: 99)	0.25	NA											NA	NA	
East 64 Ramp	To: SR 171 SR 171-W001A FROM & TO I-64 From: City of Newport News (Maint: 99)	0.30	NA											NA	NA	
East 64 Ramp	To: I-64-E TO RT 17 SOUTH From: City of Newport News (Maint: 99)	0.15	NA											NA	NA	
East 64 Ramp	To: US 17 I-64-E258A TO & FROM I-64 From: City of Newport News (Maint: 99)	0.15	NA											NA	NA	
West 64	From: WCL Newport News City of Newport News (Maint: 99)	0.06	42000	G	96%	0%	1%	1%	3%	0%	F	0.079	F	43000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		81000	G	95%	0%	1%	1%	3%	0%	F	NA		83000	G	
West 64	To: SR 143 Jefferson Ave From: City of Newport News (Maint: 99)	1.28	40000	G	96%	0%	1%	1%	3%	0%	F	0.075	F	41000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		81000	G	95%	0%	1%	1%	3%	0%	F	0.071	F	0.527	83000	G
West 64	To: SR 238 Yorktown Rd From: City of Newport News (Maint: 99)	2.32	44000	G	96%	0%	1%	1%	3%	0%	F	0.073	F	45000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		87000	G	95%	0%	1%	1%	3%	0%	F	0.069	F	0.536	90000	G
West 64	To: SR 105 Fort Eustis Blvd From: City of Newport News (Maint: 99)	5.22	47000	G	96%	0%	1%	1%	3%	0%	F	0.072	F	48000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		96000	G	95%	0%	1%	1%	3%	0%	F	0.073	F	0.513	98000	G
West 64	To: SR 143 Jefferson Ave From: City of Newport News (Maint: 99)	1.55	59000	G	96%	0%	1%	1%	3%	0%	F	0.076	F	60000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		118000	G	95%	0%	1%	1%	3%	0%	F	0.074	F	0.515	121000	G
	To: SR 171 Oyster Point Rd															

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
City of Newport News

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
West 64	From: SR 171 Oyster Point Rd															
	City of Newport News (Maint: 99)	1.50	65000	A	96%	0%	1%	1%	3%	0%	C	0.095	A	66000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		131000	A	95%	0%	1%	1%	3%	0%	C	0.086	A	134000	A	
West 64	From: US 17 J Clyde Morris Blvd															
	City of Newport News (Maint: 99)	0.78	76000	G	96%	0%	1%	1%	3%	0%	F	0.082	F	78000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		153000	G	95%	0%	1%	1%	3%	0%	F	NA		157000	G	
West 64 Ramp	From: I-64-W TO RT 23800- YORKTOWN ROAD															
	City of Newport News (Maint: 99)	0.14	NA									NA		NA		
	To: SR 238 FROM I-64 WEST															
West 64 Ramp	From: I-64-W TO RT 105-FORT EUSTIS BOULEVARD															
	City of Newport News (Maint: 99)	0.19	NA									NA		NA		
	To: SR 105 SR 105-E001B TO & FROM I-64															
West 64 Ramp	From: I-64-W TO RT 143-JEFFERSON AVENUE															
	City of Newport News (Maint: 99)	0.21	NA									NA		NA		
	To: SR 143 FROM I-64 WEST															
West 64 Ramp	From: I-64-W TO RT 143 SOUTH-JEFFERSON AVENUE															
	City of Newport News (Maint: 99)	0.12	NA									NA		NA		
	To: SR 143 FROM I-64 WEST															
West 64 Ramp	From: I-64-W TO RT 143 NORTH-JEFFERSON AVENUE															
	City of Newport News (Maint: 99)	0.33	NA									NA		NA		
	To: SR 143 FROM I-64 WEST															
West 64 Ramp	From: I-64 West															
	City of Newport News (Maint: 99)	0.21	21000	G								0.079	F	21000	G	
	To: SR 143															
West 64 Ramp	From: I-64-W255B TO ROUTE 14300- JEFFERSON AV															
	City of Newport News (Maint: 99)	0.07	NA									NA		NA		
	To: SR 143-N018B FROM ROUTE 14300- JEFFERSON															
West 64 Ramp	From: I-64-W255A TO ROUTE 14300- JEFFERSON AV															
	City of Newport News (Maint: 99)	0.08	NA									NA		NA		
	To: SR 143-S018B FROM ROUTE 14300- JEFFERSON															
West 64 Ramp	From: I-64-W END COLLECTOR ROAD00- RTE 143 JE															
	City of Newport News (Maint: 99)	0.34	NA									NA		NA		
	To: I-64-W TO RT 171 WEST-OYSTER POINT ROA															
West 64 Ramp	From: I-64-W TO RT 171 WEST-OYSTER POINT ROA															
	City of Newport News (Maint: 99)	0.30	NA									NA		NA		
	To: SR 171 FROM I-64 WEST															
West 64 Ramp	From: I-64-W TO RT 171 EAST-VICTORY BOULEVAR															
	City of Newport News (Maint: 99)	0.39	NA									NA		NA		
	To: SR 171 SR 171-W001B FROM & TO I-64															

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
City of Newport News

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
West 64 Ramp	From: I-64-W TO RT 17 SOUTH City of Newport News (Maint: 99) To: US 17 I-64-W258B FROM I-64 WEST	0.15	NA											NA	NA	
West 64 Ramp	From: I-64 West City of Newport News (Maint: 99) To: US 17 N; J Clyde Morris Blvd	0.30	7800	G							0.09	F		7800	G	
105 Ft Eustis Blvd	From: Ft Eustis City of Newport News To: US 60	0.04	22000	G	96%	0%	1%	1%	2%	0%	F	0.096	F	0.725	24000	G
105 Ft Eustis Blvd	From: US 60 City of Newport News To: I-64	1.01	38000	G	96%	0%	1%	1%	2%	0%	C	0.087	F	0.698	42000	G
105 Ft Eustis Blvd	From: I-64 City of Newport News To: SR 143 Jefferson Ave	0.23	23000	G	96%	0%	1%	1%	2%	0%	F	0.093	F	0.602	25000	G
105 Ft Eustis Blvd	From: SR 143 Jefferson Ave City of Newport News To: NCL Newport News	1.26	15000	G	96%	0%	1%	1%	2%	0%	C	0.106	F	0.619	16000	G
East 105 Ramp	From: SR 105 TO I-64 EAST City of Newport News (Maint: 99) To: I-64-E FROM RT 105-FORT EUSTIS BOULEVA	0.28	NA											NA	NA	
East 105 Ramp	From: SR 105 I-64-W250A TO & FROM IS 64 City of Newport News (Maint: 99) To: I-64-W FROM RT 105-FORT EUSTIS BOULEVA	0.19	NA											NA	NA	
West 105 Ramp	From: SR 105 I-64-E250B TO & FROM IS 64 City of Newport News (Maint: 99) To: I-64-E FROM RT 105-FORT EUSTIS BOULEVA	0.19	NA											NA	NA	
143 27th St	From: WCL Hampton City of Newport News To: SR 143 Par, 28th St	0.35	6300	G	98%	1%	1%	0%	0%	0%	F	0.079	F	0.528	6800	G
143 28th St	From: SR 143 Par, 27th St City of Newport News To: Chestnut Ave	0.48	2200	G	98%	0%	1%	0%	0%	0%	F	0.085	F		2300	G
			Combined Traffic Estimates for 2 Parallel Roadways on this Route:	4500	G	99%	0%	1%	0%	0%	F	NA		4800	G	
143 28th St	From: Chestnut Ave City of Newport News To: SR 143 Par, 27th St	0.90	2200	G	98%	0%	1%	0%	0%	0%	C	0.08	F		2300	G
			Combined Traffic Estimates for 2 Parallel Roadways on this Route:	4400	G	99%	0%	1%	0%	0%	C	0.079	F	0.630	4600	G
143 Jefferson Ave	From: SR 143 Par, 27th St City of Newport News To: I-664	0.33	10000	G	96%	1%	2%	1%	0%	0%	C	0.078	F	0.504	11000	G
143 Jefferson Ave	From: I-664 City of Newport News To: 50th St	0.61	22000	G	98%	0%	1%	0%	0%	0%	F	0.080	F	0.554	23000	G
143 Jefferson Ave	From: 50th St City of Newport News To: US 258 Mercury Blvd	1.89	29000	G	98%	0%	1%	0%	0%	0%	F	0.084	F	0.559	31000	G

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
City of Newport News

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
143 17 Jefferson Ave	City of Newport News	1.31	41000	G	97%	0%	0%	1%	1%	0%	F	0.083	F	0.569	44000	G
143 17 Jefferson Ave	City of Newport News	1.69	44000	G	98%	1%	1%	0%	0%	0%	C	0.092	B	0.563	48000	G
143 17 Jefferson Ave	City of Newport News	1.12	47000	G	97%	0%	0%	1%	1%	0%	F	0.087	F	0.527	51000	G
143 Jefferson Ave	City of Newport News	1.11	53000	G	97%	1%	1%	0%	0%	0%	C	0.089	F	0.553	56000	G
143 Jefferson Ave	City of Newport News	1.29	56000	G	98%	0%	1%	0%	0%	0%	F	0.08	F	0.592	59000	G
143 Jefferson Ave	City of Newport News	0.73	57000	G	98%	0%	1%	0%	0%	0%	F	0.079	F	0.546	60000	G
143 Jefferson Ave	City of Newport News	1.13	89000	G	98%	0%	1%	0%	1%	0%	C	0.078	F	0.540	93000	G
143 Jefferson Ave	City of Newport News	0.86	58000	G	97%	1%	1%	0%	1%	0%	C	0.084	F	0.559	60000	G
143 Jefferson Ave	City of Newport News	0.84	32000	A								0.111	A		33000	A
143 Jefferson Ave	City of Newport News	2.19	30000	G	98%	0%	1%	0%	0%	0%	F	0.099	F	0.547	31000	G
143 Jefferson Ave	City of Newport News	2.55	9100	G	98%	0%	1%	1%	0%	0%	C	0.126	F	0.540	9700	G
143 Jefferson Ave	City of Newport News	1.12	15000	G	98%	0%	1%	1%	0%	0%	F	0.118	F	0.535	16000	G
143 Ramp	City of Newport News (Maint: 99)	0.09	NA									NA			NA	
143 Ramp	City of Newport News (Maint: 99)	0.39	NA									NA			NA	
143 Ramp	City of Newport News (Maint: 99)	0.34	NA									NA			NA	
143 Ramp	City of Newport News (Maint: 99)	0.16	NA									NA			NA	
143 Ramp	City of Newport News (Maint: 99)	0.14	NA									NA			NA	

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
City of Newport News

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
143 Ramp	From:	SR 143 TO I-64 WEST														
	City of Newport News (Maint: 99)	0.22	NA								NA				NA	
	To:	I-64-W RAMP FR RT 143 FROM RT 14300-														
143 Ramp	From:	SR 143 TO I-64 EAST														
	City of Newport News (Maint: 99)	0.25	NA								NA				NA	
	To:	I-64-E FROM RT 14300- JEFFERSON AVENUE														
North 143 Ramp	From:	SR 143 TO I-64 EAST														
	City of Newport News (Maint: 99)	0.13	NA								NA				NA	
	To:	I-64-E FROM RT 143 NORTH00- JEFFERSON A														
North 143 Ramp	From:	SR 143 TO I-64 WEST														
	City of Newport News (Maint: 99)	0.19	NA								NA				NA	
	To:	I-64-W FROM RT 143 NORTH-JEFFERSON AVE														
South 143 Ramp	From:	SR 143 TO I-64 EAST														
	City of Newport News (Maint: 99)	0.23	NA								NA				NA	
	To:	I-64-E FROM RT 143 SOUTH-JEFFERSON AVE														
South 143 Ramp	From:	SR 143 TO I-64 WEST														
	City of Newport News (Maint: 99)	0.13	NA								NA				NA	
	To:	I-64-W FROM RT 143 SOUTH-JEFFERSON AVE														
143 27th St	From:	SR 143; 28th St	0.48	2300	G	99%	0%	0%	0%	0%	C	0.084	F	0.556	2500	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		4500	G	99%	0%	1%	0%	0%	0%	F	NA			4800	G
	To:	Chestnut Ave														
143 27th St	From:	SR 143; 28th St	0.90	2200	G	99%	0%	0%	0%	0%	C	0.093	F		2300	G
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		4400	G	99%	0%	1%	0%	0%	0%	C	0.079	F	0.630	4600	G
	To:	Jefferson Ave														
152 Main St	From:	US 60 Warwick Blvd	0.41	11000	G	99%	0%	0%	0%	0%	C	0.085	F	0.502	11000	G
	City of Newport News															
	To:	US 17, SR 143 Jefferson Ave														
152 Main St	From:	US 17, SR 143 Jefferson Ave	0.56	8800	G	99%	0%	0%	0%	0%	C	0.096	F	0.537	9400	G
	City of Newport News															
	To:	WCL Hampton														
171 Oyster Point Rd	From:	SR 143 Jefferson Ave	0.70	44000	G	98%	0%	1%	0%	0%	C	0.088	F	0.502	46000	G
	City of Newport News															
	To:	121-12 Canon Blvd														
171 Oyster Point Rd	From:	121-12 Canon Blvd	0.17	49000	G	98%	0%	1%	0%	0%	F	0.088	F	0.567	52000	G
	City of Newport News															
	To:	I-64														
171 Victory Blvd	From:	I-64	0.74	47000	G	99%	0%	1%	0%	0%	F	0.089	F	0.627	51000	G
	City of Newport News															
	To:	York County Line														
East 171 Ramp	From:	SR 171 RAMP TO I-64 TO I-64 EAST	0.33	NA												
	City of Newport News (Maint: 99)										NA				NA	
	To:	I-64-E FROM RT 171 EAST-OYSTER POINT R														

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
City of Newport News

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
East 171 Ramp	From: SR 171 TO I-64 WEST City of Newport News (Maint: 99) To: I-64-W FROM RT 171 EAST-OYSTER POINT R	0.25	NA									NA		NA		
West 171 Ramp	From: SR 171 I-64-E256B FROM & TO IS 64 City of Newport News (Maint: 99) To: I-64-E FROM RT 171 WEST-OYSTER POINT R	0.26	NA									NA		NA		
West 171 Ramp	From: SR 171 I-64-W256B FROM & TO IS 64 City of Newport News (Maint: 99) To: I-64-W FROM RT 171-VICTORY BOULEVARD	0.36	NA									NA		NA		
173 Denbigh Blvd	From: Moyer Drive City of Newport News To: Catalina Drive	0.53	3900	G	98%	1%	1%	0%	0%	0%	C	0.088	F	0.602	4200	G
173 Denbigh Blvd	From: Catalina Dr City of Newport News To: Lucas Creek Rd	0.74	8900	G	98%	1%	1%	0%	0%	0%	F	0.09	F	0.584	9500	G
173 Denbigh Blvd	From: Lucas Creek Rd City of Newport News To: US 60 Warwick Blvd	0.55	18000	G	98%	1%	1%	0%	0%	0%	F	0.090	F	0.621	19000	G
173 Denbigh Blvd	From: US 60 Warwick Blvd City of Newport News To: SR 143 Jefferson Ave	1.14	28000	G	98%	0%	1%	0%	0%	0%	C	0.081	F	0.524	29000	G
173 Denbigh Blvd	From: SR 143 Jefferson Ave City of Newport News To: York County Line	1.32	28000	G	99%	0%	0%	0%	0%	0%	F	0.094	F	0.603	29000	G
238 Yorktown Rd	From: US 60 Warwick Blvd City of Newport News To: I-64	0.94	4900	G	92%	1%	1%	4%	2%	0%	C	0.091	F	0.579	5200	G
238 Yorktown Rd	From: I-64 City of Newport News To: SR 143 Jefferson Ave	0.18	10000	G	97%	1%	1%	1%	1%	0%	F	0.090	F	0.510	11000	G
238 Yorktown Rd	From: SR 143 Jefferson Ave City of Newport News To: York County Line	1.06	10000	G	97%	1%	1%	1%	1%	0%	F	0.095	F	0.573	12000	G
238 Ramp	From: SR 238 TO I-64 East City of Newport News (Maint: 99) To: I-64-E FROM RT 23800- YORKTOWN ROAD	0.20	NA									NA		NA		
258 17 32 Mercury Blvd	From: Isle of Wight County Line City of Newport News To: US 60 Warwick Blvd	0.22	28000	G	97%	0%	0%	1%	1%	0%	F	0.094	F	0.714	29000	G
258 17 32 Mercury Blvd	From: US 60 Warwick Blvd City of Newport News To: Jefferson Ave	0.56	38000	G	97%	0%	0%	1%	1%	0%	F	0.095	F	0.563	40000	G
258 Mercury Blvd	From: Jefferson Ave City of Newport News To: WCL Hampton	0.29	40000	G	99%	0%	0%	0%	1%	0%	F	0.087	F	0.542	41000	G
306 Harpersville Rd	From: US 60 Warwick Blvd City of Newport News To: US 17, SR 143 Jefferson Ave	0.88	9000	G	99%	0%	0%	0%	0%	0%	C	0.095	F	0.558	9600	G

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
City of Newport News

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
312 J Clyde Morris Blvd	City of Newport News	1.11	33000	G	99%	0%	0%	0%	0%	0%	C	0.084	F	0.508	35000	G
	From: US 60 Warwick Blvd															
	To: US 17; SR143															
351 39th St	City of Newport News	0.64	6800	N	97%	1%	1%	1%	0%	0%	N	0.119	N	0.752	7200	N
	From: US 60 Huntington Ave															
	To: Marshall Ave															
351 39th St	City of Newport News	0.87	6800	G	97%	1%	1%	1%	0%	0%	C	0.119	F	0.752	7200	G
	From: WCL Hampton															
	To: EB and WB I-664 Exit 5 ramps															
664 I-664 Exit 5 Ramp (from both directions merged)	City of Newport News (Maint: 99)	0.11	NA									NA			NA	
	From: Ramp to US 60 WB Warwick Ave															
	To: 35th St															
664 Ramp	City of Newport News (Maint: 99)	0.11	NA									NA			NA	
	From: I-664- 5A TO WARWICK AVENUE															
	To: 3US 60-P FROM ROUTE 664															
East 664 Hampton Roads Beltway	City of Newport News (Maint: 99)	0.12	34000	G	94%	0%	1%	1%	4%	0%	F	0.099	F		37000	G
	From: SCL Hampton															
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		69000	G	94%	0%	1%	1%	4%	0%	F	NA			75000	G
			East I-664 is signed as South I-664													
	To: Roanoke Ave; Chestnut St															
East 664 Hampton Roads Beltway	City of Newport News (Maint: 99)	1.02	32000	G	94%	0%	1%	1%	4%	0%	F	0.101	F		34000	G
	From: Roanoke Ave; Chestnut St															
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		63000	G	94%	0%	1%	1%	4%	0%	F	0.088	F	0.620	68000	G
			East I-664 is signed as South I-664													
	To: SR 143 Jefferson Ave; 35th St															
East 664 Hampton Roads Beltway	City of Newport News (Maint: 99)	1.64	24000	G	94%	0%	1%	1%	4%	0%	F	0.084	F		26000	G
	From: SR 143 Jefferson Ave; 35th St															
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		57000	G	94%	0%	1%	1%	4%	0%	F	0.084	F	0.616	62000	G
			East I-664 is signed as South I-664													
	To: Terminal Ave															
East 664 Monitor Merrimac Memorial Bridge Tunnel	City of Newport News (Maint: 99)	2.84	29000	A	94%	0%	1%	1%	4%	0%	F	0.123	A		31000	A
	From: Terminal Ave															
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		59000	A	94%	0%	1%	1%	4%	0%	F	NA			63000	A
			East I-664 is signed as South I-664													
	To: WCL Suffolk															
East 664 Ramp	City of Newport News (Maint: 99)	0.15	4600	G								0.103	F		4600	G
	From: I-664 East															
	To: 121-7019 Chestnut Ave															
East 664 Ramp	City of Newport News (Maint: 99)	0.32	NA									NA			NA	
	From: I-664-E TO 35TH STREET															
	To: I-664-W005A I-664- 5A TO 35TH S															

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
City of Newport News

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
East 664 Ramp	From: I-664-E TO INSPECTION STATION City of Newport News (Maint: 99)	0.21	NA									NA		NA		
	To: I-664-E FROM INSPECTION STATION															
East 664 Ramp	From: I-664-E TO 26TH & 27TH STREETS City of Newport News (Maint: 99)	0.15	NA									NA		NA		
	To: I-664-E006B TO 27TH STREET															
East 664 Ramp	From: I-664-E006B TO 27TH STREET City of Newport News (Maint: 99)	0.10	NA									NA		NA		
	To: 4US 60-P															
East 664 Ramp	From: I-664-E006A TO 27TH STREET City of Newport News (Maint: 99)	0.16	NA									NA		NA		
	To: 121-3 FROM ROUTE 664 EAST															
East 664 Ramp	From: I-664-E TO TERMINAL AVENUE City of Newport News (Maint: 99)	0.17	NA									NA		NA		
	To: TERMINAL AVENUE FROM ROUTE 664 EASTSOUTH															
West 664 Hampton Roads Beltway	From: SCL Hampton City of Newport News (Maint: 99)	0.55	35000	G	94%	0%	1%	1%	4%	0%	F	0.110	F	37000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		69000	G	94%	0%	1%	1%	4%	0%	F	NA		75000	G	
	<i>West I-664 is signed as North I-664</i>															
	To: Roanoke Avenue; Chestnut St															
West 664 Hampton Roads Beltway	From: Roanoke Ave; Chestnut St City of Newport News (Maint: 99)	0.78	31000	G	94%	0%	1%	1%	4%	0%	F	0.11	F	34000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		63000	G	94%	0%	1%	1%	4%	0%	F	0.088	F	0.620	68000	G
	<i>West I-664 is signed as North I-664</i>															
	To: SR 143 Jefferson Ave; 35th St															
West 664 Hampton Roads Beltway	From: SR 143 Jefferson Ave; 35th St City of Newport News (Maint: 99)	1.41	33000	G	94%	0%	1%	1%	4%	0%	F	0.09	F	36000	G	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		57000	G	94%	0%	1%	1%	4%	0%	F	0.084	F	0.616	62000	G
	<i>West I-664 is signed as North I-664</i>															
	To: Terminal Ave															
West 664 Monitor Merrimac Memorial Bridge Tunnel	From: Terminal Ave City of Newport News (Maint: 99)	2.93	30000	A	94%	0%	1%	1%	4%	0%	F	0.111	A	32000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		59000	A	94%	0%	1%	1%	4%	0%	F	NA		63000	A	
	<i>West I-664 is signed as North I-664</i>															
	To: WCL Suffolk															
West 664 Ramp	From: I-664 West City of Newport News (Maint: 99)	0.13	990	G								0.096	F	990	G	
	To: 121-7017 Roanoke Ave															
West 664 Ramp	From: I-664-W TO JEFFERSON & 6TH ST City of Newport News (Maint: 99)	0.20	NA									NA		NA		
	To: I-664-E005A TO 35TH S															

Virginia Department of Transportation
 Traffic Engineering Division
 2011
 Annual Average Daily Traffic Volume Estimates By Section of Route
 City of Newport News

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
West 664 Ramp	From: I-664-W005A TO JEFFERSON AVE City of Newport News (Maint: 99) To: SR 143 FROM ROUTE 664 WES	0.10	NA													NA
West 664 Ramp	From: I-664-W TO 25TH & 26TH STREETS City of Newport News (Maint: 99) To: I-664-W006B TO 25TH STREET	0.13	NA													NA
West 664 Ramp	From: I-664-W006A TO 25TH STREET City of Newport News (Maint: 99) To: 4US 60-P FROM ROUTE 664 WEST	0.13	NA													NA
West 664 Ramp	From: I-664-W006A TO 25TH STREET City of Newport News (Maint: 99) To: US 60 FROM ROUTE 664 WEST	0.10	NA													NA
West 664 I-664 WB (NB) Exit 7 Ramp	From: I-664 WB NB City of Newport News (Maint: 99) To: Terminal Ave	0.26	NA													NA

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
City of Newport News

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Newport News																
(F141)	0.08	NA				From: SR 173; 121-19 Richneck Rd					NA			NA		
						To: Dead End										
(1) 25th St	0.12	1900	G	94%	4%	From: Washington Ave				C	0.104	F	0.62	2000	G	2011
						To: Warwick Blvd										
(2) 26th St	0.10	4800	G	94%	4%	From: Huntington Ave				F	0.179	F		5100	G	2011
						To: Warwick Blvd										
(3) 27th St	0.14	3100	G	96%	1%	From: 121-7004 28th Street				F	0.133	F	0.803	3300	G	2011
						To: 121-7013; 1SR 143-P Jefferson Ave										
(4) Oyster Point Rd	1.04	45000	G	98%	1%	From: US 60; Warwick Blvd				C	0.083	F	0.57	48000	G	2011
						To: SR 143; Jefferson Ave										
(5) 35th St	0.24	790	G	98%	1%	From: Washington Ave				F	0.250	F		840	G	2011
						To: US 60 Parallel										
(6) Hampton Roads Center Parkway	0.02	21000	N	99%	0%	From: Harpersville Rd; Terrace Dr				N	0.112	N		23000	N	2011
						To: WCL Hampton										
(7) 49th St	0.24	2400	G	94%	4%	From: Washington Ave				C	0.168	F		2600	G	2011
						To: Huntington Ave										
(8) 50th St	0.11	2300	G	89%	5%	From: Washington Ave				C	0.151	F		2500	G	2011
						To: US 60, Huntington Ave										
(8) 50th St	0.11	950	G	89%	5%	From: US 60 Parallel, Warwick Blvd				F	0.191	F		1000	G	2011
						To: US 60 Parallel, Warwick Blvd										
(9) Washington Ave	1.24	5300	G	95%	2%	From: 25Th St				C	0.118	F	0.766	5700	G	2011
						To: 50Th St										
(10) Beechmont Dr	1.16	4300	G	98%	1%	From: Moyer Rd				C	0.092	F	0.636	4600	G	2011
						To: Lucas Creek Dr										
(10) Beechmont Dr	0.24	8500	G	98%	1%	From: Lucas Creek Rd				F	0.085	F	0.569	9100	G	2011
						To: Warwick Blvd										
(11) Boxley Blvd	0.81	11000	G	99%	0%	From: Menchville Rd				C	0.088	F	0.639	12000	G	2011
						To: US 60; Warwick Blvd										
(12) Canon Blvd	1.60	15000	G	98%	0%	From: Thimble Shoals Blvd				C	0.098	F	0.663	16000	G	2011
						To: SR 171 Oyster Point Rd										
(13) Diligence Dr	0.44	11000	G	98%	1%	From: J.Clyde Morris Blvd				C	0.097	F	0.666	12000	G	2011
						To: Thimble Shoals Blvd										
(14) Eastwood Dr	1.36	2800	G	99%	0%	From: Lucas Creek Rd				F	0.102	F	0.643	3000	G	2011
						To: Colony Dr										
(14) Eastwood Dr	0.44	7300	G	99%	0%	From: Colony Rd				C	0.096	F	0.620	7800	G	2011
						To: Warwick Blvd										
(15) Maxwell Ln	0.62	4900	G	99%	0%	From: Normandy Lane				C	0.096	F	0.683	5200	G	2011
						To: Warwick Blvd										

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
City of Newport News

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Newport News																
(16) McManus Blvd	1.04	9600	G	99%	0%	0%	0%	0%	0%	C	0.099	F	0.615	10000	G	2011
(17) Middle Ground Blvd	0.64	7200	G	98%	0%	1%	0%	1%	0%	C	0.091	F	0.578	7700	G	2011
(18) Moyer Rd	0.54	2800	G	98%	1%	1%	0%	0%	0%	C	0.094	F	0.529	3000	G	2011
(19) Richneck Rd	0.96	3200	G	98%	0%	0%	0%	0%	0%	C	0.095	F	0.876	3400	G	2011
(19) Richneck Rd	1.54	4700	G	98%	0%	0%	0%	0%	0%	F	0.093	F	0.622	5000	G	2011
(20) River Rd	0.74	410	G	98%	0%	1%	0%	0%	0%	C	0.099	F	0.818	440	G	2011
(21) Shoe Ln	0.78	5800	G	99%	0%	0%	0%	0%	0%	C	0.088	F	0.608	6200	G	2011
(22) Thimble Shoals Blvd	0.91	14000	G	99%	1%	0%	0%	0%	0%	C	0.087	F	0.567	15000	G	2011
(22) Thimble Shoals Blvd	0.27	8600	G	98%	2%	1%	0%	0%	0%	C	0.101	F	0.731	9200	G	2011
(7000) 16th St	0.90	4200	G	98%	1%	1%	0%	0%	0%	C	0.081	F	0.522	4500	G	2011
(7000) Chesapeake Ave	1.05	1500	G	98%	1%	1%	0%	0%	0%	F	0.09	F	0.618	1600	G	2011
(7002) 23rd St	0.22	2600	G	98%	0%	0%	0%	0%	0%	C	0.157	F	0.955	2800	G	2011
(7002) 23rd St	0.21	7800	G	98%	0%	0%	0%	0%	0%	F	NA			8500	G	2011
(7004) 28th St	0.34	2800	G	96%	1%	3%	0%	0%	0%	C	0.092	F	0.672	3000	G	2011
(7006) 34th St	0.07	2700	G	96%	1%	3%	0%	0%	0%	F	0.152	F		2900	G	2011
(7006) 34th St	0.13	840	G	96%	1%	3%	0%	0%	0%	F	0.107	F		900	G	2011
East (7006) Ramp to I-664 at Exit 5	0.18	2600	G	96%	1%	3%	0%	0%	0%	F	0.171	F		2800	G	2011
East (7006) Ramp to I-664 EB (NB) at Exit 5	0.15	NA									NA			NA		
East (7006) Ramp to I-664 EB (NB) at Exit 5	0.05	NA									NA			NA		
East (7006) Ramp	0.15	NA									NA			NA		

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
City of Newport News

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Newport News																
East 7006 Ramp	0.05	NA				From: 121-7006-E000A TO JEFFERSON AVENUE					NA			NA		
						To: SR 143										
7007 Lucas Creek Rd	1.39	4500	G	98%	1%	1%	0%	0%	0%	C	0.089	F	0.515	4700	G	2011
						From: Colony Rd										
						To: Youngs Rd										
7007 Lucas Creek Rd	1.13	6000	G	98%	1%	1%	0%	0%	0%	F	0.095	F	0.512	6400	G	2011
						From: Denbigh Blvd										
						To: Colony Rd										
7008 39th St	0.23	2400	G								0.125	F	0.696	2600	G	2011
						From: Washington Ave										
						To: Huntington Ave										
7010 48th St	0.16	2700	G	95%	1%	2%	1%	1%	0%	F	0.088	F	0.630	2800	G	2011
						From: Jefferson Ave										
						To: Madison Ave										
7010 48th St	0.16	3800	G	95%	1%	2%	1%	1%	0%	C	0.084	F	0.561	4100	G	2011
						From: Marshall Ave										
						To: Chestnut Ave										
7010 48th St	0.59	3300	G	96%	1%	1%	1%	1%	0%	C	0.082	F	0.529	3500	G	2011
						From: Briarfield Rd										
						To: Paul St										
7011 Orcutt Ave	0.37	1300	G	99%	0%	0%	0%	0%	0%	F	0.097	F	0.548	1400	G	2011
						From: Paul St										
						To: SWCL Hampton										
7011 Orcutt Ave	0.56	1600	G	99%	0%	0%	0%	0%	0%	C	0.096	F	0.512	1700	G	2011
						From: SWCL Hampton										
						To: Jefferson Ave										
7012 Briarfield Rd	1.17	7500	G	98%	0%	1%	0%	1%	0%	C	0.093	F	0.515	8000	G	2011
						From: Jefferson Ave										
						To: SWCL Hampton										
7013 Jefferson Ave	0.05	11000	G	98%	0%	1%	0%	0%	0%	F	0.079	F	0.533	11000	G	2011
						From: 121-3; 27Th Street										
						To: US 60, 25th St										
7013 Jefferson Ave	0.55	10000	G	98%	1%	1%	0%	0%	0%	C	0.085	F	0.532	11000	G	2011
						From: 16th St										
						To: 25th St										
7015 Marshall Ave	0.69	4400	G	97%	1%	2%	0%	0%	0%	F	0.076	F	0.638	4700	G	2011
						From: 25th St										
						To: 39th St										
7015 Marshall Ave	1.08	5700	G	97%	1%	2%	0%	0%	0%	C	0.090	F	0.533	6000	G	2011
						From: 39th St										
						To: Richard Ct										
7015 Marshall Ave	1.03	4700	G	97%	1%	2%	0%	0%	0%	F	0.084	F	0.546	5000	G	2011
						From: Richard Ct										
						To: SWCL Hampton										
7017 Roanoke Ave	1.21	2500	G	97%	1%	1%	0%	0%	0%	F	0.085	F	0.527	2600	G	2011
						From: SWCL Hampton										
						To: 16Th St										
7017 Roanoke Ave	1.16	1900	G	97%	1%	1%	0%	0%	0%	C	0.099	F	0.694	2000	G	2011
						From: 16Th St										
						To: I-664										
7017 Roanoke Ave	0.93	2400	G	97%	1%	1%	0%	0%	0%	F	0.09	F	0.539	2600	G	2011
						From: I-664										
						To: Briarfield Rd										
7017 Ramp	0.12	1200	G								0.169	F		1200	G	2011
						From: 121-7017 Roanoke Ave										
						To: I-664 East										
7019 Chestnut Ave	0.80	5200	G	99%	0%	1%	0%	0%	0%	C	0.078	F	0.614	5500	G	2011
						From: I-664 East										
						To: US 60 25th St										
7019 Chestnut Ave	1.08	7500	G	97%	0%	0%	2%	0%	0%	F	0.078	F	0.547	8000	G	2011
						From: US 60 25th St										
						To: I-664										
						To: Briarfield Rd										

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
City of Newport News

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
City of Newport News																	
(7019) Chestnut Ave	0.95	7300	G	97%	0%	0%	2%	0%	0%	C	0.094	F	0.524	7800	G	2011	
						From: Briarfield Rd											
						To: SWCL Hampton											
(7019) Ramp	0.12	NA									NA			NA			
						From: 121-7019 TO I-664											
						To: I-664-W FROM CHESTNUT AVENUE											
(7027) Harpersville Rd	1.00	21000	G	99%	0%	0%	0%	0%	0%	F	0.103	F	0.544	22000	G	2011	
						From: Jefferson Ave											
(7027) Harpersville Rd	1.77	9000	G	99%	0%	0%	0%	0%	0%	C	0.099	F	0.542	9500	G	2011	
						From: E-W Expressway											
						To: Saunders Rd											
(7034) Old Oyster Point Rd	0.67	5300	G								0.095	F	0.548	5700	G	2011	
						From: 121-12; Canon Blvd											
(7034) Old Oyster Point Rd	0.64	5900	G	98%	0%	1%	0%	0%	0%	C	0.094	F	0.518	6200	G	2011	
						From: Lochaven Drive											
						To: Brighton Lane											
(7034) Old Oyster Point Rd	0.18	8400	G	98%	0%	1%	0%	0%	0%	F	0.089	F	0.531	9000	G	2011	
						From: Brighton Lane											
(7034) Harpersville Rd	0.53	10000	G	98%	0%	1%	0%	0%	0%	F	0.085	F	0.556	11000	G	2011	
						From: US 17; J Clyde Morris Blvd											
(7034) Saunders Rd	0.76	8400	G	99%	0%	1%	0%	0%	0%	C	0.1	F	0.572	8900	G	2011	
						From: Harpersville Rd											
						To: NWCL Hampton											
(7036) Blount Point Rd	0.68	2200	G	99%	0%	1%	0%	0%	0%	C	0.096	F	0.591	2400	G	2011	
						From: Beverly Hills Blvd											
						To: Madison Ave North											
(7036) Hiden Blvd	0.85	7900	G	99%	0%	1%	0%	0%	0%	F	0.093	F	0.646	8400	G	2011	
						From: Madison Lane North											
						To: Warwick Blvd											
(7038) Deep Creek Rd	1.09	4200	G	99%	0%	1%	0%	0%	0%	C	0.104	F	0.604	4500	G	2011	
						From: Normandy Lane											
						To: Warwick Blvd											
(7040) Colony Rd	0.50	1900	G	97%	2%	1%	0%	0%	0%	C	0.092	F	0.662	2000	G	2011	
						From: Hertzler Rd											
(7040) Colony Rd	1.52	7500	G	97%	2%	1%	0%	0%	0%	F	0.095	F	0.629	8000	G	2011	
						From: Lucas Creek Rd											
						To: US 60 Warwick Blvd											
(7042) Old Denbigh Blvd	0.61	8700	G	97%	1%	1%	0%	0%	0%	C	0.092	F	0.582	9200	G	2011	
						From: Denbigh Blvd											
						To: York County Line											
(7104) Bland Blvd	0.93	31000	G	99%	0%	0%	0%	0%	0%	C	0.087	F	0.551	33000	G	2011	
						From: US 60 Warwick Blvd											
(7104) Bland Blvd	0.49	15000	G	99%	0%	0%	0%	0%	0%	F	0.088	F	0.51	16000	G	2011	
						From: SR 143 Jefferson Ave											
						To: McManus Blvd											
North						From: Terminal Ave											
(99020) Ramp From Terminal Ave to I-664 WB NB	0.23	980	G	98%	0%	0%	0%	0%	0%	F	0.107	F		980	G	2011	
						To: I-664 WB NB											
South						From: TERMINAL AVENUE TO ROUTE 664 EASTSOUTH											
(99020) Ramp	0.22	NA									NA			NA			
						To: I-664-E FROM TERMINAL AVENUE											
35th St		1700	G								0.09	F	0.625	1800	G	2011	
						From: Roanoke Ave											
						To: Orcutt Ave											

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
City of Newport News

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Newport News																
79th St		1900	G			From: Chestnut Ave				0.091	F	0.506	2100	G	2011	
						To: New Market Dr										
Arline Dr		80	G			From: Grant Dr				0.16	F	0.643	90	G	2011	
						To: Lakeshore Dr										
Atkins Ln		400	G			From: Fawn Lane				0.125	F	0.623	430	G	2011	
						To: Oyster Point Rd										
Barclay Rd		1800	G			From: Deep Creek				0.094	F	0.565	2000	G	2011	
						To: Steffi Pl										
Beech Dr		5000	G			From: Henry Clay Rd				NA			5500	G	2011	
						To: Teakwood Dr										
Bruton Ave		2400	G			From: Burns Ave				0.126	F	0.555	2500	G	2011	
						To: Courtney Ave										
Buxton Ave		5600	G			From: 25th St				NA			6100	G	2011	
						To: SWCL Hampton										
Center Ave		390	G			From: Swann Ave				0.106	F	0.613	420	G	2011	
						To: US 17; Jefferson Ave										
Chatsworth Dr		1500	G			From: Olive Dr				0.097	F	0.559	1600	G	2011	
						To: Eubank Cir										
Dresden Dr		1800	G			From: Tanbark Dr				0.097	F	0.544	1900	G	2011	
						To: Almond Dr										
Etna Dr		440	G			From: Shelby Dr				NA			440	G	2011	
						To: Beechment Dr										
Garrow Rd		1200	G			From: Denbigh Blvd				NA			1200	G	2011	
						To: Virginia Dr										
Glendale Rd		580	G			From: W. Carolyn Rd				0.121	F	0.559	620	G	2011	
						To: E. Carolyn Rd										
Gwynn Cir		1600	G			From: Tabbs Lane				NA			1600	G	2011	
						To: Fischer Dr										
Hampton Ave		1300	G			From: Roanoke St				0.085	F	0.579	1400	G	2011	
						To: Orcutt Ave										
King wood Dr		330	G			From: Crestwood Dr				0.103	F	0.507	350	G	2011	
						To: Ross Dr										
Lakeshore Dr		1600	G			From: Warren Dr				0.081	F	0.62	1700	G	2011	
						To: Sandra Dr										
Louise Dr		2000	G			From: Bayberry Dr				0.096	F	0.536	2100	G	2011	
						To: Cloverleaf Lane										
Madison Ave		1300	G			From: 48th St				0.074	F	0.554	1400	G	2011	
						To: 49th ST										

Virginia Department of Transportation
Traffic Engineering Division
2011
Annual Average Daily Traffic Volume Estimates By Section of Route
City of Newport News

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Newport News																
Madison Ave		1500	G			From: Hampton Ave				0.083	F	0.537	1600	G	2011	
						To: 21St Street										
Madison Ave		1800	G			From: 30Th Street				0.106	F	0.654	1900	G	2011	
						To: 31St Street										
Madison Ln		3900	G			From: Walnut Grove				0.103	F	0.593	4200	G	2011	
						To: Crittenden St										
Main St		1700	G			From: River Rd				0.106	F	0.584	1800	G	2011	
						To: Palen Ave										
Menchville Rd		2400	G			From: Ronald Dr				NA			2600	G	2011	
						To: Bernard Dr										
Menchville Rd		9100	G			From: Nicewood Dr				NA			10000	G	2011	
						To: Youngs Rd										
Museum Dr		1800	G			From: Lakeside Dr				NA			1800	G	2011	
						To: US 60 Warwick Blvd										
N Madison Lane		3100	G			From: Anderson Cir				0.103	F	0.569	3300	G	2011	
						To: Cameron Dr										
Oak Ave		1100	G			From: 30th St				0.088	F	0.542	1100	G	2011	
						To: 31st St										
Oak Ave		1600	G			From: Hampton Ave				0.08	F	0.619	1700	G	2011	
						To: 31st St										
Old Courthouse Way		7800	G			From: Warwick Blvd				NA			8500	G	2011	
						To: Hustings Lane										
Orcutt Ave		970	G			From: 30Th Street				0.106	F	0.628	1000	G	2011	
						To: 31St Street										
Oriana Rd		9200	G			From: Warwick Blvd				NA			10000	G	2011	
						To: Denbigh Blvd										
Ridgewood Pkwy		2600	G			From: Denbigh Blvd				0.101	F	0.54	2800	G	2011	
						To: Balthorpe Rd										
Rt 143 Airport Lot		3300	G			From: SR 143				0.078	F	0.729	3300	G	2011	
						To: Newport News Williamsburg International Airport										
Snidow Blvd		5200	G			From: Warwick Blvd				NA			5700	G	2011	
						To: Barron Dr										
Spaulding Dr		420	G			From: Denbigh Blvd				NA			420	G	2011	
						To: Keswick Cir										
Stanley Dr		1000	G			From: Marvin Dr				0.092	F	0.555	1100	G	2011	
						To: Mckinley Dr										
Traverse Rd		1100	G			From: Wendfield Cir				0.120	F	0.585	1200	G	2011	
						To: Bayberry Dr										

Virginia Department of Transportation
 Traffic Engineering Division
 2011
 Annual Average Daily Traffic Volume Estimates By Section of Route
 City of Newport News

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
City of Newport News																
W Lucas Creek Rd		2600	G			From: Warwick Blvd				0.152	F	0.537	2700	G	2011	
						To: Hughes St										
Warren Dr		60	G			From: Lakeshore Dr				NA			60	G	2011	
						To: Linda Dr										
Wells Rd		190	G			From: Mac Neil Dr				0.118	F	0.551	200	G	2011	
						To: Deep Spring Dr										
Wickham Ave		2500	G			From: Hampton Ave				0.095	F	0.504	2600	G	2011	
						To: 21st St										
Wickham Ave		1700	G			From: 30th Street				0.087	F	0.528	1800	G	2011	
						To: 31st Street										
Willow Dr		1200	G			From: Hemlock Rd				0.097	F	0.540	1200	G	2011	
						To: Latham Dr										
Woodside Ln		2500	G			From: Richneck Rd				0.104	F	0.675	2700	G	2011	
						To: Aspen Dr										
Woodside Ln		6000	G			From: Jouett Dr				NA			6500	G	2011	
						To: Denbigh Blvd										