

**2012**

**Virginia Department of Transportation  
Daily Traffic Volume Estimates  
Including Vehicle Classification Estimates**

where available

**Jurisdiction Report**

**38**

Grayson County  
Town of Fries  
Town of Independence  
Town of Troutdale

Prepared By

**Virginia Department of Transportation  
Traffic Engineering Division**

In Cooperation With

**U.S. Department of Transportation  
Federal Highway Administration**

Virginia Department of Transportation  
Traffic Engineering Division  
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled "Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes" includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled "Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99".

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

## **Publication Notes**

### **Parallel Roads**

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

---

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

## Glossary of Terms:

**Route:** The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

**Length:** Length of the traffic segment in miles.

**AADT:** Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

### QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

**4Tire:** Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

**Bus:** Percentage of the traffic volume made up of busses.

**2Axle Truck:** Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

**3+Axle Truck:** Percentage of the traffic volume made up of single unit trucks with three or more axles.

**1Trail Truck:** Percentage of the traffic volume made up of units with a single trailer.

**2Trail Truck:** Percentage of the traffic volume made up of units with more than one trailer.

### QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

**K Factor:** The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

**QK:** Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

**Dir Factor:** The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

**AAWDT:** Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

**QW:** Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

**Year:** Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

# Route Shield Legend

## Route Systems

- North  
 Interstate Route Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.
-  US Route
-  Virginia State Route
-  Frontage Road (F precedes frontage route number)
-  Secondary Route

## Special Routes

- Bus  
 Bus - Business Route  
Bypas - Bypass Route  
Truck - Truck Route
- ALT  
 ALT - Alternate Route  
Wve - Wve Route connector
-  P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.
-  The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
16 Jefferson Hwy	From: North Carolina State Line Grayson County	4.06	950	G	91%	0%	1%	1%	6%	0%	C	0.092	F	0.528	980	G
16 58 Troutdale Hwy	To: US 58 Troutdale Hwy From: US 58 Mouth of Wilson Grayson County	3.99	1500	G	91%	0%	1%	1%	6%	0%	F	0.086	F	0.535	1500	G
16 Troutdale Hwy	To: US 58 Volney From: US 58 Highlands Pkwy Grayson County	5.66	1000	G	91%	0%	1%	1%	6%	0%	F	0.086	F	0.514	1000	G
16 Troutdale Hwy	To: ECL Troutdale From: WCL Troutdale Town of Troutdale (Maint: 38)	2.26	940	G	91%	0%	1%	1%	6%	0%	F	0.105	F	0.564	980	G
16 Troutdale Hwy	To: Smyth County Line From: North Carolina State Line Grayson County	0.82	1100	G	91%	0%	1%	1%	6%	0%	F	0.088	F	0.568	1200	G
21 221 New River Pkwy	To: SCL Independence From: US 58 Main St Town of Independence (Maint: 38)	3.39	1600	G	94%	1%	1%	1%	4%	0%	C	0.101	F	0.571	1700	G
21 221	To: NCL Independence From: 38-791 Country Ln Town of Independence (Maint: 38)	0.47	1600	N	94%	1%	1%	1%	4%	0%	N	0.101	N	0.571	1700	N
21	To: Wytthe County Line From: 38-805 Spring Valley Rd Town of Independence (Maint: 38)	1.64	1800	A	96%	0%	1%	1%	2%	0%	C	0.113	A	0.636	1900	A
21	To: Washington County Line From: SR 362 Grayson Highlands State Park Grayson County	8.72	1800	N	96%	0%	1%	1%	2%	0%	N	0.113	N	0.636	1900	N
21 Elk Creek Pkwy	To: SR 16 Troutdale Hwy From: SR 16 Highlands Pkwy Grayson County	1.45	1200	G	96%	0%	1%	1%	2%	0%	F	0.098	F	0.527	1300	G
21 Elk Creek Pkwy	To: SR 16 Jefferson Hwy From: Wytthe County Line Grayson County	1.37	1100	G	96%	0%	1%	1%	2%	0%	F	0.09	F	0.612	1100	G
48 Blue Ridge Parkway	To: SR 89 From: Grayson County Line Grayson County (Maint: US )	1.13	560	O								NA			NA	
48 Blue Ridge Parkway	To: Washington County Line From: SR 362 Grayson Highlands State Park Grayson County (Maint: US )	3.56	560	O								NA			NA	
58 Highlands Pkwy; Jeb Stuart Hwy	To: SR 740 North of Rugby From: SR 16 Troutdale Hwy Grayson County	9.57	640	G	95%	0%	1%	2%	1%	0%	F	0.103	F	0.592	660	G
58 Highlands Pkwy	To: SR 16 Highlands Pkwy From: SR 16 Jefferson Hwy Grayson County	3.76	380	G	95%	0%	1%	2%	1%	0%	F	0.125	F	0.622	390	G
58 Highlands Pkwy	To: SR 16 Jefferson Hwy From: SR 16 Highlands Pkwy Grayson County	3.99	620	G	95%	0%	1%	2%	1%	0%	F	NA			640	G
58 16 Troutdale Hwy	To: SR 16 Jefferson Hwy From: SR 16 Highlands Pkwy Grayson County	3.99	1500	G	91%	0%	1%	1%	6%	0%	F	0.086	F	0.535	1500	G

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
58 Wilson Hwy	From: SR 16 Jefferson Hwy Grayson County	3.79	1600	G	92%	1%	1%	2%	4%	0%	F	0.095	F	0.551	1600	G
58 Wilson Hwy	To: 38-711 Fox Creek Rd Grayson County	8.04	2300	G	92%	1%	1%	2%	4%	0%	C	0.097	F	0.612	2400	G
58 W Main St	From: WCL Independence Town of Independence (Maint: 38)	0.86	2300	N	92%	1%	1%	2%	4%	0%	N	0.097	N	0.612	2400	N
58 221 E Main St	To: US 21 Independence Ave Town of Independence (Maint: 38)	1.20	6300	G	95%	1%	1%	1%	2%	0%	F	0.107	F	0.601	6600	G
58 221 Grayson Pkwy	From: ECL Independence Grayson County	1.55	6300	N	95%	1%	1%	1%	2%	0%	N	0.107	N	0.601	6600	N
58 221 Grayson Pkwy	To: SR 274 Riverside Dr Grayson County	8.68	4700	G	95%	1%	1%	1%	2%	0%	C	0.098	F	0.553	4900	G
58 221 Grayson Pkwy	From: SR 94 Riverside Dr Grayson County	1.36	7800	G	95%	1%	1%	1%	2%	0%	F	0.097	F	0.539	8100	G
89 Skyline Hwy	To: WCL Galax Grayson County	4.89	3500	G	97%	0%	1%	1%	1%	0%	C	0.095	F	0.56	3600	G
93 Wilson Hwy	From: North Carolina State Line Grayson County	0.92	650	G	94%	0%	2%	2%	2%	0%	C	0.090	F	0.5	670	G
94 Riverside Dr	To: US 58 Near Mouth Of Wilson Grayson County	4.22	1700	G	96%	1%	1%	1%	1%	0%	C	0.100	F	0.568	1800	G
94 Scenic Rd	From: US 58 West of Galax Grayson County	2.05	2000	G	96%	1%	1%	0%	1%	0%	F	0.09	F	0.713	2000	G
94 Scenic Rd	To: SR 274 Riverside Dr Grayson County	2.20	1900	G	96%	1%	1%	0%	1%	0%	C	0.091	F	0.565	2000	G
94	From: 38-805 Southwest of Fries Spring Valley Town of Fries (Maint: 38)	0.48	1900	N	96%	1%	1%	0%	1%	0%	N	0.091	N	0.565	2000	N
94 Scenic Rd	To: WCL Fries Town of Fries (Maint: 38)	0.56	1900	G	96%	1%	1%	0%	1%	0%	F	0.092	F	0.574	2000	G
94	From: 38-1001 W Main St Grayson County	0.63	1900	N	96%	1%	1%	0%	1%	0%	N	0.092	N	0.574	2000	N
97 Pipers Gap Rd	To: NCL Fries Grayson County	0.78	2300	G	99%	0%	1%	0%	0%	0%	C	0.099	F	0.609	2300	G
221 21 New River Pkwy	From: Carroll County Line Grayson County	3.39	1600	G	94%	1%	1%	1%	4%	0%	C	0.101	F	0.571	1700	G
	To: ECL Galax Grayson County															
	From: North Carolina State Line Grayson County															
	To: Carroll County Line Grayson County															
	From: CL Independence Grayson County															

Virginia Department of Transportation  
 Traffic Engineering Division  
 2012  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Grayson Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
	From: CL Independence															
 	Town of Independence (Maint: 38)	0.47	<b>1600</b>	<b>N</b>	94%	1%	1%	1%	4%	0%	N	0.101	N	0.571	1700	N
	To: US 58 INDEPENDENCE															
 	E Main St Town of Independence (Maint: 38)	1.20	<b>6300</b>	<b>G</b>	95%	1%	1%	1%	2%	0%	F	0.107	F	0.601	6600	G
	From: CL Independence															
 	Grayson Pkwy Grayson County	1.55	<b>6300</b>	<b>N</b>	95%	1%	1%	1%	2%	0%	N	0.107	N	0.601	6600	N
	To: SR 274 East of Independence															
 	Grayson Pkwy Grayson County	8.68	<b>4700</b>	<b>G</b>	95%	1%	1%	1%	2%	0%	C	0.098	F	0.553	4900	G
	From: SR 94 WEST OF GALAX															
 	Grayson Pkwy Grayson County	1.36	<b>7800</b>	<b>G</b>	95%	1%	1%	1%	2%	0%	F	0.097	F	0.539	8100	G
	To: WCL Galax															
	From: US 58 Grayson Pkwy															
	Riverside Dr Grayson County	7.36	<b>790</b>	<b>G</b>	96%	1%	2%	0%	1%	0%	C	0.117	F	0.816	830	G
	To: SR 94 Scenic Rd; Riverside Dr															

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Grayson County</b>																
(F685) Pond Side Lane	0.23	20	R									NA		NA		10/18/2011
(F686)	0.13	40	R									NA		NA		10/18/2011
(732/17) Lincoln Rd	0.40	20	R									NA		NA		11/28/2007
(600) Mud Creek Rd	0.30	80	R									NA		NA		08/04/2011
(600) Mud Creek Rd	2.30	110	R									NA		NA		08/04/2011
(600) Whitetop Rd	3.00	120	G	98%	0%	0%	1%	1%	0%	C	0.152	F	0.619	130	G	2012
(601) Flat Ridge Rd	7.43	170	G	96%	1%	4%	0%	0%	0%	F	0.143	F	0.544	170	G	2012
(601) Old Bridle Creek Rd	1.32	170	G	96%	1%	4%	0%	0%	0%	F	0.116	F	0.81	180	G	2012
(601) Old Bridle Creek Rd	3.60	250	G	96%	1%	4%	0%	0%	0%	F	0.120	F	0.625	260	G	2012
(601) Old Bridle Creek Rd	1.84	290	G	96%	1%	4%	0%	0%	0%	C	0.130	F	0.676	300	G	2012
(601) Old Bridle Creek Rd	1.62	80	G	96%	1%	4%	0%	0%	0%	F	0.151	F	0.583	80	G	2012
(601) Cox Chapel Rd	1.41	170	G	97%	0%	2%	1%	0%	0%	C	0.122	F	0.619	170	G	2012
(601) Cox Chapel Rd	0.96	170	G	96%	1%	4%	0%	0%	0%	F	0.132	F	0.667	170	G	2012
(601) Cox Chapel Rd	0.25	140	R									NA		NA		08/30/2011
(602) Arrowhead Rd	0.50	110	R									NA		NA		08/23/2011
(602) Brush Creek Rd	3.30	130	G	95%	3%	1%	0%	0%	0%	C	0.134	F	0.529	130	G	2012
(603) Fairwood Rd	1.90	190	G	95%	1%	1%	1%	2%	0%	F	0.133	F	0.5	200	G	2012
(603) Fairwood Rd	2.87	200	G	95%	1%	1%	1%	2%	0%	F	0.142	F	0.55	200	G	2012
<b>Town of Troutdale</b>																
(603) Fairwood Dr	1.00	260	G	95%	1%	1%	1%	2%	0%	C	0.141	F	0.568	270	G	2012
(603) Fairwood Rd	0.85	370	R									NA		NA		06/07/2011
<b>Grayson County</b>																
(603) Ripshin Rd	1.60	370	N									NA		NA		06/07/2011

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Grayson County</b>																
603 Ripshin Rd	2.00	60	R									NA		NA		06/09/2011
603 Ripshin Rd	2.00	60	R									NA		NA		06/09/2011
603 Lostlake Rd	1.90	60	R									NA		NA		11/01/2011
604 Jerusalem Rd	0.10	45	R									NA		NA		08/23/2011
604 Jerusalem Rd	0.90	40	R									NA		NA		08/23/2011
604 Old Colonial Rd	0.60	110	R									NA		NA		08/23/2011
604 Old Colonial Rd	1.00	80	R									NA		NA		08/23/2011
604 Rabbit Hollow Rd	4.60	80	G	98%	1%	0%	1%	0%	0%	F	0.167	F	0.786	80	G	2012
604 Liberty Hill	1.10	340	G	98%	1%	0%	1%	0%	0%	C	0.125	F	0.565	350	G	2012
604 Liberty Hill Rd	0.20	420	R									NA		NA		11/01/2011
605 Eagle Bottom Rd	0.60	250	R									NA		NA		09/27/2011
605 Eagle Bottom Rd	0.20	130	R									NA		NA		09/27/2011
606 Water Wheel Rd	0.54	200	G	98%	1%	0%	0%	0%	0%	C	0.097	F	0.524	210	G	2012
606 Windmill Rd	1.05	120	R									NA		NA		10/20/2011
606 River Cross Lane	0.15	100	R									NA		NA		10/20/2011
606 Windmill Lane	0.75	20	R									NA		NA		10/20/2011
606 Windmill Lane	0.65	10	R									NA		NA		10/20/2011
606	0.35	NA										NA		NA		
<b>Town of Fries</b>																
606 Fries Rd	0.15	3200	R									NA		NA		09/27/2011
606 Fries Rd	0.18	4300	G	99%	0%	1%	0%	0%	0%	C	0.092	F	0.587	4400	G	2012
<b>Grayson County</b>																
607 Meadow Creek Rd	3.00	130	G	97%	2%	1%	0%	1%	0%	F	0.155	F	0.512	130	G	2012
607 Meadow Creek Rd	1.70	660	G	97%	2%	1%	0%	1%	0%	F	0.108	F	0.541	690	G	2012

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Grayson County</b>																
(607) Meadow Creek Rd	1.40	360	G	97%	2%	1%	0%	1%	0%	F	0.12	F	0.576	370	G	2012
			From: 38-618 Mt Vale Rd													
(607) Meadow Creek Rd	1.62	330	G	97%	2%	1%	0%	1%	0%	C	NA			340	G	2012
			From: 38-617 White Pine Rd													
(607) Kenbrook Dr	0.12	260	R								NA			NA		11/01/2011
			From: US 58 Grayson Pkwy Dead End													
(607) Fries Rd	0.26	1400	G	98%	0%	1%	0%	0%	0%	C	0.099	F	0.513	1500	G	2012
			From: NCL Galax													
			To: Carroll County Line													
(608) Coal Creek Rd	1.10	350	G	98%	1%	1%	0%	0%	0%	C	0.115	F	0.707	360	G	2012
			From: SR 97; Carroll County Line													
			To: Carroll County Line													
(609) Peaks Mtn Rd	2.60	50	R								NA			NA		10/18/2011
			From: Blue Ridge Pkwy													
(609) Peaks Mtn Rd	0.30	40	R								NA			NA		10/18/2011
			From: 38-799													
(609) Peaks Mtn Rd	2.20	120	R								NA			NA		10/18/2011
			From: 38-613													
			To: Carroll County Line													
(610) Faith Dr	0.50	230	R								NA			NA		10/12/2011
			From: 38-785													
			To: SR 89 Skyline Hwy													
(611) Caty Sage	1.50	380	R								NA			NA		09/20/2011
			From: US 21													
(611) Pheasant Run Lane	1.00	20	R								NA			NA		09/20/2011
			From: 38-668 Big Ridge Rd													
(611) Stones Chapel Rd	0.80	40	R								NA			NA		08/11/2011
			From: 38-665 Stones Chapel Rd													
(611) Caty Sage	1.30	80	R								NA			NA		08/11/2011
			From: 38-664 Serenity Rd													
(611) Caty Sage	1.20	60	R								NA			NA		08/11/2011
			From: 38-662													
(611) Mt Zion Rd	0.70	100	R								NA			NA		08/11/2011
			From: 38-671 Mt Zion Rd													
			To: 38-658 Comers Rock Rd													
(612) Foothills Rd	1.20	80	R								NA			NA		10/18/2011
			From: Blue Ridge Pkwy													
			To: Carroll County Line													
(613) Edmonds Rd	1.56	1400	G	96%	0%	2%	1%	0%	0%	F	0.09	F	0.559	1500	G	2012
			From: 38-615 Savannah Rd; North Carolina State Line													
(613) Edmonds Rd	1.14	1200	G	96%	0%	2%	1%	0%	0%	C	0.098	F	0.516	1200	G	2012
			From: 38-785 Fishers Gap Rd													
			To: 38-785 Fishers Gap													
(613) Snowhill Rd	2.41	640	R								NA			NA		10/18/2011
			From: SR 89 Skyline Hwy													
			To: 38-609 Peaks Mtn Rd													
(614) Valley View Rd	0.40	80	R								NA			NA		08/11/2011
			From: 38-659 Tiny Wood Lane; Valley View Rd													
			To: US 21; 38-791													
(615) Grouse Hollow Lane	1.30	150	R								NA			NA		10/05/2011
			From: Dead End													
(615) Savannah Rd	3.10	450	G	78%	0%	4%	17%	2%	0%	C	0.107	F	0.509	470	G	2012
			From: 38-624 Delhart Rd													
			To: 38-613 Edmonds Rd; North Carolina State Line													

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Grayson County</b>																
616 Link Rd	2.00	170	R								NA			NA		10/07/2011
617 White Pine Rd	1.20	200	R								NA			NA		10/12/2011
617 White Pine Rd	0.70	80	R								NA			NA		10/12/2011
618 Mt Vale	0.60	780	R								NA			NA		10/12/2011
619 Cardinal Rd	0.80	430	R								NA			NA		10/12/2011
619 Petty Rd	1.49	110	R								NA			NA		10/12/2011
620 Round Hill Circle	0.21	60	R								NA			NA		08/25/2011
621 Nexus Rd	0.70	130	R								NA			NA		10/12/2011
622 Beaver Creek Rd	2.00	80	R								NA			NA		10/05/2011
622 Delhart Rd	1.70	690	G	97%	0%	0%	2%	1%	0%	F	0.100	F	0.55	720	G	2012
622 Delhart Rd	0.90	750	G	97%	0%	0%	2%	1%	0%	F	0.109	F	0.569	780	G	2012
622 Delhart Rd	1.50	740	G	97%	0%	0%	2%	1%	0%	F	0.102	F	0.579	770	G	2012
622 Delhart Rd	0.70	860	G	97%	0%	0%	2%	1%	0%	C	0.108	F	0.57	890	G	2012
623 Greenwich Rd	3.04	110	R								NA			NA		10/05/2011
623 Union Rd	0.31	80	R								NA			NA		10/05/2011
623 Beech Grove Lane	1.09	590	G	99%	0%	0%	0%	0%	0%	C	0.112	F	0.652	610	G	2012
624 Delhart Rd	1.30	490	G	98%	1%	0%	0%	1%	0%	C	0.113	F	0.541	510	G	2012
624 Crossroads Dr	3.30	500	G	98%	1%	0%	0%	1%	0%	F	0.113	F	0.645	520	G	2012
624 Baywood Store Rd	0.38	520	R								NA			NA		10/07/2011
625 Mt Olivet Rd	0.20	7	R								NA			NA		10/05/2011
625 Mt Olivet Rd	0.50	6	R								NA			NA		10/05/2011

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Grayson County</b>																
(625) Mt Olivet Rd	0.45	10	R			From: 38-622					NA			NA		10/05/2011
(625) Mt Olivet Rd	0.45	30	R			To: 38-707					NA			NA		10/05/2011
(625) Kemps River Rd	1.60	130	R			From: 38-633					NA			NA		10/07/2011
(625) Kemps River Rd						To: 38-626										
(626) Little River Rd	1.60	70	R			From: 38-632 SOUTH					NA			NA		10/07/2011
(626) Little River Rd	1.51	47	R			To: 38-627					NA			NA		10/07/2011
(626) Little River Rd	0.10	48	R			From: 1.51 MN 38-627					NA			NA		10/07/2011
(626) Old Baywood Rd	2.49	430	R			To: 38-629					NA			NA		10/07/2011
(626) Old Baywood Rd	0.30	510	G	96%	2%	1%	1%	0%	0%	C	0.124	F	0.646	530	G	2012
(626) Old Baywood Rd	3.40	290	R			From: 38-636 Haystack Rd; Old Baywood Rd					NA			NA		10/07/2011
(626) Old Baywood Rd	0.09	1000	G	96%	2%	1%	1%	0%	0%	F	0.105	F	0.613	1100	G	2012
(626) Old Baywood Rd						To: US 58; 221										
(627) Hillfalls Rd	0.25	10	R			From: Dead End					NA			NA		10/07/2011
(627) Hillfalls Rd						To: 38-626										
(628) Crab Orchard Rd	1.90	30	R			From: North Carolina State Line					NA			NA		10/07/2011
(628) Crab Orchard Rd						To: 38-629 EAST										
(628) Crab Orchard Rd	0.50	NA				From: 38-629 WEST					NA			NA		
(628) Crab Orchard Rd						To: Dead End										
(629) Little River Rd	3.20	49	R			From: North Carolina State Line					NA			NA		10/07/2011
(629) Little River Rd	0.20	80	R			To: 38-628 WEST					NA			NA		10/07/2011
(629) Little River Rd	1.02	90	R			From: 38-628 EAST					NA			NA		10/07/2011
(629) Little River Rd	0.22	70	R			To: 1.02 MN 38-628					NA			NA		10/07/2011
(629) Little River Rd						From: 38-626 Old Baywood Rd; Little River Rd										
(630) Elmtree Lane	0.16	60	R			From: 38-824					NA			NA		11/03/2011
(630) Elmtree Lane						To: Dead End										
(631) Old Ferry Rd	0.03	160	R			From: US 58 Grayson Pkwy					NA			NA		10/05/2011
(631) Old Ferry Rd	0.92	90	R			To: 0.03 MN US 58					NA			NA		10/05/2011
(631) Old Ferry Rd	1.70	20	R			From: 38-634					NA			NA		10/05/2011
(631) Money Branch Rd	1.30	40	R			To: 38-635					NA			NA		10/05/2011
(631) Money Branch Rd						From: 38-779										

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Grayson County</b>																
(631) Money Branch Rd	0.55	30	R											NA		09/29/2011
(631) Crackers Neck Rd	1.20	80	R											NA		09/29/2011
(632) Cold Springs Lane	0.12	20	R											NA		10/07/2011
(632) Cold Springs Lane	1.01	40	R											NA		10/07/2011
(632) Cold Springs Lane	1.70	130	R											NA		10/07/2011
(633) Mt Olivet Rd	0.80	70	R											NA		10/05/2011
(633) Crestview Rd	0.85	80	R											NA		10/05/2011
(634) Longview Lane	1.80	80	R											NA		10/05/2011
(634) Longview Lane	1.40	280	R											NA		10/05/2011
(634) Beech Grove Lane	0.10	490	G	98%	1%	1%	0%	0%	0%	C	0.104	F	0.547	500	G	2012
(634) Grinders Mill Rd	1.40	150	R											NA		09/29/2011
(634) Grinders Mill Rd	2.30	120	R											NA		09/29/2011
(634) Justice Rd	0.30	130	R											NA		10/20/2011
(634) Justice Rd	0.40	90	R											NA		10/20/2011
(634) Justice Rd	0.20	100	R											NA		10/20/2011
(634) Water Wheel Rd	1.07	330	G	96%	1%	2%	1%	0%	0%	C	0.124	F	0.512	340	G	2012
(634) Water Wheel Rd	0.19	170	G	96%	1%	2%	1%	0%	0%	F	0.152	F	0.517	180	G	2012
(634) Water Wheel Rd	0.50	180	G	96%	1%	2%	1%	0%	0%	F	0.123	F	0.52	190	G	2012
(635) Scale House Lane	0.50	10	R											NA		09/29/2011
(635) Scale House Lane	1.70	10	R											NA		09/29/2011
(636) Grammar Lane	0.15	200	R											NA		10/07/2011
(636) Haystack Rd	0.39	670	G	96%	2%	1%	1%	1%	0%	C	0.120	F	0.518	690	G	2012

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Grayson County</b>																
(636) Rock Chimney Rd	0.94	210	G	95%	2%	2%	1%	0%	0%	C	0.127	F	0.655	220	G	2012
						From: US 58 Grayson Pkwy										
						To: 38-623 Beech Grove Lane										
(636) Beech Grove Lane	0.70	650	G	96%	2%	1%	1%	1%	0%	F	0.108	F	0.735	680	G	2012
						From: 38-634 W, Longview Lane										
						To: 38-634 W, Beech Grove Lane										
(636) Beech Grove Lane	0.80	360	R								NA			NA		10/05/2011
						From: 38-631 E, Crackers Neck Rd										
(636) Beech Grove Lane	0.50	120	R								NA			NA		10/05/2011
						From: 38-631 W, Money Branch Rd										
(636) Beech Grove Lane	0.20	40	R								NA			NA		09/29/2011
						From: 38-779										
(636) Beech Grove Lane	1.00	40	R								NA			NA		09/29/2011
						From: 38-637 Englewood Rd										
(636) Beech Grove Lane	1.06	30	R								NA			NA		09/29/2011
						To: Dead End										
						From: 38-634 Grinders Mill Rd										
(637) Englewood Rd	1.60	70	R								NA			NA		09/29/2011
						From: 38-631 Crackers Neck Rd										
(637) Englewood Rd	1.40	40	R								NA			NA		09/29/2011
						To: 38-636 Beech Grove Lane										
						From: SR 94 S, Riverside Dr										
(638) Lime Kiln Rd	1.70	290	R								NA			NA		09/29/2011
						From: 38-640 SOUTH										
(638) Lime Kiln Lane	0.20	180	R								NA			NA		09/29/2011
						From: 38-640 NORTH										
(638) Lime Kiln Lane	0.50	120	R								NA			NA		09/29/2011
						From: 38-639										
(638) Lime Kiln Lane	0.80	380	R								NA			NA		09/29/2011
						To: SR 94 N, Scenic Rd										
						From: 38-638 Lime Kiln Lane										
(639) Delps Beach Lane	0.40	120	R								NA			NA		09/29/2011
						To: 38-880										
(639) Delps Beach Lane	0.90	40	R								NA			NA		09/29/2011
						To: Dead End										
						From: SR 94 Riverside Dr										
(640)	0.80	10	R								NA			NA		09/29/2011
						To: 38-638 S, Lime Kiln Lane										
						From: 38-638 N, Lime Kiln Lane										
(640) Camp Dickenson Lane	0.90	30	R								NA			NA		09/29/2011
						To: Dead End; Gap										
(640) Greenville Rd	2.30	140	R								NA			NA		10/20/2011
						From: 38-634 W, Justice Rd										
(640) Greenville Rd	0.15	90	R								NA			NA		10/20/2011
						From: 38-634 E, Water Wheel Rd										
(640) Greenville Rd	0.59	440	G	97%	0%	0%	0%	1%	0%	F	0.1	F	0.505	460	G	2012
						From: 38-780 Mockingbird Lane										
(640) Greenville Rd	0.15	830	G	97%	0%	0%	0%	1%	0%	C	0.094	F	0.581	860	G	2012
						To: WCL Galax										
						From: 38-634 Water Wheel Rd										
(641) Pattons Mill Rd	1.60	60	R								NA			NA		10/20/2011
						From: 38-642										
(641) Pattons Mill Rd	1.42	60	R								NA			NA		10/20/2011
						To: 38-869										

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Grayson County</b>																
(641) Pattons Mill Rd	0.88	6	R								NA			NA		10/20/2011
(642) Loams Rd	0.94	40	R								NA			NA		10/20/2011
(642) Loams Rd	0.06	50	R								NA			NA		10/20/2011
(643) Cardinal Rd	1.07	390	R								NA			NA		10/12/2011
(644) Winding Rd	0.40	640	G	98%	0%	1%	0%	0%	0%	C	0.104	F	0.630	660	G	2012
(644) Winding Rd	0.12	520	G	98%	0%	1%	0%	0%	0%	F	0.134	F	0.545	540	G	2012
(644) Winding Rd	0.49	320	G	98%	0%	1%	0%	0%	0%	F	0.199	F	0.620	340	G	2012
(644) Sheep Grove Rd	1.43	60	R								NA			NA		08/25/2011
(644) Freedom Lane	0.04	210	R								NA			NA		08/25/2011
(644) Freedom Lane	0.06	120	R								NA			NA		08/25/2011
(644) Freedom Lane	0.40	50	R								NA			NA		08/25/2011
(645) Mooretown Lane	0.40	80	R								NA			NA		08/25/2011
(646) Taylors Chapel Rd	2.60	170	R								NA			NA		08/25/2011
(647) Stevens Creek Rd	0.70	240	G	98%	2%	1%	0%	0%	0%	F	0.160	F	0.532	250	G	2012
(647) Stevens Creek Rd	0.70	290	G	98%	2%	1%	0%	0%	0%	C	0.126	F	0.615	300	G	2012
(647) Stevens Creek Rd	0.50	250	G	98%	2%	1%	0%	0%	0%	F	0.119	F	0.556	260	G	2012
(647) Stevens Creek Rd	0.40	380	G	98%	2%	1%	0%	0%	0%	F	0.113	F	0.609	400	G	2012
(648) Mandolin Dr	0.10	60	R								NA			NA		09/27/2011
(648) Providence Rd	1.40	430	R								NA			NA		09/27/2011
(649) Turkey Knob Rd	3.25	180	R								NA			NA		09/27/2011
(649) Turkey Knob Rd	0.70	250	R								NA			NA		09/27/2011
(649) Bain Bridge Rd	2.10	310	R								NA			NA		08/25/2011

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Grayson County</b>																
(650) Springwood Lane	0.45	8	R													09/22/2011
			From: Dead End													
			To: 38-660 W, Carsonville Rd													
(650) Clito Rd	1.76	30	R													09/22/2011
			From: 38-660 E, Carsonville Rd													
(650) Clito Rd	0.11	20	R													09/22/2011
			From: 1.76 MN 38-660 E													
(650) Clito Rd	0.15	20	R													09/22/2011
			From: 1.87 MN 38-660 E													
(650) Clito Rd	1.28	60	R													09/22/2011
			From: 38-833 Knob Fork Lane													
			To: 38-805 Spring Valley Rd													
(651) Lonesome Oak Rd	0.32	80	R													08/25/2011
			From: 38-805 S, Spring Valley Rd													
(651) Lonesome Oak Rd	0.77	30	R													08/25/2011
			From: 38-773 Issac Lane													
(651) Lonesome Oak Rd	0.11	70	R													08/25/2011
			From: 38-892 Bear Hollow Lane													
(651) Leafwood Rd	0.70	10	R													08/25/2011
			From: 38-805 MID													
(651) Leafwood Rd	0.70	80	R													08/25/2011
			From: 38-652 Briar Patch Mtn Rd													
			To: 38-805 N, Spring Valley Rd													
(652) Briar Patch Mtn Rd	3.60	70	R													09/22/2011
			From: 38-660 Carsonville Rd													
			To: 38-651 Leafwood Rd													
(653) Arrowhead Dr	4.60	50	R													08/23/2011
			From: 38-604 Rabbit Hollow Rd													
			To: 38-602 Brush Creek Rd													
(654) Peach Bottom Rd	2.30	130	G	94%	0%	3%	3%	0%	0%	C	0.180	F	0.682	130	G	2012
			From: US 21 Elk Creek Pkwy													
(654) Peach Bottom Rd	1.40	40	G	94%	0%	3%	3%	0%	0%	F	0.159	F	0.714	40	G	2012
			From: 38-686, W Mtn Breeze Lane													
(654) Peach Bottom Rd	2.20	48	G	94%	0%	3%	3%	0%	0%	F	0.234	F	0.539	49	G	2012
			From: 38-689 Greenhouse Rd													
(654) Peach Bottom Rd	2.60	70	G	94%	0%	3%	3%	0%	0%	F	NA			70	G	2012
			From: 38-695 Vista Rd													
(654) Hines Branch Rd	1.00	80	R													08/23/2011
			From: 38-660 W, Carsonville Rd													
			To: 38-660 E, Carsonville Rd													
(654) Hines Branch Rd	2.30	46	R													08/23/2011
			From: 1.00 MN 38-660 E													
			To: 38-805 Spring Valley Rd													
(655) Jerusalem Rd	3.00	30	R													08/23/2011
			From: 38-656													
			To: 38-604 Jerusalem Rd													
(656) Pilgrim Fork Rd	0.20	80	R													08/23/2011
			From: 38-660 Carsonville Rd													
(656) Pilgrim Fork Rd	1.60	10	R													08/18/2011
			From: 38-655													
(656) Pilgrim Fork Rd	0.40	48	R													08/18/2011
			From: 38-657 Wagon Wheel Rd													
			To: 38-805 Spring Valley Rd													

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Grayson County</b>																
(657) Wagon Wheel Rd	1.20	100	R								NA		NA			08/18/2011
						From: US 21 Elk Creek Pkwy										
						To: 38-791										
(657) Wagon Wheel Rd	0.69	80	R								NA		NA			08/18/2011
						From: 0.69 ME 38-791										
(657)	0.51	30	R								NA		NA			08/18/2011
						To: 38-656 Pilgrim Fork Rd										
(658) Flatridge Rd	2.08	170	G	89%	0%	11%	0%	0%	0%	F	0.109	F	0.825	170	G	2012
						From: SR 16 Troutdale Hwy										
						To: 38-731 W, Rockbridge										
(658) Flatridge Rd	2.10	140	G	89%	0%	11%	0%	0%	0%	F	0.12	F	0.543	140	G	2012
						From: 38-733 Pine Branch Rd										
(658) Flatridge Rd	3.58	90	G	89%	0%	11%	0%	0%	0%	C	0.124	F	0.583	100	G	2012
						To: 38-672 S, Honey Grove Rd										
(658) Comers Rock Rd	3.23	50	G	89%	0%	11%	0%	0%	0%	F	0.186	F	0.79	60	G	2012
						From: 38-673 E, Hillandale Rd										
						To: 38-673 E, Hillandale Lane										
(658) Comers Rock Rd	3.60	110	G	89%	0%	11%	0%	0%	0%	F	0.151	F	0.606	110	G	2012
						From: 38-670 Laurel View Rd										
(658) Comers Rock Rd	2.10	220	G	96%	1%	2%	1%	1%	0%	F	0.122	F	0.667	230	G	2012
						To: 38-672 North Blue Spring Rd										
(658) Comers Rock Rd	0.20	280	G	96%	1%	2%	1%	1%	0%	F	0.096	F	0.742	290	G	2012
						From: 38-611 Mt Zion										
						To: 38-611 Mt Zion Rd										
(658) Comers Rock Rd	2.59	350	G	96%	1%	2%	1%	1%	0%	F	0.109	F	0.659	360	G	2012
						From: 38-663 Caty Sage										
(658) Comers Rock Rd	2.70	830	G	96%	1%	2%	1%	1%	0%	C	0.093	F	0.586	870	G	2012
						To: US 21 Elk Creek Pkwy										
(659) Valley View Rd	0.70	80	R								NA		NA			08/16/2011
						From: 38-658 Comers Rock Rd										
						To: 38-614										
(659) Tiny Wood Lane	0.20	10	R								NA		NA			08/16/2011
						From: 38-791 WEST										
(659) Hunters Lane	1.95	90	R								NA		NA			08/18/2011
						From: 1.95 MS 38-791 WEST										
(659) Hunters Lane	0.30	20	R								NA		NA			08/18/2011
						To: Dead End										
(660) Carsonville Rd	3.30	280	G	98%	1%	1%	0%	0%	0%	F	0.1	F	0.759	290	G	2012
						From: US 21 Elk Creek Pkwy										
						To: 38-654 E, Hines Branch Rd										
(660) Carsonville Rd	3.78	150	G	98%	1%	1%	0%	0%	0%	F	0.149	F	0.585	150	G	2012
						From: 38-650 E, Springwood Lane										
(660) Carsonville Rd	1.09	190	G	98%	1%	1%	0%	0%	0%	F	0.118	F	0.727	200	G	2012
						To: 38-691 Pine Mtn Rd										
(660) Carsonville Rd	2.60	390	G	98%	1%	1%	0%	0%	0%	C	0.114	F	0.711	410	G	2012
						From: SR 274 Riverside Dr										
						To: Dead End										
(661) Dormitory Lane	0.25	80	R								NA		NA			08/09/2011
						From: 38-728 Dormitory Lane; Oakhill Rd										
						To: Dead End										
(662) Logans Lane	0.80	20	R								NA		NA			08/11/2011
						From: 38-668 S, Big Ridge Rd										
(662) Falls Rd	0.04	48	R								NA		NA			08/11/2011
						To: 38-668 N, Big Ridge Rd										

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Grayson County</b>																
(662) Falls Rd	0.20	70	R			From: 38-668 N, Big Ridge Rd					NA			NA		08/11/2011
(662) Little Rd	0.30	20	R			From: 38-673 S, Bethel Rd					NA			NA		08/11/2011
(662) Falls Rd	2.00	20	R			From: 38-673 N, Falls Rd					NA			NA		08/11/2011
(662) Falls Rd	0.30	30	R			From: 38-664 Serenity Rd					NA			NA		08/11/2011
(662) Falls Rd	1.26	30	R			From: 38-670 Laurel View Rd					NA			NA		08/11/2011
(662) Falls Rd	0.13	80	R			From: 1.26 MN 38-670					NA			NA		08/16/2011
(662)	1.60	110	R			From: 38-611 W, Caty Sage 38-611 E, Caty Sage					NA			NA		08/16/2011
(663) Caty Sage Rd	1.15	170	R			From: 38-663 Caty Sage Rd 38-658 Comers Rock Rd					NA			NA		08/18/2011
(663) Caty Sage Rd	2.10	60	R			From: 38-662 38-665 Stones Chapel Rd					NA			NA		08/16/2011
(664) Serenity Rd	0.05	20	R			From: 38-662 Falls Rd					NA			NA		08/11/2011
(664) Serenity Rd	2.50	10	R			From: 38-764 Sweet Water Rd 38-611 Stones Chapel Rd					NA			NA		08/11/2011
(665) Stones Chapel Rd	0.20	30	R			From: 38-611 Stones Chapel Rd; Pheasant Run Lane					NA			NA		08/16/2011
(665) Stones Chapel Rd	2.20	110	R			From: 38-864 Flag Pond Lane 38-663 Caty Sage Rd					NA			NA		08/16/2011
(665) Stones Chapel Rd	0.90	240	R			From: 38-658 Comers Rock Rd					NA			NA		08/16/2011
(666) Willow Shade Lane	0.40	40	R			From: Dead End To: US 21					NA			NA		08/18/2011
(667) Salem Lane	0.25	30	R			From: US 21 To: Dead End					NA			NA		08/23/2011
(668) Big Ridge Rd	1.60	30	R			From: 38-658 Comers Rock Rd To: 38-662 W, Falls Rd; Logans Lane					NA			NA		08/11/2011
(668) Big Ridge Rd	0.70	70	R			From: 38-662 E, Falls Rd To: 38-673 Falls Rd					NA			NA		08/11/2011
(668) Big Ridge Rd	1.00	100	R			From: 38-764 Sweet Water Rd To: 38-611 Pheasant Run Lane; Caty Sage					NA			NA		09/20/2011
(669) Sugar Camp Lane	3.10	140	R			From: Dead End To: 38-825 Sugar Camp Lane					NA			NA		09/20/2011
(670) Laurel View Rd	0.50	30	R			From: 38-658 Comers Rock Rd To: 0.50 ME 38-658					NA			NA		08/11/2011

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Grayson County</b>																
(670) Laurel View Rd	1.30	10	R			From: 0.50 ME 38-658						NA		NA		08/11/2011
						To: 38-662 Falls Rd										
(671) Mt Zion Rd	1.29	40	R			From: 38-658 Comers Rock Rd						NA		NA		08/11/2011
(671) Mt Zion Rd	0.21	60	R			From: 1.29 ME 38-658						NA		NA		08/11/2011
						To: 38-611 Caty Sage										
(672) Blue Spring Rd	0.05	20	R			From: 38-658 Flatridge Rd						NA		NA		08/16/2011
(672) Honey Grove Rd	0.20	80	R			From: 0.05 MN 38-658						NA		NA		08/16/2011
(672) Wilburns Mill Rd	1.10	40	R			From: 38-768						NA		NA		06/17/2011
(672) Roberts Cove Rd	0.30	20	R			From: 38-674 S, Roberts Cove Rd						NA		NA		06/17/2011
(672) Roberts Cove Rd	0.80	30	R			From: 38-674 N, Roberts Cove Rd						NA		NA		06/17/2011
(672) Blue Spring Rd	1.70	10	R			From: 0.80 MN 38-674						NA		NA		06/17/2011
(672) Blue Spring Rd	3.30	7	R			From: Jefferson Forest Bndy						NA		NA		08/18/2011
(672) Blue Spring Rd	1.30	10	R			From: 38-675						NA		NA		08/18/2011
(672) Blue Spring Rd	2.90	10	R			From: 38-798						NA		NA		08/18/2011
(673) Hillendale Lane	1.00	20	R			From: Dead End						NA		NA		08/11/2011
(673) Bethel Rd	1.20	60	R			From: 38-658 W, Comers Rock Rd						NA		NA		08/11/2011
(673) Falls Rd	0.40	70	R			From: 38-658 E, Comers Rock Rd						NA		NA		08/11/2011
(674) Roberts Cove Rd	1.65	40	R			From: 38-662 S, Little Rd; Falls Rd						NA		NA		08/11/2011
(674) Roberts Cove Rd	1.80	30	R			From: 38-662 N, Falls Rd; Little Rd						NA		NA		08/11/2011
(675) Panther Creek Rd	1.20	20	R			From: 38-668 Big Ridge Rd						NA		NA		08/11/2011
(675) Glen Wood Rd	0.40	8	R			From: 38-768						NA		NA		06/17/2011
(675) Glen Wood Rd	0.80	6	R			From: 38-672 S, Roberts Cove Rd						NA		NA		08/11/2011
(675) Glen Wood Rd	1.55	20	R			From: 38-672 N, Roberts Cove Rd						NA		NA		08/11/2011
(675) Panther Creek Rd	3.95	4	R			From: 38-658 Comers Rock Rd						NA		NA		08/11/2011
(675) Panther Creek Rd						From: 38-601 Flat Ridge Rd						NA		NA		06/09/2011
(675) Glen Wood Rd	0.40	8	R			From: 38-846 W, Cornflower Rd						NA		NA		06/09/2011
(675) Glen Wood Rd	0.80	6	R			From: 38-676 Glenwood Rd						NA		NA		06/09/2011
(675) Glen Wood Rd	1.55	20	R			From: 38-603 Lostlake Rd						NA		NA		10/26/2011
(675) Panther Creek Rd	3.95	4	R			From: 38-846 E, Cornflower Rd						NA		NA		08/18/2011
						To: 38-672 Blue Spring Rd; Roberts Cove Rd										

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Grayson County</b>																
(676) Chestnut Ridge Rd	0.20	40	R									NA		NA		06/14/2011
(676) Chestnut Ridge Rd	3.90	50	R									NA		NA		06/09/2011
(676) Glenwood Rd	1.30	30	R									NA		NA		06/09/2011
(677) Razor Ridge Rd	0.20	110	R									NA		NA		06/14/2011
(677) Razor Ridge Rd	1.10	100	R									NA		NA		06/14/2011
(677) Razor Ridge Rd	0.90	70	R									NA		NA		06/14/2011
(677) Razor Ridge Rd	1.80	80	R									NA		NA		06/14/2011
(677) Razor Ridge Rd	1.20	110	R									NA		NA		06/09/2011
(678) Fox Ridge	2.10	50	R									NA		NA		08/09/2011
(678) Fox Creek Rd	3.20	100	G	94%	0%	5%	1%	0%	0%	C	0.14	F	0.643	100	G	2012
(679) Buck Mountain Rd	2.40	60	R									NA		NA		08/11/2011
(680) Little Fox Creek	2.20	60	R									NA		NA		08/09/2011
(680) Grubbs Chapel	1.10	70	R									NA		NA		08/11/2011
(681) Rose Hill Rd	0.95	170	R									NA		NA		08/30/2011
(681) Rose Hill Rd	1.30	70	R									NA		NA		08/30/2011
(682) Saddle Creek Rd	1.00	100	R									NA		NA		08/30/2011
(682) Saddle Creek Rd	0.85	80	R									NA		NA		08/30/2011
(683) Twin Oaks Rd	1.00	20	R									NA		NA		08/30/2011
(684) Pinehurst St	1.04	70	R									NA		NA		09/15/2011
(684) Elliott Place	0.29	140	R									NA		NA		09/15/2011
(684) Elliott Place	0.82	130	R									NA		NA		10/26/2011

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Independence</b>																
(684) Elliott Place	0.25	290	R			From: WCL Independence					NA			NA		09/15/2011
(684) Pinehurst St	0.22	180	R			To: US 21					NA			NA		09/15/2011
(685) Power House Rd	0.74	410	R			From: Dead End					NA			NA		09/13/2011
(685) Power House Rd	0.14	780	R			To: US 58, E Main St					NA			NA		09/13/2011
(685) Power House Rd	0.14	780	R			From: 38-1140					NA			NA		09/13/2011
(685) Power House Rd	0.14	780	R			To: ECL Independence					NA			NA		09/13/2011
<b>Grayson County</b>																
(685) Powerhouse Rd	0.60	100	R			From: ECL Independence					NA			NA		09/13/2011
(685) Powerhouse Rd	0.60	100	R			To: 38-686; 38-687					NA			NA		09/20/2011
(685) Rock Creek Rd	0.20	100	R			From: 38-688					NA			NA		09/20/2011
(685) Rock Creek Rd	1.20	60	R			To: 38-888					NA			NA		09/20/2011
(686) Forest Ridge Rd	1.80	40	R			From: SR 274 Riverside Dr					NA			NA		09/20/2011
(686) Mountain Breeze Lane	0.30	40	R			To: 38-685 Powerhouse Rd					NA			NA		09/20/2011
(687) Powerhouse Rd	1.10	180	R			From: 38-654 W, Peach Bottom Rd					NA			NA		09/20/2011
(687) Powerhouse Rd	0.30	110	R			To: 38-654 E, Peach Bottom Rd					NA			NA		09/20/2011
(687) Powerhouse Rd	0.10	70	R			From: Dead End					NA			NA		09/20/2011
(687) Powerhouse Rd	1.70	20	R			To: 38-685; 38-686					NA			NA		09/20/2011
(687) Powerhouse Rd	0.10	70	R			From: 38-688					NA			NA		09/20/2011
(687) Powerhouse Rd	0.10	70	R			To: 38-689 SOUTH					NA			NA		09/20/2011
(687) Powerhouse Rd	1.70	20	R			From: 38-689 NORTH					NA			NA		09/22/2011
(688) Silver Hill Rd	0.80	30	R			To: 38-691					NA			NA		09/22/2011
(689) Flatrock Rd	1.50	70	R			From: 38-685 Rock Creek Rd; Powerhouse Rd					NA			NA		09/20/2011
(689) Greenhouse Rd	1.00	20	R			To: 38-687 Powerhouse Rd					NA			NA		09/20/2011
(690) Tarny Wood Lane	0.30	30	R			From: 38-691					NA			NA		09/22/2011
(691) Fulton Rd	0.50	200	R			To: 38-687 S, Powerhouse Rd					NA			NA		09/22/2011
(691) Fulton Rd	1.40	130	R			From: 38-687 N, Powerhouse Rd					NA			NA		09/22/2011
(691) Fulton Rd	1.50	120	R			To: 38-654 Peach Bottom Rd					NA			NA		09/20/2011
(691) Fulton Rd	1.50	120	R			From: Dead End					NA			NA		09/01/2011
(691) Fulton Rd	0.50	200	R			To: 38-706					NA			NA		09/01/2011
(691) Fulton Rd	1.40	130	R			From: SR 274 Riverside Dr					NA			NA		09/22/2011
(691) Fulton Rd	1.40	130	R			To: 38-689 Flatrock Rd					NA			NA		09/22/2011
(691) Fulton Rd	1.50	120	R			From: 38-687 Powerhouse Rd					NA			NA		09/22/2011
(691) Fulton Rd	1.50	120	R			To: 38-692 WEST					NA			NA		09/22/2011

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Grayson County</b>																
(691) Pine Mountain Rd	0.10	190	R									NA		NA		09/22/2011
(691) Doe Run Rd	0.80	40	R									NA		NA		09/22/2011
(691) Pine Mountain Rd	1.10	290	R									NA		NA		09/22/2011
(692) Pine Mountain Rd	0.70	220	R									NA		NA		09/22/2011
(692) Pine Mountain Rd	1.30	240	R									NA		NA		09/22/2011
(693) Sugar Shack Rd	0.14	110	R									NA		NA		09/15/2011
(693) Sugar Shack Rd	1.06	40	R									NA		NA		09/15/2011
(694) Birdsong Rd	0.80	70	R									NA		NA		09/22/2011
(694) Pine Mountain Rd	1.20	160	R									NA		NA		09/22/2011
(695) Vista Rd	3.30	160	R									NA		NA		09/22/2011
(696) Boomer Dr	0.40	30	R									NA		NA		08/23/2011
(696) Summerfield Rd	1.50	20	R									NA		NA		08/23/2011
(696) Summerfield Rd	1.70	90	R									NA		NA		08/23/2011
(697) Summerfield Rd	1.19	520	R									NA		NA		09/07/2011
(697) Beaver Dam Rd	1.90	60	R									NA		NA		09/07/2011
(697) Beaver Dam Rd	0.40	60	R									NA		NA		09/07/2011
(697) Beaver Dam Rd	1.10	70	R									NA		NA		09/07/2011
(698) Church Hill Rd	0.90	40	R									NA		NA		09/07/2011
(698) Pleasant Grove Rd	0.57	440	R									NA		NA		09/07/2011
(699) River Valley Lane	0.80	4	R									NA		NA		09/07/2011
(700) Mountain View Rd	1.00	50	R									NA		NA		09/01/2011

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Grayson County</b>																
(700) Bethany Rd	0.40	150	R			From: 38-702 NORTH					NA			NA		09/01/2011
(700) Bethany Rd	0.60	100	R			To: 38-705					NA			NA		09/01/2011
(700) Bethany Rd	2.00	70	R			From: 38-702 S, Horseford Lane					NA			NA		09/01/2011
(700) Shady Hill Rd	0.80	130	R			To: 38-701					NA			NA		09/01/2011
(700) Old River Lane	2.60	30	R			From: North Carolina State Line					NA			NA		09/07/2011
(700) Old River Lane	0.80	30	R			To: 38-701					NA			NA		09/07/2011
(700) Old River Lane	0.10	8	R			From: 38-697 Beaver Dam Rd					NA			NA		09/07/2011
(700) Old River Lane	0.40	6	R			To: 0.10 ME 38-697					NA			NA		09/07/2011
(700) Old River Lane	0.20	10	R			From: 38-699 River Valley Lane					NA			NA		11/01/2011
(700) Old River Lane						To: Dead End										
(701) Old River Lane	0.24	30	R			From: US 21 S, New River Pkwy					NA			NA		09/01/2011
(701) Old River Lane	0.10	120	R			To: 38-700 S, Shady Hill Rd					NA			NA		09/01/2011
(701) Old River Lane	0.49	180	R			From: 38-700 N, Bethany Rd 38-700 NORTH					NA			NA		09/01/2011
(701) Cornerstone Rd	0.05	80	R			To: US 21 N, New River Pkwy US 21 MID					NA			NA		09/01/2011
(701) Cornerstone Rd	1.96	70	R			From: 0.05 ME US 21 MID					NA			NA		09/07/2011
(701)	0.50	0	R			To: 38-756					NA			NA		10/26/2011
(701) Cornerstone Rd	0.10	20	R			From: 38-757					NA			NA		09/07/2011
(701) Cornerstone Rd	1.80	90	R			To: 38-761					NA			NA		10/26/2011
(702) Horseford Lane	0.20	30	R			From: North Carolina State Line					NA			NA		09/01/2011
(702) Horse Ford Lane	1.90	210	R			To: 38-700 S, Bethany Rd From: 38-700 N, Bethany Rd; Mountain View Rd					NA			NA		09/01/2011
(702) Klondyke Rd	1.41	300	R			To: 38-703 N, Hardin Rd					NA			NA		09/01/2011
(702) Klondyke Rd						From: SCL Independence										
<b>Town of Independence</b>																
(702)	0.56	300	N			From: SCL Independence					NA			NA		09/01/2011
(702)						To: US 58 W Main St										
<b>Grayson County</b>																
(703) Hardin Rd	0.80	280	R			From: US 21 New River Pkwy					NA			NA		09/01/2011
(703) Hardin Rd						To: 38-702 S, Horse Ford Lane										

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Grayson County</b>																
(703) Hardin Rd	1.10	320	R											NA	09/01/2011	
(704) m	0.60	NA												NA		
(704) Magnolia Lane	0.20	80	R											NA	09/01/2011	
(705) Highpoint Lane	0.93	70	R											NA	09/01/2011	
(706) Penn Ford Lane	1.25	20	R											NA	09/01/2011	
(706) Penn Ford Lane	0.15	40	R											NA	09/01/2011	
(706) Penn Ford Rd	1.90	430	R											NA	09/01/2011	
(706) Shoal Creek Lane	0.60	30	R											NA	09/01/2011	
(707) Rolling Mill Lane	0.12	8	R											NA	10/05/2011	
(708) Potato Creek Rd	1.88	240	R											NA	08/30/2011	
(708) Potato Creek Rd	0.31	60	G	94%	1%	3%	2%	1%	0%	F	0.148	F	0.6	60	G	2012
(708) Potato Creek Rd	0.39	70	G	94%	1%	3%	2%	1%	0%	F	0.149	F	0.654	70	G	2012
(708) Potato Creek Rd	2.24	90	G	94%	1%	3%	2%	1%	0%	C	0.126	F	0.571	90	G	2012
(708) River Bend Rd	0.66	90	R											NA	08/30/2011	
(708) River Bend Rd	3.59	90	R											NA	08/30/2011	
(709) Walls Rd	0.50	5	R											NA	08/30/2011	
(710) Yearling Dr	0.80	30	R											NA	08/30/2011	
(711) Red Hawk Rd	0.80	20	R											NA	08/09/2011	
(711) Fox Ridge Rd	2.10	240	G	95%	0%	2%	1%	1%	0%	C	0.132	F	0.625	250	G	2012
(711) Maple Rd	0.20	130	R											NA	08/30/2011	
(711) Maple Rd	2.10	60	R											NA	08/30/2011	

Virginia Department of Transportation  
 Traffic Engineering Division  
 2012  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Grayson County</b>																
(711) Gold Hill Rd	1.00	70	R			From: 38-681 Rose Hill Rd					NA			NA		11/01/2011
						To: 38-844					NA			NA		08/30/2011
(711) Gold Hill Rd	1.60	80	R			From: 38-601 S. Bridge Creek Rd					NA			NA		08/30/2011
						To: 38-601 N. Bridge Creek Rd					NA			NA		09/01/2011
(711) Battlefield Rd	3.60	210	R			From: US 58 Wilson Hwy					NA			NA		09/01/2011
						To: North Carolina State Line					NA			NA		08/30/2011
(712) Red Gate Dr	0.70	10	R			From: 38-710 Yearling Dr					NA			NA		08/30/2011
(712) Red Gate Dr	0.30	40	R			To: 38-708 Potato Creek Rd					NA			NA		08/30/2011
(713) Beagle Lane	0.20	50	R			From: Dead End					NA			NA		11/01/2011
						To: 0.20 ME Dead End					NA			NA		11/01/2011
(713) Beagle Lane	1.00	80	R			From: 38-649 Turkey Knob Rd					NA			NA		11/01/2011
						To: Dead End					NA			NA		08/30/2011
(714) Kenstock Lane	0.70	60	R			From: 38-711					NA			NA		08/30/2011
						To: 38-698 Pleasant Grove Rd; Church Hill Rd					NA			NA		09/15/2011
(715) Pleasant Grove Rd	1.20	160	R			From: 1.20 ME 38-698					NA			NA		09/15/2011
(715) Pleasant	3.08	100	R			From: 4.28 ME 38-698					NA			NA		09/15/2011
(715) Pleasant Grove Rd	0.12	120	R			To: US 58 Grayson Pkwy					NA			NA		09/15/2011
						From: North Carolina State Line					NA			NA		08/30/2011
(716) Round House Rd	1.00	30	R			To: 38-767					NA			NA		08/30/2011
						From: 38-660 Carsonville Rd					NA			NA		09/22/2011
(717) Churchview Lane	0.25	45	R			To: Dead End					NA			NA		09/22/2011
						From: North Carolina State Line					NA			NA		07/28/2011
(718) Deacon Rd	0.20	100	R			To: 38-767					NA			NA		07/28/2011
						From: North Carolina State Line					NA			NA		07/28/2011
(719) Red Hill Rd	0.20	60	R			To: 38-767					NA			NA		07/28/2011
						From: 38-821 Fairview Rd					NA			NA		10/18/2011
(720) Mill Pond Rd	2.10	210	R			To: 38-609					NA			NA		10/18/2011
						From: 38-609 Peaks Mtn Rd					NA			NA		10/18/2011
(720) Marths Knob Rd	0.50	150	R			To: Carroll County Line					NA			NA		10/18/2011
						From: SR 16 Jefferson Hwy					NA			NA		07/28/2011
(721) Reeves Hill Rd	1.13	80	R			To: 38-745					NA			NA		07/28/2011
(721) Reeves Hill Rd	1.00	30	R			From: 38-722 SOUTH					NA			NA		07/28/2011
(721) Bear Branch Rd	0.30	20	R			To: 38-722 NORTH					NA			NA		07/28/2011
(721) Bear Branch Rd	1.80	20	R			To: 38-769					NA			NA		07/28/2011

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Grayson County</b>																
(721) Bear Branch Rd	0.60	50	R									NA		NA		07/28/2011
(722) Saloma Rd	1.65	7	R									NA		NA		07/28/2011
(722) Bear Branch Rd	1.20	60	R									NA		NA		07/28/2011
(722) York Ridge Rd	1.05	140	R									NA		NA		07/28/2011
(723) York Ridge Rd	0.50	100	R									NA		NA		08/02/2011
(723) York Ridge Rd	3.20	120	R									NA		NA		07/28/2011
(724) Fox Hollow Lane	0.85	20	R									NA		NA		08/02/2011
(724)	0.05	0	R									NA		NA		08/02/2011
(725) Tucker Rd	0.80	150	G	97%	1%	2%	0%	0%	0%	F	0.118	F	0.65	160	G	2012
(725) Grassy Creek Rd	2.70	170	G	97%	1%	2%	0%	0%	0%	F	0.116	F	0.609	180	G	2012
(725) Grassy Creek Rd	0.80	230	G	97%	1%	2%	0%	0%	0%	F	0.131	F	0.679	240	G	2012
(725) Grassy Creek Rd	1.04	340	G	97%	1%	2%	0%	0%	0%	C	0.108	F	0.632	350	G	2012
(725) Penry Rd	0.16	210	R									NA		NA		07/28/2011
(726) White Top Gap Rd	1.22	90	G	97%	1%	3%	0%	0%	0%	C	0.154	F	0.5	90	G	2012
(726) White Top Gap Rd	1.60	160	R									NA		NA		08/04/2011
(727) Pine Branch Rd	1.10	60	R									NA		NA		08/09/2011
(727) Kindreck Rd	2.10	30	R									NA		NA		08/09/2011
(727) Kindreck Rd	0.20	20	R									NA		NA		08/09/2011
(727) Kindreck Rd	0.30	10	R									NA		NA		08/09/2011
(728) Oakhill Rd	0.45	240	R									NA		NA		08/09/2011
(728) Dormitory Lane	0.05	60	R									NA		NA		08/09/2011
(728) Oakhill Rd	0.70	180	R									NA		NA		11/01/2011

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Grayson County</b>																
(728) Oakhill Rd	0.20	70	R			From: 38-796 Fishers Rd					NA			NA		08/09/2011
(728) Oakhill Rd	1.80	90	R			To: 38-727 Pine Branch Rd					NA			NA		08/09/2011
						From: US 58 E, Wilson Hwy										
(729) Cloverdale Lane	0.20	7	R			To: Dead End					NA			NA		09/20/2011
(729) Cloverdale Lane	0.68	40	R			From: 0.20 ME Dead End					NA			NA		09/20/2011
(729) Cloverdale Lane	0.32	130	R			To: 38-894 Pumpkin Lane					NA			NA		09/20/2011
						From: US 21										
(730) Low Gap Rd	0.90	80	R			To: 38-740					NA			NA		07/26/2011
						From: SR 16 Troutdale Hwy										
(731) Rockbridge	2.60	50	R			To: 38-658 W, Flatridge Rd					NA			NA		06/17/2011
(731) Rockbridge	0.30	20	R			From: 38-775 Guffey Branch Lane					NA			NA		06/17/2011
(731) Rabbit Fork Rd	1.00	40	R			To: 38-794 Rabbit Fork Rd					NA			NA		06/17/2011
						From: 38-658 E, Flatridge Rd										
(732) Laurel Creek Rd	0.90	50	R			To: 38-603 Ripshin Rd					NA			NA		06/09/2011
(732) Country View Rd	1.30	30	R			From: 38-762 Country View					NA			NA		06/14/2011
						To: 38-677 Razor Ridge Rd										
(733) Pine Branch Rd	2.80	20	R			From: 38-727 Kindreck Rd; Pine Branch Rd					NA			NA		08/09/2011
						To: 38-658 Flatridge Rd										
(734) Volney Rd	0.62	120	R			From: US 58 Troutdale Hwy					NA			NA		07/26/2011
(734) Chestnut Grove Rd	1.08	100	R			To: 38-835					NA			NA		07/26/2011
(734) Chestnut Grove Rd	0.70	60	R			From: 38-735					NA			NA		07/26/2011
(734) Chestnut Grove Rd	1.10	40	R			To: 38-736 Wallens Creek Rd					NA			NA		07/26/2011
						From: 38-658 Flatridge Rd										
(735) Teasterwood Rd	1.29	100	R			To: SR 16 Troutdale Hwy					NA			NA		07/26/2011
						From: 38-734 Chestnut Grove Rd										
(736) Wallens Creek Rd	1.30	40	R			To: SR 16 S; 38-738					NA			NA		07/26/2011
(736) Wallens Creek Rd	1.00	120	R			From: SR 16 N; 38-740					NA			NA		07/26/2011
(736) Woodcrest Rd	0.50	20	R			To: 1.00 MN SR 16 N					NA			NA		07/26/2011
						From: 38-734 Chestnut Grove Rd										
(737) Grange Hall Rd	1.00	100	R			To: SR 16 Troutdale Hwy					NA			NA		06/14/2011
						From: 38-658 Flatridge Rd										

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Grayson County</b>																
(738) Little Wilson Rd	1.50	100	R			From: 38-740					NA			NA		07/26/2011
						To: SR 16; 38-730										
(739) Rocky Hollow Rd	3.85	70	R			From: 38-603 Fairwood Rd					NA			NA		06/09/2011
(739) Rocky Hollow Rd	0.85	70	R			From: 38-836 Polter Rd					NA			NA		07/26/2011
						To: SR 16 S, Troutdale Hwy										
(739) Hazelwood Rd	0.90	40	R			From: SR 16 N, Troutdale Hwy					NA			NA		06/14/2011
(739) Hazelwood Rd	0.20	150	R			From: 38-677 Razor Ridge Rd					NA			NA		06/14/2011
						To: 38-658 Flatridge Rd										
(740) Low Gap Rd	2.70	90	R			From: US 58 Highlands Pkwy					NA			NA		08/02/2011
(740) Low Gap Rd	0.40	70	R			From: 38-738 Little Wilson Rd					NA			NA		07/26/2011
(740) Green Gable Rd	0.70	60	R			From: 38-730 Low Gap Rd					NA			NA		07/26/2011
						To: SR 16; 38-736										
(741) Homestead Rd	3.70	10	R			From: 38-603 Fairwood Rd					NA			NA		06/07/2011
						To: SR 16 Troutdale Hwy										
(742) Shippys Branch Rd	2.60	120	R			From: North Carolina State Line					NA			NA		08/02/2011
						To: US 58 S, Highlands Pkwy										
(742) Mill Creek Rd	1.40	60	R			From: US 58 N, Highlands Pkwy					NA			NA		08/02/2011
						To: Dead End										
(743) Rugby Rd	2.60	210	G	94%	0%	1%	5%	0%	0%	F	0.126	F	0.672	220	G	2012
(743) Rugby Rd	0.20	320	G	94%	0%	1%	5%	0%	0%	F	0.118	F	0.5	330	G	2012
						From: 38-725 S, Tucker Rd										
(743) Rugby Rd	0.40	300	G	94%	0%	1%	5%	0%	0%	F	0.117	F	0.507	310	G	2012
						From: 38-723 York Ridge										
(743) Rugby Rd	0.70	310	G	94%	0%	1%	5%	0%	0%	C	0.11	F	0.622	320	G	2012
						To: US 58 Highlands Pkwy										
(744) Quillen Ridge Rd	0.30	40	R			From: 38-745					NA			NA		08/02/2011
(744) Quillen Ridge Rd	2.80	30	R			From: 38-807					NA			NA		08/02/2011
						To: 38-743 Rugby Rd										
(745) Brookgreen Lane	2.50	100	R			From: North Carolina State Line					NA			NA		08/02/2011
						To: 38-725 W, Grassy Creek Rd										
(745) Solomon Rd	0.70	30	R			From: 38-725 E, Grassy Creek Rd					NA			NA		07/28/2011
(745) Solomon Rd	0.30	30	R			From: 38-789					NA			NA		07/28/2011
						To: 38-721 Reeves Hill Rd										
(746) Wolf Knob Rd	0.50	10	R			From: North Carolina State Line					NA			NA		08/02/2011
						To: 38-782										

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Grayson County</b>																
(746) Wolf Knob Rd	0.90	70	R											NA	08/02/2011	
(747) Haw Orchard Rd	0.20	140	R											NA	08/04/2011	
(748) Laurel Hill Rd	1.00	30	R											NA	08/02/2011	
(748) Laurel Hill Rd	0.40	60	R											NA	08/02/2011	
(748) Laurel Hill Rd	1.00	90	R											NA	08/02/2011	
(749) Cabin Creek Lane	0.90	60	R											NA	08/04/2011	
(750) Middle Fork Lane	0.74	250	R											NA	08/04/2011	
(750) Middle Fork Lane	1.26	150	R											NA	08/04/2011	
(751) School House Rd	0.27	60	R											NA	08/04/2011	
(751) School House Rd	0.93	90	R											NA	08/04/2011	
(751) School House Rd	1.00	130	R											NA	08/04/2011	
(751) Stirling Rd	1.10	440	G	99%	0%	0%	0%	0%	0%	C	0.114	F	0.672	460	G	2012
(752) Pine Ridge Lane	0.25	60	R											NA	08/25/2011	
(753) Dolinger Rd	0.90	49	R											NA	08/04/2011	
(753) Dolinger Rd	1.30	150	R											NA	08/04/2011	
(754) Old Park Rd	0.80	300	G	98%	0%	1%	1%	0%	0%	C	0.104	F	0.667	310	G	2012
(755) Pond Mountain Lane	0.75	60	R											NA	08/04/2011	
(755) Pond Mountain Lane	1.75	110	R											NA	08/04/2011	
(755) Old Park Rd	1.50	190	G	98%	0%	2%	0%	0%	0%	C	0.131	F	0.654	200	G	2012
(755) Fire House Rd	0.40	60	R											NA	08/04/2011	
(756) Dixie Rd	1.20	100	R											NA	10/26/2011	

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Grayson County</b>																
(756)	0.40	40	R								NA			NA		07/26/2002
(757) Graystone Rd	0.40	130	R								NA			NA		09/07/2011
<b>Town of Eries</b>																
(758) Hilltown Rd	0.20	1200	G	99%	0%	1%	0%	0%	0%	C	0.089	F	0.615	1300	G	2012
<b>Grayson County</b>																
(759) Cattle Dr	0.80	130	R								NA			NA		08/25/2011
(760) Liberty Hill Rd	0.30	120	G	91%	0%	5%	3%	0%	0%	C	0.157	F	0.5	120	G	2012
(760) Liberty Hill Rd	0.08	120	R								NA			NA		08/23/2011
(761) Graystone Rd	0.08	70	R								NA			NA		10/26/2011
(762) Hunt Club Rd	0.50	40	R								NA			NA		06/14/2011
(762) Country View Rd	0.86	30	R								NA			NA		06/09/2011
(762) Country View	0.14	40	R								NA			NA		06/09/2011
(763) Graystone Rd	0.60	30	R								NA			NA		10/26/2011
(763) Graystone Rd	0.80	170	R								NA			NA		09/07/2011
(764) Sweet Water Rd	1.50	20	R								NA			NA		08/11/2011
(765) Riding Trail Rd	1.26	140	R								NA			NA		09/07/2011
(766) Fox Knob Rd	1.00	20	R								NA			NA		08/30/2011
(766) Fox Knob Rd	0.90	20	R								NA			NA		08/30/2011
(767) Old Mill Rd	2.54	120	R								NA			NA		07/28/2011
(768) Honey Grove Rd	1.70	90	R								NA			NA		06/17/2011
(768) Honey Grove Rd	0.35	140	R								NA			NA		06/17/2011
(769) Holly Ridge Rd	2.50	50	R								NA			NA		07/28/2011

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Grayson County</b>																
(770) Quarry Rd	0.58	280	G	96%	1%	1%	3%	0%	0%	C	0.126	F	0.641	290	G	2012
(771) Ridgley Rd	0.50	20	R								NA		NA			08/04/2011
(772) Windy Ridge Rd	1.00	220	R								NA		NA			10/18/2011
(773) Issac Lane	0.52	20	R								NA		NA			08/25/2011
(774) Rolling Wood Lane	0.81	130	R								NA		NA			10/20/2011
(775) Guffey Branch Lane	0.05	10	R								NA		NA			06/17/2011
(776) Mapelton Lane	0.30	4	R								NA		NA			08/23/2011
(777) Liberty Hill Rd	0.50	130	G	90%	1%	5%	4%	0%	0%	C	0.126	F	0.636	140	G	2012
(778) Camp Moxley Lane	0.22	20	R								NA		NA			08/18/2011
(779) Fish Pond Dr	0.50	10	R								NA		NA			09/29/2011
(780) Mockingbird Lane	0.45	240	R								NA		NA			10/20/2011
(780) Mockingbird Lane	0.10	290	R								NA		NA			10/20/2011
(781) Mt Ridge Lane	0.10	60	R								NA		NA			10/20/2011
(782) Fees Branch Rd	1.00	50	R								NA		NA			08/02/2011
(783) Helton Creek Lane	1.25	90	R								NA		NA			08/04/2011
(783) Helton Creek Lane	0.75	40	R								NA		NA			08/04/2011
(784) Moxley Ridge Rd	0.50	20	R								NA		NA			10/26/2011
(785) Fishers Gap Rd	1.25	270	R								NA		NA			10/05/2011
(785) Fishers Gap Rd	1.70	230	R								NA		NA			10/12/2011

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Grayson County</b>																
(786) Hickory Lane	0.25	120	R			From: 38-821 Fairview Rd					NA			NA		10/18/2011
(786) Hickory Lane	0.25	70	R			To: 38-859					NA			NA		10/18/2011
						To: Dead End										
(787) Davis Knob Rd	0.30	60	R			From: Dead End					NA			NA		10/05/2011
(787) Davis Knob Rd	2.52	280	R			To: 38-615 Savannah Rd					NA			NA		10/05/2011
(787) Davis Knob Rd	0.13	260	R			To: 2.52 MN 38-615					NA			NA		10/05/2011
						To: 38-607 Meadow Creek Rd										
(788) Atkins Lane	0.31	80	R			From: 38-649 Bain Bridge Rd					NA			NA		08/25/2011
						To: Dead End										
(789) Sweetbriar Lane	0.50	30	R			From: 38-745 Solomon Rd					NA			NA		07/28/2011
						To: Dead End										
(790) Parkview Rd	0.60	60	R			From: Blue Ridge Pkwy					NA			NA		10/18/2011
						To: 38-613; 38-804										
(791) Victory Lane	1.30	250	R			From: 38-658 Comers Rock Rd					NA			NA		08/18/2011
(791) Country Lane	1.00	120	R			To: US 21; 38-614					NA			NA		08/18/2011
						To: 38-657 Wagon Wheel Rd										
(792) Gem Stream Rd	3.00	60	R			From: 38-658 Comers Rock Rd					NA			NA		08/18/2011
						To: 38-791 Victory Lane										
(793) Big Oak Lane	0.05	20	R			From: Dead End					NA			NA		06/17/2011
						To: 38-601 Flat Ridge Rd										
(794) Rabbit Fork Rd	1.10	30	R			From: 38-731 Rabbit Fork Rd; Rockbridge					NA			NA		06/17/2011
(794) Rockbridge Rd	0.05	50	R			To: 38-795					NA			NA		06/17/2011
(794) Rockbridge Rd	0.25	30	R			To: 38-858					NA			NA		06/17/2011
						To: 38-601 Flat Ridge Rd										
(795) Prim Rose Lane	0.50	20	R			From: Dead End					NA			NA		06/17/2011
						To: 38-794 Prim Rose Lane; Rabbit Fork Rd										
(796) Fishers Rd	1.70	49	R			From: US 58 Troutdale Hwy					NA			NA		08/09/2011
						To: 38-728 Oakhill Rd; Dormitory Lane										
(797) Spencer Branch Rd	2.10	48	R			From: US 58 Highlands Pkwy					NA			NA		08/04/2011
(797) Spencer Branch Rd	0.70	60	R			To: 38-746 Wolf Knob Rd					NA			NA		08/02/2011
						To: 38-748 Laurel Hill Rd										
(798)	0.50	4	R			From: 38-672 Blue Spring Rd					NA			NA		08/18/2011
						To: Smyth County Line										

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Grayson County</b>																
(799) Woodside Rd	0.60	120	R								NA		NA			10/18/2011
From: 38-613 Snowhill Rd																
(799) Crestwood Dr	0.50	130	R								NA		NA			10/18/2011
To: 38-609 Peaks Mtn Rd																
From: Carroll County Line																
(800) Honeysuckle Lane	0.10	30	R								NA		NA			10/05/2011
To: 38-636 Beech Grove Lane																
From: Dead End																
(801) Rim Rock Lane	0.50	60	R								NA		NA			08/30/2011
To: US 58 Wilson Hwy																
(801) Rim Rock Lane	0.33	60	R								NA		NA			08/30/2011
To: 0.50 MN US 58																
From: Dead End																
(802) Hilltop Dr	0.10	120	R								NA		NA			09/13/2011
To: 38-697 Summerfield Rd																
From: SCL Independence																
<b>Town of Independence</b>																
(802)	0.63	120	N								NA		NA			09/13/2011
To: SCL Independence																
From: US 58 E Main St																
<b>Grayson County</b>																
(803) Hardwood Lane	0.50	30	R								NA		NA			08/30/2011
To: 38-601 Old Bridle Creek Rd																
From: Dead End																
(804) Crown Ridge Rd	1.50	40	R								NA		NA			10/18/2011
To: 38-613; 38-790																
From: Blue Ridge Pkwy																
(805) Spring Valley Rd	1.20	260	G	95%	1%	4%	0%	1%	0%	F	0.105	F	0.632	270	G	2012
To: US 21 Elk Creek Pkwy																
(805) Spring Valley Rd	3.19	260	G	95%	1%	4%	0%	1%	0%	F	0.098	F	0.667	270	G	2012
To: 38-656 Pilgrim Fork Rd																
(805) Spring Valley Rd	1.00	260	G	95%	1%	4%	0%	1%	0%	F	0.117	F	0.531	270	G	2012
To: 38-604 W, Jerusalem Rd																
(805) Spring Valley Rd	0.75	260	G	95%	1%	4%	0%	1%	0%	F	0.113	F	0.508	270	G	2012
To: 38-604 E, Jerusalem Rd																
(805) Spring Valley Rd	0.85	270	G	95%	1%	4%	0%	1%	0%	C	0.109	F	0.515	280	G	2012
To: 38-654 Hines Branch Rd																
(805) Spring Valley Rd	2.45	320	G	95%	1%	4%	0%	1%	0%	F	0.115	F	0.659	330	G	2012
To: 38-777 Liberty Hill Rd																
(805) Spring Valley Rd	0.20	840	G	95%	1%	4%	0%	1%	0%	F	0.118	F	0.609	870	G	2012
To: 38-649 North Bainbridge Rd																
(805) Spring Valley Rd	0.55	1100	G	94%	2%	2%	0%	2%	0%	F	0.114	F	0.575	1100	G	2012
To: 38-881 Mallard Lane																
(805) Spring Valley Rd	0.78	1100	G	94%	2%	2%	0%	2%	0%	C	0.110	F	0.555	1100	G	2012
To: 38-648 Providence Rd																
(805) Spring Valley Rd	0.17	1200	G	94%	2%	2%	0%	2%	0%	F	0.106	F	0.621	1200	G	2012
To: 38-649 South Turkey Knob Rd																
From: SR 94 Scenic Rd																
(806) Reservation Lane	0.50	30	R								NA		NA			08/02/2011
To: Dead End																
From: 38-725 Grassy Creek Rd																
(807) Pleasant Branch Lane	0.35	30	R								NA		NA			08/02/2011
To: Dead End																
From: 38-744 Quillen Ridge Rd																

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Grayson County</b>																
(808) Rocky Falls Lane	0.50	30	R											NA	NA	08/09/2011
(809) Windmill Rd	1.05	170	R											NA	NA	10/20/2011
(810) Riverview Lane	0.70	60	R											NA	NA	09/29/2011
(811) Cherry Wood Lane	1.00	20	R											NA	NA	08/30/2011
(812) Rainwood Lane	0.20	40	R											NA	NA	08/02/2011
(813) Barbershop Lane	0.12	50	R											NA	NA	08/25/2011
(814) Locust Lane	0.13	20	R											NA	NA	09/22/2011
(815) Tanglewood Rd	0.43	420	R											NA	NA	08/25/2011
(815) Tanglewood Rd	0.03	410	G	97%	1%	1%	0%	0%	0%	C	0.13	F	0.509	420	G	2012
(815) Green Valley Rd	0.30	30	R											NA	NA	09/27/2011
(816) Short Dr	0.15	210	R											NA	NA	09/27/2011
(817) Briar Run Lane	0.26	60	R											NA	NA	08/02/2011
(817) Briar Run Lane	0.74	6	R											NA	NA	08/02/2011
(817) Briar Run Lane	0.40	4	R											NA	NA	08/02/2011
(818) Mountain Music Lane	0.15	100	R											NA	NA	08/23/2011
(818) Mountain Music Lane	0.35	30	R											NA	NA	08/23/2011
(819) Chestnut Dr	0.11	490	R											NA	NA	10/12/2011
(820) Sunset Lane	0.17	20	R											NA	NA	09/01/2011
(821) Fairview Rd	1.42	310	G	99%	0%	1%	0%	0%	0%	F	0.129	F	0.616	320	G	2012
(821) Fairview Rd	0.59	590	G	99%	0%	1%	0%	0%	0%	F	0.11	F	0.697	610	G	2012

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Grayson County</b>																
(821) Fairview Rd	0.61	940	G	99%	0%	1%	0%	0%	0%	C	0.095	F	0.657	980	G	2012
(822) Horse Shoe Dr	0.27	80	R								NA		NA			09/27/2011
(823)	0.26	40	R								NA		NA			10/20/2011
(824) Frazier Rd	0.57	160	R								NA		NA			11/03/2011
(825) Sugar Camp Lane	0.10	140	R								NA		NA			09/20/2011
(825) Sugar Camp Lane	0.20	30	R								NA		NA			09/20/2011
(826) Orchid Lane	1.00	110	R								NA		NA			08/30/2011
<b>Town of Troutdale</b>																
(827) Auburn Lane	0.13	40	R								NA		NA			06/09/2011
<b>Grayson County</b>																
(828) Hiley Branch Lane	0.50	40	R								NA		NA			08/04/2011
(829) Monarch Lane	0.40	40	R								NA		NA			10/18/2011
(829) Horizon Rd	0.35	5	R								NA		NA			10/18/2011
(830) Dandelion Lane	0.20	6	R								NA		NA			08/23/2011
(831) Hidden Valley Lane	0.85	110	R								NA		NA			09/20/2011
(832) Grassy Knob Lane	0.60	30	R								NA		NA			08/09/2011
(833) Knob Fork Lane	0.42	8	R								NA		NA			09/22/2011
(834) Factory Town Rd	0.33	10	R								NA		NA			08/09/2011
(835) Volney Rd	0.44	80	R								NA		NA			07/26/2011
(836) Polter Rd	0.58	48	R								NA		NA			07/26/2011

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Troutdale</b>																
(837) Timberline Rd	0.22	200	R			From: SR 16 Troutdale Hwy					NA			NA		06/09/2011
						To: 38-603 Fairwood Rd										
<b>Grayson County</b>																
(838) Mulberry Lane	0.79	20	R			From: Dead End					NA			NA		08/30/2011
						To: SR 93 Wilson Hwy										
(839) Rock Quarry Lane	0.62	40	R			From: 38-658 Comers Rock Rd					NA			NA		08/16/2011
						To: Dead End										
(840) Nightingale Lane	0.44	50	R			From: Cul-de-Sac					NA			NA		07/26/2011
						To: SR 16 Troutdale Hwy										
(841) Rend Rd	0.10	590	R			From: 38-626 Old Baywood Rd					NA			NA		10/07/2011
						To: US 58 Grayson Pkwy										
(841) State Shed Rd	0.20	170	R			From: 0.20 MN US 58					NA			NA		10/07/2011
						To: Dead End										
(842) Twin Pond Lane	1.00	80	R			From: Dead End					NA			NA		09/27/2011
						To: 38-805 Spring Valley Rd										
(843) Penny Lane	0.25	130	R			From: Dead End					NA			NA		09/22/2011
						To: 38-692 Pine Mountain Rd										
(844) Poplar Lane	0.40	100	R			From: Dead End					NA			NA		08/30/2011
						To: 38-711 Gold Hill Rd										
(845) Mahogany Lane	0.15	10	R			From: 38-601 Flat Ridge Rd					NA			NA		06/17/2011
						To: Dead End										
(846) Cornflower Rd	1.00	30	R			From: 38-675 Glen Wood Rd; Panther Creek Rd					NA			NA		06/09/2011
						To: 38-675 Panther Creek Rd; Glen Wood Rd										
(847) Ashland Lane	0.03	48	R			From: 38-603 Fairwood Rd					NA			NA		06/09/2011
						To: 0.03 MN 38-603										
(847) Ashland Lane	0.11	50	R			From: Dead End					NA			NA		06/09/2011
						To: Dead End										
(848) Holstein Lane	0.08	100	R			From: Dead End					NA			NA		09/27/2011
						To: 38-644 Freedom Lane										
(849) Cimarron Lane	0.26	20	R			From: Dead End					NA			NA		09/15/2011
						To: 38-890										
(849) Dellbrook Lane	0.09	60	R			From: Dead End					NA			NA		09/15/2011
						To: US 58 Grayson Pkwy										
(850) Louisville Lane	0.03	46	R			From: Dead End					NA			NA		10/12/2011
						To: 38-870										
(850) Louisville Lane	0.22	50	R			From: Dead End					NA			NA		10/12/2011
						To: 38-785 Fishers Gap Rd										
(851) Hampton Knob Lane	0.75	60	R			From: Dead End					NA			NA		10/05/2011
						To: 38-626 Old Baywood Rd										

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
<b>Grayson County</b>																	
(852) Fox Wood Lane	1.00	6	R			From: 38-766 Fox Knob Rd					NA			NA		08/30/2011	
						To: Dead End											
(853) Robincrest Lane	0.30	50	R			From: 38-648 Mandolin Dr					NA			NA		09/27/2011	
						To: Dead End											
(854) Wildwood Lane	0.25	30	R			From: SR 89 Skyline Hwy					NA			NA		10/12/2011	
						To: Dead End											
(855) Crusader Lane	0.05	40	R			From: Dead End					NA			NA		08/25/2011	
						To: 38-644 Freedom Lane											
(856) Mayberry Rd	0.40	110	R			From: North Carolina State Line					NA			NA		07/28/2011	
						To: SR 16 Jefferson Hwy											
(857) Shale Hollow Lane	0.75	48	R			From: Dead End					NA			NA		08/23/2011	
						To: 38-818 Mountain Music Lane											
(858) Natureview Rd	0.20	30	R			From: 38-794 Rockbridge Rd; Prim Rose Lane					NA			NA		06/17/2011	
						To: 38-601 Flat Ridge Rd											
(859)	0.21	90	R			From: Dead End					NA			NA		10/18/2011	
						To: 38-786											
(860) Walnut Lane	0.27	70	R			From: SR 94 Scenic Rd					NA			NA		09/27/2011	
						To: Dead End											
(861) Willow Oak Lane	0.10	20	R			From: US 21 Elk Creek Pkwy					NA			NA		08/18/2011	
						To: Dead End											
(862) Columbine Lane	0.20	90	R			From: 38-821 Fairview Rd					NA			NA		10/18/2011	
						To: Dead End											
(863) Rose Lane	0.10	70	R			From: 38-648 Mandolin Dr					NA			NA		09/27/2011	
						To: 0.10 MS 38-648											
(863) Rose Lane	0.10	50	R			From: Dead End					NA			NA		09/27/2011	
						To: Dead End											
(864) Flag Pond Lane	0.50	10	R			From: Dead End					NA			NA		08/16/2011	
						To: 38-665 Stones Chapel Rd											
(865) Camp Zion	0.50	200	R			From: 38-619 Cardinal Rd					NA			NA		10/12/2011	
						To: 38-819 Chestnut Dr											
(866) Happy Lane	0.10	50	R			From: Dead End					NA			NA		08/25/2011	
						To: 38-644 Sheep Grove Rd											
(867) Vimy Ridge Lane	0.12	60	R			From: SR 94 Scenic Rd					NA			NA		11/01/2011	
						To: Dead End											
(868) Idlewood Lane	0.18	40	R			From: Dead End					NA			NA		10/20/2011	
						To: 38-634 Justice Rd											
(869)	0.39	30	R			From: Dead End					NA			NA		10/20/2011	
						To: 38-641 Pattons Mill Rd											

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Grayson County</b>																
(870)	0.20	1	R								NA		NA			10/12/2011
(871)	Chestnut Lane	0.50	100	R							NA		NA			08/25/2011
(872)	Sunbow Lane	0.10	80	R							NA		NA			08/18/2011
(873)	Oakridge Lane	0.35	70	R							NA		NA			10/18/2011
(874)	Clover Lane	0.12	100	R							NA		NA			09/22/2011
(875)	Stewart Hollow Lane	0.70	40	R							NA		NA			08/02/2011
(876)	Mr Casuals Lane	0.19	20	R							NA		NA			07/26/2011
(877)	Oppossum Hollow Lane	0.22	80	R							NA		NA			09/27/2011
(878)	Bluff Lane	0.65	46	R							NA		NA			08/04/2011
(879)	Cana Lane	0.10	40	R							NA		NA			08/02/2011
(880)	Rock Hill Rd	0.40	60	R							NA		NA			09/29/2011
(881)	Mallard Lane	0.10	10	R							NA		NA			09/27/2011
(882)	Nuckols Curve Rd	1.50	230	R							NA		NA			10/20/2011
(883)		0.27	30	R							NA		NA			09/15/2011
(884)	Foxcliff Lane	0.28	40	R							NA		NA			10/05/2011
(885)	Pinnacle Lane	0.20	30	R							NA		NA			08/02/2011
(886)	Forest Lane	0.34	280	R							NA		NA			10/12/2011
(887)	Robin Lane	0.08	40	R							NA		NA			08/04/2011
(888)	Summer Breeze Rd	0.07	20	R							NA		NA			09/07/2011

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Grayson County</b>																
(888) Summer Breeze Rd	0.30	20	R			From: 0.07 MS US 58					NA			NA		09/07/2011
(888) Summer Breeze Rd	0.15	170	R			To: 38-765 Riding Trail Rd					NA			NA		09/07/2011
(888) Redd Dr	0.01	180	R			From: US 58 W, Grayson Pkwy					NA			NA		09/22/2011
(888) Redd Dr	1.14	80	R			From: 0.01 MN US 58					NA			NA		09/20/2011
(889) Peace Haven Lane	0.12	30	R			To: 38-685 Rock Creek Rd					NA			NA		08/02/2011
(890) Dellbrook Lane	0.25	30	R			From: 38-817 Briar Run Lane					NA			NA		09/15/2011
(891) Fallville Lane	0.50	30	R			To: Dead End					NA			NA		08/23/2011
(892) Bear Hollow Lane	0.15	30	R			From: 38-805 Spring Valley Rd					NA			NA		08/25/2011
(893) Turnip Lane	0.22	49	R			To: 38-651 Lonesome Oak Rd					NA			NA		10/20/2011
(894) Pumpkin Lane	0.64	70	R			From: 38-634 Water Wheel Rd					NA			NA		09/20/2011
(895) Archery Lane	0.22	60	R			To: Dead End					NA			NA		08/16/2011
(896) Maple Ridge Lane	0.24	30	R			From: SR 274 Riverside Dr					NA			NA		09/29/2011
(897) Honey Lane	0.17	80	R			To: Dead End					NA			NA		09/27/2011
(897) Honey Lane	0.04	170	R			From: 38-900					NA			NA		09/27/2011
(898) Northwoods Lane	0.53	110	R			To: 38-805 Spring Valley Rd					NA			NA		10/18/2011
(899) Deer Ridge Dr	0.15	40	R			From: 38-9465					NA			NA		10/18/2011
(900) Huckleberry Lane	0.04	50	R			To: Dead End					NA			NA		09/27/2011
(905) Whipporwill Lane	0.14	90	R			From: 38-897 Honey Lane					NA			NA		09/27/2011
(906) Echo Ridge Lane	0.18	8	R			To: 38-821 Fairview Rd					NA			NA		10/18/2011
(907) Hideaway Lane	0.30	48	R			From: 38-791 Victory Lane					NA			NA		08/16/2011
						To: Dead End					NA			NA		10/05/2011
						From: 38-607 Meadow Creek Rd					NA			NA		10/05/2011
						To: Dead End					NA			NA		10/05/2011

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Grayson County</b>																
(908) Skylark Lane	0.08	30	R								NA			NA		08/25/2011
(909) Memory Lane	0.11	60	R								NA			NA		10/07/2011
(910) Oriole Lane	0.15	120	R								NA			NA		10/07/2011
(914) Mystic View Lane	0.12	49	R								NA			NA		09/20/2011
(915) Grand Oaks Lane	0.20	120	R								NA			NA		09/15/2011
(916) Bobo Lane	0.15	50	R								NA			NA		10/20/2011
(920) Yellow Jacket Lane	0.12	60	R								NA			NA		10/12/2011
(923) Paleo Point Lane	0.10	20	R								NA			NA		08/18/2011
(930) Paradise Lane	0.31	40	R								NA			NA		08/23/2011
(940) Rock Rd	0.22	150	R								NA			NA		10/12/2011
(940) Marion Heights	0.28	40	R								NA			NA		10/12/2011
(941) Marion Heights	0.37	140	R								NA			NA		10/12/2011
(942) Marion Lane	0.16	90	R								NA			NA		10/12/2011
(950) Rocky Top Lane	0.53	30	R								NA			NA		09/20/2011
<b>Town of Fries</b>																
(1001) W Main St	0.21	3800	G	99%	1%	0%	0%	0%	0%	F	0.088	F	0.534	4000	G	2012
(1001) W Main St	0.51	2800	G	98%	0%	1%	0%	0%	0%	C	0.095	F	0.582	2900	G	2012
(1001) E Main St	0.61	3600	G	99%	1%	0%	0%	0%	0%	C	0.093	F	0.565	3700	G	2012
<b>Grayson County</b>																
(1002) Tabernacle Rd	0.45	220	R								NA			NA		09/27/2011
(1003) Wolfsnare Lane	0.09	100	R								NA			NA		09/27/2011

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Grayson County</b>																
1003	Wolfsnare Lane	0.11	30	R								NA		NA		09/27/2011
1004	Broom Lane	0.30	160	R								NA		NA		09/27/2011
<b>Town of Fries</b>																
1005	Fire House Dr	0.12	220	R								NA		NA		09/27/2011
1006	S Carrico St	0.09	180	R								NA		NA		11/01/2011
1006	N Carrico St	0.08	200	R								NA		NA		11/01/2011
1007	S Hampton St	0.05	1300	R								NA		NA		11/01/2011
1007	N Hampton St	0.10	120	R								NA		NA		11/01/2011
<b>Grayson County</b>																
1008	Boxer Lane	0.12	70	R								NA		NA		09/27/2011
1009	Retriever Lane	0.05	90	R								NA		NA		09/27/2011
<b>Town of Fries</b>																
1010		0.04	1300	R								NA		NA		09/27/2011
1011	Carroll Dr	0.13	490	R								NA		NA		09/27/2011
1012	Riverview Ave	0.29	290	R								NA		NA		09/27/2011
1013	Lee Dr	0.19	50	G	99%	1%	0%	0%	0%	0%	F	NA		50	G	2012
<b>Grayson County</b>																
1015	Whispering Pine Lane	0.22	70	R								NA		NA		10/05/2011
1020	Sandalwood Lane	0.24	50	R								NA		NA		09/20/2011
<b>Town of Independence</b>																
1100	Wolf Ave	0.03	48	R								NA		NA		09/13/2011
1101	Davis St	0.24	980	R								NA		NA		09/13/2011
1101	Davis St	0.10	630	R								NA		NA		09/13/2011

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Independence</b>																
1102	Hackler Lane	0.15	410	R			From: US 58, W Main St					NA		NA		09/01/2011
						To: US 21										
1103	Edgewood Dr	0.34	150	R			From: Dead End					NA		NA		09/01/2011
1103	Edgewood Dr	0.12	40	R			From: US 58, W Main St					NA		NA		09/01/2011
						To: 0.12 MN US 58										
1104	Locust Ave	0.08	40	R			From: 38-1101; 38-1105					NA		NA		09/13/2011
						To: Dead End										
1105	Bond Ave	0.23	100	R			From: US 58, E Main St					NA		NA		09/13/2011
						To: 38-1108 Hillcrest										
1106	Lonesome Ave	0.05	440	R			From: US 58, E Main St					NA		NA		09/13/2011
						To: 38-1101 Davis St										
1107	Circle Dr	0.02	20	R			From: 38-1105 Bond Ave					NA		NA		09/13/2011
						To: 38-1108 Hillcrest										
1108	Hillcrest	0.34	60	R			From: 38-685 Power House Rd					NA		NA		09/13/2011
						To: Dead End										
1109	Carpenter St	0.13	50	R			From: US 21					NA		NA		09/15/2011
						To: 38-1123										
1109	Smith St	0.05	60	R			From: Dead End					NA		NA		09/15/2011
						To: 38-1108 Hillcrest										
1110	Poole Place	0.05	50	R			From: Dead End					NA		NA		09/13/2011
						To: 38-1108 Hillcrest										
1111	Library St	0.14	370	R			From: US 21					NA		NA		09/13/2011
						To: 38-802										
1112	Moore St	0.06	80	R			From: US 21					NA		NA		09/15/2011
						To: Dead End										
1113	Hawkins Lane	0.07	30	R			From: US 58, W Main St					NA		NA		09/01/2011
						To: Dead End										
1114	Anders St	0.07	60	R			From: 38-1122 Grayson Ave					NA		NA		09/13/2011
						To: 38-685 Power House Rd										
1115	Miles St	0.26	100	R			From: US 21					NA		NA		09/15/2011
						To: Dead End										
1116	Colonial Dr	0.05	50	R			From: 38-684 Pinehurst St					NA		NA		09/15/2011
						To: Dead End										
1117	Meadow View Dr	0.10	80	R			From: 38-1120 Round Hill Rd					NA		NA		09/15/2011
						To: US 21										
1118	Mill Ave	0.10	640	R			From: Dead End					NA		NA		09/15/2011
						To: US 58, E Main St										

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Independence</b>																
(1119) Rainbow Circle Dr	0.47	1800	R									NA		NA		09/15/2011
(1120) Round Hill Rd	0.07	20	R									NA		NA		09/15/2011
(1120) Round Hill Rd	0.15	20	R									NA		NA		09/15/2011
(1121) Lakeview Dr	0.10	50	R									NA		NA		09/15/2011
(1122) Grayson Ave	0.14	410	R									NA		NA		09/13/2011
(1123) Austin St	0.20	90	R									NA		NA		09/15/2011
(1124) Nautilus Way	0.26	740	R									NA		NA		09/13/2011
(1125) Oak Ridge Rd	0.06	30	R									NA		NA		09/13/2011
<b>Grayson County</b>																
(1126) Pandorama Lane	0.45	210	R									NA		NA		10/26/2011
(1127) Dogwood Lane	0.25	70	R									NA		NA		10/26/2011
(1128) Sycamore Lane	0.05	40	R									NA		NA		10/26/2011
(1129) White Oak Lane	0.35	160	R									NA		NA		10/26/2011
<b>Town of Independence</b>																
(1130) Eagle Rock Rd	0.09	10	R									NA		NA		09/15/2011
(1131) Anvil Rock Rd	0.21	60	R									NA		NA		09/13/2011
(1131) Anvil Rock Rd	0.20	20	R									NA		NA		09/13/2011
(1132) Williams St	0.16	70	R									NA		NA		09/13/2011
(1133) Poplar Ave	0.06	20	R									NA		NA		09/13/2011
(1134) Rainbow Circle Dr	0.24	80	R									NA		NA		09/15/2011
(1134) Darco Dr	0.22	140	R									NA		NA		09/15/2011



Virginia Department of Transportation  
 Traffic Engineering Division  
 2012  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Grayson Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
<b>Grayson County</b>																	
(9968)	0.06	48	R	From: Mt Rogers High Sch											NA	NA	08/04/2011
				To: US 58 Highlands Pkwy													