

**2012**

**Virginia Department of Transportation  
Daily Traffic Volume Estimates  
Including Vehicle Classification Estimates**

where available

**Jurisdiction Report**

**63**

New Kent County

Prepared By

**Virginia Department of Transportation  
Traffic Engineering Division**

In Cooperation With

**U.S. Department of Transportation  
Federal Highway Administration**

Virginia Department of Transportation  
Traffic Engineering Division  
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

## **Publication Notes**

### **Parallel Roads**

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

---

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

**Route:** The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

**Length:** Length of the traffic segment in miles.

**AADT:** Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

**QA:** Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

**4Tire:** Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

**Bus:** Percentage of the traffic volume made up of busses.

**2Axle Truck:** Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

**3+Axle Truck:** Percentage of the traffic volume made up of single unit trucks with three or more axles.

**1Trail Truck:** Percentage of the traffic volume made up of units with a single trailer.

**2Trail Truck:** Percentage of the traffic volume made up of units with more than one trailer.

**QC:** Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

**K Factor:** The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

**QK:** Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

**Dir Factor:** The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

**AAWDT:** Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

**QW:** Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

**Year:** Year for which the published values are appropriate. If the Quality of AADT (QA) is “R”, the year is the year that the raw traffic count was collected, and if available,

## Route Shield Legend

### Route Systems

 Interstate Route      Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.

 US Route

 Virginia State Route

 Frontage Road (F precedes frontage route number)

 Secondary Route

### Special Routes

 Bus - Business Route  
 Bypas - Bypass Route  
 Truck - Truck Route  
 ALT - Alternate Route  
 Wye - Wye Route connector

 P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.

 The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
New Kent Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
30 33	New Kent County	4.65	13000	G	89%	1%	1%	2%	8%	0%	F	0.081	F	0.614	13000	G
30 New Kent Hwy	New Kent County	3.43	3600	G	87%	0%	2%	4%	7%	0%	C	0.085	F	0.615	3700	G
30 New Kent Hwy	New Kent County	0.78	7500	G	87%	0%	2%	4%	7%	0%	F	0.089	F	0.673	7700	G
33 60 Pocahontas Trail	New Kent County	0.91	11000	G	93%	1%	1%	1%	4%	0%	F	0.087	F	0.563	11000	G
33 New Kent Hwy	New Kent County	0.22	14000	G	94%	1%	1%	1%	3%	0%	F	0.094	F	0.631	14000	G
33 33 Ramp	New Kent County	0.08														See VA 33 for directional traffic volume estimates for this segment.
33 33 Ramp	New Kent County	0.23	1400	G												0.087 F 1400 G
33 64	New Kent County	5.32														See I-64 for directional traffic volume estimates for this segment.
33 64	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	61000	A	91%	1%	1%	1%	7%	0%	C	0.103	A	0.504	54000	A	
33 64	New Kent County	3.47														See I-64 for directional traffic volume estimates for this segment.
33 64	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	62000	A	91%	1%	1%	1%	7%	0%	F	0.103	A	0.584	55000	A	
33 64	New Kent County	5.69														See I-64 for directional traffic volume estimates for this segment.
33 64	Combined Traffic Estimates for 2 Parallel Roadways on this Route:	60000	B	91%	1%	1%	1%	7%	0%	F	0.105	A	0.527	54000	B	
33 64 Ramp	New Kent County	0.49														See I-64 for directional traffic volume estimates for this segment.
33	New Kent County	2.98	9500	G	85%	1%	1%	3%	10%	0%	C	0.088	F	0.731	9800	G
33 30	New Kent County	4.65	13000	G	89%	1%	1%	2%	8%	0%	F	0.081	F	0.614	13000	G
33 Ramp	New Kent County	0.23	1400	G												0.087 F 1400 G
East 33 Ramp	New Kent County	0.08	1300	G												0.085 F 1300 G

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
New Kent Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
West 33 Ramp	New Kent County	From: 0.05 To: SR 33-E016A SR 33- 16A TO I-64	2SR 33-P I-64-E205A FROM & TO RT <b>410</b> G								0.121	F		410	G	
West 33 Ramp	New Kent County	From: 0.54 To: I-64-E FROM RT 33 WEST	2SR 33-P Gap TO I-64 WEST <b>760</b> G								0.104	F		760	G	
West 33 Ramp	New Kent County	From: 0.23 To: I-64-W FROM RT 33 WEST	2SR 33-P SR 33-W032A TO RT 64 WES <b>4600</b> G								0.109	F		4600	G	
60 33 Pocahontas Trail	New Kent County	From: 0.91 To: Henrico County Line	Henrico County Line SR 33 Bottoms Bridge <b>11000</b> G	93%	1%	1%	1%	4%	0%	F	0.087	F	0.563	11000	G	
60 Pocahontas Trail	New Kent County	From: 4.03 To: SR 106	SR 33 Bottoms Bridge SR 106 <b>9400</b> G	95%	0%	1%	1%	3%	0%	F	0.091	F	0.626	9700	G	
60 Pocahontas Trail	New Kent County	From: 2.62 To: 63-615 Mountcastle Rd	SR 106 63-615 Mountcastle Rd <b>5500</b> G	95%	0%	1%	1%	3%	0%	F	0.094	F	0.504	5600	G	
60 Pocahontas Trail	New Kent County	From: 2.88 To: SR 155 Providence Forge	63-615 Mountcastle Rd SR 155 Providence Forge <b>6200</b> G	95%	0%	1%	1%	3%	0%	C	0.09	F	0.596	6300	G	
60 Pocahontas Trail	New Kent County	From: 8.58 To: James City County Line	SR 155 Providence Forge James City County Line <b>4600</b> G	95%	0%	1%	1%	3%	0%	F	0.091	F	0.515	4700	G	
East 64	New Kent County	From: 1.30 Combined Traffic Estimates for 2 Parallel Roadways on this Route:	Henrico County Line <b>34000</b> G	91%	1%	1%	1%	7%	0%	F	NA			31000	G	
East 64	New Kent County	To: 69000 From: SR 33, SR 249	G 91% 1% 1% 1% 7% 0% F NA											62000	G	
East 64 33	New Kent County	5.32 Combined Traffic Estimates for 2 Parallel Roadways on this Route:	SR 33, SR 249 <b>31000</b> A	91%	1%	1%	1%	7%	0%	C	0.109	A		27000	A	
East 64 33	New Kent County	To: 61000 From: SR 106	A 91% 1% 1% 1% 7% 0% C 0.103 A 0.504 54000 A													
East 64 33	New Kent County	3.47 Combined Traffic Estimates for 2 Parallel Roadways on this Route:	SR 106 <b>31000</b> A	91%	1%	1%	1%	7%	0%	F	0.108	A		28000	A	
East 64 33	New Kent County	To: 62000 From: SR 155	A 91% 1% 1% 1% 7% 0% F 0.103 A 0.584 55000 A													
East 64 33	New Kent County	5.69 Combined Traffic Estimates for 2 Parallel Roadways on this Route:	SR 155 <b>30000</b> A	91%	1%	1%	1%	7%	0%	F	0.11	A		27000	A	
East 64	New Kent County	To: 60000 From: SR 33 Eltham Rd	B 91% 1% 1% 1% 7% 0% F 0.105 A 0.527 54000 B													
East 64	New Kent County	4.29 Combined Traffic Estimates for 2 Parallel Roadways on this Route:	SR 33 Eltham Rd <b>27000</b> A	91%	1%	1%	1%	6%	0%	F	0.114	A		23000	A	
East 64	New Kent County	To: 53000 From: James City County Line	A 91% 1% 1% 1% 6% 0% F NA 46000 A													

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
New Kent Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
East 64 Ramp	New Kent County	0.25	5900	G							NA			5900	G	
East 64 Ramp	New Kent County	0.05	NA								NA			NA		
East 64 Ramp	New Kent County	0.08	2600	G							NA			2600	G	
East 64 Ramp	New Kent County	0.19	1000	G							NA			1000	G	
East 64 New Kent Welcome Center	New Kent County	0.09	2400	A	91%	1%	1%	1%	7%	0%	F	0.142	A	2000	A	
East 64 New Kent Welcome Center	New Kent County	0.18	2500	G							NA			2500	G	
East 64 Ramp	New Kent County	0.22	1900	G							NA			1900	G	
East 64 33 Ramp	New Kent County	0.49	4000	G							NA			4000	G	
West 64	New Kent County	1.36	35000	G	91%	1%	1%	1%	7%	0%	F	NA		31000	G	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:							69000	G	91%	1%	1%	1%	7%	0%	F	NA
West 64 33	New Kent County	5.79	30000	A	91%	1%	1%	1%	7%	0%	C	0.108	A	27000	A	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:							61000	A	91%	1%	1%	1%	7%	0%	C	0.103
West 64 33	New Kent County	3.44	31000	A	91%	1%	1%	1%	7%	0%	F	0.109	A	27000	A	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:							62000	A	91%	1%	1%	1%	7%	0%	F	0.103
West 64 33	New Kent County	5.52	30000	B	91%	1%	1%	1%	7%	0%	F	0.111	A	27000	B	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:							60000	B	91%	1%	1%	1%	7%	0%	F	0.105
West 64	New Kent County	4.06	26000	A	92%	1%	1%	1%	6%	0%	F	0.117	A	23000	A	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:							53000	A	91%	1%	1%	1%	6%	0%	F	NA
James City County Line																

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
New Kent Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
West 64 Ramp	New Kent County	0.24	1200	G							NA			1200	G	
	From: I-64 West	To: SR 249 New Kent Hwy														
West 64 Ramp	New Kent County	0.19	1800	G							NA			1800	G	
	From: I-64 West	To: SR 106 Emmaus Church Rd														
West 64 New Kent Rest Area Ramp	New Kent County	0.14	2300	A	91%	1%	1%	1%	7%	0%	F	0.169	A	1900	A	
	From: I-64 West to Rest Area	To: Enter Rest Area Parking Lot														
West 64 New Kent Rest Area Ramp	New Kent County	0.11	NA								NA			NA		
	From: Exit Rest Area Parking Lot	To: I-64 West from Rest Area														
West 64 Ramp	New Kent County	0.22	1100	G							NA			1100	G	
	From: I-64 West	To: SR 155														
West 64 Ramp	New Kent County	0.24	590	G							NA			590	G	
	From: I-64 West	To: SR 33														
106 Roxbury Rd	New Kent County (Maint: 18)	0.43	2700	N	74%	1%	2%	3%	20%	0%	N	0.094	N	0.520	N	
	From: Charles City County Line	To: New Kent County Line														
106	New Kent County	0.91	5200	G	78%	1%	2%	3%	17%	0%	F	0.088	F	0.525	G	
	From: Charles City County Line	To: US 60 Pocahontas Trail														
106	New Kent County	3.04	2700	G	78%	1%	2%	4%	15%	0%	C	0.107	F	0.545	G	
	From: I-64	To: US 60 Pocahontas Trail														
106 Emmaus Church Rd	New Kent County	1.68	2000	G	96%	1%	1%	1%	1%	0%	C	0.111	F	0.682	G	
	From: I-64	To: SR 249 New Kent Hwy														
106 Ramp	New Kent County	0.30	2400	G							0.097			2400	G	
	From: SR 106 I-64-E211A FROM & TO IS 64	To: I-64-E FROM RT 106														
106 Ramp	New Kent County	0.31	1900	G							0.083			1900	G	
	From: SR 106 I-64-W211A FROM & TO IS 64	To: I-64-W FROM RT 106														
155	New Kent County	1.09	3100	N	96%	1%	1%	1%	1%	0%	N	0.086	N	0.575	N	
	From: Charles City County Line	To: US 60 Pocahontas Trail														
155	New Kent County	3.83	2900	G	96%	1%	1%	1%	1%	0%	F	0.109	F	0.589	G	
	From: US 60 Pocahontas Trail	To: I-64														
155	New Kent County	2.19	2700	G	96%	1%	1%	0%	2%	0%	C	0.122	F	0.671	G	
	From: I-64	To: SR 249 New Kent Hwy														

Virginia Department of Transportation  
Traffic Engineering Division  
2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
New Kent Maintenance Area

Route	Jurisdiction	Length	<b>AADT</b>	<b>QA</b>	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW										
							2Axle	3+Axle	1Trail	2Trail																
155 Ramp	New Kent County	From:	SR 155 I-64-E214A FROM & TO IS 64									0.115	F	1100	G											
		To:	I-64-E FROM RT 155																							
155 Ramp	New Kent County	From:	SR 155 I-64-W214A FROM & TO IS 64									0.145	F	2000	G											
		To:	I-64-W FROM RT 155																							
249 New Kent Hwy	New Kent County	From:	I-64									0%	0%	0%	F	0.108	F	0.681	12000	G						
		To:	63-613 Dispatch Rd																							
249 New Kent Hwy	New Kent County	From:	63-612 Tunstall Rd; Airport Rd									0%	0%	0%	C	0.107	F	4800	G							
		To:	63-612 Tunstall Rd; Airport Rd																							
249 New Kent Hwy	New Kent County	From:	SR 106 Talleysville									0%	0%	0%	F	0.115	F	0.651	2100	G						
		To:	SR 155 Carys Corner																							
249 New Kent Hwy	New Kent County	From:	63-626 Paige Rd									0%	3%	0%	F	0.103	F	0.553	1900	G						
		To:	SR 30 & 33 Angel View Church																							
West 249 Ramp	New Kent County	From:	SR 249 TO I-64 West									0.172	F	3200	G											
		To:	I-64-W From 249 West																							
273 Farmers Dr	New Kent County	From:	SR 30 New Kent Hwy									0%	0%	0%	C	0.096	F	0.727	4500	G						
		To:	SR 33																							

Virginia Department of Transportation  
Traffic Engineering Division

2012

Annual Average Daily Traffic Volume Estimates By Section of Route  
New Kent Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>New Kent County</b>																
(F117)	0.14	20	R			From: Dead End								NA	02/11/2008	
			To: 63-665, N Hen Peck Rd													
(F118)	0.21	0	R			From: 63-676 Ashland Farm Rd								NA	07/28/2011	
			To: Dead End													
(F119) Marine Corp Dr	0.34	8	R			From: 63-627; 63-628								NA	02/20/2008	
			To: Dead End													
(F120)	0.11	7	R			From: SR 33 Eltham Rd								NA	03/03/2008	
			To: Dead End													
(600) Holly Fork Rd	1.40	170	R			From: James City County Line								NA	02/27/2008	
			To: 63-601 Tabernacle Rd													
(600) Holly Fork Rd	3.35	160	R			From: 63-673 Stewart Rd								NA	02/27/2008	
			To: SR 273 Farmers Dr													
(600) Holly Fork Rd	0.45	270	R			From: James City County Line								NA	02/27/2008	
			To: SR 273 Farmers Dr													
(601) Tabernacle Rd	2.58	410	R			From: 63-600 Holly Fork Rd								NA	02/27/2008	
			To: SR 155, S Courthouse Rd													
(602) Townsend Rd	0.25	160	R			From: 0.25 ME SR 155								NA	07/19/2011	
			To: 63-629 W, Pocahontas Trail													
(602) Townsend Rd	0.25	46	R			From: 63-629 E, Pocahontas Trail								NA	07/19/2011	
			To: US 60 Pocahontas Trail													
(603) Diascund Reservoir Rd	1.24	450	N			From: James City County Line								NA	02/25/2008	
			To: 63-671 Augustus Rd; Good Hope Rd													
(603) Good Hope Rd	3.00	450	R			From: 63-620 Homestead Rd; Diascund Reservoir Rd								NA	02/25/2008	
			To: 63-627, N Waterside Dr													
(604) Poindexter Rd	0.50	460	R			From: SR 155, N Courthouse Rd								NA	02/20/2008	
			To: 63-617 Crisscross Lane													
(604) Poindexter Rd	1.70	280	R			From: SR 249 New Kent Hwy								NA	02/20/2008	
			To: Dead End													
(605) Egypt Rd	1.01	750	R			From: 63-9289 WEST								NA	02/25/2008	
			To: 63-9289 EAST													
(605) Egypt Rd	0.06	750	R			From: SR 249 New Kent Hwy								NA	02/25/2008	
			To: Dead End													
(606) Old Church Rd	2.66	390	G	98%	0%	1%	0%	0%	0%	F	0.111	F	0.591	400	G	2012
			To: 63-609 Talleysville Rd; Old Church Rd													
(606) Old Church Rd	0.64	950	G	98%	0%	1%	0%	0%	0%	C	0.109	F	0.655	970	G	2012
			To: 63-612 Tunstall Rd													
(606) Old Church Rd	4.10	450	G	98%	0%	1%	0%	0%	0%	F	0.122	F	0.545	460	G	2012
			To: Hanover County Line													

Virginia Department of Transportation  
Traffic Engineering Division

2012

Annual Average Daily Traffic Volume Estimates By Section of Route  
New Kent Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
<b>New Kent County</b>																	
(607) Steel Trap Rd	1.10	130	R												NA	02/11/2008	
(607) Steel Trap Rd	0.75	140	R												NA	02/11/2008	
(608) Old River Rd	3.78	400	R												NA	02/13/2008	
(608) Old River Rd	1.10	320	R												NA	02/13/2008	
(608) Old River Rd	1.00	210	R												NA	02/13/2008	
(608) Old River Rd	0.75	230	R												NA	02/13/2008	
(608) Old River Rd	0.61	300	R												NA	02/13/2008	
(609) Old Church Rd	1.39	1100	G	98%	0%	0%	0%	1%	0%	C	0.094	F	0.667	1100	G	2012	
(609) Talleyville Rd	2.57	960	R												NA	02/07/2008	
(610) Pine Fork Dr	3.01	370	R												NA	02/07/2008	
(611) South Quaker Rd	3.17	640	R												NA	02/11/2008	
(611) South Quaker Rd	2.10	1500	R												NA	02/11/2008	
(612) Terminal Rd	1.08	1800	R												NA	02/07/2008	
(612) Airport Rd	2.09	1200	G									0.115	F	0.579	1200	G	2012
(612) Tunstall Rd	0.99	1500	R												NA	02/07/2008	
(612) Tunstall Rd	2.26	710	R												NA	02/07/2008	
(613) Dispatch Rd	1.20	850	G	97%	0%	1%	1%	0%	0%	C	0.12	F	0.72	860	G	2012	
(613) Dispatch Rd	0.95	810	G	97%	0%	1%	1%	0%	0%	F	0.097	F	0.578	830	G	2012	
(613) Dispatch Rd	1.51	1200	G	97%	0%	1%	1%	0%	0%	F	0.097	F	0.545	1300	G	2012	
(613) Dispatch Rd	0.08	2800	G	97%	0%	1%	1%	0%	0%	F	0.095	F	0.64	2800	G	2012	
(614) White House Rd	1.40	60	R												NA	02/13/2008	
(615) Mountcastle Rd	0.20	360	R												NA	02/13/2008	

Virginia Department of Transportation  
Traffic Engineering Division

2012

Annual Average Daily Traffic Volume Estimates By Section of Route  
New Kent Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>New Kent County</b>																
(615) Mountcastle Rd	0.20	440	R			From:	0.20 MN Dead End							NA	02/13/2008	
			To:	US 60 E, Pocahontas Trail												
(615) Mountcastle Rd	2.04	410	R			From:	US 60 W, Pocahontas Trail							NA	02/13/2008	
			To:	SR 106 Emmaus Church Rd												
(616) Peace Rd	0.70	310	R			From:	63-611 South Quaker Rd							NA	02/11/2008	
			To:	Hanover County Line												
(617) Crisscross Lane	0.89	30	R			From:	63-618 Olivet Church Rd							NA	03/20/2008	
			To:	0.89 ME 63-618												
(617) Crisscross Lane	1.37	30	R			From:	63-604 Poindexter Rd							NA	02/20/2008	
			To:	SR 155, N Courthouse Rd												
(617) Crisscross Lane	0.60	30	R			From:	Charles City County Line							NA	02/20/2008	
			To:	US 60 W, Pocahontas Trail; Gap												
(618) N Adkins Rd	0.05	1300	R			From:	63-629 Gap				0.097	N	0.579	1200	G	2012
			To:	US 60 E, Pocahontas Trail												
(618) Olivet Church Rd	4.45	340	R			From:								NA	02/20/2008	
			To:	63-677 Piney Branch Rd												
(618) Olivet Church Rd	2.10	480	R			From:								NA	02/20/2008	
			To:	SR 249 New Kent Hwy												
(619) Hopewell Rd	3.11	660	R			From:	Hanover County Line							NA	02/11/2008	
			To:	63-606 Old Church Rd												
(620) Homestead Rd	0.85	190	R			From:	63-603; 63-671							NA	02/25/2008	
			To:	63-672 Wahrani Rd												
(620) Homestead Rd	1.09	130	R			From:								NA	02/25/2008	
			To:	1.09 MN 63-672												
(620) Homestead Rd	0.16	100	R			From:								NA	02/25/2008	
			To:	1.25 MN 63-672												
(620) Homestead Rd	1.00	120	R			From:								NA	02/25/2008	
			To:	63-632 Stage Rd												
(621) Roper Church Rd	1.20	300	R			From:	James City County Line							NA	02/25/2008	
			To:	63-632 Stage Rd												
(622) Liberty Church Rd	0.10	400	R			From:	US 60 Pocahontas Trail							NA	02/27/2008	
			To:	James City County Line												
(623) Cocksmill Rd	6.70	160	R			From:	SR 249 W, New Kent Hwy							NA	02/25/2008	
			To:	SR 249 E, New Kent Hwy												
(623) Pamunkey Church Rd	0.70	60	R			From:								NA	02/25/2008	
			To:	SR 249 MID INT. New Kent Hwy												
(624) Old Sweet Hall Ferry	1.15	20	R			From:	63-623 Cocksmill Rd							NA	07/28/2011	
			To:	Dead End												
(625) Hill Farm Rd	1.30	40	R			From:	63-623 Cocksmill Rd							NA	02/25/2008	
			To:	Dead End												

Virginia Department of Transportation  
Traffic Engineering Division

2012

Annual Average Daily Traffic Volume Estimates By Section of Route  
New Kent Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>New Kent County</b>															
(626) Paige Rd	1.00	90	R			From:	SR 249 W, New Kent Hwy			NA		NA	NA	02/25/2008	
			To:			SR 249 E, New Kent Hwy									
(627) Riverside Dr	1.04	610	R			From:	63-1001 S, Cypress Dr			NA		NA	NA	02/25/2008	
			To:			63-1001 N, Riverside Dr									
(627) S Waterside Dr	1.73	1300	R			From:	63-1010 Colony Trail			NA		NA	NA	02/25/2008	
			To:			63-1010 Colony Trail									
(627) S Waterside Dr	1.12	1800	R			From:	US 60 Pocahontas Trail			NA		NA	NA	02/25/2008	
			To:			US 60 Pocahontas Trail									
(627) N Waterside Dr	3.80	720	R			From:	63-603 Good Hope Rd			NA		NA	NA	02/25/2008	
			To:			63-603 Good Hope Rd									
(627) Stage Rd	2.75	780	R			From:	SR 249 New Kent Hwy			NA		NA	NA	02/25/2008	
			To:			SR 249 New Kent Hwy									
(628) Mt Pleasant Rd	0.65	370	R			From:	US 60 Pocahontas Trail			NA		NA	NA	02/20/2008	
			To:			US 60 Pocahontas Trail									
(628) Mt Pleasant Rd	0.34	200	R			From:	63-1102 Indian Hill Lane			NA		NA	NA	02/20/2008	
			To:			63-1102 Indian Hill Lane									
(628) Mt Pleasant Rd	3.96	30	R			From:	0.34 MN 63-1102			NA		NA	NA	02/20/2008	
			To:			0.34 MN 63-1102									
(628) Mt Pleasant Rd	1.83	40	R			From:	4.30 MN 63-1102			NA		NA	NA	02/20/2008	
			To:			4.30 MN 63-1102									
(629) Pocahontas Trail	0.16	290	R			From:	US 60 W, Pocahontas Trail			NA		NA	NA	02/20/2008	
			To:			US 60 W, Pocahontas Trail									
(629) Boulevard Rd	0.19	730	G			From:	63-618, N Adkins Rd			NA		730	G	2012	
			To:			63-618, N Adkins Rd									
(629) Pocahontas Trail	0.58	230	R			From:	SR 155 WEST			NA		NA	NA	02/20/2008	
			To:			SR 155 WEST									
(629) Pocahontas Trail	2.85	100	R			From:	SR 155 EAST			NA		NA	NA	02/20/2008	
			To:			SR 155 EAST									
(629) Pocahontas Trail	6.30	100	R			From:	63-602 W, Townsend Rd			NA		NA	NA	02/20/2008	
			To:			63-602 W, Townsend Rd									
(630) George W Watkins Rd	1.00	180	R			From:	US 60 E, Pocahontas Trail			NA		NA	NA	02/07/2008	
			To:			US 60 E, Pocahontas Trail									
(631) South Garden	2.69	270	R			From:	63-610 Pine Fork Dr			NA		NA	NA	02/13/2008	
			To:			63-610 Pine Fork Dr									
(631) South Garden	2.69	270	R			From:	SR 106 Roxbury Rd			NA		NA	NA	02/13/2008	
			To:			SR 106 Roxbury Rd									
(632) Stage Rd	1.37	800	R			From:	63-615 Mountcastle Rd			NA		NA	NA	02/25/2008	
			To:			63-615 Mountcastle Rd									
(632) Stage Rd	0.13	870	R			From:	63-627 Stage Rd			NA		NA	NA	02/25/2008	
			To:			63-627 Stage Rd									
(632) Stage Rd	0.13	870	R			From:	1.37 ME 63-627			NA		NA	NA	03/29/2005	
			To:			1.37 ME 63-627									
(632) Stage Rd	2.10	210	R			From:	SR 33 Eltham Rd			NA		NA	NA	02/25/2008	
			To:			SR 33 Eltham Rd									
(632) Stage Rd	0.90	160	R			From:	63-634			NA		NA	NA	02/25/2008	
			To:			63-634									
(632) Stage Rd	1.40	140	R			From:	63-620 Homestead Rd			NA		NA	NA	02/25/2008	
			To:			63-620 Homestead Rd									
(632) Stage Rd	1.00	760	R			From:	63-621 Roper Church Rd			NA		NA	NA	02/25/2008	
			To:			63-621 Roper Church Rd									
(632) Stage Rd	0.04	700	R			From:	63-633 Barham Rd			NA		NA	NA	02/25/2008	
			To:			63-633 Barham Rd									
(632) Stage Rd	0.04	700	R			From:	SR 30 New Kent Hwy			NA		NA	NA	02/25/2008	
			To:			SR 30 New Kent Hwy									

Virginia Department of Transportation  
Traffic Engineering Division

2012

Annual Average Daily Traffic Volume Estimates By Section of Route  
New Kent Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>New Kent County</b>															
(633) Barham Rd	0.60	260	R			From:	63-632 Stage Rd							NA	02/25/2008
			To:			SR 273 W, Farmers Dr									
(633) Barham Rd	1.10	20	R			From:	SR 273 E, Farmers Dr							NA	02/25/2008
			To:			SR 30 N, New Kent Hwy									
(634) Windy Lane	0.70	50	R			From:	63-601 Tabernacle Rd							NA	02/25/2008
			To:			Dead End; Gap									
(634) Polishtown Rd	1.40	130	R			From:	SR 273 Farmers Dr; Gap							NA	02/25/2008
			To:			63-639 Mt Nebo Rd									
(634)	3.20	250	R			From:	63-632 Stage Rd							NA	02/25/2008
			To:			63-601 Tabernacle Rd									
(635) Triangle Rd	0.60	210	R			From:	63-600 Holly Fork Rd							NA	02/27/2008
			To:			SR 273 Farmers Dr									
(636) Plum Point Rd	0.06	660	R			From:	63-646 Brick House Lane							NA	02/27/2008
			To:			SR 273 New Kent Hwy									
(636) Plum Point Rd	0.50	550	R			From:	63-661 Vermont Rd							NA	02/27/2008
			To:			Dead End									
(637) Cumberland Rd	1.50	1000	R			From:	SR 249 New Kent Hwy							NA	02/20/2008
			To:			Dead End									
(638) Cosby Mill Rd	2.60	1100	R			From:	63-611 South Quaker Rd							NA	02/11/2008
			To:			63-656 Continental Rd									
(638) Cosby Mill Rd	1.70	450	R			From:	Hanover County Line							NA	02/11/2008
			To:			SR 30 New Kent Hwy									
(639) Mt Nebo Rd	0.80	220	R			From:	63-634 Polishtown Rd							NA	02/27/2008
			To:			US 60 Pocohontas Trail									
(640) Old Roxbury Rd	1.28	1800	R			From:	63-665, N Hen Peck Rd							NA	02/07/2008
			To:			SR 249 W, New Kent Hwy									
(640) Old Roxbury Rd	2.59	630	R			From:	SR 249 E, New Kent Hwy							NA	02/07/2008
			To:			63-611 South Quaker Rd									
(640) Old Roxbury Rd	1.36	530	R			From:	Dead End							NA	02/07/2008
			To:			63-659 Parks Rd									
(641) Curtis Rd	0.04	40	R			From:	63-609 Old Church Rd							NA	02/27/2008
			To:			0.64 ME 63-609									
(642) St Peters Lane	0.64	190	R			From:	Dead End							NA	02/13/2008
			To:			SR 106 Emmaus Church Rd									
(642) St Peters Lane	1.01	150	R			From:	Dead End							NA	07/08/2011
			To:			SR 106 Emmaus Church Rd									
(643) Mihalcoe Lane	0.50	190	R			From:	Dead End							NA	02/13/2008
			To:			Dead End									
(644) Newtown Rd	1.30	240	R			From:	Dead End							NA	02/11/2008
			To:			63-619 Hopewell Rd									

Virginia Department of Transportation  
Traffic Engineering Division

2012

Annual Average Daily Traffic Volume Estimates By Section of Route  
New Kent Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>New Kent County</b>															
(645) Crumps Mill Rd	0.80	430	R			From: SR 249 New Kent Hwy					NA		NA	03/03/2008	
			To: Dead End												
(646) Brick House Lane	0.73	110	R			From: 63-636 Plum Point Rd					NA		NA	03/03/2008	
			To: Dead End												
(647) Old Telegraph Rd	1.92	240	R			From: US 60 W, Pocahontas Trail					NA		NA	02/20/2008	
			To: 63-1104 Evergreen Rd												
(647) Old Telegraph Rd	0.51	120	R			From: US 60 E, Pocahontas Trail					NA		NA	02/20/2008	
			To: 63-649 Rockahock Rd												
(647) Old Telegraph Rd	0.80	40	R			From: SR 249 E, New Kent Hwy					NA		NA	02/20/2008	
			To: SR 249 W, New Kent Hwy												
(648) Courthouse Circle	0.14	420	R			From: US 60 W, Pocahontas Trail					NA		NA	02/25/2008	
			To: SR 249 E, New Kent Hwy												
(649) Rockahock Rd	2.50	470	R			From: 63-627, S Waterside Dr					NA		NA	02/27/2008	
			To: US 60 E, Pocahontas Trail												
(650) Landing Rd	0.63	220	R			From: Dead End					NA		NA	02/20/2008	
			To: US 60 Pocahontas Trail												
(651) Angelview Lane	0.80	110	R			From: SR 249 New Kent Hwy					NA		NA	02/25/2008	
			To: Dead End												
(652) Eastview Lane	0.18	40	R			From: US 60 W, Pocahontas Trail					NA		NA	02/20/2008	
			To: US 60 E, Pocahontas Trail												
(653) Macon Lane	0.30	110	R			From: Dead End					NA		NA	02/11/2008	
			To: 63-619 Hopewell Rd												
(654) Mill Creek Rd	0.16	160	R			From: Dead End					NA		NA	02/27/2008	
			To: SR 33; SR 30 Eltham Rd												
(655) Old Ferry Rd	0.22	110	R			From: 63-636 Plum Point Rd					NA		NA	02/27/2008	
			To: Dead End												
(656) Continental Rd	1.18	330	R			From: Dead End					NA		NA	02/11/2008	
			To: 63-638 Cosby Mill Rd												
(657) Foxwell Rd	0.25	50	R			From: US 60 Pocahontas Trail					NA		NA	07/19/2011	
			To: Dead End												
(658) Higgins Rd	0.50	180	R			From: Dead End					NA		NA	02/11/2008	
			To: 63-611 South Quaker Rd												
(659) Parks Rd	0.25	46	R			From: SR 273 Farmers Dr					NA		NA	02/27/2008	
			To: SR 30; SR 33 Eltham Rd												
(660) Vermont Rd	0.27	90	R			From: 63-655 Old Ferry Rd					NA		NA	02/27/2008	
			To: 63-667 York Rd												
(660) Vermont Rd	0.13	20	R			From: Dead End					NA		NA	02/27/2008	
			To: Dead End												

Virginia Department of Transportation  
Traffic Engineering Division

2012

Annual Average Daily Traffic Volume Estimates By Section of Route  
New Kent Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>New Kent County</b>															
(661) Vermont Rd	0.10	190	R			Dead End								NA	02/27/2008
(661) Vermont Rd	0.08	150	R			From: 63-636 Plum Point Rd								NA	02/27/2008
			To:	63-660 Vermont Rd											
(662) Golden Wheel Rd	0.60	240	R			From: Dead End								NA	02/13/2008
			To:	SR 106 Emmaus Church Rd											
(663) Royal Rd	0.01	140	R			From: US 60 Pocahontas Trail								NA	02/27/2008
			To:	63-622 Liberty Church Rd											
(664) Jackson St	0.10	40	R			From: Dead End								NA	02/27/2008
			To:	SR 30; SR 33 Eltham Rd											
(665) N Hen Peck Rd	2.60	1400	R			From: 63-640 Old Roxbury Rd								NA	02/07/2008
			To:	SR 249 New Kent Hwy											
(665) N Hen Peck Rd	0.30	350	R			From: 63-611 South Quaker Rd								NA	02/07/2008
			To:	Dead End											
(666) Bailey Lane	0.30	130	R			From: SR 155, N Courthouse Rd								NA	02/07/2008
			To:	Dead End											
(667) York Rd	0.32	100	R			From: 63-636 Plum Point Rd								NA	02/27/2008
			To:	Dead End											
(668)	0.04	20	R			From: SR 273 Farmers Dr								NA	02/27/2008
			To:	Dead End											
(669) Virginia Ave	0.32	140	R			From: SR 30; SR 33 Eltham Rd								NA	02/27/2008
			To:	Dead End											
(670) Sherwood Dr	0.51	460	R			From: Dead End								NA	02/11/2008
			To:	63-611 South Quaker Rd											
(671)	0.36	20	R			From: Dead End								NA	02/25/2008
			To:	63-603; 63-620											
(672) Wahrani Rd	0.90	80	R			From: Dead End								NA	02/25/2008
			To:	63-620 Homestead Rd											
(673) Stewart Rd	0.82	110	R			From: 63-600 Holly Fork Rd								NA	02/27/2008
			To:	Cul-de-Sac											
(674) Clint Lane	0.51	10	R			From: Dead End								NA	02/11/2008
			To:	SR 249 New Kent Hwy											
(675) Arrowhead Rd	0.32	190	R			From: 63-1230 Blackcreek Rd								NA	02/11/2008
			To:	63-613 Dispatch Rd											
(676) Ashland Farm Rd	1.12	80	R			From: 63-612 Airport Rd; Terminal Rd								NA	03/03/2008
			To:	FR-118											
(677) Piney Branch Rd	0.56	70	R			From: 63-618 Olivet Church								NA	02/20/2008
			To:	Dead End											

Virginia Department of Transportation  
Traffic Engineering Division

2012

Annual Average Daily Traffic Volume Estimates By Section of Route  
New Kent Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>New Kent County</b>															
(678) Slatersville Rd	1.45	60	R			Dead End								NA	02/20/2008
(678) Slatersville Rd	0.50	40	R			From: 63-627 Stage Rd								NA	07/28/2011
(679) Mt Prospect Rd	0.90	20	R			From: SR 249 New Kent Hwy								NA	02/13/2008
(680)	0.12	20	R			From: 63-609 N, Talleysville Rd								NA	03/03/2008
(681) Warrior Rd	0.15	50	R			To: 63-609 S, Talleysville Rd								NA	02/13/2008
(686) Terminal Rd	0.18	1800	R			From: Cul-de-Sac								NA	02/07/2008
(690) Tunstall Station Rd	0.10	20	R			To: 63-675 Arrowhead Rd								NA	02/11/2008
(691) N Tunstall Station Rd	0.27	7	R			From: Dead End								NA	02/11/2008
(695) Holly Pines Lane	0.49	100	R			From: Cul-de-Sac								NA	02/27/2008
(700) Mini Tree Glen Lane	0.13	230	R			To: 63-600 Holly Fork Rd								NA	02/20/2008
(700) Mini Tree Glen Lane	0.15	110	R			From: SR 155, N Courthouse Rd								NA	02/20/2008
(701) Mini Tree Glen Lane	0.27	110	R			To: Dead End								NA	02/20/2008
(705) Richardson Rd	0.34	160	R			From: Cul-de-Sac								NA	02/25/2008
(1001) Cypress Dr	0.07	360	R			To: 63-700 Mini Tree Glen Lane								NA	02/25/2008
(1001) Riverside Dr	0.10	290	R			From: Dead End								NA	06/21/2011
(1001) Riverside Dr	0.12	370	R			From: 63-1005 James Dr								NA	06/29/2011
(1001) Riverside Dr	0.11	490	R			To: 63-1004 Beech Dr								NA	06/29/2011
(1001) Riverside Dr	0.45	640	R			From: 63-1003 Whiteoak Dr								NA	06/29/2011
(1002) Carter Rd	0.87	1000	R			To: 63-627 N, S Waterside Dr; Riverside Dr								NA	06/29/2011
(1003) Whiteoak Dr	0.11	50	R			From: 63-627, S Waterside Dr								NA	06/29/2011
						To: US 60 Pocahontas Trail									
						From: 63-1001 Riverside Dr									
						To: 63-627 Riverside Dr									

Virginia Department of Transportation  
Traffic Engineering Division

2012

Annual Average Daily Traffic Volume Estimates By Section of Route  
New Kent Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>New Kent County</b>															
(1004) Beech Dr	0.20	40	R			From: 63-1001 Riverside Dr					NA		NA	06/29/2011	
			To: 63-627 Riverside Dr												
(1005) James Dr	0.31	70	R			From: 63-1001 Riverside Dr					NA		NA	06/29/2011	
			To: 63-627 Riverside Dr												
(1006) Cypress Dr	0.37	70	R			From: 63-1001 Riverside Dr					NA		NA	06/29/2011	
			To: 63-627 Riverside Dr												
(1009) Lake Point Trail	0.12	50	R			From: 63-1013 River Bend Trail					NA		NA	02/27/2008	
			To: Cul-de-Sac												
(1010) Colony Trail	0.10	40	R			From: Cul-de-Sac					NA		NA	02/27/2008	
			To: 63-1018 John Smith Trail												
(1010) Colony Trail	0.45	130	R			From: 63-1018 John Smith Trail					NA		NA	02/27/2008	
			To: 63-1017 Two Rivers Trail												
(1010) Colony Trail	0.20	390	R			From: 63-1017 Two Rivers Trail					NA		NA	06/29/2011	
			To: 63-1013 River Bend Trail												
(1010) Colony Trail	0.28	670	R			From: 63-1013 River Bend Trail					NA		NA	06/29/2011	
			To: 63-1012 Chickahominy Court												
(1010) Colony Trail	0.18	710	R			From: 63-1012 Chickahominy Court					NA		NA	06/29/2011	
			To: 63-1011 Rolfe Court												
(1010) Colony Trail	1.08	880	R			From: 63-1011 Rolfe Court					NA		NA	06/29/2011	
			To: 63-627, S Waterside Dr												
(1011) Rolfe Court	0.03	20	R			From: Cul-de-Sac					NA		NA	06/29/2011	
			To: 63-1010 Colony Trail												
(1012) Chickahominy Court	0.07	40	R			From: Cul-de-Sac					NA		NA	06/29/2011	
			To: 63-1010 Colony Trail												
(1013) River Bend Trail	0.71	320	R			From: 63-1014 Four Island Trail					NA		NA	02/27/2008	
			To: 63-1010 Colony Trail												
(1014) Four Island Trail	0.36	70	R			From: Cul-de-Sac					NA		NA	06/29/2011	
			To: 63-1017 Two Rivers Trail												
(1014) Four Island Trail	0.34	120	R			From: 63-1017 Two Rivers Trail					NA		NA	06/29/2011	
			To: Cul-de-Sac												
(1015) Diascund Point Trail	0.33	70	R			From: 63-1010 Colony Trail					NA		NA	02/27/2008	
			To: 63-1016 Diascund Point Trail												
(1016) Diascund Point Trail	0.03	20	R			From: Cul-de-Sac					NA		NA	02/27/2008	
			To: 63-1015 Diascund Point Trail												
(1016) Diascund Point Trail	0.04	30	R			From: 0.04 MN 63-1013					NA		NA	02/27/2008	
			To: 63-1015 Diascund Point Trail												
(1017) Two Rivers Trail	0.17	90	R			From: 63-1014 Four Island Trail					NA		NA	02/27/2008	
			To: 63-1018 John Smith Trail												
(1017) Two Rivers Trail	0.19	190	R			From: 63-1018 John Smith Trail					NA		NA	02/27/2008	
			To: 63-1010 Colony Trail												
(1018) John Smith Trail	0.14	30	R			From: 63-1010 Colony Trail					NA		NA	02/27/2008	
			To: 63-1019 Moysonike Court												

Virginia Department of Transportation  
Traffic Engineering Division

2012

Annual Average Daily Traffic Volume Estimates By Section of Route  
New Kent Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>New Kent County</b>															
(1018) John Smith Trail	0.15	100	R			From: 63-1019 Moysonike Court					NA		NA		02/27/2008
			To: 63-1017 Two Rivers Trail												
(1019) Moysonike Court	0.12	70	R			From: 63-1018 John Smith Trail					NA		NA		02/27/2008
			To: Cul-de-Sac												
(1020) Wedgewood Dr	0.26	160	R			From: 63-621 Roper Church Rd					NA		NA		02/27/2008
			To: Cul-de-Sac												
(1024) Cove Court	0.04	30	R			From: 63-1014 Four Island Trail					NA		NA		02/27/2008
			To: Cul-de-Sac												
(1030) Turners Landing Rd	0.49	210	R			From: 63-627, S Waterside Dr					NA		NA		06/29/2011
			To: Cul-de-Sac												
(1031)	0.26	NA				From: 63-1030					NA		NA		
			To: Dead End												
(1035) Piper Dr	0.37	130	R			From: SR 30					NA		NA		07/28/2011
			To: Cul-de-Sac												
(1036) Curle Dr	0.25	110	R			From: SR 30					NA		NA		07/28/2011
			To: Cul-de-Sac												
(1037) Brown Ave	0.37	150	R			From: SR 30					NA		NA		07/28/2011
			To: Cul-de-Sac												
(1039) Pine Hollow Rd	0.09	70	R			From: Cul-de-Sac					NA		NA		07/28/2011
			To: 63-611 South Quaker Rd												
(1040) Ranch Acres Dr	0.94	180	R			From: 63-638 Cosby Mill Rd					NA		NA		07/08/2011
			To: Cul-de-Sac												
(1041) Rachel Diann Dr	0.15	60	R			From: Cul-de-Sac					NA		NA		07/08/2011
			To: 63-1040 Ranch Acres Dr												
(1042) Marsha Mae Dr	0.19	50	R			From: Cul-de-Sac					NA		NA		07/08/2011
			To: 63-1040 Ranch Acres Dr												
(1044) Autumn Hills Lane	0.21	90	R			From: 63-665, N Hen Peck Rd					NA		NA		07/28/2011
			To: Dead End												
(1047) Old Forge Rd	0.58	120	R			From: SR 155					NA		NA		07/28/2011
			To: Dead End												
(1050) Ridgewood Dr	0.30	450	R			From: Cul-de-Sac					NA		NA		03/03/2008
			To: 63-612 Tunstall Rd												
(1051) Greenwood Blvd	0.35	190	R			From: 63-1050 W, Ridgewood Dr					NA		NA		03/03/2008
			To: 63-1050 E, Ridgewood Dr												
(1051) Greenwood Blvd	0.15	150	R			From: Cul-de-Sac					NA		NA		07/26/2011
			To: Cul-de-Sac												
(1052) Gentry Dr	0.08	60	R			From: Cul-de-Sac					NA		NA		07/26/2011
			To: 63-1051 Greenwood Blvd												

Virginia Department of Transportation  
Traffic Engineering Division

2012

Annual Average Daily Traffic Volume Estimates By Section of Route  
New Kent Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck	QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail				
<b>New Kent County</b>													
(1052) Gentry Dr	0.15	90	R			From: 63-1051 Greenwood Blvd					NA	NA	07/26/2011
			To: Cul-de-Sac										
(1061) Cherokee Pine Trail	0.07	47	R			From: Cul-de-Sac					NA	NA	07/28/2011
			To: 63-638 Cosby Mill Rd										
(1065)	0.11	1100	R			From: Dead End					NA	NA	02/20/2008
			To: SR 155, N Courthouse Rd										
(1070) Marl Springs Dr	0.35	70	R			From: 63-612 Tunstall Rd					NA	NA	02/07/2008
			To: Cul-de-Sac										
(1075) Iden Place	0.40	90	R			From: 63-630 George W Watkins Rd					NA	NA	07/26/2011
			To: Cul-de-Sac										
(1076) Harrison Bluff Lane	0.42	70	R			From: 63-610 Pine Fork Dr					NA	NA	07/26/2011
			To: Cul-de-Sac										
(1090) Quinton Park	0.46	500	R			From: 63-665, N Hen Peck Rd					NA	NA	02/11/2008
			To: Cul-de-Sac										
(1091) Sweet Dixie Lane	0.13	110	R			From: Cul-de-Sac					NA	NA	02/11/2008
			To: 63-1090 Quinton Park										
(1092) Neighborly Lane	0.13	140	R			From: 63-1090 Quinton Park					NA	NA	02/11/2008
			To: Cul-de-Sac										
(1093) Solace Dr	0.06	50	R			From: 63-1092 Neighborly Lane					NA	NA	02/11/2008
			To: Cul-de-Sac										
(1101) Windsor Shades Rd	0.10	49	R			From: US 60 Pocahontas Trail					NA	NA	07/12/2011
			To: Dead End										
(1102) Indian Hill Lane	0.20	80	R			From: 63-628 Mt Pleasant Rd					NA	NA	07/12/2011
			To: Dead End										
(1103) S Landing Rd	0.13	80	R			From: Dead End					NA	NA	07/19/2011
			To: 63-650 Landing Rd										
(1104) Evergreen Rd	0.44	60	R			From: 63-647 Old Telegraph Rd					NA	NA	07/12/2011
			To: Dead End										
(1109) Brandon Pines Dr	0.93	360	R			From: 63-1147					NA	NA	07/21/2011
			To: 63-1110 Kentland Trail										
(1110) Kentland Trail	3.70	4400	R			From: SR 155					NA	NA	07/08/2011
			To: 63-1110 Pine Warbler Dr										
(1111) Brickshire Lane	0.11	70	R			From: 63-1112 Brickshire Dr					NA	NA	07/12/2011
			To: Cul-de-Sac										
(1112) Brickshire Dr	0.94	490	R			From: 63-1110 Kentland Trail					NA	NA	07/12/2011
			To: Cul-de-Sac										
(1113) Royal Lane	0.80	150	R			From: Cul-de-Sac					NA	NA	07/12/2011
			To: 63-1122										

Virginia Department of Transportation  
Traffic Engineering Division

2012

Annual Average Daily Traffic Volume Estimates By Section of Route  
New Kent Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>New Kent County</b>															
(1114) Regal Court	0.12	40	R			Cul-de-Sac				NA		NA	NA	07/12/2011	
			From:							To:					
(1115) Brickshire Terrace	0.05	20	R			Cul-de-Sac				NA		NA	NA	07/12/2011	
			From:							To:					
(1116) Brickshire Court	0.04	20	R			63-1112 Brickshire Dr				NA		NA	NA	07/12/2011	
			From:							To:					
(1117) Brickshire Dr	0.02	30	R			63-1112 Brickshire Dr				NA		NA	NA	07/12/2011	
			From:							To:					
(1118) Regal Lane	0.25	90	R			63-1113 Royal Lane				NA		NA	NA	07/12/2011	
			From:							To:					
(1119) Regal Terrace	0.03	10	R			63-1118				NA		NA	NA	07/12/2011	
			From:							To:					
(1120) Chaucer Dr	0.21	90	R			63-1113 Royal Lane				NA		NA	NA	07/12/2011	
			From:							To:					
(1121) Chaucer Park	0.02	9	R			63-1120				NA		NA	NA	07/12/2011	
			From:							To:					
(1122) Tyshire Pkwy	0.72	310	R			63-1110				NA		NA	NA	07/12/2011	
			From:							To:					
(1123) Scotsview Dr	0.24	60	R			63-1122 Tyshire Pkwy				NA		NA	NA	07/12/2011	
			From:							To:					
(1124) Brittcastle Court	0.07	50	R			63-1122 Tyshire Pkwy				NA		NA	NA	07/12/2011	
			From:							To:					
(1125) Tyshire Terrace	0.09	40	R			Cul-de-Sac				NA		NA	NA	07/12/2011	
			From:							To:					
(1126) Brick Kiln Rd	0.04	70	R			63-1110 Kentland Trail				NA		NA	NA	07/12/2011	
			From:							To:					
(1127) Red Brick Court	0.06	45	R			63-1127				NA		NA	NA	07/12/2011	
			From:							To:					
(1127) Red Brick Court	0.03	20	R			Cul-de-Sac				NA		NA	NA	07/12/2011	
			From:							To:					
(1128) Colonial Trail	0.04	60	R			63-1126				NA		NA	NA	07/21/2011	
			From:							To:					
(1129) Villa Green Dr	0.26	200	R			63-1110 Kentland Trail				NA		NA	NA	07/21/2011	
			From:							To:					
(1130) Virginia Park Dr	0.26	390	R			Cul-de-Sac				NA		NA	NA	07/08/2011	
			From:							To:					
(1131) Cross Club Court	0.05	70	R			Cul-de-Sac				NA		NA	NA	07/12/2011	
			From:							To:					

Virginia Department of Transportation  
Traffic Engineering Division

2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
New Kent Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>New Kent County</b>															
(1132) Virginia Rail Court	0.26	<b>NA</b>				Cul-de-Sac					NA		NA		
(1132) Virginia Rail Court	0.52	<b>130</b>	<b>R</b>			63-1139					NA		NA		07/12/2011
			To:			63-1110 Kentland Trail									
(1133) Wigeon Dr	0.22	<b>270</b>	<b>R</b>			63-1132					NA		NA		07/12/2011
			To:			Cul-de-Sac									
(1134) Wigeon Court	0.12	<b>130</b>	<b>R</b>			63-1133 Wigeon Dr					NA		NA		07/12/2011
			To:			Cul-de-Sac									
(1135) Gadwell Lane	0.07	<b>150</b>	<b>R</b>			63-1132 Virginia Rail Court					NA		NA		07/12/2011
			To:			63-1136									
(1136) Gadwell Court	0.04	<b>49</b>	<b>R</b>			Cul-de-Sac					NA		NA		07/12/2011
			To:			63-1135 Gadwell Lane									
(1136) Gadwell Court	0.08	<b>90</b>	<b>R</b>			Cul-de-Sac					NA		NA		07/12/2011
			To:			Cul-de-Sac									
(1137) Virginia Rail Court	0.04	<b>46</b>	<b>R</b>			63-1132 Virginia Rail Court					NA		NA		07/12/2011
			To:			Cul-de-Sac									
(1138) Virginia Rail Terrace	0.06	<b>50</b>	<b>R</b>			63-1132					NA		NA		07/12/2011
			To:			Cul-de-Sac									
(1139) Pine Warbler Dr	0.26	<b>120</b>	<b>R</b>			63-1110 Kentland Trail					NA		NA		07/12/2011
			To:			Cul-de-Sac									
(1140) Kingshire Dr	0.20	<b>90</b>	<b>R</b>			Cul-de-Sac					NA		NA		07/12/2011
			To:			63-1110 Kentland Trail									
(1141) Bishops Gate Way	0.08	<b>60</b>	<b>R</b>			63-1140 Kingshire Dr					NA		NA		07/21/2011
			To:			Cul-de-Sac									
(1142) Royal Burgess Court	0.05	<b>40</b>	<b>R</b>			63-1140 Kingshire Dr					NA		NA		07/21/2011
			To:			Cul-de-Sac									
(1143) Woburn Rd	0.17	<b>30</b>	<b>R</b>			63-1140 Kingshire Dr					NA		NA		07/21/2011
			To:			Cul-de-Sac									
(1144) Winding River Rd	0.32	<b>150</b>	<b>R</b>			Cul-de-Sac					NA		NA		07/21/2011
			To:			63-1143 Woburn Rd									
(1144) Winding River Rd	0.04	<b>40</b>	<b>R</b>			Cul-de-Sac					NA		NA		07/21/2011
			To:			Cul-de-Sac									
(1145) Southerness Way	0.04	<b>30</b>	<b>R</b>			Cul-de-Sac					NA		NA		07/21/2011
			To:			63-1144 Winding River Rd									
(1146) Banistry Court	0.02	<b>30</b>	<b>R</b>			Cul-de-Sac					NA		NA		07/21/2011
			To:			63-1144 Winding River Rd									
(1147) Kings Pond Dr	1.13	<b>370</b>	<b>R</b>			Cul-de-Sac					NA		NA		07/21/2011
			To:			63-1110 Kentland Trail									

Virginia Department of Transportation  
Traffic Engineering Division

2012

Annual Average Daily Traffic Volume Estimates By Section of Route  
New Kent Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>New Kent County</b>															
(1148) Kings Pond Court	0.05	30	R			Cul-de-Sac					NA		NA		07/21/2011
			From:							To:					
											63-1147 Kings Pond Dr				
(1149) Kings Pond Place	0.04	20	R			Cul-de-Sac					NA		NA		07/21/2011
			From:							To:					
											63-1147 Kings Pond Dr				
(1150)	0.31	220	R			Cul-de-Sac					NA		NA		02/11/2008
			From:							To:					
											Cul-de-Sac				
(1151)	0.16	NA									NA		NA		
			From:							To:					
											63-1152				
(1151)	0.07	70	R			Cul-de-Sac					NA		NA		02/11/2008
			From:							To:					
											63-1150				
(1152)	0.10	90	R			Cul-de-Sac					NA		NA		02/11/2008
			From:							To:					
											63-1151				
(1153)	0.21	NA				Cul-de-Sac					NA		NA		
			From:							To:					
											Cul-de-Sac				
(1160) Deer Hunt Dr	0.03	370	R			Cul-de-Sac					NA		NA		07/26/2011
			From:							To:					
											63-1161				
(1161) Deer Lake Dr	0.34	200	R			Cul-de-Sac					NA		NA		07/26/2011
			From:							To:					
											Cul-de-Sac				
(1162) Buck Hunt Lane	0.17	70	R			Cul-de-Sac					NA		NA		07/26/2011
			From:							To:					
											63-1161 Deer Lake Dr				
(1163) Big Buck Court	0.11	80	R			Cul-de-Sac					NA		NA		07/26/2011
			From:							To:					
											Cul-de-Sac				
(1201) Brook Rd	0.06	60	R			Dead End					NA		NA		07/06/2011
			From:							To:					
											63-1211 Fairway St				
(1201) Brook Rd	0.22	290	R			Cul-de-Sac					NA		NA		07/06/2011
			From:							To:					
											Cul-de-Sac				
(1201) Brook Rd	0.06	610	R			Cul-de-Sac					NA		NA		07/06/2011
			From:							To:					
											Cul-de-Sac				
(1201) Brook Rd	0.22	860	R			Cul-de-Sac					NA		NA		07/06/2011
			From:							To:					
											US 60 Pocahontas Trail				
(1202) Shoreline Rd	0.12	110	R			Cul-de-Sac					NA		NA		07/06/2011
			From:							To:					
											Cul-de-Sac				
(1202) Shoreline Rd	0.03	170	R			Cul-de-Sac					NA		NA		07/06/2011
			From:							To:					
											Cul-de-Sac				
(1202) Shoreline Rd	0.30	250	R			Cul-de-Sac					NA		NA		07/06/2011
			From:							To:					
											Cul-de-Sac				
(1202) Shoreline Rd	0.16	100	R			Cul-de-Sac					NA		NA		07/06/2011
			From:							To:					
											Cul-de-Sac				
(1203) Club Rd	0.23	410	R			Cul-de-Sac					NA		NA		07/06/2011
			From:							To:					
											Cul-de-Sac				
(1203) Club Rd	0.11	270	R			Cul-de-Sac					NA		NA		07/06/2011
			From:							To:					
											Cul-de-Sac				

Virginia Department of Transportation  
Traffic Engineering Division

2012

Annual Average Daily Traffic Volume Estimates By Section of Route  
New Kent Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>New Kent County</b>															
(1203) Club Rd	0.07	40	R			From: 63-1206								NA	07/06/2011
			To: 63-1202 Shoreline Rd												
(1204) Lake Circle Dr	0.07	46	R			From: 63-1202 Shoreline Rd								NA	07/06/2011
			To: Cul-de-Sac												
(1205) Cardinal Dr	0.08	40	R			From: Cul-de-Sac								NA	07/06/2011
			To: 63-1203 Club Rd												
(1206)	0.04	10	R			From: Cul-de-Sac								NA	07/06/2011
			To: 63-1203 Club Rd												
(1207) Brianwood Court	0.10	70	R			From: Dead End								NA	07/06/2011
			To: 63-1202 Shoreline Rd												
(1208) Longview Dr	0.17	1200	R			From: US 60 Pocohontas Trail								NA	03/03/2008
			To: 63-1209 S, Hairpin Dr												
(1208) Longview Dr	0.16	1100	R			From: 63-1209 S, Hairpin Dr								NA	06/29/2011
			To: 63-1209 N, Hairpin Dr												
(1208) Longview Dr	0.24	740	R			From: 63-1245 W, S Wooland Circle								NA	06/29/2011
			To: 63-1245 W, S Wooland Circle												
(1208) Longview Dr	0.06	600	R			From: 63-1245 E, S Wooland Circle								NA	03/03/2008
			To: 63-1245 E, S Wooland Circle												
(1208) Longview Dr	0.04	580	R			From: 63-1246 Cary Rd								NA	03/03/2008
			To: 63-665, N Hen Peck Rd												
(1208) Longview Dr	0.51	550	R			From: 63-1208 S, Longview Dr								NA	03/03/2008
			To: 63-665, N Hen Peck Rd												
(1209) Hairpin Dr	0.05	160	R			From: 63-1208 S, Longview Dr								NA	07/01/2011
			To: 63-1212 W, Ridge Rd												
(1209) Hairpin Dr	0.33	160	R			From: 63-1212 W, Ridge Rd								NA	07/01/2011
			To: 63-1212 E, Ridge Rd												
(1209) Hairpin Dr	0.38	310	R			From: 63-1208 N, Longview Dr								NA	07/01/2011
			To: 63-1208 N, Longview Dr												
(1209) Hairpin Dr	0.16	160	R			From: 63-1211 Fairway St								NA	07/01/2011
			To: 63-1211 Fairway St												
(1209) Hairpin Dr	0.06	110	R			From: 63-1210 E, Greenway Circle								NA	07/01/2011
			To: 63-1210 E, Greenway Circle												
(1209) Hairpin Dr	0.09	50	R			From: 63-1210 W, Greenway Circle								NA	07/01/2011
			To: 63-1210 W, Greenway Circle												
(1209) Hairpin Dr	0.05	40	R			From: Dead End								NA	07/01/2011
			To: Dead End												
(1210) Greenway Circle	0.20	60	R			From: 63-1209 S, Hairpin Dr								NA	07/01/2011
			To: 63-1209 N, Hairpin Dr												
(1211) Fairway St	0.13	210	R			From: 63-1201 Brook Rd								NA	07/01/2011
			To: 63-1209 Hairpin Dr												
(1212) Ridge Rd	0.32	70	R			From: 63-1209 W, Hairpin Dr								NA	07/01/2011
			To: 63-1209 E, Hairpin Dr												

Virginia Department of Transportation  
Traffic Engineering Division

2012  
Annual Average Daily Traffic Volume Estimates By Section of Route  
New Kent Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck	QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail				
<b>New Kent County</b>													
(1213) Forest Dr	0.14	310	R			US 60 Pocahontas Trail				NA	NA	NA	07/01/2011
(1213) Forest Dr	0.08	240	R			From: 63-1218 Redwood Court				NA	NA	NA	07/01/2011
(1213) Forest Dr	0.09	170	R			To: 63-1217 Locust Lane				NA	NA	NA	07/01/2011
(1213) Forest Dr	0.14	150	R			From: 63-1216 Willow Lane				NA	NA	NA	07/01/2011
(1213) Forest Dr	0.14	90	R			To: 63-1215 Chestnut Dr				NA	NA	NA	07/01/2011
(1214) Cedar Lane	0.03	90	R			From: Cul-de-Sac				NA	NA	NA	07/01/2011
(1214) Cedar Lane	0.10	90	R			To: 63-1215 Chestnut Dr				NA	NA	NA	07/01/2011
(1214) Cedar Lane						From: 63-1213 Forest Dr				NA	NA	NA	07/01/2011
(1215) Chestnut Dr	0.14	60	R			To: 63-1214 Cedar Lane				NA	NA	NA	07/01/2011
(1216) Willow Lane	0.07	49	R			From: Cul-de-Sac				NA	NA	NA	07/01/2011
(1216) Willow Lane						To: 63-1213 Forest Dr				NA	NA	NA	07/01/2011
(1217) Locust Lane	0.05	60	R			From: Cul-de-Sac				NA	NA	NA	07/01/2011
(1217) Locust Lane						To: 63-1213 Forest Dr				NA	NA	NA	07/01/2011
(1218) Redwood Court	0.05	50	R			From: Cul-de-Sac				NA	NA	NA	07/01/2011
(1218) Redwood Court						To: 63-1213 Forest Dr				NA	NA	NA	07/01/2011
(1220) Woodbrook Rd	0.25	260	R			From: 63-1223 Walnut Dr				NA	NA	NA	07/06/2011
(1220) Woodbrook Rd	0.12	230	R			To: 63-1222 Grayson Dr				NA	NA	NA	07/06/2011
(1220) Woodbrook Rd	0.08	470	R			From: 63-1221 Timber Dr				NA	NA	NA	07/06/2011
(1220) Woodbrook Rd						To: SR 249 New Kent Hwy				NA	NA	NA	07/06/2011
(1221) Timber Dr	0.23	150	R			From: 63-1223 Walnut Dr				NA	NA	NA	02/11/2008
(1221) Timber Dr						To: 0.23 MN 63-1223				NA	NA	NA	02/11/2008
(1221) Timber Dr	0.04	140	R			From: 63-1222 Grayson Dr				NA	NA	NA	07/21/2011
(1221) Timber Dr	0.21	160	R			To: 63-1220 Woodbrook Rd				NA	NA	NA	07/21/2011
(1222) Grayson Dr	0.08	30	R			From: 63-1221 Timber Dr				NA	NA	NA	07/21/2011
(1222) Grayson Dr						To: 63-1220 Woodbrook Rd				NA	NA	NA	07/21/2011
(1223) Walnut Dr	0.04	20	R			From: Dead End				NA	NA	NA	02/11/2008
(1223) Walnut Dr						To: 63-1221 Timber Dr				NA	NA	NA	02/11/2008
(1223) Walnut Dr	0.07	80	R			From: 63-1220 Woodbrook Rd				NA	NA	NA	02/11/2008
(1223) Walnut Dr						To: 63-1224 Walnut Dr				NA	NA	NA	02/11/2008
(1223) Walnut Dr	0.03	20	R			From: Dead End				NA	NA	NA	02/11/2008

Virginia Department of Transportation  
Traffic Engineering Division

2012

Annual Average Daily Traffic Volume Estimates By Section of Route  
New Kent Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>New Kent County</b>															
(1224) Walnut Dr	0.05	20	R			From: 63-1223 Walnut Dr					NA		NA	02/11/2008	
			To: Cul-de-Sac												
(1225) Hilton Dr	0.16	230	R			From: Cul-de-Sac					NA		NA	07/01/2011	
			To: 63-1208 Longview Dr												
(1226) Fairway Ridge Dr	0.10	140	R			From: 63-1225 Hilton Dr					NA		NA	07/01/2011	
			To: Cul-de-Sac												
(1227) Eagle Point Dr	0.12	80	R			From: 63-1226 Fairway Ridge Dr					NA		NA	07/01/2011	
			To: Cul-de-Sac												
(1230) Blackcreek Rd	0.16	40	R			From: Cul-de-Sac					NA		NA	02/11/2008	
			To: 63-675 Arrowhead Rd												
(1230) Blackcreek Rd	0.28	160	R			From: 63-675 Arrowhead Rd					NA		NA	02/11/2008	
			To: 63-613 Dispatch Rd												
(1232) Magnolia Woods Rd	0.30	600	R			From: US 60 Pocohontas Trail					NA		NA	07/06/2011	
			To: Dead End												
(1233) Magnolia Woods Court	0.08	60	R			From: Cul-de-Sac					NA		NA	07/06/2011	
			To: 63-1232 Magnolia Woods Rd												
(1234) Magnolia Woods Place	0.12	80	R			From: 63-1232 Magnolia Woods Rd					NA		NA	07/06/2011	
			To: Cul-de-Sac												
(1235) Magnolia Woods Terrace	0.04	49	R			From: Cul-de-Sac					NA		NA	07/06/2011	
			To: 63-1232 Magnolia Woods Rd												
(1236) Hollywoods Court	0.17	210	R			From: 63-1232 Magnolia Woods Rd					NA		NA	07/06/2011	
			To: Dead End												
(1237) Poplar Wood Court	0.16	100	R			From: 63-1236 Hollywoods Court					NA		NA	07/06/2011	
			To: Cul-de-Sac												
(1240) Pinehurst Dr	0.07	500	R			From: 63-1208 Longview Dr					NA		NA	03/03/2008	
			To: 63-1241 Teakwood Court												
(1240) Pinehurst Dr	0.09	480	R			From: 63-1241 Teakwood Court					NA		NA	03/03/2008	
			To: 63-1242 S. Horseshoe Dr												
(1240) Pinehurst Dr	0.05	270	R			From: 63-1242 S. Horseshoe Dr					NA		NA	03/03/2008	
			To: 63-1242 N. Horseshoe Dr												
(1240) Pinehurst Dr	0.45	190	R			From: 63-1242 N. Horseshoe Dr					NA		NA	03/03/2008	
			To: 63-1244 E. Pointe Dr												
(1241) Teakwood Court	0.06	40	R			From: 63-1240 Pinehurst Dr					NA		NA	03/03/2008	
			To: Cul-de-Sac												
(1242) Horseshoe Dr	0.11	280	R			From: 63-1240 S. Pinehurst Dr					NA		NA	03/03/2008	
			To: 63-1243 Horseshoe Dr												
(1242) Horseshoe Dr	0.44	100	R			From: 63-1243 Horseshoe Dr					NA		NA	03/03/2008	
			To: 63-1240 N. Pinehurst Dr												
(1243) Horseshoe Dr	0.07	50	R			From: 63-1242 Horseshoe Dr					NA		NA	03/03/2008	
			To: Cul-de-Sac												

Virginia Department of Transportation  
Traffic Engineering Division

2012

Annual Average Daily Traffic Volume Estimates By Section of Route  
New Kent Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>New Kent County</b>															
(1244) Pointe Dr	0.18	90	R			From: 63-1240 W, Pinehurst Dr				NA		NA	NA	03/03/2008	
			To: Cul-de-Sac												
(1245) S Wooland Circle	0.69	210	R			From: 63-1208 W, Longview Dr				NA		NA	NA	03/03/2008	
			To: 63-1208 E,												
(1246) Cary Rd	0.18	70	R			From: Cul-de-Sac				NA		NA	NA	03/03/2008	
			To: 63-1208 Longview Dr												
(1250) Black Rail Court	0.15	110	R			From: Cul-de-Sac				NA		NA	NA	07/21/2011	
			To: 63-1147 Kings Pond Dr												
(1251) King Bird Court	0.06	40	R			From: Cul-de-Sac				NA		NA	NA	07/21/2011	
			To: 63-1147 Kings Pond Dr												
(1252) House Finch Court	0.04	20	R			From: 63-1147 Kings Pond Dr				NA		NA	NA	07/21/2011	
			To: Cul-de-Sac												
(1253) Sedge Wren Court	0.03	10	R			From: Cul-de-Sac				NA		NA	NA	07/21/2011	
			To: 63-1147 Kings Pond Dr												
(1253) Sedge Wren Court	0.13	60	R			From: Cul-de-Sac				NA		NA	NA	07/21/2011	
			To: Cul-de-Sac												
(1254) Red Cross Bill Way	0.08	80	R			From: Cul-de-Sac				NA		NA	NA	07/21/2011	
			To: 63-1253 Sedge Wren Court												
(1254) Red Cross Bill Way	0.20	30	R			From: Cul-de-Sac				NA		NA	NA	07/21/2011	
			To: Cul-de-Sac												
(1255) Rock Wren Dr	0.11	120	R			From: Cul-de-Sac				NA		NA	NA	07/21/2011	
			To: 63-1147 Kings Pond Dr												
(1256) Rock Wren Court	0.20	60	R			From: Cul-de-Sac				NA		NA	NA	07/21/2011	
			To: 63-1255 Rock Wren Dr												
(1257) Harlequin Court	0.05	30	R			From: Cul-de-Sac				NA		NA	NA	07/24/2011	
			To: 63-1147 Kings Pond Dr												
(1258)	0.41	NA				From: 63-1260				NA		NA			
			To: Cul-de-Sac												
(1259)	0.35	NA				From: 63-1258				NA		NA			
			To: 63-1109												
(1260)	0.52	NA				From: Cul-de-Sac				NA		NA			
			To: 63-1109												
(1261)	0.06	NA				From: Cul-de-Sac				NA		NA			
			To: 63-1260												
(1262)	0.07	NA				From: Cul-de-Sac				NA		NA			
			To: 63-1260												
(1263)	0.11	NA				From: 63-1260				NA		NA			
			To: 63-1264												

Virginia Department of Transportation  
Traffic Engineering Division

2012

Annual Average Daily Traffic Volume Estimates By Section of Route  
New Kent Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck	QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail				
<b>New Kent County</b>													
(1264)	0.34	NA				From: Cul-de-Sac				NA		NA	
			To:			63-1110							
(1265)	0.11	NA				From: Cul-de-Sac				NA		NA	
			To:			63-1264							
(1266)	0.03	NA				From: 63-1109				NA		NA	
			To:			Cul-de-Sac							
(1267)	0.20	NA				From: Cul-de-Sac				NA		NA	
			To:			63-1109							
(1267)	0.08	NA				From: Cul-de-Sac				NA		NA	
			To:			Cul-de-Sac							
(1268)	0.23	NA				From: Cul-de-Sac				NA		NA	
			To:			63-1269							
(1269)	0.09	NA				From: Cul-de-Sac				NA		NA	
			To:			63-1268							
(1269)	0.03	NA				From: Cul-de-Sac				NA		NA	
			To:			Cul-de-Sac							
(1270)	0.04	NA				From: 63-1109				NA		NA	
			To:			Cul-de-Sac							
(1271)	0.08	NA				From: 63-1109				NA		NA	
			To:			Cul-de-Sac							
(1272)	0.06	NA				From: Cul-de-Sac				NA		NA	
			To:			63-1132							
(1301) Monroe Dr	0.09	250	R			From: 63-609 Talleyville Rd				NA		07/08/2011	
			To:			63-1302 Old Quarter							
(1302) Old Quarter	0.29	120	R			From: Dead End				NA		07/08/2011	
			To:			63-1301 Monroe Dr							
(1302) Old Quarter	0.19	130	R			From: 63-1301 Monroe Dr				NA		07/08/2011	
			To:			Dead End							
(1305) Wensley Dr	0.25	80	R			From: 63-1310 Pontefract Dr				NA		07/08/2011	
			To:			63-1308 Sedbergh Dr							
(1305) Wensley Dr	0.13	180	R			From: 63-1308 Sedbergh Dr				NA		07/08/2011	
			To:			63-1307 Shrewsbury Dr							
(1305) Wensley Dr	0.10	430	R			From: 63-1307 Shrewsbury Dr				NA		07/08/2011	
			To:			63-612 Tunstall Rd							
(1306) Hingham Dr	0.10	270	R			From: 63-612 Tunstall Rd				NA		07/08/2011	
			To:			63-1307 Shrewsbury Dr							
(1306) Hingham Dr	0.19	190	R			From: 63-1307 Shrewsbury Dr				NA		07/08/2011	
			To:			63-1309 Buckden Dr							
(1306) Hingham Dr	0.23	140	R			From: 63-1309 Buckden Dr				NA		03/03/2008	
			To:			Cul-de-Sac							

Virginia Department of Transportation  
Traffic Engineering Division

2012

Annual Average Daily Traffic Volume Estimates By Section of Route  
New Kent Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>New Kent County</b>																
(1307) Shrewsbury Dr	0.05	10	R			From:	Dead End				NA		NA	07/08/2011		
(1307) Shrewsbury Dr	0.12	190	R			To:	63-1305 Wensley Dr				NA		NA	07/08/2011		
(1307) Shrewsbury Dr	0.19	60	R			To:	63-1310 Pontefract Dr				NA		NA	07/08/2011		
(1307) Shrewsbury Dr	0.06	20	R			To:	63-1306 Hingham Dr				NA		NA	07/08/2011		
(1308) Sedbergh Dr	0.17	50	R			From:	63-1305 Wensley Dr				NA		NA	07/08/2011		
(1309) Buckden Dr	0.06	30	R			To:	63-1310 Pontefract Dr				NA		NA	07/08/2011		
(1310) Pontefract Dr	0.09	60	R			From:	63-1306 Hingham Dr				NA		NA	07/08/2011		
(1310) Pontefract Dr	0.21	60	R			To:	Dead End				NA		NA	04/04/2005		
(1315)	0.61	NA				From:	63-00605(B)/				NA		NA			
(1316)	0.05	NA				To:	Cul-de-Sac( TURN-A-AROUND )				NA		NA			
(1330) Quinton Est	0.10	530	R			From:	63-01315(B)/				NA		NA	04/04/2005		
(1330) Quinton Est	0.30	400	R			To:	Dead End/				NA		NA	04/04/2005		
(1331) Eddie Lane	0.11	60	R			From:	63-612 Airport Rd				NA		NA	02/07/2008		
(1331) Eddie Lane	0.09	80	R			To:	63-1331 Eddie Lane				NA		NA	07/28/2011		
(1332) Quinton Court	0.10	90	R			From:	Cul-de-Sac				NA		NA	02/07/2008		
(1333) Quinton Place	0.05	100	R			To:	63-1330 Quinton Estates Dr				NA		NA	02/07/2008		
(1334) Quinton Place	0.15	80	R			From:	Cul-de-Sac				NA		NA	02/07/2008		
(1335) Plaster Lane	0.06	30	R			To:	63-1330 Quinton Estates Dr				NA		NA	02/07/2008		
(1335) Plaster Lane	0.20	60	R			From:	Cul-de-Sac				NA		NA	02/07/2008		
(1335) Plaster Lane	0.08	40	R			To:	63-1330 Quinton Estates Dr				NA		NA	02/07/2008		
(1336) Trina Court	0.03	30	R			From:	63-1334 Quinton Place				NA		NA	02/07/2008		
						To:	Cul-de-Sac				NA		NA			

Virginia Department of Transportation  
Traffic Engineering Division

2012

Annual Average Daily Traffic Volume Estimates By Section of Route  
New Kent Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>New Kent County</b>															
(1340) Lock Lane	0.46	90	R			Cul-de-Sac					NA		NA		07/08/2011
			From:							To:					
(1392) Kendrick Dr	0.23	60	R			Hanover County Line					NA		NA		02/11/2008
			From:							To:					
(1400) Moores Lane	0.27	140	R			63-621 S, Roper Church Rd					NA		NA		02/25/2008
			From:							To:					
(9278)	0.10	230	R			SR 249 New Kent Hwy					NA		NA		09/16/2011
			From:							To:					
(9278)	0.01	220	R			0.10 MS SR 249					NA		NA		09/16/2011
			From:							To:					
(9278)	0.03	210	R			0.11 MS SR 249					NA		NA		09/16/2011
			From:							To:					
(9279)	0.05	970	R			SR 249 New Kent Hwy					NA		NA		02/25/2008
			From:							To:					
(9279)	0.09	890	R			0.05 MS SR 249					NA		NA		02/25/2008
			From:							To:					
(9288)	0.09	410	R			SR 249 New Kent Hwy					NA		NA		09/16/2011
			From:							To:					
(9289)	0.22	1700	R			63-605 Egypt Rd					NA		NA		09/16/2011
			From:							To:					