

2012

**Virginia Department of Transportation
Daily Traffic Volume Estimates
Including Vehicle Classification Estimates**

where available

Jurisdiction Report

75

City of Virginia Beach

Prepared By

**Virginia Department of Transportation
Traffic Engineering Division**

In Cooperation With

**U.S. Department of Transportation
Federal Highway Administration**

Virginia Department of Transportation
Traffic Engineering Division
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is “R”, the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems

 Interstate Route Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.

 US Route

 Virginia State Route

 Frontage Road (F precedes frontage route number)

 Secondary Route

Special Routes

 Bus - Business Route
 Bypas - Bypass Route
 Truck - Truck Route
 ALT - Alternate Route
 Wye - Wye Route connector

 P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.

 The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Princess Anne Maintenance Area

| Route | Jurisdiction | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | |
|-------------------------|------------------------------------|--------|--|----|-------|-----|-------|--------|--------|--------|----|----------|----|------------|-------|-------|---|
| | | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| 13 Military Hwy | City of Virginia Beach | 0.67 | 27000 | F | 98% | 0% | 1% | 0% | 1% | 0% | C | 0.109 | F | 0.611 | 29000 | F | |
| 13 Military Hwy | City of Virginia Beach | 1.02 | 45000 | F | 98% | 0% | 1% | 0% | 0% | 0% | F | 0.112 | F | 0.609 | 49000 | F | |
| 13 166 Northampton Blvd | City of Virginia Beach | 0.95 | 61000 | F | 97% | 0% | 1% | 0% | 2% | 0% | F | 0.073 | F | 0.539 | 64000 | F | |
| 13 Northampton Blvd | City of Virginia Beach | 2.14 | 37000 | A | 97% | 0% | 1% | 0% | 2% | 0% | C | 0.095 | A | 0.603 | 38000 | A | |
| 13 Northampton Blvd | City of Virginia Beach | 1.19 | 24000 | F | 97% | 0% | 1% | 0% | 2% | 0% | F | 0.076 | F | 0.582 | 25000 | F | |
| 13 Northampton Blvd | City of Virginia Beach | 0.78 | 10000 | F | 97% | 0% | 1% | 0% | 2% | 0% | F | 0.078 | F | 0.511 | 11000 | F | |
| 13 464 Ramp | City of Virginia Beach (Maint: 64) | 0.20 | See I-464 for directional traffic volume estimates for this segment. | | | | | | | | | | | | | | |
| 58 Virginia Beach Blvd | City of Virginia Beach | 1.33 | 41000 | F | 98% | 1% | 1% | 0% | 0% | 0% | C | 0.095 | F | 0.586 | 38000 | F | |
| 58 Virginia Beach Blvd | City of Virginia Beach | 1.11 | 42000 | G | 98% | 1% | 1% | 0% | 0% | 0% | F | 0.104 | F | 0.553 | 39000 | G | |
| 58 Virginia Beach Blvd | City of Virginia Beach | 2.18 | 48000 | F | 98% | 1% | 1% | 0% | 0% | 0% | F | 0.096 | F | 0.599 | 44000 | F | |
| 58 Virginia Beach Blvd | City of Virginia Beach | 0.41 | 50000 | G | 98% | 1% | 1% | 0% | 0% | 0% | F | NA | | | | 48000 | G |
| 58 Virginia Beach Blvd | City of Virginia Beach | 1.37 | 40000 | F | 98% | 1% | 1% | 0% | 0% | 0% | C | 0.095 | F | 0.56 | 37000 | F | |
| 58 Virginia Beach Blvd | City of Virginia Beach | 1.06 | 42000 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.086 | F | 0.572 | 38000 | F | |
| 58 Virginia Beach Blvd | City of Virginia Beach | 0.14 | 31000 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.085 | F | 0.572 | 29000 | F | |
| 58 Laskin Rd | City of Virginia Beach | 1.47 | 29000 | A | 99% | 0% | 0% | 0% | 0% | 0% | C | 0.098 | A | 0.585 | 30000 | A | |
| 58 Laskin Rd | City of Virginia Beach | 1.53 | 29000 | F | 99% | 0% | 0% | 0% | 0% | 0% | C | 0.08 | F | 0.524 | 29000 | F | |
| 58 Laskin Rd | City of Virginia Beach | 0.97 | 27000 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.076 | F | 0.533 | 27000 | F | |

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Princess Anne Maintenance Area

| Route | Jurisdiction | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | |
|----------------------------|------------------------------------|--|------|--------------|----------|-----|-------|--------|--------|--------|-------|----------|-------|------------|-------|-------|---|
| | | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| West 58 Ramp | City of Virginia Beach (Maint: 75) | From: C7US 58-W000A TO ROUTE 58 BUS VA BEACH | 0.22 | 16000 | F | | | | | | 0.082 | F | 16000 | F | | | |
| | | To: I-264-W FROM ROUTE 58 & 58 BUS VA BEACH | | | | | | | | | | | | | | | |
| Bus 58 Virginia Beach Blvd | City of Virginia Beach | From: US 58 Laskin Rd | 1.40 | 29000 | F | 98% | 1% | 1% | 0% | 0% | 0% | F | 0.075 | F | 0.575 | 30000 | F |
| | | To: First Colonial Rd | | | | | | | | | | | | | | | |
| Bus 58 Virginia Beach Blvd | City of Virginia Beach | From: Oceana Blvd | 0.44 | 18000 | F | 98% | 1% | 1% | 0% | 0% | 0% | F | 0.077 | F | 0.562 | 16000 | F |
| | | To: Birdneck Rd | | | | | | | | | | | | | | | |
| Bus 58 Virginia Beach Blvd | City of Virginia Beach | From: Atlantic Ave | 0.96 | 12000 | F | 98% | 1% | 1% | 0% | 0% | 0% | C | 0.079 | F | 0.503 | 11000 | F |
| | | To: Birdneck Rd | | | | | | | | | | | | | | | |
| Bus 58 Ramp | City of Virginia Beach (Maint: 75) | From: C7US 58 TO ROUTE 264 WEST | 0.09 | NA | | | | | | | | NA | | NA | | | |
| | | To: US 58-W503A TO ROUTE 58 BUS VA BEACH BL | | | | | | | | | | | | | | | |
| 60 Shore Dr | City of Virginia Beach | From: ECL Norfolk | 0.22 | 31000 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.092 | F | 0.544 | 33000 | F |
| | | To: SR 166 Diamond Springs Rd | | | | | | | | | | | | | | | |
| 60 Shore Dr | City of Virginia Beach | From: SR 225 Independence Blvd | 1.81 | 25000 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.089 | F | 0.518 | 27000 | F |
| | | To: SR 225 Independence Blvd | | | | | | | | | | | | | | | |
| 60 Shore Dr | City of Virginia Beach | From: US 13 Northampton Blvd | 1.05 | 17000 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.088 | F | 0.599 | 18000 | F |
| | | To: US 13 Northampton Blvd | | | | | | | | | | | | | | | |
| 60 Shore Dr | City of Virginia Beach | From: Bay Lake Rd | 0.66 | 36000 | A | 99% | 0% | 0% | 0% | 0% | 0% | C | 0.102 | A | 0.607 | 38000 | A |
| | | To: SR 279 Great Neck Rd | | | | | | | | | | | | | | | |
| 60 Shore Dr | City of Virginia Beach | From: SR 279 Great Neck Rd | 1.18 | 14000 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.083 | F | 0.514 | 14000 | F |
| | | To: Seashore State Park Entrance | | | | | | | | | | | | | | | |
| 60 Shore Dr | City of Virginia Beach | From: Atlantic Ave | 3.58 | 10000 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.087 | F | 0.531 | 11000 | F |
| | | To: Atlantic Ave | | | | | | | | | | | | | | | |
| 60 Atlantic Ave | City of Virginia Beach | From: 83rd St | 2.07 | 13000 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.081 | F | 0.527 | 14000 | F |
| | | To: 50th St | | | | | | | | | | | | | | | |
| 60 Atlantic Ave | City of Virginia Beach | From: Pacific Ave | 0.59 | 17000 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.078 | F | 0.534 | 18000 | F |
| | | To: Atlantic Ave | | | | | | | | | | | | | | | |
| 60 Pacific Ave | City of Virginia Beach | From: US 58 Laskin Rd | 0.73 | 20000 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.078 | F | 0.556 | 21000 | F |
| | | To: US 58 Laskin Rd | | | | | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Princess Anne Maintenance Area

| Route | Jurisdiction | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW |
|----------------------|---|--------|--------|----|-------|-----|-------|--------|--------|--------|-------|----------|----|------------|--------|----|
| | | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | |
| 60 Pacific Ave | City of Virginia Beach | 0.65 | 15000 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.075 | F | 0.554 | 16000 | F |
| 60 Pacific Ave | City of Virginia Beach | 0.07 | 18000 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.076 | F | 0.637 | 18000 | F |
| 60 Pacific Ave | City of Virginia Beach | 0.27 | 16000 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.072 | F | 0.5 | 17000 | F |
| 60 Atlantic Ave | City of Virginia Beach | 1.15 | 6900 | F | 99% | 0% | 1% | 0% | 0% | 0% | F | 0.085 | F | 0.52 | 7300 | F |
| 64 East | From: ECL Norfolk | | | | | | | | | | | | | | 74000 | A |
| 64 East | City of Virginia Beach (Maint: 64) | 1.35 | 68000 | A | 97% | 0% | 1% | 1% | 2% | 0% | C | 0.111 | A | | | |
| 64 East | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | 136000 | A | 97% | 0% | 1% | 1% | 2% | 0% | C | NA | | | 147000 | A |
| 64 East | From: Indian River Rd | | | | | | | | | | | | | | 68000 | F |
| 64 East | City of Virginia Beach (Maint: 64) | 1.57 | 63000 | F | 97% | 0% | 1% | 1% | 2% | 0% | F | NA | | | 132000 | G |
| 64 East | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | 122000 | G | 97% | 0% | 0% | 1% | 2% | 0% | F | NA | | | | |
| 64 East | To: ECL Chesapeake | | | | | | | | | | | | | | | |
| 64 East | From: I-64-E TO RT 407 | | | | | | | | | | | | | | | |
| 64 East | City of Virginia Beach (Maint: 64) | 0.21 | 7300 | F | | | | | | | 0.109 | F | | | 7300 | F |
| 64 East | To: SR 407 FROM I-64 EAST | | | | | | | | | | | | | | | |
| 64 East | From: I-64-E TO RT 407 EAST | | | | | | | | | | | | | | | |
| 64 East | City of Virginia Beach (Maint: 64) | 0.20 | 17000 | F | | | | | | | 0.106 | F | | | 17000 | F |
| 64 East | To: SR 407 SR 407-W004A FROM & TO I-64 | | | | | | | | | | | | | | | |
| 64 West | From: ECL Norfolk | | | | | | | | | | | | | | 72000 | A |
| 64 West | City of Virginia Beach (Maint: 64) | 1.75 | 67000 | A | 97% | 0% | 1% | 1% | 1% | 0% | C | 0.101 | A | | | |
| 64 West | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | 136000 | A | 97% | 0% | 1% | 1% | 2% | 0% | C | NA | | | 147000 | A |
| 64 West | From: Indian River Rd | | | | | | | | | | | | | | | |
| 64 West | City of Virginia Beach (Maint: 64) | 1.17 | 59000 | G | 97% | 0% | 0% | 1% | 1% | 0% | C | 0.097 | A | | 64000 | G |
| 64 West | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | 122000 | G | 97% | 0% | 0% | 1% | 2% | 0% | F | NA | | | 132000 | G |
| 64 West | To: ECL Chesapeake | | | | | | | | | | | | | | | |
| 64 West | From: I-64-W TO RT 407 EAST | | | | | | | | | | 0.129 | F | | | 6400 | F |
| 64 West | City of Virginia Beach (Maint: 64) | 0.22 | 6400 | F | | | | | | | | | | | | |
| 64 West | To: SR 407 FROM I-64 WEST | | | | | | | | | | | | | | | |
| 64 West | From: I-64-W TO RT 407 EAST | | | | | | | | | | | | | | | |
| 64 West | City of Virginia Beach (Maint: 64) | 0.20 | 11000 | F | | | | | | | 0.109 | F | | | 11000 | F |
| 64 West | To: SR 407 FROM I-64 WEST | | | | | | | | | | | | | | | |
| 149 Princess Anne Rd | From: SR 165; N Landing Rd | | | | | | | | | | | | | | | |
| 149 Princess Anne Rd | City of Virginia Beach | 1.92 | 24000 | F | 98% | 0% | 1% | 1% | 0% | 0% | C | 0.078 | F | 0.509 | 26000 | F |
| 149 Princess Anne Rd | To: Princess Anne Rd | | | | | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Princess Anne Maintenance Area

| Route | Jurisdiction | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | | |
|-------|---------------------|------------------------------|---------------------------|------|-------|-----|-------|--------|--------|--------|----|----------|----|------------|-------|-------|-------|---|
| | | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | | |
| 165 | North Landing Rd | From: City of Virginia Beach | ECL Chesapeake | 1.49 | 11000 | F | 99% | 0% | 1% | 0% | 0% | 0% | F | 0.116 | F | 0.593 | 11000 | F |
| 165 | North Landing Rd | To: City of Virginia Beach | 134-8667 Salem Rd | 2.64 | 12000 | F | 99% | 0% | 1% | 0% | 0% | 0% | C | 0.103 | F | 0.632 | 13000 | F |
| 165 | Princess Anne Rd | From: City of Virginia Beach | North Landing Rd | 2.68 | 25000 | F | 99% | 0% | 1% | 0% | 0% | 0% | F | 0.078 | F | 0.589 | 26000 | F |
| 165 | Princess Anne Rd | To: City of Virginia Beach | Dam Neck Rd | 1.46 | 43000 | G | 99% | 0% | 0% | 0% | 0% | 0% | F | NA | | | 46000 | G |
| 165 | Princess Anne Rd | From: City of Virginia Beach | Independence Blvd South | 0.48 | 42000 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.081 | F | 0.569 | 45000 | F |
| 165 | Princess Anne Rd | To: City of Virginia Beach | Independence Blvd Blvd | 0.40 | 44000 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.084 | F | 0.56 | 47000 | F |
| 165 | Princess Anne Rd | From: City of Virginia Beach | Lynnhaven Pkwy | 0.69 | 35000 | F | 99% | 0% | 0% | 0% | 0% | 0% | C | 0.092 | F | 0.599 | 38000 | F |
| 165 | Princess Anne Rd | To: City of Virginia Beach | Ferrell Pkwy | 1.07 | 26000 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.092 | F | 0.606 | 28000 | F |
| 165 | Princess Anne Rd | From: City of Virginia Beach | 134-8640 Providence Rd | 1.19 | 32000 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.095 | F | 0.634 | 34000 | F |
| 165 | Princess Anne Rd | To: City of Virginia Beach | 134-7837 Edwin Dr | 1.62 | 23000 | F | 99% | 0% | 0% | 0% | 0% | 0% | C | 0.093 | F | 0.661 | 25000 | F |
| 165 | Princess Anne Rd | From: City of Virginia Beach | SR 190 Kempsville Rd | 0.31 | 29000 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.106 | F | 0.580 | 31000 | F |
| 165 | Princess Anne Rd | To: City of Virginia Beach | 134-8730 Cheyenne Rd | | | | | | | | | | | | | | | |
| 165 | Princess Anne Rd | From: City of Virginia Beach | ECL Norfolk; Newtown Rd | | | | | | | | | | | | | | | |
| 166 | 13 Northampton Blvd | From: City of Virginia Beach | CL Virginia Beach | 0.95 | 61000 | F | 97% | 0% | 1% | 0% | 2% | 0% | F | 0.073 | F | 0.539 | 64000 | F |
| 166 | Diamond Springs Rd | To: City of Virginia Beach | US 13: Diamond Springs Rd | 1.32 | 27000 | F | 97% | 0% | 1% | 1% | 1% | 0% | C | 0.082 | F | 0.612 | 29000 | F |
| 190 | Kempsville Rd | From: City of Virginia Beach | US 13 Northampton Blvd | | | | | | | | | | | | | | | |
| 190 | Kempsville Rd | To: City of Virginia Beach | US 60 Shore Dr | | | | | | | | | | | | | | | |
| 190 | Kempsville Rd | From: City of Virginia Beach | ECL Chesapeake | 1.00 | 30000 | F | 98% | 0% | 1% | 0% | 0% | 0% | F | 0.102 | F | 0.518 | 32000 | F |
| 190 | Kempsville Rd | To: City of Virginia Beach | Centerville Tpke | 1.52 | 34000 | F | 98% | 0% | 1% | 0% | 0% | 0% | C | 0.085 | F | 0.538 | 36000 | F |
| 190 | Kempsville Rd | From: City of Virginia Beach | Indian River Rd | 1.29 | 28000 | F | 98% | 0% | 1% | 0% | 0% | 0% | F | 0.086 | F | 0.587 | 30000 | F |
| 190 | Kempsville Rd | To: City of Virginia Beach | Providence Rd | 0.98 | 30000 | F | 98% | 0% | 1% | 0% | 0% | 0% | C | 0.080 | F | 0.511 | 32000 | F |
| 190 | Kempsville Rd | From: City of Virginia Beach | SR 165 Princess Anne Rd | | | | | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Princess Anne Maintenance Area

| Route | Jurisdiction | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW |
|-----------------------|------------------------------------|--------|-------|----|-------|-----|-------|--------|--------|--------|----|----------|----|------------|-------|----|
| | | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | |
| 190 Witchduck Rd | City of Virginia Beach | 0.72 | 25000 | F | 98% | 1% | 1% | 0% | 1% | 0% | F | 0.072 | F | 0.549 | 27000 | F |
| 190 Witchduck Rd | City of Virginia Beach | 0.60 | 31000 | F | 98% | 1% | 1% | 0% | 1% | 0% | C | 0.079 | F | 0.531 | 33000 | F |
| 190 Witchduck Rd | City of Virginia Beach | 1.29 | 17000 | F | 98% | 1% | 1% | 0% | 0% | 0% | F | 0.086 | F | 0.554 | 18000 | F |
| 190 Pembroke Blvd | City of Virginia Beach | 0.71 | 9900 | F | 98% | 1% | 1% | 0% | 0% | 0% | C | 0.082 | F | 0.512 | 11000 | F |
| 190 Ramp | City of Virginia Beach (Maint: 75) | 0.21 | 6500 | F | | | | | | | | 0.090 | F | | 6500 | F |
| 190 Ramp | City of Virginia Beach (Maint: 75) | 0.21 | 13000 | F | | | | | | | | 0.086 | F | | 13000 | F |
| North 190 Ramp | City of Virginia Beach (Maint: 75) | 0.03 | NA | | | | | | | | | NA | | NA | | NA |
| South 190 Ramp | City of Virginia Beach (Maint: 75) | 0.04 | NA | | | | | | | | | NA | | NA | | NA |
| 225 Independence Blvd | City of Virginia Beach | 0.07 | 71000 | N | 99% | 0% | 0% | 0% | 0% | 0% | N | 0.085 | N | 0.58 | 75000 | N |
| 225 Independence Blvd | City of Virginia Beach | 0.73 | 71000 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.085 | F | 0.58 | 75000 | F |
| 225 Independence Blvd | City of Virginia Beach | 1.35 | 50000 | B | 99% | 0% | 0% | 0% | 0% | 0% | C | 0.097 | A | 0.535 | 53000 | B |
| 225 Independence Blvd | City of Virginia Beach | 0.91 | 47000 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.087 | F | 0.531 | 51000 | F |
| 225 Independence Blvd | City of Virginia Beach | 1.81 | 41000 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.088 | F | 0.555 | 44000 | F |
| 225 Independence Blvd | City of Virginia Beach | 0.53 | 23000 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.096 | F | 0.539 | 25000 | F |
| North 225 Ramp | City of Virginia Beach (Maint: 75) | 0.25 | 5500 | F | | | | | | | | 0.101 | F | | 5500 | F |
| North 225 Ramp | City of Virginia Beach (Maint: 75) | 0.19 | 16000 | F | | | | | | | | 0.095 | F | | 16000 | F |

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Princess Anne Maintenance Area

| Route | Jurisdiction | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW |
|---------------------------------------|------------------------------------|---|--------|----|-------|-----|-------|--------|--------|--------|-------|----------|----|------------|-------|----|
| | | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | |
| South 225 Ramp | City of Virginia Beach (Maint: 75) | From: 0.17 To: SR 225 TO RT 264 | 7800 | F | | | | | | | 0.076 | F | | 7800 | F | |
| South 225 Ramp | City of Virginia Beach (Maint: 75) | From: 0.24 To: I-264-E FROM RT 225 | 15000 | F | | | | | | | 0.072 | F | | 15000 | F | |
| East 264 Virginia Beach Norfolk Expwy | City of Norfolk (Maint: 75) | From: 0.74 To: I-64 Hampton Roads Beltway | 89000 | N | 98% | 0% | 1% | 1% | 1% | 0% | N | NA | | 95000 | N | |
| | | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 182000 | N | 98% | 0% | 1% | 1% | 1% | 0% | N | NA | | 195000 | N | |
| East 264 Virginia Beach Norfolk Expwy | City of Virginia Beach (Maint: 75) | From: 1.40 To: WCL Virginia Beach | 89000 | G | 98% | 0% | 1% | 1% | 1% | 0% | F | NA | | 95000 | G | |
| | | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 182000 | G | 98% | 0% | 1% | 1% | 1% | 0% | F | NA | | 195000 | G | |
| East 264 Virginia Beach Norfolk Expwy | City of Virginia Beach (Maint: 75) | From: 1.28 To: ECL Norfolk | 92000 | F | 98% | 0% | 1% | 1% | 1% | 0% | F | NA | | 99000 | F | |
| | | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 185000 | F | 98% | 0% | 1% | 1% | 1% | 0% | F | NA | | 199000 | F | |
| East 264 Virginia Beach Norfolk Expwy | City of Virginia Beach (Maint: 75) | From: 2.34 To: SR 190 Witchduck Rd | 92000 | F | 98% | 0% | 1% | 1% | 1% | 0% | F | 0.099 | A | 81000 | G | |
| | | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 185000 | F | 98% | 0% | 1% | 1% | 1% | 0% | F | 0.086 | A | 155000 | G | |
| East 264 Virginia Beach Norfolk Expwy | City of Virginia Beach (Maint: 75) | From: 2.34 To: SR 225 Independence Blvd | 75000 | G | 96% | 0% | 1% | 1% | 2% | 0% | F | NA | | 65000 | G | |
| | | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 145000 | G | 97% | 0% | 1% | 1% | 1% | 0% | F | NA | | 136000 | G | |
| East 264 Virginia Beach Norfolk Expwy | City of Virginia Beach (Maint: 75) | From: 1.84 To: Rosemont Rd | 62000 | G | 98% | 0% | 1% | 1% | 1% | 0% | F | NA | | 57000 | G | |
| | | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 129000 | G | 98% | 0% | 1% | 1% | 1% | 0% | F | NA | | 111000 | G | |
| East 264 Virginia Beach Norfolk Expwy | City of Virginia Beach (Maint: 75) | From: 1.17 To: Lynnhaven Pkwy | 53000 | G | 98% | 0% | 1% | 1% | 1% | 0% | F | NA | | 33000 | G | |
| | | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 104000 | G | 98% | 0% | 1% | 1% | 1% | 0% | F | NA | | 72000 | G | |
| East 264 Virginia Beach Norfolk Expwy | City of Virginia Beach (Maint: 75) | From: 1.42 To: US 58 Virginia Beach Blvd | 31000 | G | 98% | 0% | 1% | 1% | 1% | 0% | F | NA | | 27000 | G | |
| | | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 67000 | G | 98% | 0% | 1% | 1% | 1% | 0% | F | NA | | 56000 | G | |
| East 264 Virginia Beach Norfolk Expwy | City of Virginia Beach (Maint: 75) | From: 1.36 To: First Colonial Rd | 26000 | G | 98% | 0% | 1% | 1% | 1% | 0% | F | NA | | 14000 | G | |
| | | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 53000 | G | 98% | 0% | 1% | 1% | 1% | 0% | F | NA | | 27000 | G | |
| East 264 Virginia Beach Norfolk Expwy | City of Virginia Beach (Maint: 75) | From: 0.64 To: Birdneck Rd | 14000 | G | 98% | 0% | 1% | 1% | 1% | 0% | F | NA | | NA | NA | |
| | | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 26000 | G | 98% | 0% | 1% | 1% | 1% | 0% | F | NA | | 27000 | G | |
| East 264 Ramp | City of Virginia Beach (Maint: 75) | From: 0.22 To: Parks Ave | NA | | | | | | | | NA | | | NA | NA | |
| | | To: SR 403 FROM RT 264 | | | | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Princess Anne Maintenance Area

| Route | Jurisdiction | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW |
|---------------|------------------------------------|---|---|----|-------|-----|-------|--------|--------|--------|----|----------|----|------------|-------|----|
| | | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | |
| East 264 Ramp | City of Virginia Beach (Maint: 75) | From: 0.25 To: SR 403 FROM RT 264 | I-264-E013X TO RT 403 NORTH-NEWTOWN ROA | NA | | | | | | | | NA | | NA | | |
| East 264 Ramp | City of Virginia Beach (Maint: 75) | From: 0.03 To: SR 403 FROM RT 264 | I-264-E015A FROM RT 264 | NA | | | | | | | | NA | | NA | | |
| East 264 Ramp | City of Virginia Beach (Maint: 75) | From: 0.14 To: SR 190 FROM I-264 | I-264-E TO RT 190 | NA | | | | | | | | NA | | NA | | |
| East 264 Ramp | City of Virginia Beach (Maint: 75) | From: 0.46 To: HOLLAND ROAD | TO INDEPENDENCE BLVD-HOLLAND RD | NA | | | | | | | | NA | | NA | | |
| East 264 Ramp | City of Virginia Beach (Maint: 75) | From: 0.16 To: SR 225 Independence Blvd | I-264 East | F | | | | | | | | 0.084 | F | 12000 | F | |
| East 264 Ramp | City of Virginia Beach (Maint: 75) | From: 0.50 To: 134-8700 | I-264-E017A TO ALICIA DRIVE | NA | | | | | | | | NA | | NA | | |
| East 264 Ramp | City of Virginia Beach (Maint: 75) | From: 0.24 To: 134-13 FROM ROUTE 254 EAST | TO ROSEMONT ROAD | NA | | | | | | | | NA | | NA | | |
| East 264 Ramp | City of Virginia Beach (Maint: 75) | From: 0.13 To: 134-14; 134-14-S003A FROM & TO ROU | I-264-E TO LYNNHAVEN PARKWAY | NA | | | | | | | | NA | | NA | | |
| East 264 Ramp | City of Virginia Beach (Maint: 75) | From: 0.22 To: 134-14 FROM ROUTE 264 EAST | I-264-E TO LYNNHAVEN PARKWAY | NA | | | | | | | | NA | | NA | | |
| East 264 Ramp | City of Virginia Beach (Maint: 75) | From: 0.38 To: I-264-E020B TO ROUTE 58 BUS VA BEACH BL | I-264-E TO ROUTE 58 & 58 BUS | NA | | | | | | | | NA | | NA | | |
| East 264 Ramp | City of Virginia Beach (Maint: 75) | From: 0.01 To: US 58 FROM ROUTE 264 WEST | I-264-E020B TO ROUTE 58 BUS VA BEACH BL | NA | | | | | | | | NA | | NA | | |
| East 264 Ramp | City of Virginia Beach (Maint: 75) | From: 0.17 To: C7US 58 FROM ROUTE 264 EAST | I-264-E020A TO ROUTE 58 BUS VA BEACH BL | NA | | | | | | | | NA | | NA | | |
| East 264 Ramp | City of Virginia Beach (Maint: 75) | From: 0.20 To: 134-9 I-264-E021B FROM & TO ROUT | I-264-E TO 1ST COLONIAL ROAD | NA | | | | | | | | NA | | NA | | |
| East 264 Ramp | City of Virginia Beach (Maint: 75) | From: 0.20 To: 134-9 I-264-E021A FROM & TO ROUT | I-264-E TO 1ST COLONIAL ROAD00-NORTH | NA | | | | | | | | NA | | NA | | |

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Princess Anne Maintenance Area

| Route | Jurisdiction | Length | AADT | QA | 4Tire | Bus | Truck | | | QC | K Factor | QK | Dir Factor | AAWDT | QW |
|---------------------------------------|------------------------------------|---|----------------------------|----|-------|-----|-------|--------|--------|----|----------|-------|------------|--------|----|
| | | | | | | | 2Axle | 3+Axle | 1Trail | | | | | | |
| East 264 Ramp | City of Virginia Beach (Maint: 75) | From: 0.11 To: 134-8723 | I-264-E TO BIRDNECK ROAD | NA | | | | | | | NA | | | NA | |
| West 264 Virginia Beach Norfolk Expwy | City of Norfolk (Maint: 75) | From: 0.30 To: WCL Virginia Beach | I-64 Hampton Roads Beltway | N | 98% | 0% | 1% | 0% | 1% | 0% | N | NA | | 100000 | N |
| | | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 182000 | N | 98% | 0% | 1% | 1% | 1% | 0% | N | NA | | 195000 | N |
| West 264 Virginia Beach Norfolk Expwy | City of Virginia Beach (Maint: 75) | From: 1.63 To: ECL Norfolk | | G | 98% | 0% | 1% | 0% | 1% | 0% | F | NA | | 100000 | G |
| | | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 182000 | G | 98% | 0% | 1% | 1% | 1% | 0% | F | NA | | 195000 | G |
| West 264 Virginia Beach Norfolk Expwy | City of Virginia Beach (Maint: 75) | From: 1.21 To: SR 190 Witchduck Rd | | A | 98% | 0% | 1% | 0% | 1% | 0% | C | 0.104 | A | 100000 | A |
| | | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 185000 | F | 98% | 0% | 1% | 1% | 1% | 0% | F | NA | | 199000 | F |
| West 264 Virginia Beach Norfolk Expwy | City of Virginia Beach (Maint: 75) | From: 2.74 To: SR 225 Independence Blvd | | G | 98% | 0% | 1% | 0% | 1% | 0% | F | NA | | 74000 | G |
| | | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 145000 | G | 97% | 0% | 1% | 1% | 1% | 0% | F | NA | | 155000 | G |
| West 264 Virginia Beach Norfolk Expwy | City of Virginia Beach (Maint: 75) | From: 1.59 To: Rosemont Rd | | F | 98% | 0% | 1% | 0% | 1% | 0% | F | 0.091 | A | 71000 | F |
| | | Combined Traffic Estimates for 3 Parallel Roadways on this Route: | 191000 | G | 98% | 0% | 1% | 1% | 1% | 0% | F | NA | | 201000 | G |
| West 264 Virginia Beach Norfolk Expwy | City of Virginia Beach (Maint: 75) | From: 1.35 To: Lynnhaven Pkwy | | G | 98% | 0% | 1% | 0% | 1% | 0% | F | NA | | 54000 | G |
| | | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 104000 | G | 98% | 0% | 1% | 1% | 1% | 0% | F | NA | | 111000 | G |
| West 264 Virginia Beach Norfolk Expwy | City of Virginia Beach (Maint: 75) | From: 1.19 To: US 58 Virginia Beach Blvd | | G | 98% | 0% | 1% | 0% | 1% | 0% | F | NA | | 39000 | G |
| | | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 67000 | G | 98% | 0% | 1% | 1% | 1% | 0% | F | NA | | 72000 | G |
| West 264 Virginia Beach Norfolk Expwy | City of Virginia Beach (Maint: 75) | From: 1.52 To: First Colonial Rd | | G | 98% | 0% | 1% | 0% | 1% | 0% | F | NA | | 29000 | G |
| | | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 53000 | G | 98% | 0% | 1% | 1% | 1% | 0% | F | NA | | 56000 | G |
| West 264 Virginia Beach Norfolk Expwy | City of Virginia Beach (Maint: 75) | From: 0.66 To: Birdneck Rd | | G | 98% | 0% | 1% | 0% | 1% | 0% | F | NA | | 13000 | G |
| | | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 26000 | G | 98% | 0% | 1% | 1% | 1% | 0% | F | NA | | 27000 | G |
| West 264 Ramp | City of Virginia Beach (Maint: 75) | From: 0.22 To: Parks Ave | I-264 Collector Rd | G | 98% | 0% | 1% | 0% | 1% | 0% | F | NA | | 320 | G |
| | | To: SR 403 Newtown Rd | | | | | | | | | | | | | |
| West 264 Ramp | City of Virginia Beach (Maint: 75) | From: 0.13 To: SR 190 FROM I-264 | I-264-W TO RT 190 | NA | | | | | | | NA | | | NA | |
| | | To: SR 190 | | | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division
2012
Annual Average Daily Traffic Volume Estimates By Section of Route
Princess Anne Maintenance Area

| Route | Jurisdiction | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW |
|---------------------|------------------------------------|--|------------------------------|----|-------|-----|-------|--------|--------|--------|----|----------|-------|------------|-------|---------|
| | | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | |
| West 264 Ramp | City of Virginia Beach (Maint: 75) | From: 0.18 To: SR 225 TO AND FROM RT | I-264-W TO HOLLAND ROAD | NA | | | | | | | | NA | | NA | | |
| West 264 Ramp | City of Virginia Beach (Maint: 75) | From: 0.25 To: C7US 58 TO RT 44 | I-264-W TO RT 225 | NA | | | | | | | | NA | | NA | | |
| West 264 Ramp | City of Virginia Beach (Maint: 75) | From: 0.18 To: 134-13; 134-8738 @ BONNIE ROAD | I-264-W TO ROSEMONT ROAD | NA | | | | | | | | NA | | NA | | |
| West 264 Ramp | City of Virginia Beach (Maint: 75) | From: 0.16 To: FROM ROUTE 264 WEST | I-264-W TO LYNNHAVEN PARKWAY | NA | | | | | | | | NA | | NA | | |
| West 264 Ramp | City of Virginia Beach (Maint: 75) | From: 0.15 To: 134-14 Gap FROM R | I-264-W TO LYNNHAVEN PARKWAY | NA | | | | | | | | NA | | NA | | |
| West 264 Ramp | City of Virginia Beach (Maint: 75) | From: 0.17 To: 134-9 FROM & TO ROU | I-264-W TO 1ST COLONIAL ROAD | NA | | | | | | | | NA | | NA | | |
| 279 Great Neck Rd | City of Virginia Beach | From: 2.35 To: US 58 Va Beach Blvd | 39000 | F | 99% | 0% | 0% | 0% | 0% | 0% | 0% | F | 0.085 | F | 0.536 | 42000 F |
| 279 Great Neck Rd | City of Virginia Beach | From: 0.99 To: First Colonial Rd | 34000 | F | 99% | 0% | 0% | 0% | 0% | 0% | 0% | F | 0.084 | F | 0.553 | 36000 F |
| 279 Great Neck Rd | City of Virginia Beach | From: 1.42 To: Shorehaven Dr | 35000 | F | 99% | 0% | 0% | 0% | 0% | 0% | 0% | C | 0.085 | F | 0.504 | 37000 F |
| 279 N Great Neck Rd | City of Virginia Beach | From: 0.79 To: Adam Keeling Rd | 27000 | F | 99% | 0% | 0% | 0% | 0% | 0% | 0% | F | 0.085 | F | 0.523 | 29000 F |
| North 403 Ramp | City of Virginia Beach (Maint: 75) | From: 0.20 To: SR 403 TO RT 264 | 11000 | F | | | | | | | | 0.087 | F | | 11000 | F |
| North 403 Ramp | City of Virginia Beach (Maint: 75) | From: 0.03 To: I-264-W013X FROM RT 403 NORTH-NEWTOWN R | NA | | | | | | | | | NA | | NA | | |
| South 403 Ramp | City of Virginia Beach (Maint: 75) | From: 0.04 To: SR 403 TO RT 264 | NA | | | | | | | | | NA | | NA | | |
| South 403 Ramp | City of Virginia Beach (Maint: 75) | From: 0.14 To: SR 403-N000C FROM NEWTOWN RD | 5600 | F | | | | | | | | 0.096 | F | | 5600 | F |
| South 403 Ramp | City of Virginia Beach (Maint: 75) | From: 0.17 To: I-264-E013X FROM RT 403 SOUTH-NEWTOWN R | 8100 | F | | | | | | | | 0.083 | F | | 8100 | F |
| South 403 Ramp | City of Virginia Beach (Maint: 75) | From: 0.17 To: SR 403 TO RT 264 | NA | | | | | | | | | NA | | NA | | |
| | | To: I-264-W013X FROM RT 403 SOUTH-NEWTOWN R | | | | | | | | | | | | | | |

Virginia Department of Transportation
 Traffic Engineering Division
 2012
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Princess Anne Maintenance Area

| Route | Jurisdiction | Length | AADT | QA | 4Tire | Bus | Truck | | | QC | K Factor | Dir Factor | AAWDT | QW |
|----------------------|------------------------------------|--------------|-------------|-----------|-------|-----|--------------------------|-------|--------|----|----------|------------|-------|----|
| | | | | | | | 2Axe | 3+Axe | 1Trail | | | | | |
| North 464 Ramp 17 | City of Virginia Beach (Maint: 64) | From: To: | 0.20 | NA | | | I-464-N TO I-64 EAST | | | | NA | | NA | |
| | | | | | | | I-64-E FROM RT 464 NORTH | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division

2012

Annual Average Daily Traffic Volume Estimates By Section of Route
Princess Anne Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | Dir Factor | AAWDT | QW | Year | |
|-------------------------------|--------|-------|-------|-------------------------------|-----|-------|--------|--------|--------|----|----------|------------|-------|-------|------|------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| City of Virginia Beach | | | | | | | | | | | | | | | | |
| (F143) Midtown Way | 0.55 | 330 | G | | | | | | | | | | | 330 | G | 2012 |
| | | | From: | Dead End | | | | | | | | | | | | |
| | | | To: | 134-8661 Regent University Dr | | | | | | | | | | | | |
| (134) Churchill Dr | 0.58 | 5100 | F | 97% | 1% | 1% | 0% | 0% | 0% | C | 0.111 | F | 0.593 | 5400 | F | 2012 |
| | | | From: | Providence Rd | | | | | | | | | | | | |
| | | | To: | Saratoga Circle | | | | | | | | | | | | |
| (4) Indian Creek Rd | 2.42 | 440 | F | 97% | 0% | 0% | 0% | 1% | 0% | F | 0.097 | F | 0.528 | 470 | F | 2012 |
| | | | From: | ECL Chesapeake | | | | | | | | | | | | |
| | | | To: | Blackwater Rd | | | | | | | | | | | | |
| (5) Centerville Tpke | 0.95 | 19000 | F | 95% | 0% | 1% | 3% | 0% | 0% | C | 0.084 | F | 0.641 | 21000 | F | 2012 |
| | | | From: | 134-8661 Jake Sears Rd | | | | | | | | | | | | |
| | | | To: | Indian River Rd | | | | | | | | | | | | |
| (6) Newcastle Rd | 0.22 | 420 | F | 97% | 1% | 1% | 0% | 0% | 0% | F | 0.117 | F | 0.660 | 450 | F | 2012 |
| | | | From: | Oxford Dr | | | | | | | | | | | | |
| | | | To: | Little Neck Rd | | | | | | | | | | | | |
| (7) Indian River Rd | 0.54 | 30000 | F | 98% | 0% | 1% | 0% | 0% | 0% | F | 0.093 | F | 0.530 | 32000 | F | 2012 |
| | | | From: | ECL Chesapeake | | | | | | | | | | | | |
| | | | To: | US 13 Military Hwy | | | | | | | | | | | | |
| (7) Indian River Rd | 0.57 | 29000 | F | 98% | 0% | 1% | 0% | 0% | 0% | F | 0.096 | F | 0.587 | 31000 | F | 2012 |
| | | | From: | Providence Rd | | | | | | | | | | | | |
| | | | To: | I-64 | | | | | | | | | | | | |
| (7) Indian River Rd | 0.10 | 70000 | F | 98% | 0% | 1% | 1% | 1% | 0% | F | 0.075 | F | 0.583 | 75000 | F | 2012 |
| | | | From: | Centerville Tpke | | | | | | | | | | | | |
| (7) Indian River Rd | 1.05 | 56000 | F | 98% | 0% | 1% | 1% | 1% | 0% | C | 0.077 | F | 0.686 | 60000 | F | 2012 |
| | | | To: | SR 190 Kempsville Rd | | | | | | | | | | | | |
| (8) Diamond Springs Rd | 1.63 | 21000 | F | 97% | 1% | 1% | 0% | 0% | 0% | F | 0.087 | F | 0.509 | 22000 | F | 2012 |
| | | | From: | Newtown Rd | | | | | | | | | | | | |
| | | | To: | Hampshire Rd; Shurney Lane | | | | | | | | | | | | |
| (9) First Colonial Rd | 0.12 | 29000 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.074 | F | 0.555 | 31000 | F | 2012 |
| | | | From: | Bus US 58 Va Beach Blvd | | | | | | | | | | | | |
| (9) First Colonial Rd | 0.47 | 31000 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.073 | F | 0.548 | 33000 | F | 2012 |
| | | | To: | I-264 | | | | | | | | | | | | |
| (9) First Colonial Rd | 1.97 | 35000 | F | 99% | 0% | 0% | 0% | 0% | 0% | C | 0.077 | F | 0.512 | 37000 | F | 2012 |
| | | | From: | US 58 Laskin Rd | | | | | | | | | | | | |
| | | | To: | SR 279 Great Neck Rd | | | | | | | | | | | | |
| (10) Providence Rd | 0.74 | 15000 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.091 | F | 0.523 | 16000 | F | 2012 |
| | | | From: | US 13 Military Hwy | | | | | | | | | | | | |
| (10) Providence Rd | 2.28 | 18000 | F | 99% | 0% | 0% | 0% | 0% | 0% | C | 0.115 | F | 0.655 | 20000 | F | 2012 |
| | | | To: | Indian River Rd | | | | | | | | | | | | |
| | | | From: | SR 190 Kempsville Rd | | | | | | | | | | | | |
| (11) Independence Blvd South | 0.79 | 74000 | F | 98% | 0% | 1% | 0% | 0% | 0% | F | 0.083 | F | 0.608 | 79000 | F | 2012 |
| | | | To: | Holland Rd | | | | | | | | | | | | |
| (12) Holland Rd | 0.47 | 37000 | F | 98% | 0% | 1% | 0% | 0% | 0% | C | 0.082 | F | 0.605 | 40000 | F | 2012 |
| | | | From: | Independence Blvd South | | | | | | | | | | | | |
| (12) Holland Rd | 1.31 | 34000 | F | 98% | 0% | 1% | 0% | 0% | 0% | F | 0.081 | F | 0.561 | 36000 | F | 2012 |
| | | | To: | Plaza Trail | | | | | | | | | | | | |
| (12) Holland Rd | 1.14 | 30000 | F | 98% | 0% | 1% | 0% | 0% | 0% | F | 0.085 | F | 0.503 | 32000 | F | 2012 |
| | | | From: | Rosemont Rd | | | | | | | | | | | | |
| (12) Holland Rd | 0.64 | 31000 | F | 98% | 0% | 0% | 1% | 0% | 0% | F | 0.085 | F | 0.721 | 33000 | F | 2012 |
| | | | To: | Lynnhaven Pkwy | | | | | | | | | | | | |
| | | | From: | Shipps Corner Rd | | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division

2012

Annual Average Daily Traffic Volume Estimates By Section of Route
Princess Anne Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | Dir Factor | AAWDT | QW | Year | |
|-------------------------------|--------|-------|----|-------|-----|-------|--------|--------|--------|----|----------|------------|-------|-------|------|------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| City of Virginia Beach | | | | | | | | | | | | | | | | |
| (12) Holland Rd | 0.43 | 25000 | F | 98% | 0% | 0% | 1% | 0% | 0% | C | 0.082 | F | 0.515 | 26000 | F | 2012 |
| (12) Holland Rd | 2.82 | 11000 | F | 98% | 0% | 0% | 1% | 0% | 0% | F | 0.081 | F | 0.507 | 12000 | F | 2012 |
| (13) Rosemont Rd | 1.17 | 29000 | F | 99% | 0% | 0% | 0% | 0% | 0% | C | 0.09 | F | 0.571 | 31000 | F | 2012 |
| (13) Rosemont Rd | 0.56 | 32000 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.08 | F | 0.604 | 34000 | F | 2012 |
| (13) Rosemont Rd | 0.18 | 32000 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.081 | F | 0.572 | 35000 | F | 2012 |
| (14) Lynnhaven Pkwy | 1.06 | 32000 | F | 98% | 1% | 1% | 0% | 0% | 0% | C | 0.095 | F | 0.607 | 34000 | F | 2012 |
| (14) Lynnhaven Pkwy | 0.51 | 28000 | F | 98% | 1% | 1% | 0% | 0% | 0% | F | 0.09 | F | 0.617 | 30000 | F | 2012 |
| (14) Lynnhaven Pkwy | 1.17 | 30000 | F | 98% | 1% | 1% | 0% | 0% | 0% | F | 0.085 | F | 0.66 | 32000 | F | 2012 |
| (14) Lynnhaven Pkwy | 0.25 | 41000 | F | 98% | 1% | 1% | 0% | 0% | 0% | F | 0.084 | F | 0.516 | 44000 | F | 2012 |
| (14) Ramp | 0.22 | 8600 | F | | | | | | | | 0.093 | F | | 8600 | F | 2012 |
| North (14) Ramp | 0.03 | NA | | | | | | | | | | | | NA | | |
| North (14) Ramp | 0.10 | 12000 | F | | | | | | | | 0.098 | F | | 12000 | F | 2012 |
| South (14) Ramp | 0.03 | NA | | | | | | | | | | | | NA | | |
| South (14) Ramp | 0.18 | 7700 | F | | | | | | | | 0.095 | F | | 7700 | F | 2012 |
| (8578) 31st Street; Laskin Rd | 0.06 | 5000 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.077 | F | 0.502 | 5300 | F | 2012 |
| (8589) International Pkwy | 1.01 | 10000 | F | 97% | 0% | 0% | 0% | 1% | 0% | C | 0.102 | F | 0.675 | 11000 | F | 2012 |
| (8590) Indian River Rd | 0.25 | 64000 | F | 97% | 1% | 2% | 1% | 0% | 0% | F | 0.077 | F | 0.57 | 69000 | F | 2012 |
| (8590) Indian River Rd | 0.56 | 14000 | F | 97% | 1% | 2% | 1% | 0% | 0% | F | 0.09 | F | 0.801 | 15000 | F | 2012 |
| (8590) Indian River Rd | 0.46 | 20000 | F | 97% | 1% | 2% | 1% | 0% | 0% | F | 0.084 | F | 0.600 | 22000 | F | 2012 |
| (8590) Indian River Rd | 0.93 | 15000 | F | 97% | 1% | 2% | 1% | 0% | 0% | F | 0.091 | F | 0.628 | 16000 | F | 2012 |
| (8590) Indian River Rd | 1.07 | 9300 | F | 97% | 1% | 2% | 1% | 0% | 0% | F | 0.092 | F | 0.626 | 10000 | F | 2012 |

Virginia Department of Transportation
Traffic Engineering Division

2012

Annual Average Daily Traffic Volume Estimates By Section of Route
Princess Anne Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | Dir Factor | AAWDT | QW | Year | |
|-----------------------------------|--------|-------|-------|--------------------------|-----|-------|--------|--------|--------|-----|--------------------------|------------|-------|-------|------|------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| City of Virginia Beach | | | | | | | | | | | | | | | | |
| (8590) 134 Elbow Rd | 0.12 | 14000 | F | 97% | 1% | 2% | 1% | 0% | 0% | F | 0.102 | F | 0.567 | 15000 | F | 2012 |
| | | | From: | Indian River Rd | | | | | | To: | Indian River Rd | | | | | |
| (8590) 134 Indian River Rd | 2.99 | 6200 | F | 97% | 1% | 2% | 1% | 0% | 0% | F | 0.101 | F | 0.667 | 6600 | F | 2012 |
| | | | From: | Elbow Rd | | | | | | To: | SR 165, N Landing Rd | | | | | |
| (8590) 134 Indian River Rd | 4.78 | 4800 | F | 97% | 1% | 2% | 1% | 0% | 0% | C | 0.116 | F | 0.508 | 5100 | F | 2012 |
| | | | From: | SR 165 N Landing Rd | | | | | | To: | Princess Anne Rd | | | | | |
| (8590) 134 Indian River Rd | 0.94 | 2100 | F | 97% | 1% | 2% | 1% | 0% | 0% | F | 0.085 | F | 0.577 | 2200 | F | 2012 |
| | | | From: | Princess Anne Rd | | | | | | To: | Muddy Creek Rd | | | | | |
| | | | From: | Clearfield Ave | | | | | | To: | SR 190 Witchduck Rd | | | | | |
| (8612) 134 Cleveland St | 0.43 | 6800 | F | 99% | 0% | 1% | 0% | 0% | 0% | F | 0.115 | F | 0.653 | 7300 | F | 2012 |
| | | | From: | SR 190 Witchduck Rd | | | | | | To: | Cleveland St | | | | | |
| (8612) 134 Columbus St | 0.22 | 7000 | F | 99% | 0% | 1% | 0% | 0% | 0% | F | 0.111 | F | 0.652 | 7500 | F | 2012 |
| | | | From: | Kellam Rd | | | | | | To: | SR 225 Independence Blvd | | | | | |
| (8612) 134 Columbus St | 0.31 | 11000 | F | 99% | 0% | 1% | 0% | 0% | 0% | C | 0.100 | F | 0.544 | 12000 | F | 2012 |
| | | | From: | SR 225 Independence Blvd | | | | | | To: | Constitution Dr | | | | | |
| | | | From: | Indian River Rd | | | | | | To: | S Independence Blvd | | | | | |
| (8627) 134 S Independence Blvd | 2.71 | 7600 | F | 98% | 0% | 0% | 1% | 0% | 0% | F | 0.109 | F | 0.577 | 8100 | F | 2012 |
| | | | From: | S Independence Blvd | | | | | | To: | SR 165 Princess Anne Rd | | | | | |
| (8627) 134 S Independence Blvd | 0.55 | 25000 | F | 98% | 0% | 0% | 1% | 0% | 0% | F | 0.087 | F | 0.546 | 26000 | F | 2012 |
| | | | From: | Lynnhaven Pkwy | | | | | | To: | S Independence Blvd | | | | | |
| (8627) 134 S Independence Blvd | 1.55 | 25000 | F | 98% | 0% | 0% | 1% | 0% | 0% | C | 0.090 | F | 0.603 | 27000 | F | 2012 |
| | | | From: | S Plaza Trail | | | | | | To: | Holland Rd | | | | | |
| | | | From: | Norfolk County Line | | | | | | To: | Wesleyan Dr | | | | | |
| (8638) 134 Wesleyan Dr | 0.42 | 16000 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.087 | F | 0.655 | 17000 | F | 2012 |
| | | | From: | Baker Rd | | | | | | To: | Wesleyan Dr | | | | | |
| (8638) 134 Wesleyan Dr | 0.54 | 12000 | F | 99% | 0% | 0% | 0% | 0% | 0% | C | 0.09 | F | 0.647 | 13000 | F | 2012 |
| | | | From: | Diamond Springs Rd | | | | | | To: | Haygood Dr | | | | | |
| (8638) 134 Wesleyan Dr | 1.16 | 20000 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.093 | F | 0.624 | 21000 | F | 2012 |
| | | | From: | Wesleyan Dr | | | | | | To: | Haygood Dr | | | | | |
| (8638) 134 Haygood Rd | 1.08 | 16000 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.089 | F | 0.536 | 17000 | F | 2012 |
| | | | From: | SR 225 Independence Blvd | | | | | | To: | Wishart Rd | | | | | |
| (8638) 134 Wishart Rd | 0.77 | 1200 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.106 | F | 0.622 | 1300 | F | 2012 |
| | | | From: | Witchduck Rd | | | | | | To: | ECL Chesapeake | | | | | |
| (8640) 134 Providence Rd | 0.09 | 12000 | F | 99% | 0% | 1% | 0% | 0% | 0% | F | 0.097 | F | 0.576 | 12000 | F | 2012 |
| | | | From: | US 13 Gap | | | | | | To: | SR 190 Kempsville Rd | | | | | |
| (8640) 134 Providence Rd | 2.03 | 14000 | F | 99% | 0% | 1% | 0% | 0% | 0% | F | 0.103 | F | 0.54 | 15000 | F | 2012 |
| | | | From: | SR 165 Princess Anne Rd | | | | | | To: | Newtown Rd | | | | | |
| (8651) 134 Baker Rd | 1.73 | 5800 | F | 99% | 0% | 1% | 0% | 0% | 0% | C | 0.094 | F | 0.623 | 6200 | F | 2012 |
| | | | From: | US 13 Northampton Blvd | | | | | | To: | ECL Norfolk | | | | | |
| (8652) 134 Burton Station Rd | 0.75 | 3900 | F | 99% | 0% | 1% | 0% | 0% | 0% | F | 0.109 | F | 0.732 | 4200 | F | 2012 |
| | | | From: | US 13 Northampton Blvd | | | | | | To: | ECL Chesapeake | | | | | |
| (8661) 134 Centerville Tpke | 0.40 | 8300 | F | 95% | 0% | 1% | 3% | 0% | 0% | F | 0.093 | F | 0.607 | 8800 | F | 2012 |
| | | | From: | Lynnhaven Pkwy | | | | | | To: | Centerville Tpke | | | | | |

Virginia Department of Transportation
Traffic Engineering Division

2012

Annual Average Daily Traffic Volume Estimates By Section of Route
Princess Anne Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | | QC | K Factor | Dir Factor | AAWDT | QW | Year | |
|-------------------------------|----------------------|------|-------|-------|-----|-------|--------|--------|--------|----|----|----------|------------|-------|-------|------|------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | | |
| City of Virginia Beach | | | | | | | | | | | | | | | | | |
| (8661) 1341 | Centerville Tpke | 0.75 | 19000 | F | 95% | 0% | 1% | 3% | 0% | 0% | F | 0.09 | F | 0.644 | 20000 | F | 2012 |
| | | | | | | | | | | | | | | | | | |
| (8661) 1341 | Centerville Tpke | 0.88 | 18000 | F | 95% | 0% | 1% | 3% | 0% | 0% | F | 0.088 | F | 0.717 | 19000 | F | 2012 |
| | | | | | | | | | | | | | | | | | |
| (8661) 1341 | Regent University Dr | 1.16 | 5400 | F | 99% | 0% | 0% | 0% | 0% | 0% | C | 0.140 | F | 0.637 | 5800 | F | 2012 |
| | | | | | | | | | | | | | | | | | |
| (8667) 1341 | Blackwater Rd | 2.89 | 790 | F | 93% | 0% | 1% | 4% | 1% | 0% | F | 0.09 | F | 0.741 | 840 | F | 2012 |
| | | | | | | | | | | | | | | | | | |
| (8667) 1341 | Blackwater Rd | 1.91 | 1300 | F | 93% | 0% | 1% | 4% | 1% | 0% | F | 0.089 | F | 0.662 | 1400 | F | 2012 |
| | | | | | | | | | | | | | | | | | |
| (8667) 1341 | Blackwater Rd | 4.43 | 2100 | F | 93% | 0% | 1% | 4% | 1% | 0% | C | 0.097 | F | 0.721 | 2300 | F | 2012 |
| | | | | | | | | | | | | | | | | | |
| (8667) 1341 | Salem Rd | 1.24 | 4800 | F | 93% | 0% | 1% | 4% | 1% | 0% | F | 0.114 | F | 0.646 | 5100 | F | 2012 |
| | | | | | | | | | | | | | | | | | |
| (8667) 1341 | Salem Rd | 1.33 | 4400 | F | 99% | 0% | 1% | 0% | 0% | 0% | F | 0.108 | F | 0.627 | 4700 | F | 2012 |
| | | | | | | | | | | | | | | | | | |
| (8667) 1341 | Salem Rd | 1.49 | 14000 | F | 99% | 0% | 1% | 0% | 0% | 0% | C | 0.098 | F | 0.62 | 15000 | F | 2012 |
| | | | | | | | | | | | | | | | | | |
| (8667) 1341 | Salem Rd | 0.77 | 14000 | F | 99% | 0% | 1% | 0% | 0% | 0% | F | 0.092 | F | 0.608 | 15000 | F | 2012 |
| | | | | | | | | | | | | | | | | | |
| (8668) 1341 | Head of River Rd | 2.05 | 640 | F | 96% | 0% | 1% | 2% | 1% | 0% | F | 0.113 | F | 0.620 | 680 | F | 2012 |
| | | | | | | | | | | | | | | | | | |
| (8669) 1341 | Princess Anne Rd | 5.72 | 3400 | F | 96% | 0% | 1% | 2% | 1% | 0% | F | 0.09 | F | 0.647 | 3700 | F | 2012 |
| | | | | | | | | | | | | | | | | | |
| (8669) 1341 | Princess Anne Rd | 7.66 | 6700 | F | 96% | 0% | 1% | 2% | 1% | 0% | C | 0.087 | F | 0.657 | 7200 | F | 2012 |
| | | | | | | | | | | | | | | | | | |
| (8669) 1341 | Princess Anne Rd | 0.53 | 12000 | F | 96% | 0% | 1% | 2% | 1% | 0% | F | 0.091 | F | 0.592 | 13000 | F | 2012 |
| | | | | | | | | | | | | | | | | | |
| (8669) 1341 | Princess Anne Rd | 1.70 | 11000 | F | 96% | 0% | 1% | 2% | 1% | 0% | F | 0.091 | F | 0.595 | 12000 | F | 2012 |
| | | | | | | | | | | | | | | | | | |
| (8669) 1341 | Princess Anne Rd | 0.86 | 17000 | F | 96% | 0% | 1% | 2% | 1% | 0% | F | 0.087 | F | 0.554 | 18000 | F | 2012 |
| | | | | | | | | | | | | | | | | | |
| (8669) 1341 | General Booth Blvd | 0.67 | 37000 | F | 96% | 0% | 1% | 2% | 1% | 0% | F | 0.082 | F | 0.580 | 40000 | F | 2012 |
| | | | | | | | | | | | | | | | | | |
| (8669) 1341 | General Booth Blvd | 1.46 | 27000 | F | 96% | 0% | 1% | 2% | 1% | 0% | F | 0.084 | F | 0.573 | 29000 | F | 2012 |
| | | | | | | | | | | | | | | | | | |
| (8669) 1341 | General Booth Blvd | 0.58 | 44000 | F | 99% | 0% | 1% | 0% | 0% | 0% | F | 0.085 | F | 0.647 | 47000 | F | 2012 |
| | | | | | | | | | | | | | | | | | |
| (8669) 1341 | General Booth Blvd | 1.18 | 27000 | F | 99% | 0% | 1% | 0% | 0% | 0% | C | 0.089 | F | 0.558 | 29000 | F | 2012 |
| | | | | | | | | | | | | | | | | | |
| (8669) 1341 | General Booth Blvd | 1.90 | 17000 | F | 99% | 0% | 1% | 0% | 0% | 0% | C | 0.082 | B | 0.515 | 17000 | F | 2012 |
| | | | | | | | | | | | | | | | | | |
| (8669) 1341 | Pacific Ave | 0.27 | 19000 | F | 99% | 0% | 1% | 0% | 0% | 0% | F | 0.080 | F | 0.506 | 20000 | F | 2012 |
| | | | | | | | | | | | | | | | | | |
| (8669) 1341 | Pacific Ave | 0.55 | 17000 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.077 | F | 0.531 | 18000 | F | 2012 |
| | | | | | | | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division

2012

Annual Average Daily Traffic Volume Estimates By Section of Route
Princess Anne Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | Dir Factor | AAWDT | QW | Year | | |
|-------------------------------|-----------------|------|-------|-------|---------------------------|-------|--------|--------|--------|----|----------|------------|-------|-------|-------|------|------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | | |
| City of Virginia Beach | | | | | | | | | | | | | | | | | |
| (8669) 134 | Atlantic Ave | 0.44 | 3400 | F | 99% | 0% | 1% | 0% | 0% | F | 0.078 | F | 0.547 | 3600 | F | 2012 | |
| | | | | From: | Shore Dr | | | | | | | | | | | | |
| | | | | To: | 89th St | | | | | | | | | | | | |
| (8670) 134 | Pungo Ferry Rd | 2.78 | 3100 | F | 93% | 1% | 1% | 3% | 2% | 0% | C | 0.096 | F | 0.502 | 3300 | F | 2012 |
| | | | | From: | Blackwater Rd | | | | | | | | | | | | |
| | | | | To: | Princess Anne Rd | | | | | | | | | | | | |
| (8671) 134 | Sandpiper Rd | 0.67 | 1700 | F | 98% | 0% | 1% | 0% | 0% | 0% | F | 0.096 | F | 0.657 | 1800 | F | 2012 |
| | | | | From: | Dead End | | | | | | | | | | | | |
| (8671) 134 | Sandpiper Rd | 1.49 | 3100 | F | 98% | 0% | 1% | 0% | 0% | 0% | C | 0.083 | F | 0.603 | 3300 | F | 2012 |
| | | | | From: | White Cap Lane | | | | | | | | | | | | |
| (8671) 134 | Sandpiper Rd | 2.04 | 6200 | F | 98% | 0% | 1% | 0% | 0% | 0% | F | 0.081 | F | 0.625 | 6600 | F | 2012 |
| | | | | From: | Pike Lane | | | | | | | | | | | | |
| | | | | To: | Sandbridge Rd | | | | | | | | | | | | |
| (8672) 134 | Mill Landing Rd | 0.81 | 1200 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.085 | F | 0.662 | 1200 | F | 2012 |
| | | | | From: | Princess Anne Rd | | | | | | | | | | | | |
| | | | | To: | Nannys Creek Rd | | | | | | | | | | | | |
| (8673) 134 | Morris Neck Rd | 3.31 | 560 | F | 96% | 1% | 1% | 2% | 0% | 0% | F | 0.105 | F | 0.504 | 590 | F | 2012 |
| | | | | From: | Mill Landing Rd | | | | | | | | | | | | |
| (8673) 134 | Mill Landing Rd | 0.82 | 1000 | F | 96% | 1% | 1% | 2% | 0% | 0% | F | 0.104 | F | 0.683 | 1100 | F | 2012 |
| | | | | From: | Morris Neck Rd | | | | | | | | | | | | |
| (8673) 134 | Nannys Creek Rd | 1.49 | 450 | F | 96% | 1% | 1% | 2% | 0% | 0% | C | 0.106 | F | 0.589 | 480 | F | 2012 |
| | | | | From: | Mill Landing Rd | | | | | | | | | | | | |
| (8673) 134 | Muddy Creek Rd | 1.30 | 300 | F | 96% | 1% | 1% | 2% | 0% | 0% | F | 0.125 | F | 0.622 | 320 | F | 2012 |
| | | | | From: | Muddy Creek Rd | | | | | | | | | | | | |
| (8673) 134 | Muddy Creek Rd | 4.52 | 270 | F | 96% | 1% | 1% | 2% | 0% | 0% | F | 0.102 | F | 0.5 | 290 | F | 2012 |
| | | | | From: | Gum Bridge Rd | | | | | | | | | | | | |
| (8673) 134 | New Bridge Rd | 1.28 | 2400 | F | 96% | 1% | 1% | 2% | 0% | 0% | F | 0.102 | F | 0.520 | 2600 | F | 2012 |
| | | | | From: | Sandbridge Rd | | | | | | | | | | | | |
| (8673) 134 | Sandbridge Rd | 3.07 | 10000 | F | 96% | 1% | 1% | 2% | 0% | 0% | F | 0.090 | F | 0.574 | 11000 | F | 2012 |
| | | | | From: | Lotus Dr | | | | | | | | | | | | |
| | | | | To: | Gull Lane | | | | | | | | | | | | |
| (8676) 134 | Bayside Rd | 0.65 | 2500 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.113 | F | 0.660 | 2700 | F | 2012 |
| | | | | From: | SR 166 Diamond Springs Rd | | | | | | | | | | | | |
| | | | | To: | US 13 Northampton Blvd | | | | | | | | | | | | |
| (8677) 134 | Jack Frost Rd | 1.00 | 1900 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.090 | F | 0.658 | 2000 | F | 2012 |
| | | | | From: | US 13 Northampton Blvd | | | | | | | | | | | | |
| (8678) 134 | Sullivan Blvd | 0.56 | 1700 | F | 99% | 1% | 0% | 0% | 0% | 0% | F | 0.09 | F | 0.508 | 1800 | F | 2012 |
| | | | | From: | Witchduck Rd | | | | | | | | | | | | |
| (8678) 134 | Sullivan Blvd | 0.50 | 3500 | F | 99% | 1% | 0% | 0% | 0% | 0% | F | 0.108 | F | 0.615 | 3700 | F | 2012 |
| | | | | From: | Aragona Blvd | | | | | | | | | | | | |
| (8678) 134 | Newtown Rd | 0.90 | 5700 | F | 99% | 1% | 0% | 0% | 0% | 0% | C | 0.1 | F | 0.605 | 6100 | F | 2012 |
| | | | | From: | Haygood Rd | | | | | | | | | | | | |
| (8678) 134 | Newtown Rd | 0.46 | 26000 | F | 99% | 0% | 0% | 0% | 0% | 0% | C | 0.084 | F | 0.522 | 27000 | F | 2012 |
| | | | | From: | Diamond Springs Rd | | | | | | | | | | | | |
| (8678) 134 | Newtown Rd | 0.23 | 38000 | F | 98% | 0% | 1% | 0% | 0% | 0% | C | 0.082 | F | 0.508 | 40000 | F | 2012 |
| | | | | From: | Baker Rd | | | | | | | | | | | | |
| (8678) 134 | Susquehanna Dr | 1.19 | 1800 | F | 99% | 1% | 0% | 0% | 0% | 0% | C | 0.098 | F | 0.532 | 1900 | F | 2012 |
| | | | | From: | ECL Norfolk | | | | | | | | | | | | |
| | | | | To: | SR 403 Newtown Rd | | | | | | | | | | | | |
| | | | | From: | SR 165 Princess Anne Rd | | | | | | | | | | | | |
| | | | | To: | SR 165 Princess Anne Rd | | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division

2012

Annual Average Daily Traffic Volume Estimates By Section of Route
Princess Anne Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | Dir Factor | AAWDT | QW | Year | |
|------------------------------------|--------|-------|-------|--------------------------|-----|-------|--------|--------|--------|----|----------|------------|-------|-------|------|------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| City of Virginia Beach | | | | | | | | | | | | | | | | |
| (8679) 134 Aragona Blvd | 0.63 | 3400 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.104 | F | 0.520 | 3600 | F | 2012 |
| | | | From: | US 58 Va Beach Blvd | | | | | | | | | | | | |
| (8679) 134 Aragona Blvd | 0.33 | 5100 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.114 | F | 0.542 | 5500 | F | 2012 |
| | | | To: | Kellam Rd | | | | | | | | | | | | |
| (8679) 134 Aragona Blvd | 0.91 | 6000 | F | 99% | 0% | 0% | 0% | 0% | 0% | C | 0.113 | F | 0.506 | 6400 | F | 2012 |
| | | | To: | Witchduck Rd | | | | | | | | | | | | |
| (8680) 134 Thoroughgood Dr | 0.05 | 1300 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.093 | F | 0.642 | 1400 | F | 2012 |
| | | | To: | Whitethorn Rd | | | | | | | | | | | | |
| (8680) 134 Hermitage Rd | 0.87 | 1100 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.115 | F | 0.663 | 1200 | F | 2012 |
| | | | To: | Thoroughgood Dr | | | | | | | | | | | | |
| (8681) 134 Pleasure House Rd | 0.26 | 18000 | F | 99% | 0% | 1% | 0% | 0% | 0% | F | 0.089 | F | 0.588 | 19000 | F | 2012 |
| | | | To: | Hermitage Rd | | | | | | | | | | | | |
| (8681) 134 Pleasure House Rd | 0.17 | 12000 | F | 99% | 0% | 1% | 0% | 0% | 0% | F | 0.089 | F | 0.505 | 13000 | F | 2012 |
| | | | To: | First Ct Rd | | | | | | | | | | | | |
| (8681) 134 Pleasure House Rd | 0.38 | 11000 | F | 99% | 0% | 1% | 0% | 0% | 0% | C | 0.087 | F | 0.624 | 12000 | F | 2012 |
| | | | To: | US 13 Northampton Blvd | | | | | | | | | | | | |
| (8681) 134 Pleasure House Rd | 0.90 | 8200 | F | 99% | 0% | 1% | 0% | 0% | 0% | F | 0.088 | F | 0.616 | 8800 | F | 2012 |
| | | | To: | US60 Shore Dr | | | | | | | | | | | | |
| (8683) 134 Witchduck Rd (N Leg) | 0.47 | 5500 | F | 98% | 0% | 1% | 1% | 0% | 0% | F | 0.093 | F | 0.536 | 5900 | F | 2012 |
| | | | To: | SR 225 Independence Blvd | | | | | | | | | | | | |
| (8683) 134 Witchduck Rd | 0.80 | 1500 | F | 98% | 0% | 1% | 1% | 0% | 0% | C | 0.090 | F | 0.6 | 1600 | F | 2012 |
| | | | To: | Independence Blvd | | | | | | | | | | | | |
| (8683) 134 Witchduck Rd | 0.39 | 660 | F | 98% | 0% | 1% | 1% | 0% | 0% | F | 0.092 | F | 0.54 | 700 | F | 2012 |
| | | | To: | Wishart Rd | | | | | | | | | | | | |
| (8684) 134 21st St | 0.53 | 15000 | F | 99% | 0% | 0% | 0% | 0% | 0% | C | 0.082 | F | | 16000 | F | 2012 |
| | | | To: | US 60 Pacific Ave | | | | | | | | | | | | |
| (8684) 134 21st St | 0.07 | 3700 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.078 | F | | 4000 | F | 2012 |
| | | | To: | Pacific Ave | | | | | | | | | | | | |
| (8685) 134 London Bridge Rd | 1.34 | 35000 | F | 97% | 0% | 1% | 1% | 1% | 0% | F | 0.096 | F | 0.741 | 38000 | F | 2012 |
| | | | To: | London Bridge Rd Ext | | | | | | | | | | | | |
| (8685) 134 London Bridge Rd | 2.05 | 29000 | F | 97% | 0% | 1% | 1% | 1% | 0% | C | 0.095 | F | 0.564 | 30000 | F | 2012 |
| | | | To: | International Pkwy | | | | | | | | | | | | |
| (8685) 134 Great Neck Rd | 0.42 | 32000 | F | 97% | 0% | 1% | 1% | 1% | 0% | F | 0.093 | F | 0.518 | 35000 | F | 2012 |
| | | | To: | US 58 Va Beach Blvd | | | | | | | | | | | | |
| (8687) 134 Shipps Corner Rd | 0.81 | 7700 | F | 97% | 0% | 1% | 1% | 0% | 0% | F | 0.116 | F | 0.750 | 8200 | F | 2012 |
| | | | To: | Holland Rd | | | | | | | | | | | | |
| (8687) 134 London Bridge Rd | 1.18 | 12000 | F | 97% | 0% | 1% | 1% | 0% | 0% | F | 0.104 | F | 0.501 | 12000 | F | 2012 |
| | | | To: | London Bridge Rd Ext | | | | | | | | | | | | |
| (8687) 134 London Bridge Rd | 0.48 | 25000 | F | 97% | 0% | 1% | 1% | 0% | 0% | C | 0.089 | F | 0.669 | 26000 | F | 2012 |
| | | | To: | Dam Neck Rd | | | | | | | | | | | | |
| (8687) 134 London Bridge Rd | 2.11 | 22000 | F | 97% | 0% | 1% | 1% | 0% | 0% | F | 0.091 | F | 0.634 | 24000 | F | 2012 |
| | | | To: | Harpers Rd | | | | | | | | | | | | |
| (8688) 134 Dam Neck Rd | 1.70 | 43000 | F | 98% | 0% | 0% | 1% | 0% | 0% | F | 0.081 | F | 0.559 | 46000 | F | 2012 |
| | | | To: | London Bridge Rd | | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division

2012

Annual Average Daily Traffic Volume Estimates By Section of Route
Princess Anne Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | Dir Factor | AAWDT | QW | Year | |
|---------------------------------|--------|-------|----|-------|-----|-------|--------|--------|--------|----|----------|------------|-------|-------|------|------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| City of Virginia Beach | | | | | | | | | | | | | | | | |
| (8688) 134 Dam Neck Rd | 0.61 | 30000 | F | 98% | 0% | 0% | 1% | 0% | 0% | F | 0.089 | F | 0.588 | 32000 | F | 2012 |
| (8688) 134 Dam Neck Rd | 2.19 | 25000 | F | 98% | 0% | 0% | 1% | 0% | 0% | C | 0.089 | F | 0.583 | 27000 | F | 2012 |
| (8688) 134 Dam Neck Rd | 2.02 | 17000 | F | 98% | 0% | 0% | 1% | 0% | 0% | F | 0.098 | F | 0.797 | 18000 | F | 2012 |
| (8689) 134 Entrada Dr | 0.68 | 770 | F | 98% | 0% | 0% | 1% | 0% | 0% | F | 0.096 | F | 0.55 | 830 | F | 2012 |
| (8690) 134 Harpers Rd | 2.87 | 6600 | F | 98% | 1% | 1% | 0% | 0% | 0% | C | 0.105 | F | 0.603 | 7100 | F | 2012 |
| (8691) 134 West Neck Rd | 3.08 | 2900 | F | 97% | 0% | 1% | 1% | 0% | 0% | F | 0.100 | F | 0.7 | 3100 | F | 2012 |
| (8691) 134 West Neck Rd | 2.05 | 6200 | F | 97% | 0% | 1% | 1% | 0% | 0% | C | 0.088 | F | 0.675 | 6600 | F | 2012 |
| (8692) 134 Ferrell Pkwy | 0.44 | 49000 | F | 98% | 0% | 0% | 1% | 1% | 1% | F | 0.084 | F | 0.612 | 52000 | F | 2012 |
| (8692) 134 Ferrell Pkwy | 0.84 | 40000 | F | 98% | 0% | 0% | 1% | 1% | 0% | C | 0.082 | F | 0.500 | 43000 | F | 2012 |
| (8692) 134 Ferrell Parkway | 1.38 | 40000 | F | 98% | 0% | 0% | 1% | 1% | 1% | F | 0.085 | F | 0.520 | 43000 | F | 2012 |
| (8693) 134 Indian Lakes Blvd | 0.43 | 14000 | F | 98% | 1% | 1% | 0% | 0% | 0% | C | 0.096 | F | 0.512 | 15000 | F | 2012 |
| (8693) 134 Indian Lakes Blvd | 0.78 | 7200 | F | 98% | 1% | 1% | 0% | 0% | 0% | F | 0.114 | F | 0.644 | 7700 | F | 2012 |
| (8698) 134 Pembroke Blvd | 0.21 | 4000 | F | 98% | 1% | 1% | 0% | 0% | 0% | F | 0.088 | F | 0.601 | 4300 | F | 2012 |
| (8698) 134 Pembroke Blvd | 0.30 | 2700 | F | 98% | 1% | 1% | 0% | 0% | 0% | F | 0.094 | F | 0.592 | 2900 | F | 2012 |
| (8700) 134 Alicia Dr | 0.18 | 1500 | F | 98% | 1% | 1% | 0% | 0% | 0% | F | 0.124 | F | 0.621 | 1500 | F | 2012 |
| (8700) 134 Bonney Rd | 1.17 | 6400 | F | 98% | 1% | 1% | 0% | 0% | 0% | C | 0.12 | F | 0.761 | 6900 | F | 2012 |
| (8702) 134 Broad Bay Rd | 0.96 | 2300 | F | 98% | 1% | 1% | 0% | 0% | 0% | F | 0.081 | F | 0.575 | 2500 | F | 2012 |
| (8705) 134 First Court Rd | 1.55 | 7900 | F | 99% | 0% | 1% | 0% | 0% | 0% | F | 0.092 | F | 0.624 | 8400 | F | 2012 |
| (8705) 134 Indian Hill Rd | 0.47 | 1900 | F | 99% | 0% | 1% | 0% | 0% | 0% | C | 0.085 | F | 0.577 | 2000 | F | 2012 |
| (8705) 134 Lookout Rd | 0.95 | 1500 | F | 99% | 0% | 1% | 0% | 0% | 0% | F | 0.092 | F | 0.502 | 1600 | F | 2012 |
| (8706) 134 Bells Rd | 0.44 | 4400 | F | 98% | 1% | 1% | 0% | 0% | 0% | F | 0.090 | F | 0.522 | 4700 | F | 2012 |

Virginia Department of Transportation
Traffic Engineering Division

2012

Annual Average Daily Traffic Volume Estimates By Section of Route
Princess Anne Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | Dir Factor | AAWDT | QW | Year | | |
|-------------------------------|---------------------|------|-------|-------|--------------------------|-------|--------|--------|--------|----|----------|------------|-------|-------|-------|------|------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | | |
| City of Virginia Beach | | | | | | | | | | | | | | | | | |
| (8707) 134 | Ferry Plantation Rd | 0.62 | 4500 | F | 98% | 1% | 1% | 0% | 0% | F | 0.105 | F | 0.537 | 4800 | F | 2012 | |
| | | | | From: | Witchduck Rd | | | | | | | | | | | | |
| | | | | To: | Haygood Rd | | | | | | | | | | | | |
| (8708) 134 | Jeanne St | 0.37 | 2000 | F | 96% | 1% | 2% | 0% | 1% | 0% | C | 0.138 | F | 0.673 | 2100 | F | 2012 |
| | | | | From: | 134-8749 Kellam Rd | | | | | | | | | | | | |
| | | | | To: | SR 225 Independence Blvd | | | | | | | | | | | | |
| (8708) 134 | Jeanne St | 0.23 | 12000 | F | 96% | 1% | 2% | 0% | 1% | 0% | F | 0.106 | F | 0.559 | 13000 | F | 2012 |
| | | | | From: | Constitution Dr | | | | | | | | | | | | |
| (8709) 134 | Five Forks Rd | 0.78 | 670 | F | 99% | 0% | 0% | 0% | 0% | C | 0.096 | F | 0.603 | 720 | F | 2012 | |
| | | | | To: | Bromfield Rd | | | | | | | | | | | | |
| (8709) 134 | Bromfield Rd | 0.11 | 200 | F | 99% | 0% | 0% | 0% | 0% | F | 0.111 | F | 0.708 | 210 | F | 2012 | |
| | | | | From: | Five Forks Rd | | | | | | | | | | | | |
| (8709) 134 | Ewell Rd | 0.12 | 1500 | F | 99% | 0% | 0% | 0% | 0% | F | 0.109 | F | 0.620 | 1600 | F | 2012 | |
| | | | | To: | Bromfield Rd | | | | | | | | | | | | |
| (8709) 134 | Five Forks Rd | 0.55 | 1000 | F | 99% | 0% | 0% | 0% | 0% | F | 0.103 | F | 0.653 | 1100 | F | 2012 | |
| | | | | From: | SR 225 Independence Blvd | | | | | | | | | | | | |
| | | | | To: | Hermitage Rd | | | | | | | | | | | | |
| (8710) 134 | Laurel Cove Dr | 0.74 | 1400 | F | 99% | 0% | 1% | 0% | 0% | F | 0.091 | F | 0.507 | 1500 | F | 2012 | |
| | | | | To: | SR 279 Great Neck Rd | | | | | | | | | | | | |
| (8711) 134 | Lynnhaven Rd | 0.61 | 8900 | F | 99% | 0% | 1% | 0% | 0% | F | 0.091 | F | 0.513 | 9500 | F | 2012 | |
| | | | | From: | Lynnhaven Pkwy | | | | | | | | | | | | |
| (8711) 134 | Lynnhaven Rd | 0.55 | 10000 | F | 99% | 0% | 1% | 0% | 0% | F | 0.09 | F | 0.532 | 11000 | F | 2012 | |
| | | | | To: | US 58 Va Beach Blvd | | | | | | | | | | | | |
| (8711) 134 | Lynnhaven Rd | 0.89 | 3100 | F | 99% | 0% | 1% | 0% | 0% | F | 0.089 | F | 0.529 | 3400 | F | 2012 | |
| | | | | To: | Kings Grant Rd | | | | | | | | | | | | |
| (8711) 134 | Little Neck Rd | 0.51 | 12000 | F | 99% | 0% | 1% | 0% | 0% | C | 0.082 | F | 0.614 | 13000 | F | 2012 | |
| | | | | To: | Lynnhaven Rd | | | | | | | | | | | | |
| (8711) 134 | Little Neck Rd | 1.82 | 3500 | F | 99% | 0% | 1% | 0% | 0% | F | 0.084 | F | 0.564 | 3700 | F | 2012 | |
| | | | | To: | Newcastle Rd | | | | | | | | | | | | |
| (8711) 134 | Little Neck Rd | | | From: | Little Neck Rd | | | | | | | | | | | | |
| (8711) 134 | Plantation Dr | 0.25 | 460 | F | 98% | 0% | 1% | 0% | 0% | C | 0.108 | F | 0.528 | 490 | F | 2012 | |
| | | | | To: | SR 279 Great Neck Rd | | | | | | | | | | | | |
| (8713) 134 | Regency Dr | 0.22 | 9500 | F | 99% | 0% | 1% | 0% | 0% | F | 0.091 | F | 0.522 | 10000 | F | 2012 | |
| | | | | From: | US 58 Laskin Rd | | | | | | | | | | | | |
| (8713) 134 | Regency Dr | 0.19 | 5000 | G | 99% | 0% | 1% | 0% | 0% | F | NA | | | 5300 | G | 2012 | |
| | | | | To: | Westminster Ln | | | | | | | | | | | | |
| (8714) 134 | Wolfsnare Rd | 1.33 | 4300 | F | 99% | 0% | 1% | 0% | 0% | F | 0.087 | F | 0.533 | 4600 | F | 2012 | |
| | | | | To: | First Colonial Rd | | | | | | | | | | | | |
| (8715) 134 | Mill Dam Rd | 0.60 | 8800 | F | 97% | 2% | 1% | 0% | 0% | C | 0.11 | F | 0.522 | 9300 | F | 2012 | |
| | | | | To: | First Colonial Rd | | | | | | | | | | | | |
| (8715) 134 | Woodhouse Rd | 0.60 | 7600 | F | 97% | 2% | 1% | 0% | 0% | F | 0.087 | F | 0.531 | 8100 | F | 2012 | |
| | | | | To: | Woodhouse Rd | | | | | | | | | | | | |
| (8716) 134 | Woodhouse Rd | 1.10 | 3200 | F | 99% | 0% | 0% | 0% | 0% | C | 0.079 | F | 0.618 | 3400 | F | 2012 | |
| | | | | To: | Mill Dam Rd | | | | | | | | | | | | |
| (8716) 134 | Alanton Dr | 0.25 | 340 | F | 99% | 0% | 0% | 0% | 0% | F | 0.099 | F | 0.68 | 370 | F | 2012 | |
| | | | | To: | Arnold Circle | | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division

2012

Annual Average Daily Traffic Volume Estimates By Section of Route
Princess Anne Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | Dir Factor | AAWDT | QW | Year | |
|-------------------------------|----------------|------|-------|-------|------|-------|--------|--------|--------|----|----------|------------|-------|-------|------|------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| City of Virginia Beach | | | | | | | | | | | | | | | | |
| (8717) 134 | Lynnhaven Pkwy | 0.42 | 8000 | F | 100% | 0% | 0% | 0% | 0% | F | 0.108 | F | 0.641 | 8500 | F | 2012 |
| (8717) 134 | Lynnhaven Pkwy | 0.45 | 5600 | F | 100% | 0% | 0% | 0% | 0% | C | 0.11 | F | 0.607 | 6000 | F | 2012 |
| (8717) 134 | Lynnhaven Pkwy | 1.24 | 10000 | F | 99% | 1% | 1% | 0% | 0% | F | 0.115 | F | 0.557 | 11000 | F | 2012 |
| (8717) 134 | Lynnhaven Pkwy | 1.97 | 21000 | F | 99% | 1% | 1% | 0% | 0% | C | 0.104 | F | 0.617 | 22000 | F | 2012 |
| (8717) 134 | Lynnhaven Pkwy | 0.47 | 20000 | F | 99% | 1% | 1% | 0% | 0% | F | 0.098 | F | 0.604 | 21000 | F | 2012 |
| (8717) 134 | Lynnhaven Pkwy | 0.67 | 23000 | F | 99% | 1% | 1% | 0% | 0% | F | 0.094 | F | 0.547 | 25000 | F | 2012 |
| (8717) 134 | Lynnhaven Pkwy | 0.56 | 32000 | F | 99% | 1% | 1% | 0% | 0% | F | 0.092 | F | 0.541 | 34000 | F | 2012 |
| (8717) 134 | Lynnhaven Pkwy | 0.90 | 26000 | F | 99% | 1% | 1% | 0% | 0% | F | 0.098 | F | 0.588 | 27000 | F | 2012 |
| (8718) 134 | York Lane | 0.24 | 2100 | F | 99% | 0% | 0% | 0% | 0% | F | 0.081 | F | 0.59 | 2200 | F | 2012 |
| (8718) 134 | Cavalier Dr | 0.57 | 4300 | F | 99% | 0% | 0% | 0% | 0% | C | 0.079 | F | 0.693 | 4500 | F | 2012 |
| (8718) 134 | Cavalier Dr | 0.23 | 390 | F | 99% | 0% | 0% | 0% | 0% | F | 0.111 | F | 0.897 | 420 | F | 2012 |
| (8719) 134 | Atlantic Ave | 0.28 | 6200 | F | 98% | 0% | 1% | 0% | 0% | C | 0.081 | F | 0.529 | 6600 | F | 2012 |
| (8719) 134 | Atlantic Ave | 0.71 | 7500 | F | 98% | 0% | 1% | 0% | 0% | F | 0.074 | F | 0.511 | 8000 | F | 2012 |
| (8719) 134 | Atlantic Ave | 0.77 | 4400 | F | 98% | 0% | 1% | 0% | 0% | F | 0.078 | F | 0.501 | 4700 | F | 2012 |
| (8721) 134 | Baltic Ave | 1.00 | 6500 | F | 100% | 0% | 0% | 0% | 0% | F | 0.096 | F | 0.585 | 6900 | F | 2012 |
| (8721) 134 | Holly Rd | 0.80 | 9700 | F | 100% | 0% | 0% | 0% | 0% | C | 0.084 | F | 0.593 | 10000 | F | 2012 |
| (8722) 134 | 22nd St | 0.53 | 13000 | F | 98% | 1% | 1% | 0% | 1% | 0% | C | 0.088 | F | 13000 | F | 2012 |
| (8722) 134 | 22nd St | 0.07 | 2900 | F | 98% | 1% | 1% | 0% | 1% | 0% | F | 0.095 | F | 3100 | F | 2012 |
| (8723) 134 | Birdneck Rd | 0.15 | 2500 | F | 98% | 1% | 1% | 0% | 0% | C | 0.172 | F | 0.912 | 2700 | F | 2012 |
| (8723) 134 | Birdneck Rd | 0.40 | 6000 | G | 98% | 0% | 1% | 0% | 0% | F | NA | | | 5700 | G | 2012 |
| (8723) 134 | Birdneck Rd | 2.52 | 14000 | F | 98% | 0% | 1% | 0% | 0% | C | 0.095 | F | 0.505 | 15000 | F | 2012 |
| (8723) 134 | Birdneck Rd | 0.37 | 26000 | F | 98% | 0% | 1% | 0% | 0% | F | 0.084 | F | 0.521 | 28000 | F | 2012 |
| (8723) 134 | Birdneck Rd | 0.55 | 22000 | F | 98% | 0% | 1% | 0% | 0% | F | 0.084 | F | 0.52 | 23000 | F | 2012 |

Virginia Department of Transportation
Traffic Engineering Division

2012

Annual Average Daily Traffic Volume Estimates By Section of Route
Princess Anne Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | Dir Factor | AAWDT | QW | Year | |
|-------------------------------------|--------|-------|-------|--|-----|-------|--------|--------|--------|-----|-------------------------------------|------------|-------|-------|------|------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| City of Virginia Beach | | | | | | | | | | | | | | | | |
| (8723) 134 Cardinal Rd | 0.48 | 2200 | F | 98% | 0% | 1% | 0% | 0% | 0% | F | 0.088 | F | 0.514 | 2300 | F | 2012 |
| | | | From: | US 58 Laskin Rd | | | | | | To: | Kamichi Pl | | | | | |
| North (8723) 134 Ramp | 0.17 | 7400 | F | | | | | | | | 0.097 | F | | 7400 | F | 2012 |
| | | | From: | 134-8723; 134-8723-S003A TO & FROM ROU | | | | | | To: | I-264-W FROM BIRDNECK ROAD00- NORTH | | | | | |
| South (8723) 134 Ramp | 0.17 | 6800 | F | | | | | | | | 0.116 | F | | 6800 | F | 2012 |
| | | | From: | 134-8723; 134-8723-N003A TO & FROM ROU | | | | | | To: | I-264-W FROM BIRDNECK ROAD00- SOUTH | | | | | |
| (8724) 134 Norfolk Ave | 0.67 | 12000 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.088 | F | 0.599 | 13000 | F | 2012 |
| | | | From: | Birdneck Rd | | | | | | To: | Ocean Villas Way | | | | | |
| (8724) 134 Norfolk Ave | 0.73 | 7100 | F | 99% | 0% | 0% | 0% | 0% | 0% | C | 0.082 | F | 0.543 | 7600 | F | 2012 |
| | | | From: | Ocean Villas | | | | | | To: | Pacific Ave | | | | | |
| (8724) 134 Norfolk Ave | 0.07 | 3500 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.100 | F | 0.723 | 3700 | F | 2012 |
| | | | From: | US 60 Atlantic Ave | | | | | | To: | | | | | | |
| (8725) 134 Kings Arms Rd | 0.44 | 710 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.107 | F | 0.503 | 760 | F | 2012 |
| | | | From: | Lynnhaven Pkwy | | | | | | To: | Bow Creek Blvd | | | | | |
| (8726) 134 Lynnhaven Rd | 1.98 | 16000 | F | 99% | 0% | 0% | 0% | 0% | 0% | C | 0.097 | F | 0.502 | 18000 | F | 2012 |
| | | | From: | Lynnhaven Pkwy | | | | | | To: | Lynnhaven Pkwy | | | | | |
| (8726) 134 Potters Rd | 0.93 | 8000 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.095 | F | 0.550 | 8600 | F | 2012 |
| | | | From: | Great Neck Rd S | | | | | | To: | Great Neck Rd | | | | | |
| (8726) 134 Potters Rd | 2.09 | 4400 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.098 | F | 0.528 | 4700 | F | 2012 |
| | | | From: | Great Neck Rd | | | | | | To: | First Colonial Rd | | | | | |
| (8727) 134 Winwood Rd | 0.23 | 900 | F | 98% | 0% | 0% | 0% | 0% | 0% | F | 0.111 | F | 0.5 | 960 | F | 2012 |
| | | | From: | US 60 Laskin Rd | | | | | | To: | Wolfson Rd | | | | | |
| (8729) 134 Oceana Blvd | 0.97 | 31000 | N | 98% | 0% | 0% | 0% | 0% | 0% | N | 0.096 | N | 0.544 | 35000 | N | 2012 |
| | | | From: | General Booth Blvd | | | | | | To: | Tomcat Blvd | | | | | |
| (8729) 134 Oceana Blvd | 2.98 | 31000 | A | 98% | 0% | 0% | 0% | 0% | 0% | C | 0.096 | A | 0.544 | 35000 | A | 2012 |
| | | | From: | Bus US 58 Virginia Beach Blvd | | | | | | To: | | | | | | |
| (8730) 134 Parliament Dr | 0.91 | 2900 | F | 98% | 0% | 0% | 0% | 0% | 0% | F | 0.101 | F | 0.671 | 3100 | F | 2012 |
| | | | From: | SR 165 Princess Anne Rd | | | | | | To: | South Parliament Dr | | | | | |
| (8730) 134 S Parliament Dr | 0.52 | 3500 | F | 98% | 0% | 0% | 0% | 0% | 0% | F | 0.099 | F | 0.525 | 3800 | F | 2012 |
| | | | From: | Parliament Dr | | | | | | To: | SR 165 Princess Anne Rd | | | | | |
| (8731) 134 Whitehurst Landing Rd | 0.51 | 3700 | F | 98% | 0% | 0% | 0% | 0% | 0% | F | 0.102 | F | 0.574 | 4000 | F | 2012 |
| | | | From: | SR 190 Kempsville Rd | | | | | | To: | Branchwood Way | | | | | |
| (8731) 134 Whitehurst Landing Rd | 0.40 | 3600 | F | 98% | 0% | 0% | 0% | 0% | 0% | F | 0.107 | F | 0.67 | 3900 | F | 2012 |
| | | | From: | Providence Rd | | | | | | To: | | | | | | |
| (8732) 134 Thalia Rd | 0.44 | 4300 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.099 | F | 0.617 | 4600 | F | 2012 |
| | | | From: | US 58 Va Beach Blvd | | | | | | To: | Edinburgh Dr | | | | | |
| (8732) 134 Edinburgh Dr | 0.51 | 2100 | F | 99% | 0% | 0% | 0% | 0% | 0% | C | 0.106 | F | 0.521 | 2200 | F | 2012 |
| | | | From: | Thalia Rd | | | | | | To: | Lynn Shores Dr | | | | | |
| (8732) 134 Edinburgh Dr | 1.08 | 3100 | F | 98% | 0% | 0% | 0% | 0% | 0% | F | 0.105 | F | 0.568 | 3300 | F | 2012 |
| | | | From: | Little Neck Rd | | | | | | To: | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division

2012

Annual Average Daily Traffic Volume Estimates By Section of Route
Princess Anne Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | Dir Factor | AAWDT | QW | Year | |
|---------------------------------|--------|-------|-------|---------------------------|-----|-------|--------|--------|--------|----|----------|------------|-------|-------|------|------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| City of Virginia Beach | | | | | | | | | | | | | | | | |
| (8733) 134 Plaza Trail S | 0.51 | 11000 | F | 98% | 0% | 0% | 0% | 0% | 0% | F | 0.108 | F | 0.603 | 11000 | F | 2012 |
| | | | From: | Independence Blvd | | | | | | | | | | | | |
| (8733) 134 Plaza Trail S | 1.63 | 9200 | F | 98% | 0% | 0% | 0% | 0% | 0% | C | 0.108 | F | 0.505 | 9800 | F | 2012 |
| | | | To: | Holland Rd | | | | | | | | | | | | |
| (8733) 134 Plaza Trail | 1.12 | 10000 | F | 98% | 0% | 0% | 0% | 0% | 0% | F | 0.099 | F | 0.608 | 11000 | F | 2012 |
| | | | From: | Rosemont Rd | | | | | | | | | | | | |
| (8733) 134 Little Neck Rd | 1.04 | 16000 | F | 98% | 0% | 0% | 0% | 0% | 0% | F | 0.089 | F | 0.59 | 17000 | F | 2012 |
| | | | To: | US 58 Virginia Beach Blvd | | | | | | | | | | | | |
| (8733) 134 Windsor Oaks | 0.87 | 5900 | F | 98% | 0% | 1% | 0% | 0% | 0% | F | 0.101 | F | 0.501 | 6200 | F | 2012 |
| | | | From: | SR 165 Princess Anne Rd | | | | | | | | | | | | |
| (8734) 134 Windsor Oaks Blvd | 0.50 | 4500 | F | 98% | 0% | 1% | 0% | 0% | 0% | F | 0.099 | F | 0.534 | 4800 | F | 2012 |
| | | | To: | Holland Rd | | | | | | | | | | | | |
| (8736) 134 Baxter Rd | 0.95 | 21000 | F | 98% | 0% | 1% | 0% | 0% | 0% | C | 0.111 | F | 0.667 | 22000 | F | 2012 |
| | | | From: | SR 165 Princess Anne Rd | | | | | | | | | | | | |
| (8736) 134 Baxter Rd | | | To: | SR 225 Independence Blvd | | | | | | | | | | | | |
| (8737) 134 Edwin Dr | 0.64 | 3900 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.110 | F | 0.645 | 4100 | F | 2012 |
| | | | From: | Providence Rd | | | | | | | | | | | | |
| (8737) 134 Edwin Dr | 0.78 | 3800 | F | 99% | 0% | 0% | 0% | 0% | 0% | C | 0.104 | F | 0.646 | 4100 | F | 2012 |
| | | | To: | SR 165 Princess Anne Rd | | | | | | | | | | | | |
| (8737) 134 Edwin Dr | 0.31 | 4800 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.102 | F | 0.602 | 5100 | F | 2012 |
| | | | From: | Gleneagle Dr | | | | | | | | | | | | |
| (8737) 134 Edwin Dr | | | To: | Independence Blvd S | | | | | | | | | | | | |
| (8737) 134 Edwin Dr | 0.53 | 6500 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.106 | F | 0.513 | 6900 | F | 2012 |
| | | | To: | Independence Blvd | | | | | | | | | | | | |
| (8738) 134 Dorset Ave | 0.13 | 3100 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.106 | F | 0.535 | 3300 | F | 2012 |
| | | | From: | US 58 Va Beach Blvd | | | | | | | | | | | | |
| (8738) 134 Euclid Rd | 1.14 | 5200 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.098 | F | 0.583 | 5600 | F | 2012 |
| | | | To: | Cleveland St | | | | | | | | | | | | |
| (8738) 134 Bonney Rd | 2.38 | 13000 | F | 99% | 0% | 0% | 0% | 0% | 0% | C | 0.092 | F | 0.53 | 14000 | F | 2012 |
| | | | From: | SR 225 Independence Blvd | | | | | | | | | | | | |
| (8739) 134 Rosemont Rd | 0.93 | 13000 | F | 98% | 0% | 1% | 0% | 0% | 0% | F | 0.092 | F | 0.503 | 14000 | F | 2012 |
| | | | To: | Rosemont Rd | | | | | | | | | | | | |
| (8739) 134 Rosemont Rd | 0.51 | 16000 | F | 98% | 0% | 1% | 0% | 0% | 0% | C | 0.095 | F | 0.543 | 17000 | F | 2012 |
| | | | From: | Buckner Blvd | | | | | | | | | | | | |
| (8739) 134 Rosemont Rd | 0.63 | 19000 | F | 98% | 0% | 1% | 0% | 0% | 0% | F | 0.096 | F | 0.539 | 20000 | F | 2012 |
| | | | To: | Lynnhaven Pkwy | | | | | | | | | | | | |
| (8740) 134 Constitution Dr | 0.18 | 7400 | F | 98% | 1% | 1% | 0% | 0% | 0% | F | 0.101 | F | 0.541 | 7900 | F | 2012 |
| | | | From: | Dam Neck Rd | | | | | | | | | | | | |
| (8740) 134 Constitution Dr | 0.88 | 10000 | F | 98% | 1% | 1% | 0% | 0% | 0% | C | 0.107 | F | 0.503 | 11000 | F | 2012 |
| | | | To: | SR 58 Va Beach Blvd | | | | | | | | | | | | |
| (8740) 134 Jericho Rd | 0.46 | 2700 | F | 98% | 1% | 1% | 0% | 0% | 0% | F | 0.147 | F | 0.502 | 2900 | F | 2012 |
| | | | From: | SR 225 Independence Blvd | | | | | | | | | | | | |
| (8740) 134 Old Forge Rd | 0.76 | 1300 | F | 98% | 1% | 1% | 0% | 0% | 0% | F | 0.102 | F | 0.536 | 1400 | F | 2012 |
| | | | To: | SR 190 Witchduck Rd | | | | | | | | | | | | |
| (8742) 134 Bow Creek Blvd | 1.46 | 6000 | F | 98% | 1% | 1% | 0% | 0% | 0% | F | 0.094 | F | 0.515 | 6400 | F | 2012 |
| | | | From: | S Plaza Trail | | | | | | | | | | | | |
| (8744) 134 Bow Creek Blvd | | | To: | Rosemont Rd | | | | | | | | | | | | |
| | | | From: | Lynnhaven Rd | | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division

2012

Annual Average Daily Traffic Volume Estimates By Section of Route
Princess Anne Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | Dir Factor | AAWDT | QW | Year | |
|-------------------------------|--------|-------|-------|----------------------|-----|-------|--------|--------|--------|----|----------|------------|-------|-------|------|------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| City of Virginia Beach | | | | | | | | | | | | | | | | |
| (8746) 134 St Marshall Rd | 0.13 | 1200 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.1 | F | 0.753 | 1300 | F | 2012 |
| | | | From: | SR 279 Great Neck Rd | | | | | | | | | | | | |
| | | | To: | North Plantation Dr | | | | | | | | | | | | |
| (8747) 134 Kings Grant Dr | 1.01 | 5000 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.089 | F | 0.619 | 5300 | F | 2012 |
| | | | From: | Lynnhaven Rd | | | | | | | | | | | | |
| | | | To: | Little Neck Rd | | | | | | | | | | | | |
| (8748) 134 Chester St | 0.32 | 1200 | F | 98% | 1% | 1% | 0% | 0% | 0% | F | 0.103 | F | 0.612 | 1200 | F | 2012 |
| | | | From: | Rosemont Rd | | | | | | | | | | | | |
| | | | To: | Victoria Dr | | | | | | | | | | | | |
| (8748) 134 Dillon Dr | 0.81 | 4900 | F | 98% | 1% | 1% | 0% | 0% | 0% | F | 0.109 | F | 0.516 | 5200 | F | 2012 |
| | | | From: | Continental St | | | | | | | | | | | | |
| | | | To: | Silina Dr | | | | | | | | | | | | |
| (8749) 134 Kellam Rd | 0.19 | 2600 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.122 | F | 0.575 | 2800 | F | 2012 |
| | | | From: | Columbus St | | | | | | | | | | | | |
| | | | To: | US 58 Va Beach Blvd | | | | | | | | | | | | |
| (8749) 134 Kellam Rd | 0.98 | 3100 | F | 99% | 0% | 0% | 0% | 0% | 0% | C | 0.114 | F | 0.537 | 3300 | F | 2012 |
| | | | From: | SR 190 Witchduck Rd | | | | | | | | | | | | |
| (8750) 134 Silina Dr | 1.00 | 7400 | F | 98% | 1% | 1% | 0% | 0% | 0% | F | 0.099 | F | 0.592 | 7900 | F | 2012 |
| | | | From: | Rosemont Rd | | | | | | | | | | | | |
| | | | To: | Lynnhaven Rd | | | | | | | | | | | | |
| (8751) 134 Malibu Dr | 0.42 | 1400 | F | 98% | 1% | 1% | 0% | 0% | 0% | F | 0.097 | F | 0.629 | 1500 | F | 2012 |
| | | | From: | US 58 Va Beach Blvd | | | | | | | | | | | | |
| | | | To: | Edinburgh Dr | | | | | | | | | | | | |
| (8752) 134 Lynn Shores Dr | 0.51 | 3300 | F | 99% | 0% | 0% | 1% | 0% | 0% | C | 0.093 | F | 0.568 | 3500 | F | 2012 |
| | | | From: | US 58 Va Beach Blvd | | | | | | | | | | | | |
| | | | To: | Edinburg Dr | | | | | | | | | | | | |
| (8752) 134 Lynn Shores Dr | 0.35 | 1100 | F | 99% | 0% | 0% | 1% | 0% | 0% | F | 0.1 | F | 0.58 | 1200 | F | 2012 |
| | | | From: | Thalia Dr | | | | | | | | | | | | |
| | | | To: | Lynn Shores Rd | | | | | | | | | | | | |
| (8752) 134 Thalia Dr | 0.49 | 850 | F | 99% | 0% | 0% | 1% | 0% | 0% | F | 0.113 | F | 0.569 | 910 | F | 2012 |
| | | | From: | Thalia Rd | | | | | | | | | | | | |
| (8764) 134 Janke Rd | 0.48 | 850 | F | 98% | 1% | 1% | 0% | 0% | 0% | F | 0.107 | F | 0.578 | 910 | F | 2012 |
| | | | From: | Bayside Rd | | | | | | | | | | | | |
| | | | To: | Aragon Rd | | | | | | | | | | | | |
| (8774) 134 Southern Blvd | 0.16 | 60 | F | 95% | 3% | 1% | 0% | 1% | 0% | F | 0.171 | F | 0.55 | 70 | F | 2012 |
| | | | From: | First Colonial Rd | | | | | | | | | | | | |
| | | | To: | Dead End | | | | | | | | | | | | |
| (8774) 134 Southern Blvd | 0.23 | 250 | F | 95% | 3% | 1% | 0% | 1% | 0% | C | 0.099 | F | 0.556 | 270 | F | 2012 |
| | | | From: | West Lane | | | | | | | | | | | | |
| | | | To: | Old Oceana Blvd | | | | | | | | | | | | |
| (8775) 134 Albright Dr | 1.22 | 6900 | F | 98% | 0% | 1% | 0% | 0% | 0% | F | 0.112 | F | 0.5 | 7300 | F | 2012 |
| | | | From: | Lynnhaven Pkwy | | | | | | | | | | | | |
| | | | To: | Brandon Blvd | | | | | | | | | | | | |
| (8779) 134 Landstown Rd | 2.34 | 1800 | F | 98% | 0% | 1% | 0% | 0% | 0% | C | 0.121 | F | 0.671 | 2000 | F | 2012 |
| | | | From: | Salem Rd | | | | | | | | | | | | |
| | | | To: | Dam Neck Rd | | | | | | | | | | | | |
| (8779) 134 Dam Neck Rd | 1.01 | 40000 | F | 98% | 0% | 1% | 0% | 0% | 0% | F | 0.089 | F | 0.559 | 43000 | F | 2012 |
| | | | From: | Princess Anne Rd | | | | | | | | | | | | |
| | | | To: | Holland Rd | | | | | | | | | | | | |
| (8781) 134 Sandpiper Rd | 0.95 | 770 | F | 98% | 0% | 1% | 0% | 0% | 0% | F | 0.086 | F | 0.503 | 820 | F | 2012 |
| | | | From: | Marlin Lane | | | | | | | | | | | | |
| | | | To: | Widgeon Lane | | | | | | | | | | | | |
| (8783) 134 Lotus Dr | 0.58 | 270 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.124 | F | 0.611 | 290 | F | 2012 |
| | | | From: | Sandbridge Rd | | | | | | | | | | | | |
| | | | To: | Atwoodtown Rd | | | | | | | | | | | | |
| (8783) 134 Sandbridge Rd | 1.63 | 15000 | F | 99% | 0% | 0% | 0% | 0% | 0% | C | 0.094 | F | 0.503 | 16000 | F | 2012 |
| | | | From: | Lotus Dr | | | | | | | | | | | | |
| | | | To: | Princess Anne Rd | | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division

2012

Annual Average Daily Traffic Volume Estimates By Section of Route
Princess Anne Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | Dir Factor | AAWDT | QW | Year | |
|-------------------------------|--------|-------|----|-------|-----|-------|--------|--------|--------|----|----------|------------|-------|-------|------|------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| City of Virginia Beach | | | | | | | | | | | | | | | | |
| 8785 134 Haygood Rd | 0.29 | 3000 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.094 | F | 0.513 | 3200 | F | 2012 |
| From: Newtown Rd | | | | | | | | | | | | | | | | |
| To: Wesleyan Dr | | | | | | | | | | | | | | | | |
| 8786 134 South Blvd | 0.70 | 4600 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.121 | F | 0.584 | 4900 | F | 2012 |
| From: Independence Blvd | | | | | | | | | | | | | | | | |
| To: Edwin Dr | | | | | | | | | | | | | | | | |
| 8786 134 South Blvd | 0.59 | 4400 | F | 99% | 0% | 0% | 0% | 0% | 0% | C | 0.112 | F | 0.612 | 4700 | F | 2012 |
| From: West Colonial Pkwy | | | | | | | | | | | | | | | | |
| To: Palace Green | | | | | | | | | | | | | | | | |
| 8786 134 Palace Green Blvd | 0.27 | 2000 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.111 | F | 0.585 | 2100 | F | 2012 |
| From: South Blvd | | | | | | | | | | | | | | | | |
| To: Plaza Trail S | | | | | | | | | | | | | | | | |
| 8805 134 Elbow Rd | 0.15 | 8400 | F | 99% | 1% | 1% | 0% | 0% | 0% | F | 0.123 | F | 0.513 | 8900 | F | 2012 |
| From: ECL Chesapeake | | | | | | | | | | | | | | | | |
| To: Indian River Rd | | | | | | | | | | | | | | | | |
| 8805 134 Elbow Rd | 1.09 | 11000 | F | 99% | 1% | 1% | 0% | 0% | 0% | C | 0.108 | F | 0.561 | 12000 | F | 2012 |
| From: Salem Rd | | | | | | | | | | | | | | | | |
| 8816 134 Kings Grant Rd | 1.24 | 4400 | F | 99% | 0% | 0% | 0% | 0% | 0% | C | 0.106 | F | 0.57 | 4700 | F | 2012 |
| From: Winthrope Dr | | | | | | | | | | | | | | | | |
| To: Little Neck Rd | | | | | | | | | | | | | | | | |
| 8817 134 Inlynnview Rd | 0.66 | 2900 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.089 | F | 0.662 | 3100 | F | 2012 |
| From: Five Point Rd | | | | | | | | | | | | | | | | |
| To: SR 279 Great Neck Rd | | | | | | | | | | | | | | | | |
| 8817 134 Old Donation Pkwy | 0.94 | 6800 | F | 99% | 0% | 0% | 0% | 0% | 0% | C | 0.100 | F | 0.566 | 7200 | F | 2012 |
| From: First Colonial Rd | | | | | | | | | | | | | | | | |
| 8818 134 19th St | 0.59 | 3400 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.080 | F | 0.75 | 3600 | F | 2012 |
| From: Birdneck Rd | | | | | | | | | | | | | | | | |
| To: Parks Ave | | | | | | | | | | | | | | | | |
| 8818 134 19th St | 0.52 | 3400 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.084 | F | 0.588 | 3600 | F | 2012 |
| From: US 60 Atlantic Ave | | | | | | | | | | | | | | | | |
| 8819 134 Greenwich Rd | 1.64 | 5700 | F | 98% | 0% | 1% | 0% | 0% | 0% | C | 0.117 | F | 0.526 | 6100 | F | 2012 |
| From: SR 403 Newtown Rd | | | | | | | | | | | | | | | | |
| To: SR 190 Witchduck Rd | | | | | | | | | | | | | | | | |
| 8820 134 College Park Blvd | 1.01 | 5000 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.091 | F | 0.517 | 5300 | F | 2012 |
| From: Providence Rd | | | | | | | | | | | | | | | | |
| 8821 134 Drew Dr | 0.57 | 2500 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.103 | F | 0.559 | 2600 | F | 2012 |
| From: ECL Norfolk | | | | | | | | | | | | | | | | |
| To: Level Green Blvd | | | | | | | | | | | | | | | | |
| 8821 134 Level Green Blvd | 0.88 | 2500 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.093 | F | 0.577 | 2700 | F | 2012 |
| From: Drew Dr | | | | | | | | | | | | | | | | |
| To: Indian River Rd | | | | | | | | | | | | | | | | |
| 8822 134 Beaufain Blvd | 0.46 | 2600 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.108 | F | 0.747 | 2800 | F | 2012 |
| From: Legare Lane | | | | | | | | | | | | | | | | |
| To: SR 190 Kempsville Rd | | | | | | | | | | | | | | | | |
| 8822 134 Brandon Blvd | 0.73 | 3400 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.122 | F | 0.765 | 3700 | F | 2012 |
| From: Centerville Tpke | | | | | | | | | | | | | | | | |
| From: SR 190 Kempsville Rd | | | | | | | | | | | | | | | | |
| 8823 134 Stratford Chase Dr | 0.66 | 2500 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.139 | F | 0.762 | 2700 | F | 2012 |
| From: Indian Lakes Blvd | | | | | | | | | | | | | | | | |
| To: Indian Lakes Blvd | | | | | | | | | | | | | | | | |
| 8824 134 Pleasant Valley Rd | 0.74 | 4800 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.11 | F | 0.597 | 5100 | F | 2012 |
| From: Ferrell Pkwy | | | | | | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division

2012

Annual Average Daily Traffic Volume Estimates By Section of Route
Princess Anne Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | Dir Factor | AAWDT | QW | Year | |
|-------------------------------|--------|------|-------|-------------------------|-----|-------|--------|--------|--------|-----|-------------------------|------------|-------|------|------|------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| City of Virginia Beach | | | | | | | | | | | | | | | | |
| (8826) Timberlake Dr | 0.54 | 3200 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.107 | F | 0.597 | 3400 | F | 2012 |
| | | | From: | Providence Rd | | | | | | To: | SR 165 Princess Anne Rd | | | | | |
| (8827) Stoneshore Rd | 0.53 | 1200 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.105 | F | 0.548 | 1300 | F | 2012 |
| | | | From: | Rosemont Rd | | | | | | To: | Holland Rd | | | | | |
| (8827) Stoneshore Rd | 0.22 | 3000 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.097 | F | 0.510 | 3200 | F | 2012 |
| | | | From: | Riverbend Rd | | | | | | To: | Lynnhaven Pkwy | | | | | |
| (8828) Riverbend Rd | 0.71 | 1600 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.108 | F | 0.545 | 1800 | F | 2012 |
| | | | From: | Lakecrest Rd | | | | | | To: | Lynnhaven Pkwy | | | | | |
| (8829) Dahlia Dr | 0.66 | 5300 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.102 | F | 0.587 | 5600 | F | 2012 |
| | | | From: | Independence Blvd | | | | | | To: | Rosemont Rd | | | | | |
| (8829) Dahlia Dr | 0.82 | 6600 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.099 | F | 0.52 | 7000 | F | 2012 |
| | | | From: | Green Garden Cir | | | | | | To: | Holland Rd | | | | | |
| (8829) Green Run Blvd | 0.17 | 2700 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.096 | F | 0.550 | 2800 | F | 2012 |
| | | | From: | Campion Ave | | | | | | To: | Holland Rd | | | | | |
| (8830) Chimney Hill Pkwy | 0.55 | 5700 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.085 | F | 0.557 | 6100 | F | 2012 |
| | | | From: | Lynnhaven Pkwy S | | | | | | To: | Lynnhaven Pkwy N | | | | | |
| (8831) Magic Hollow Blvd | 1.18 | 1300 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.092 | F | 0.668 | 1400 | F | 2012 |
| | | | From: | SR 165 Princess Anne Rd | | | | | | To: | S Independence Blvd | | | | | |
| (8832) Green Meadows Dr | 0.82 | 3600 | F | 99% | 0% | 0% | 0% | 0% | 0% | F | 0.096 | F | 0.561 | 3900 | F | 2012 |
| | | | From: | Independence Blvd | | | | | | To: | S Plaza Trail | | | | | |
| 15th St | 360 | F | | | | | | | | | 0.118 | F | 0.522 | 390 | F | 2012 |
| | | | From: | Cypress Ave | | | | | | To: | Parks Ave | | | | | |
| 24th St | 3300 | F | | | | | | | | | 0.095 | F | 0.531 | 3500 | F | 2012 |
| | | | From: | Barberton Dr | | | | | | To: | Cypress Ave | | | | | |
| Alanton Dr | 330 | G | | | | | | | | | NA | | | 330 | G | 2012 |
| | | | From: | Herford Way | | | | | | To: | Bohnhoff Dr | | | | | |
| Ambassador Dr | 280 | F | | | | | | | | | 0.136 | F | 0.647 | 290 | F | 2012 |
| | | | From: | Overholt Dr | | | | | | To: | Parliament Dr | | | | | |
| Andover Rd | 450 | F | | | | | | | | | 0.126 | F | 0.563 | 480 | F | 2012 |
| | | | From: | Acredale Rd | | | | | | To: | Olive Rd | | | | | |
| Aragon Dr | 780 | F | | | | | | | | | 0.092 | F | 0.541 | 830 | F | 2012 |
| | | | From: | King William Rd | | | | | | To: | Moody Rd | | | | | |
| Arctic Ave | 3900 | F | | | | | | | | | 0.087 | F | 0.514 | 4200 | F | 2012 |
| | | | From: | 24th St | | | | | | To: | 25th St | | | | | |
| Arrowhead Dr | 2700 | F | | | | | | | | | 0.088 | F | 0.565 | 2900 | F | 2012 |
| | | | From: | SR 403 Newtown Rd | | | | | | To: | SR 165 Princess Anne Rd | | | | | |

Virginia Department of Transportation
Traffic Engineering Division

2012

Annual Average Daily Traffic Volume Estimates By Section of Route
Princess Anne Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|-------------------------------|--------|------|----|-------|-----|-------|--------|--------|--------|-------|----------|-------|------------|-------|------|------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| City of Virginia Beach | | | | | | | | | | | | | | | | |
| Avalon Woods | 500 | F | | | | | | | | 0.079 | F | 0.567 | 540 | F | 2012 | |
| Baycliff Dr | 2500 | G | | | | | | | | | | | 2500 | G | 2012 | |
| Berrywood Rd | 530 | G | | | | | | | | | | | 530 | G | 2012 | |
| Berwyn Rd | 370 | F | | | | | | | | 0.123 | F | 0.865 | 400 | F | 2012 | |
| Bloomfield Dr | 1000 | G | | | | | | | | | | | 1000 | G | 2012 | |
| Bounty Rd | 90 | F | | | | | | | | 0.144 | F | 0.5 | 100 | F | 2012 | |
| Broad St | 3400 | F | | | | | | | | 0.097 | F | 0.608 | 3600 | F | 2012 | |
| Brookbridge Rd | 120 | F | | | | | | | | 0.152 | F | 0.641 | 120 | F | 2012 | |
| Buckner Blvd | 12000 | G | | | | | | | | | | | 12000 | G | 2012 | |
| Burgesses Lane | 520 | G | | | | | | | | | | | 520 | G | 2012 | |
| Cape Henry Dr | 1800 | F | | | | | | | | 0.129 | F | 0.597 | 1900 | F | 2012 | |
| Carolyn Dr | 160 | F | | | | | | | | 0.116 | F | 0.65 | 170 | F | 2012 | |
| Casanova Dr | 220 | G | | | | | | | | | | | 220 | G | 2012 | |
| Cedar Lane | 210 | F | | | | | | | | 0.102 | F | 0.510 | 230 | F | 2012 | |
| Chickasaw Rd | 200 | F | | | | | | | | 0.172 | F | 0.645 | 210 | F | 2012 | |
| Chicken Valley Rd | 640 | F | | | | | | | | 0.092 | F | 0.531 | 680 | F | 2012 | |
| Clover St | 190 | G | | | | | | | | | | | 180 | G | 2012 | |
| Coach House Lane | 100 | F | | | | | | | | 0.124 | F | 0.615 | 100 | F | 2012 | |
| Coventry Rd | 250 | F | | | | | | | | 0.111 | F | 0.597 | 260 | F | 2012 | |

Virginia Department of Transportation
Traffic Engineering Division

2012

Annual Average Daily Traffic Volume Estimates By Section of Route
Princess Anne Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | Dir Factor | AAWDT | QW | Year |
|-------------------------------|--------|--------------------------|----|-------|-----|-------|-----------------------|--------|--------|-------|----------|------------|-------|----|------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | |
| City of Virginia Beach | | | | | | | | | | | | | | | |
| Crossborough Rd | 920 | F | | | | | | | | 0.104 | F | 0.650 | 980 | F | 2012 |
| | From: | Five Forks Rd | | | | To: | Harris Pt Dr | | | | | | | | |
| Cypress Ave | 1700 | F | | | | | | | | 0.094 | F | 0.635 | 1800 | F | 2012 |
| | From: | 23rd St | | | | To: | 24th St | | | | | | | | |
| Delray Dr | 130 | F | | | | | | | | 0.123 | F | 0.611 | 140 | F | 2012 |
| | From: | Five Forks Rd | | | | To: | Ewell Rd | | | | | | | | |
| Duke of Windsor Rd | 900 | G | | | | | | | | NA | | | 900 | G | 2012 |
| | From: | Alanton Dr | | | | To: | Dead End | | | | | | | | |
| Dunstan Lane | 590 | F | | | | | | | | 0.149 | F | 0.525 | 630 | F | 2012 |
| | From: | Adam Rd | | | | To: | Westerfield Rd | | | | | | | | |
| Eastwind Rd | 440 | F | | | | | | | | 0.138 | F | 0.536 | 470 | F | 2012 |
| | From: | Timberlake Dr | | | | To: | Stockbridge Dr | | | | | | | | |
| Elgin Rd | 250 | F | | | | | | | | 0.095 | F | 0.593 | 270 | F | 2012 |
| | From: | Avalon Ave | | | | To: | Baden Ave | | | | | | | | |
| Floral St | 300 | F | | | | | | | | 0.122 | F | 0.615 | 320 | F | 2012 |
| | From: | Brian Ave | | | | To: | Dorset Ave | | | | | | | | |
| Gammon Rd | 390 | F | | | | | | | | 0.089 | F | 0.551 | 410 | F | 2012 |
| | From: | Indian River Rd | | | | To: | Howell Place | | | | | | | | |
| Greenwell Rd | 1800 | F | | | | | | | | 0.094 | F | 0.519 | 1900 | F | 2012 |
| | From: | Delmar Dr | | | | To: | Bowden Ave | | | | | | | | |
| Gum Bridge Rd | 1200 | G | | | | | | | | NA | | | 1200 | G | 2012 |
| | From: | Princess Anne Rd | | | | To: | Dawley St | | | | | | | | |
| Hargrove Blvd | 270 | F | | | | | | | | 0.117 | F | 0.606 | 290 | F | 2012 |
| | From: | Niland Ct | | | | To: | Todd St | | | | | | | | |
| Hessian Rd | 410 | F | | | | | | | | 0.109 | F | 0.792 | 440 | F | 2012 |
| | From: | Independence Blvd | | | | To: | Liberty Bell Rd | | | | | | | | |
| Highlands Blvd | 2300 | F | | | | | | | | 0.1 | F | 0.581 | 2500 | F | 2012 |
| | From: | Carnegie Rd | | | | To: | Lynnhaven Rd S | | | | | | | | |
| Hillview Blvd | 180 | F | | | | | | | | 0.123 | F | 0.569 | 200 | F | 2012 |
| | From: | Westward Dr | | | | To: | Homeward Dr | | | | | | | | |
| Historyland Dr | 200 | F | | | | | | | | 0.128 | F | 0.525 | 220 | F | 2012 |
| | From: | Pal Green Blvd | | | | To: | President Blvd | | | | | | | | |
| Holladay Lane | 920 | F | | | | | | | | 0.113 | F | 0.620 | 990 | F | 2012 |
| | From: | Sullivan Blvd | | | | To: | Whitman Lane | | | | | | | | |
| Honeygrove Rd | 1300 | F | | | | | | | | 0.103 | F | 0.63 | 1400 | F | 2012 |
| | From: | SR 225 Independence Blvd | | | | To: | Donation Rd | | | | | | | | |
| Hood Dr | 190 | G | | | | | | | | NA | | | 190 | G | 2012 |
| | From: | Five Point Rd | | | | To: | General Beauregard Dr | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division

2012

Annual Average Daily Traffic Volume Estimates By Section of Route
Princess Anne Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | Dir Factor | AAWDT | QW | Year |
|-------------------------------|--------|------|----|-------|-----|-------|--------|--------|--------|-------|----------|------------|-------|----|------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | |
| City of Virginia Beach | | | | | | | | | | | | | | | |
| Hudgins Dr | 250 | F | | | | | | | | 0.139 | F | 0.525 | 270 | F | 2012 |
| Iverness Rd | 1000 | F | | | | | | | | 0.08 | F | 0.656 | 1100 | F | 2012 |
| John Hancock Dr | 350 | G | | | | | | | | NA | | | 350 | G | 2012 |
| Josephine Crescent | 190 | F | | | | | | | | 0.119 | F | 0.58 | 200 | F | 2012 |
| Kenley Rd | 1900 | F | | | | | | | | 0.095 | F | 0.541 | 2100 | F | 2012 |
| Kentucky Ave | 1800 | F | | | | | | | | 0.097 | F | 0.647 | 2000 | F | 2012 |
| Kildeer Ct | 280 | F | | | | | | | | 0.112 | F | 0.529 | 300 | F | 2012 |
| King William Rd | 670 | F | | | | | | | | 0.116 | F | 0.636 | 720 | F | 2012 |
| Lake Dr | 80 | F | | | | | | | | 0.108 | F | 0.5 | 80 | F | 2012 |
| Lake Shores Rd | 260 | F | | | | | | | | 0.121 | F | 0.603 | 280 | F | 2012 |
| Lakeside Rd | 360 | F | | | | | | | | 0.094 | F | 0.671 | 390 | F | 2012 |
| Lakeview Dr | 140 | F | | | | | | | | 0.11 | F | 0.625 | 150 | F | 2012 |
| Linkhorne Dr | 410 | F | | | | | | | | 0.104 | F | 0.516 | 440 | F | 2012 |
| Little Haven Rd | 1500 | F | | | | | | | | 0.086 | F | 0.624 | 1700 | F | 2012 |
| MacDonald Rd | 1700 | F | | | | | | | | 0.103 | F | 0.509 | 1900 | F | 2012 |
| Manatee Dr | 380 | F | | | | | | | | 0.103 | F | 0.533 | 410 | F | 2012 |
| Mandan Rd | 270 | F | | | | | | | | 0.141 | F | 0.57 | 290 | F | 2012 |
| Maryland Ave | 210 | F | | | | | | | | 0.138 | F | 0.516 | 220 | F | 2012 |
| Meredith Rd | 270 | F | | | | | | | | 0.103 | F | 0.724 | 280 | F | 2012 |

Virginia Department of Transportation
Traffic Engineering Division

2012

Annual Average Daily Traffic Volume Estimates By Section of Route
Princess Anne Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | Dir Factor | AAWDT | QW | Year |
|-------------------------------|--------|------|----|-------|-----|-------|--------|--------|--------|-------|----------|------------|-------|----|------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | |
| City of Virginia Beach | | | | | | | | | | | | | | | |
| Middle Lane | 320 | F | | | | | | | | 0.141 | F | 0.564 | 340 | F | 2012 |
| Morgan Trail | 270 | F | | | | | | | | 0.116 | F | 0.606 | 290 | F | 2012 |
| Muddy Creek Rd | 560 | F | | | | | | | | 0.09 | F | 0.536 | 600 | F | 2012 |
| Newstead Dr | 2600 | G | | | | | | | | NA | | | 2600 | G | 2012 |
| Normandy Ave | 350 | F | | | | | | | | 0.096 | F | 0.714 | 380 | F | 2012 |
| Ocean View Ave | 410 | F | | | | | | | | 0.100 | F | 0.505 | 440 | F | 2012 |
| Ohio Ave | 140 | F | | | | | | | | 0.114 | F | 0.514 | 150 | F | 2012 |
| Old Providence Rd | 300 | F | | | | | | | | 0.158 | F | 0.594 | 320 | F | 2012 |
| Old Shell Rd | 220 | F | | | | | | | | 0.135 | F | 0.563 | 230 | F | 2012 |
| Oliver Dr | 420 | F | | | | | | | | 0.148 | F | 0.827 | 450 | F | 2012 |
| Owls Creek Lane | 340 | F | | | | | | | | 0.133 | F | 0.6 | 370 | F | 2012 |
| Palm Ave | 500 | F | | | | | | | | 0.085 | F | 0.637 | 530 | F | 2012 |
| Poinciana Dr | 90 | F | | | | | | | | 0.124 | F | 0.52 | 100 | F | 2012 |
| Pontiac Rd | 1100 | F | | | | | | | | 0.094 | F | 0.521 | 1200 | F | 2012 |
| Presidential Blvd | 1500 | G | | | | | | | | NA | | | 1500 | G | 2012 |
| Prince Phillip Dr | 490 | G | | | | | | | | NA | | | 490 | G | 2012 |
| Queen Elizabeth Dr | 430 | F | | | | | | | | 0.092 | F | 0.605 | 460 | F | 2012 |
| Ramp | NA | | | | | | | | | NA | | | NA | | |
| Reagan Ave | 1900 | F | | | | | | | | 0.097 | F | 0.617 | 2000 | F | 2012 |

Virginia Department of Transportation
Traffic Engineering Division

2012

Annual Average Daily Traffic Volume Estimates By Section of Route
Princess Anne Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | Dir Factor | AAWDT | QW | Year |
|-------------------------------|--------|------|----|-------|-----|-------|--------|--------|--------|-------|----------|------------|-------|----|------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | |
| City of Virginia Beach | | | | | | | | | | | | | | | |
| Redwood Farm Dr | 600 | F | | | | | | | | 0.100 | F | 0.615 | 640 | F | 2012 |
| Reynolds Dr | 290 | F | | | | | | | | 0.18 | F | 0.65 | 310 | F | 2012 |
| Richland Dr | 110 | G | | | | | | | | NA | | | 110 | G | 2012 |
| Rose Hall Dr | 1200 | F | | | | | | | | 0.09 | F | 0.581 | 1300 | F | 2012 |
| Rumford Lane | 580 | F | | | | | | | | 0.112 | F | 0.614 | 620 | F | 2012 |
| S Head Of River Rd | 490 | F | | | | | | | | 0.098 | F | 0.781 | 520 | F | 2012 |
| Sandlewood Rd | 350 | F | | | | | | | | 0.081 | F | 0.5 | 380 | F | 2012 |
| Sandy Bay Dr | 300 | F | | | | | | | | 0.109 | F | 0.575 | 320 | F | 2012 |
| Scallop Rd | 290 | F | | | | | | | | 0.118 | F | 0.756 | 310 | F | 2012 |
| Schuylер Rd | 150 | F | | | | | | | | 0.116 | F | 0.513 | 160 | F | 2012 |
| Shell Rd | 580 | F | | | | | | | | 0.099 | F | 0.557 | 610 | F | 2012 |
| Silina Dr | 2200 | F | | | | | | | | 0.108 | F | 0.632 | 2400 | F | 2012 |
| Smith Lane | 580 | F | | | | | | | | 0.086 | F | 0.537 | 620 | F | 2012 |
| Smokey Rd | 130 | F | | | | | | | | 0.118 | F | 0.611 | 140 | F | 2012 |
| Southaven Dr | 530 | G | | | | | | | | NA | | | 530 | G | 2012 |
| Stanfield Rd | 150 | F | | | | | | | | 0.116 | F | 0.526 | 150 | F | 2012 |
| Stratford Hall Dr | 70 | F | | | | | | | | 0.188 | F | 0.607 | 70 | F | 2012 |
| Sugar Maple Dr | 1900 | G | | | | | | | | NA | | | 1900 | G | 2012 |
| Swallow Rd | 130 | F | | | | | | | | 0.121 | F | 0.75 | 140 | F | 2012 |

Virginia Department of Transportation
Traffic Engineering Division

2012

Annual Average Daily Traffic Volume Estimates By Section of Route
Princess Anne Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | Truck | | | | QC | K Factor | Dir Factor | AAWDT | QW | Year |
|--------------------------------------|--------|------|----|-------|-----|-------|--------|--------|--------|-------|----------|------------|-------|----|------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | |
| <u>City of Virginia Beach</u> | | | | | | | | | | | | | | | |
| Terrazzo Trail | 190 | F | | | | | | | | 0.122 | F | 0.549 | 200 | F | 2012 |
| Violet Bank Dr | 230 | G | | | | | | | | NA | | | 230 | G | 2012 |
| Vista Circle | 2100 | F | | | | | | | | 0.124 | F | 0.679 | 2200 | F | 2012 |
| Washington Ave | 400 | G | | | | | | | | NA | | | 430 | G | 2012 |
| Westminster Lane | 2700 | F | | | | | | | | 0.093 | F | 0.530 | 2900 | F | 2012 |
| Woodlake Rd | 280 | F | | | | | | | | 0.103 | F | 0.546 | 300 | F | 2012 |
| Woods Edge Rd | 400 | F | | | | | | | | 0.109 | F | 0.59 | 430 | F | 2012 |