2014

Virginia Department of Transportation Daily Traffic Volume Estimates Including Vehicle Classification Estimates

where available

Special Locality Report 137

City of Williamsburg

Information in this report is included in Report

47

(James City County)

Prepared By

Virginia Department of Transportation Traffic Engineering Division

In Cooperation With

U.S. Department of Transportation Federal Highway Administration

Virginia Department of Transportation Traffic Engineering Division Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled "Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes" includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled "Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99".

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a "Combined Traffic Estimates for Parallel Roadways on this Route" or "Combined Traffic" identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate "NA" for not available.

VDOT's traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating "NA" for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate "NA" for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1 Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems

North 81	Interstate Route	Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.
29	US Route	

(F241)	Frontage Road (F precedes frontage route number)

(600) Secondary Route

Virginia State Route

Special Routes

Bus	Bus - Business Route
[29]	Bypas - Bypass Route
	Truck - Truck Route
ALT	ALT - Alternate Route
(220)	Wye - Wye Route connector

- P Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.
- The VDOT Maintainenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation Traffic Engineering Division 2014

Annual Average Daily Traffic Volume Estimates By Section of Route City of Williamsburg

					Trucl	ζ			K		Dir		
Route	Jurisdiction	Length AADT QA 4	Tire Bus			Trail 2T		QC	Factor	QK	Factor	AAWDT	Q'
	From:	WCL Williamsburg					.,	_		_			_
5 / (199)	City of Williamsburg (Maint: 47)		97% 0%	1%	1%	1% 09	%	F	0.091	F	0.568	36000	(
	To:	SR 31, SR 199											
5 Jamestown Rd	City of Williamsburg	SR 31 Jamestown Rd; SR 199	9% 0%	0%	0%	0% 09	0/	F	0.097	F	0.624	8800	
5 Jamestown Rd	City of Williamsburg	0.27 8300 G 9	9% 0%	070	076	0% 0	/0	Г	0.097	Г	0.024	0000	(
	To: From:	137-7073 John Tyler Memorial Hwy	J										
5) Jamestown Rd	City of Williamsburg	1.50 9400 G 99	99% 0%	0%	0%	0% 09	%	С	0.093	F	0.642	10000	
\mathcal{I}	To:	137-7075 Boundary St											
	From:	Jamestown Rd											
5 Boundary St	City of Williamsburg	0.07 8900 G 99	99% 0%	0%	0%	0% 09	%	F	0.082	F	0.509	9400	
\smile	To:	Francis St											
	From:	Boundary St											
5 Francis St	City of Williamsburg	0.09 6400 G 99	99% 0%	0%	0%	0% 09	%	F	0.08	F	0.53	6800	
<u> </u>	To:	SR 132 Henry St											
	From:	Francis St						_		_			
5 (132) Henry St	City of Williamsburg		99% 0%	0%	0%	0% 09	%	F	0.081	F	0.522	4600	
\smile	To:	SR 162 Lafayette St											
	From:	SR 132 Henry St						_		_			
5 Lafayette St	City of Williamsburg	0.33 9100 G 9	98% 1%	1%	0%	0% 09	%	F	0.094	F	0.536	9700	
<u> </u>	To	Capital Landing Rd											
5 Lafayette St	City of Williamsburg		98% 1%	1%	0%	0% 09	%	С	0.095	F	0.579	8000	
3),						-,-		-		•			
¬~-	From:	US 60 Page St						_		_			
5) (60) Page St	City of Williamsburg	0.25 13000 G 9	99% 0%	0%	0%	0% 09	%	С	0.084	F	0.579	14000	
<u> </u>	To: From:	Second St											
5) (60) Page St	City of Williamsburg		9% 0%	0%	0%	0% 09	%	F	0.08	F	0.677	21000	
9) (60)													
	From:	US 60 Page St					. ,	_		_			
5 Capitol Landing Rd	City of Williamsburg		98% 1%	1%	0%	0% 09	%	С	0.087	F	0.517	6900	
<u>~</u>	Τo:	SR 143 Merrimac St											
	From:	WCL Williamsburg											
31) Jamestown Rd	City of Williamsburg	0.04 15000 G 98	98% 1%	1%	0%	0% 09	%	F	0.094	F	0.525	16000	(
	, T-1	0											
	From:	State Maintenance Boundary	20/ 10/		00/	00/ 0/	.,	_	0.004	_	0.505	10000	
31) Jamestown Rd	City of Williamsburg (Maint: 47)		98% 1%	1%	0%	0% 09	%	F	0.094	F	0.525	16000	
<u> </u>	10:	SR 5; SR 199		J									
	From:	WCL Williamsburg											
60 Richmond Rd	City of Williamsburg	1.37 19000 G 99	9% 0%	1%	0%	0% 09	%	F	0.083	F	0.500	21000	
	To	Yearsh area d D d											
Pichmond Dd	City of Williamsburg	Ironbound Rd 0.30 25000 G 99	9% 0%	10/	00/	0% 09	١/	_	0.077	F	0 EE1	07000	
Richmond Rd	City of williamsburg		9% 0%	1%	0%	0% 09	/o	С	0.077	Г	0.551	27000	
•	From:	Bypass Rd Richmond Rd											
Bypass Pd	City of Williamshura		00/ 00/	0%	00/	00/ 00) /	C	0.077	F	O E 4 1	22000	
Bypass Rd	City of Williamsburg	0.11 22000 G 9	99% 0%	υ%	0%	0% 09	/o	С	0.077	F	0.541	23000	
~	To: Econol	NCL Williamsburg											
60 Bypass Rd	City of Williamsburg		9% 0%	1%	0%	0% 09	%	С	0.087	F	0.539	15000	
00) 71 1	To:	Parkway Dr						-					

Virginia Department of Transportation Traffic Engineering Division 2014

Annual Average Daily Traffic Volume Estimates By Section of Route City of Williamsburg

			ı wıllıarısburg				Tru	ck			K		Dir		
Route	Jurisdiction	Length	AADT QA	4Tire	Bus		3+Axle			QC	Factor	QK	Factor	AAWDT	QV
	From:	P	Parkway Dr												
60 Bypass Rd	City of Williamsburg	0.16	10000 G	99%	0%	1%	0%	0%	0%	F	0.081	F	0.523	11000	G
	To	SR 5 C	apitol Landing Rd												
60 5 Page St	City of Williamsburg	0.31	20000 G	99%	0%	0%	0%	0%	0%	F	0.08	F	0.677	21000	G
(60)	To.														
60 5 Page St	City of Williamsburg	0.25	econd Street 13000 G	99%	0%	0%	0%	0%	0%	С	0.084	F	0.579	14000	G
60 Page St	To:		fayette St; York St		0 76		0 /6	0 /6	0 /6	O	0.004	'	0.573	14000	ď
	From:		fayette St; Page St												
60 York St	City of Williamsburg		11000 G	97%	1%	1%	0%	0%	0%	С	0.089	F	0.523	12000	G
<u> </u>	То:	ECL	Williamsburg												
	From:		SR 199												
132 Henry St South	City of Williamsburg	1.77	2800 G	99%	0%	0%	0%	0%	0%	С	0.086	F	0.574	3000	G
	To	Ĭn	eland Street												
132)Henry St South	City of Williamsburg	0.08	3800 G	99%	0%	0%	0%	0%	0%	F	0.081	F	0.577	4000	G
132). 101119 01 000111	To:		enry St; Francis St	0070	0 70		0 70	0 70	070	•	0.001	•	0.077	1000	Ŭ
	From:	SK 3 IK	SR 5												
132) 5 Henry St	City of Williamsburg	0.38	4300 G	99%	0%	0%	0%	0%	0%	F	0.081	F	0.522	4600	G
	To:	FI	RANCIS ST												
	From:		Lafayette St							_		_			_
132 Henry St North	City of Williamsburg	0.44	5300 G	97%	1%	2%	0%	0%	0%	С	0.086	F	0.562	5700	G
<u></u>	To: From:	,	SR 132 Y												
132 N.Henry St	City of Williamsburg	0.16	7900 G	97%	1%	2%	0%	0%	0%	F	0.092	F	0.613	8400	G
\smile	To:	Yorl	k County Line												
Wye	From:	Cole	onial Parkway												
132)	City of Williamsburg	0.29	5400 G	98%	1%	1%	0%	0%	0%	С	0.095	F	0.575	5700	G
\smile	To:	SR 1	132 N.Henry St												
	From:	ECL	Williamsburg												
143)Merrimac Trail	City of Williamsburg	0.90	6700 G	98%	1%	1%	0%	0%	0%	С	0.104	F	0.581	7100	G
\bigcup	To	SR 5 C	apital Landing Rd												
143)Merrimac Trail	City of Williamsburg	0.37	8600 G	99%	0%	0%	0%	0%	0%	С	0.104	F	0.564	9200	G
143)	To:		k County Line	0070	0 70		0,0	0,0	0 / 0	Ū	0	•	0.00	0200	0.
	From:		L Williamsburg			i									
199 (5)	City of Williamsburg (Maint: 47)	0.24	33000 G	97%	0%	1%	1%	1%	0%	F	0.091	F	0.568	36000	G
199 (3)	only of Williamsburg (Mainte 17)				0 70		1 70	1 /0	070	•	0.001	•	0.000	00000	~
	Oit of Millians box (Mariata 47)		R 31 Jamestown Ro		00/	10/	40/	40/	00/		0.004	_	0.55	07000	_
199	City of Williamsburg (Maint: 47)	0.07	35000 G	97%	0%	1%	1%	1%	0%	F	0.091	F	0.55	37000	G
	To- From:		City County Line												
199)	City of Williamsburg (Maint: 47)	0.09	35000 N	97%	0%	1%	1%	1%	0%	Ν	0.091	Ν	0.55	37000	Ν
\smile	To	ECL	_ Williamsburg												
	From:	47-61	5 Ironbound Rd												
321 Monticello Ave	City of Williamsburg (Maint: 47)	0.77	16000 G	99%	0%	0%	0%	0%	0%	F	0.093	F	0.541	16000	G
\smile	To:	C	Compton Dr												

4/21/2015

Virginia Department of Transportation Traffic Engineering Division 2014

Annual Average Daily Traffic Volume Estimates By Section of Route City of Williamsburg

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck2Axle 3+Axle 1Trail 2Trail	QC	K Factor	QK Dir Factor	AAWDT	QW
	From:	James	City Count	y Line								
(90003)Colonial Parkway	City of Williamsburg (Maint: US)	3.20	4700	0					NA		NA	
	To:	You	k County I	ine								

4/21/2015

Virginia Department of Transportation Traffic Engineering Division 2014 Annual Average Daily Traffic Volume Estimates By Section of Route City of Williamsburg

						City of Williams	bourg								
Route	Length	AADT	QA	4Tire	Bus	Tr 2Axle 3+Axle			QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
City of Williamsburg															
Richmond Rd	0.37	18000	G	99%	0%	Bypass Rd 1% 0%	0%	0%	С	0.081	F	0.506	19000	G	2014
<u> </u>		From				Monticello Av									
(₇₀₇₅) Richmond Rd	0.95	9700	G	98%	0%	1% 0%	0%	0%	С	0.088	F	0.503	10000	G	2014
		From:				Armistead Av Henry St Sout									
7075) Francis St	0.91	5400	G	99%	0%	0% 0%	0%	0%	С	0.083	F	0.551	5800	G	2014
7075) - Tarrete St	0.0.	To	Ť	0070	0 70	Waller St	0,0	0 70			•	0.00	0000	<u>.</u>	
		From:				Richmond Ro	1								
7077) Lafayette St	0.12	7900	G	99%	0%	0% 0%	0%	0%	F	0.096	F	0.575	8400	G	2014
7077) = 4.44) = 4.4	0	To	Ť	0070	0 70	Bacon Ave	0,0	0 70	•		•	0.07.0	0.00	<u>.</u>	
		From				Bacon St									
₇₀₇₇ Lafayette St	0.82	9000	G	99%	0%	0% 0%	0%	0%	F	0.096	F	0.572	9600	G	2014
		To				Henry St									
		From				Page St									
7079) Second St	0.19	12000	G	99%	0%	1% 0%	0%	0%	F	0.083	F	0.558	12000	G	2014
<u> </u>		To													
7079) Second St	0.22	12000	G	99%	0%	Parkway Dr 1% 0%	0%	0%	С	0.085	F	0.546	13000	G	2014
Second St	0.22	1 2000	<u> </u>	JJ /0	0 /0	York County L		0 /0		0.003	'	0.540	10000	u	2014
		From								1					
Iron Bound Dd	0.57		G	99%	0%	James City County 0% 0%		0%	С	0.083	F	0.527	9400	G	2014
7081 Iron Bound Rd	0.57	8900	G	99%	0%	0% 0%	0%	0%	C	0.063	Г	0.537	9400	G	2014
<u> </u>		To: From:				Longhill Rd									
7081) Iron Bound Rd	0.05	13000	G	99%	0%	0% 0%	0%	0%	F	0.08	F	0.515	14000	G	2014
\smile		To				Richmond Ro	1								
		From				Ironbound Ro									
7082 Longhill Rd	0.63	4300	G	99%	1%	0% 0%	0%	0%	С	0.087	F	0.611	4600	G	2014
$\overline{}$		To				WCL Williamsh	ourg								
		From				Compton Dr									
7083 Monticello Ave	0.35	14000	G							0.085	F	0.519	15000	G	2014
\bigcirc		To				Richmond Ro	1								
		From				Page St									
7086) Penniman Rd	0.49	2700	G	99%	0%	0% 0%	0%	0%	С	0.098	F	0.618	2800	G	2014
\bigcirc		To				York County L	ine								
		From				Golf Course Entr	ance								·
Carters Grove Coun	try Rd	390	G	97%	1%	2% 0%	0%	0%	С	NA			390	G	2014
		To				Williamsburg Av									
		From				Jones Mill Lar									
Holly Hills Dr		680	G	99%	1%	1% 0%	0%	0%	С	NA			680	G	2014
- ,		To				Sir Thomas Lunsfo									
		From:													
Matoaka Court		760	G			Mount Vernon Av	reliue			0.092	F	0.636	760	G	2014
matouna oourt		To:				Richmond Roa	nd				•	0.000	, 50	J	-014
		From:								_					
Patrick Henry Dr		590	G	99%	0%	Piney Creek I	0%	0%	С	NA			590	G	2014
Faulon Helliy DI		390	G	JJ 70	U 7/0	Waltz Dr	U-70	U 70	U	INA			390	a	2014
Outside in all D.		From				SR 199					_	0.503	4400	_	0011
Quarterpath Rd		1100	G			77.1.0				0.112	F	0.567	1100	G	2014
		To				York St									
		From				Williamsburg Av	enue								_
S England St		1700	G							0.090	F	0.571	1700	G	2014
		To				Francis Stree	t								

4/21/2015 10