

2015

Virginia Department of Transportation

Daily Traffic Volume Estimates

Including Vehicle Classification Estimates

where available

Jurisdiction Report

81

Rockbridge County
City of Buena Vista
City of Lexington
Town of Glasgow
Town of Goshen

Prepared By

Virginia Department of Transportation

Traffic Engineering Division

In Cooperation With

U.S. Department of Transportation

Federal Highway Administration

Virginia Department of Transportation
Traffic Engineering Division
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled "Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes" includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled "Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99".

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a "Combined Traffic Estimates for Parallel Roadways on this Route" or "Combined Traffic" identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate "NA" for not available.

VDOT's traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating "NA" for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate "NA" for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems

- North
 Interstate Route Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.
-  US Route
-  Virginia State Route
-  Frontage Road (F precedes frontage route number)
-  Secondary Route

Special Routes

-  Bus - Business Route
 Bypass - Bypass Route
 Truck - Truck Route
-  ALT - Alternate Route
 Wve - Wve Route connector
-  P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.
-  The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation
 Traffic Engineering Division
 2015
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockbridge Maintenance Area

| Route | Jurisdiction | Length | AADT | QA | 4Tire | Bus | -----Truck----- | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW |
|--|---|--------|--------------|----------|-------|-----|-----------------|--------|--------|--------|----|-------------|----|---------------|-------|----|
| | | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | |
| | From: Botetourt County Line | | | | | | | | | | | | | | | |
|   | Rockbridge County | 1.95 | | | | | | | | | | | | | | |
| See I-81 for directional traffic volume estimates for this segment. | | | | | | | | | | | | | | | | |
| Combined Traffic Estimates for 2 Parallel Roadways on this Route: 38000 A 69% 1% 1% 1% 27% 2% F 0.065 B 0.533 35000 A | | | | | | | | | | | | | | | | |
| | To: I-81 South of Natural Bridge | | | | | | | | | | | | | | | |
| | From: IS-00081-N(B)/IS-00081-N175A(L)/TO RT 11 | | | | | | | | | | | | | | | |
|   | Ramp I-81 N Exit 175 to US 11 | 0.14 | | | | | | | | | | | | | | |
| See I-81 for directional traffic volume estimates for this segment. | | | | | | | | | | | | | | | | |
| | To: 5US-00011-P(U)/IS-00081-N175A(R)/FROM RT 81 N | | | | | | | | | | | | | | | |
| | From: I-81 South of Natural Bridge | | | | | | | | | | | | | | | |
|  | S Lee Highway | 1.73 | 2100 | G | 94% | 1% | 1% | 1% | 3% | 0% | C | 0.153 | | 0.713 | 2200 | G |
| | To: SR 130 Natural Bridge | | | | | | | | | | | | | | | |
| | From: SR 130 Natural Bridge | | | | | | | | | | | | | | | |
|  | S Lee Highway | 3.47 | 3000 | G | 94% | 1% | 1% | 1% | 3% | 0% | F | 0.135 | | 0.745 | 3100 | G |
| | To: I-81 North of Natural Bridge | | | | | | | | | | | | | | | |
| | From: I-81 North of Natural Bridge | | | | | | | | | | | | | | | |
|  | S Lee Highway | 8.45 | 3400 | G | 96% | 0% | 1% | 1% | 1% | 0% | F | 0.093 | | 0.638 | 3500 | G |
| | To: BUS US 11 Main St | | | | | | | | | | | | | | | |
| | From: BUS US 11 Main St | | | | | | | | | | | | | | | |
|  | S Lee Highway | 1.02 | 8400 | G | 96% | 0% | 1% | 1% | 1% | 0% | C | 0.096 | | 0.601 | 8800 | G |
| | To: US 60 Nelson St | | | | | | | | | | | | | | | |
| | From: US 60 Nelson St | | | | | | | | | | | | | | | |
|  | S Lee Highway | 0.32 | 8400 | N | 96% | 0% | 1% | 1% | 1% | 0% | N | 0.096 | | 0.601 | 8800 | N |
| | To: SCL Lexington | | | | | | | | | | | | | | | |
| | From: SCL Lexington | | | | | | | | | | | | | | | |
|  | S Lee Highway | 0.59 | 11000 | G | 97% | 1% | 1% | 1% | 1% | 0% | C | 0.091 | | 0.507 | 12000 | G |
| | To: Main St | | | | | | | | | | | | | | | |
| | From: Main St | | | | | | | | | | | | | | | |
|  | N Lee Highway | 0.04 | 11000 | G | 97% | 1% | 1% | 1% | 1% | 0% | F | 0.091 | | 0.501 | 12000 | G |
| | To: Bus US 11 | | | | | | | | | | | | | | | |
| | From: Bus US 11 | | | | | | | | | | | | | | | |
|  | N Lee Highway | 0.08 | 22000 | G | 97% | 0% | 1% | 1% | 1% | 0% | F | 0.100 | | 0.612 | 24000 | G |
| | To: NCL Lexington | | | | | | | | | | | | | | | |
| | From: NCL Lexington | | | | | | | | | | | | | | | |
|  | N Lee Highway | 0.88 | 22000 | G | 97% | 0% | 1% | 1% | 1% | 0% | C | 0.100 | | 0.612 | 23000 | G |
| | To: I-64 North of Lexington | | | | | | | | | | | | | | | |
| | From: I-64 North of Lexington | | | | | | | | | | | | | | | |
|  | N Lee Highway | 3.89 | 7700 | G | 94% | 0% | 1% | 1% | 3% | 0% | C | 0.106 | | 0.573 | 8100 | G |
| | To: I-81 North of Lexington | | | | | | | | | | | | | | | |
| | From: I-81 North of Lexington | | | | | | | | | | | | | | | |
|  | N Lee Highway | 5.66 | 5300 | G | 94% | 1% | 1% | 2% | 2% | 0% | C | 0.158 | | 0.616 | 5600 | G |
| | To: 81-710 Sterrett Rd | | | | | | | | | | | | | | | |
| | From: 81-710 Sterrett Rd | | | | | | | | | | | | | | | |
|  | N Lee Highway | 5.40 | 3600 | G | 94% | 1% | 1% | 2% | 2% | 0% | F | 0.148 | | 0.571 | 3800 | G |
| | To: Augusta County Line | | | | | | | | | | | | | | | |
| | From: Augusta County Line | | | | | | | | | | | | | | | |
|  | Ramp to I-81 S at Exit 175 | 0.19 | 750 | G | | | | | | | | 0.106 | | | 750 | G |
| | To: I-81 S | | | | | | | | | | | | | | | |
| | From: I-81 S | | | | | | | | | | | | | | | |
|  | Ramp to I-81 N at Exit 175 | 0.21 | 310 | G | | | | | | | | 0.088 | | | 310 | G |
| | To: I-81 N | | | | | | | | | | | | | | | |
| | From: I-81 N | | | | | | | | | | | | | | | |

Virginia Department of Transportation
 Traffic Engineering Division
 2015
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockbridge Maintenance Area

| Route | Jurisdiction | Length | AADT | QA | 4Tire | Bus | -----Truck----- | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW |
|--|-------------------|--|------|------|-------|-----|-----------------|--------|--------|--------|----|-------------|-------|---------------|-------|----|
| | | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | |
| 11 Ramp | Rockbridge County | From: US 11-S194A FROM RT 11 | 0.09 | 1000 | G | | | | | | | | | 1000 | G | |
| | | To: I-81-N FROM RT 11 NORTH | | | | | | | | | | | | | | |
| 11 Ramp | Rockbridge County | From: US 11 I-64-E055A FROM & TO IS 64 | 0.23 | 2900 | G | | | | | | | | | 2900 | G | |
| | | To: I-64-E FROM US 11 SOUTH & NORTH | | | | | | | | | | | | | | |
| 11 Ramp | Rockbridge County | From: US 11 I-64-W055A FROM & TO IS 64 | 0.21 | 1500 | G | | | | | | | | | 1500 | G | |
| | | To: I-64-W FROM US 11 SOUTH & NORTH | | | | | | | | | | | | | | |
| 11 Ramp to I-81 S at Exit 195 | Rockbridge County | From: US 11 N | 0.14 | 1300 | G | | | | | | | | | 1300 | G | |
| | | To: I-81 N | | | | | | | | | | | | | | |
| 11 Ramp to I-81 N at Exit 195 | Rockbridge County | From: Ramps US 11 S209B; US 11 N209B | 0.16 | 2300 | G | | | | | | | | | 2300 | G | |
| | | To: I-81 N | | | | | | | | | | | | | | |
| North 11 Ramp to I-81 N at Exit 180 | Rockbridge County | From: US 11, S Lee Highway | 0.04 | NA | | | | | | | | NA | | NA | | |
| | | To: I-81 N | | | | | | | | | | | | | | |
| North 11 Ramp to I-81 S at Exit 180 | Rockbridge County | From: US 11 N | 0.07 | 60 | G | | | | | | | | | 60 | G | |
| | | To: I-81 S | | | | | | | | | | | | | | |
| North 11 Ramp to I-81 N at Exit 195 | Rockbridge County | From: US 11 N | 0.03 | 2200 | G | | | | | | | | | 2200 | G | |
| | | To: Ramp US 11 S209B | | | | | | | | | | | | | | |
| South 11 Ramp to I-81 N at Exit 180 | Rockbridge County | From: US 11 S | 0.01 | NA | | | | | | | | | NA | | NA | |
| | | To: I-81 N | | | | | | | | | | | | | | |
| South 11 Ramp to I-81 S at Exit 180 | Rockbridge County | From: US 11 S | 0.11 | 610 | G | | | | | | | | | 610 | G | |
| | | To: I-81 S | | | | | | | | | | | | | | |
| South 11 Ramp to I-81 N at Exit 195 | Rockbridge County | From: US 11 S | 0.03 | 45 | G | | | | | | | | | 45 | G | |
| | | To: Ramp US 11 S209B | | | | | | | | | | | | | | |
| Bus 11 | Rockbridge County | From: US 11 | 0.03 | 7600 | G | 97% | 1% | 1% | 0% | 0% | 0% | F | 0.111 | 7700 | G | |
| | | To: SCL Lexington | | | | | | | | | | | | | | |
| Bus 11 Main St | City of Lexington | From: Thornhill Rd | 0.39 | 2900 | G | 97% | 1% | 1% | 0% | 0% | 0% | C | 0.111 | 3100 | G | |
| | | To: Wallace St | | | | | | | | | | | | | | |

Virginia Department of Transportation
 Traffic Engineering Division
 2015
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockbridge Maintenance Area

| Route | Jurisdiction | Length | AADT | QA | 4Tire | Bus | -----Truck----- | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW |
|---|--|--------|------|----|-------|-----|-----------------|--------|--------|--------|----|-------------|----|---------------|-------|----|
| | | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | |
| Bus 11 Main St | From: Wallace St City of Lexington | 0.31 | 4800 | G | 97% | 1% | 1% | 0% | 0% | 0% | F | 0.093 | | 5100 | G | |
| Bus 11 Main St | To: White St City of Lexington | 0.31 | 3100 | G | 99% | 0% | 1% | 0% | 0% | 0% | F | 0.117 | | 3300 | G | |
| Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | | 5200 | G | 99% | 0% | 1% | 0% | 0% | 0% | F | 0.098 | F | 0.580 | 5500 | G |
| Bus 11 Main St | From: Nelson St City of Lexington | 0.24 | 5700 | G | 99% | 0% | 1% | 0% | 0% | 0% | F | 0.092 | | 6100 | G | |
| Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | | 8900 | G | 99% | 0% | 1% | 0% | 0% | 0% | F | NA | | 9500 | G | |
| Bus 11 Main St | From: Jefferson St City of Lexington | 0.37 | 9500 | G | 99% | 0% | 1% | 0% | 0% | 0% | F | 0.090 | | 10000 | G | |
| Bus 11 Main St | From: Letcher St City of Lexington | 0.34 | 9900 | G | 99% | 0% | 1% | 0% | 0% | 0% | C | 0.095 | | 11000 | G | |
| To: US 11 N Lee Highway; S Lee Highway | | | | | | | | | | | | | | | | |
| Bus 11 Jefferson St | From: Bus US 11 Main St City of Lexington | 0.35 | 2100 | G | 99% | 0% | 1% | 0% | 0% | 0% | F | 0.112 | | 2200 | G | |
| Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | | 5200 | G | 99% | 0% | 1% | 0% | 0% | 0% | F | 0.098 | F | 0.580 | 5500 | G |
| Bus 11 Jefferson St | From: US 60 Nelson St City of Lexington | 0.24 | 3300 | G | 99% | 0% | 1% | 0% | 0% | 0% | C | 0.09 | | 3500 | G | |
| Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | | 8900 | G | 99% | 0% | 1% | 0% | 0% | 0% | F | NA | | 9500 | G | |
| To: Bus US 11 Main St | | | | | | | | | | | | | | | | |
| 39 42 Maury River Rd | From: Bath County Line Town of Goshen (Maint: 81) | 2.47 | 1700 | G | 94% | 0% | 1% | 1% | 3% | 0% | C | 0.097 | | 0.506 | 1800 | G |
| 39 Maury River Rd | From: SR 42 Goshen Town of Goshen (Maint: 81) | 1.34 | 1600 | G | 95% | 1% | 1% | 1% | 2% | 0% | C | 0.090 | | 0.532 | 1700 | G |
| 39 Maury River Rd | To: 81-780 South of Goshen From: 81-780 South of Goshen; Brattons Run Town of Goshen (Maint: 81) | 0.07 | 820 | G | 95% | 1% | 1% | 1% | 2% | 0% | F | 0.090 | | 0.55 | 860 | G |
| 39 Maury River Rd | From: SCL Goshen Rockbridge County | 8.62 | 820 | N | 95% | 1% | 1% | 1% | 2% | 0% | N | 0.090 | | 0.55 | 860 | N |
| 39 Maury River Rd | To: 81-602 E, Walkers Creek Rd From: SR 252 Brownsburg Turnpike Rockbridge County | 2.34 | 1100 | G | 96% | 1% | 1% | 1% | 1% | 0% | C | 0.088 | | 0.551 | 1100 | G |
| 39 Maury River Rd | To: US 11 North of Lexington Rockbridge County | 7.55 | 1300 | G | 96% | 1% | 1% | 1% | 1% | 0% | F | 0.11 | | 0.583 | 1400 | G |
| ALT 39 Main St | From: SR 42 Goshen Town of Goshen (Maint: 81) | 0.35 | 1100 | G | 94% | 1% | 1% | 1% | 3% | 0% | C | 0.096 | | 0.517 | 1200 | G |
| To: SR 39 Maury River Rd | | | | | | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division
2015
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockbridge Maintenance Area

| Route | Jurisdiction | Length | AADT | QA | 4Tire | Bus | -----Truck----- | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | | |
|-----------------------|--------------------------------|--------|---|----|-------|-----|---|--------|--------|--------|-----|-------------|-------|---------------|-------|-------|------|---|
| | | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | | |
| | | | | | | | From: Bath County Line | | | | | | | | | | | |
| 42 39 Maury River Rd | Town of Goshen (Maint: 81) | 2.47 | 1700 | G | 94% | 0% | 1% | 1% | 3% | 0% | C | 0.097 | 0.506 | 1800 | G | | | |
| | | | | | | | To: SR 39 Goshen | | | | | | | | | | | |
| 42 Virginia Avenue | Town of Goshen (Maint: 81) | 0.06 | 1800 | G | 94% | 1% | 2% | 1% | 3% | 0% | C | 0.095 | 0.511 | 1900 | G | | | |
| | | | | | | | From: ECL Goshen | | | | | | | | | | | |
| 42 Virginia Avenue | Rockbridge County | 5.92 | 1800 | N | 94% | 1% | 2% | 1% | 3% | 0% | N | 0.095 | 0.511 | 1900 | N | | | |
| | | | | | | | To: Augusta County Line | | | | | | | | | | | |
| | | | | | | | From: Amherst County Line | | | | | | | | | | | |
| 48 Blue Ridge Parkway | Rockbridge County (Maint: US) | 0.15 | 280 | O | | | | | | | | 0.162 | 0.637 | NA | | | | |
| | | | | | | | To: US 60 | | | | | | | | | | | |
| 48 Blue Ridge Parkway | Rockbridge County (Maint: US) | 18.29 | 300 | O | | | | | | | | NA | | NA | | | | |
| | | | | | | | To: Nelson County Line | | | | | | | | | | | |
| | | | | | | | From: Augusta County Line | | | | | | | | | | | |
| 56 Tye River Turnpike | Rockbridge County | 1.52 | 1200 | G | 97% | 1% | 2% | 1% | 1% | 0% | C | 0.104 | 0.704 | 1200 | G | | | |
| | | | | | | | To: 81-608 Vesuvius | | | | | | | | | | | |
| 56 Tye River Turnpike | Rockbridge County | 3.74 | 410 | G | 97% | 0% | 1% | 1% | 0% | 0% | C | 0.107 | 0.604 | 430 | G | | | |
| | | | | | | | To: Nelson County Line | | | | | | | | | | | |
| | | | | | | | From: Alleghany County Line | | | | | | | | | | | |
| 60 64 | Rockbridge County | 1.92 | | | | | See I-64 for directional traffic volume estimates for this segment. | | | | | | | | | | | |
| | | | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | 7800 | G | 77% | 1% | 1% | 1% | 20% | 0% | F | 0.08 | F | 0.503 | 7300 | G |
| | | | | | | | To: 81-780 | | | | | | | | | | | |
| 60 64 | Rockbridge County | 7.38 | | | | | See I-64 for directional traffic volume estimates for this segment. | | | | | | | | | | | |
| | | | Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | 8700 | A | 77% | 1% | 1% | 1% | 20% | 0% | C | 0.128 | A | 0.595 | 8200 | A |
| | | | | | | | To: US 60 | | | | | | | | | | | |
| 60 64 Ramp | Rockbridge County | 0.18 | | | | | See I-64 for directional traffic volume estimates for this segment. | | | | | | | | | | | |
| | | | | | | | From: I-64, 81- 623 NEAR KERRS CREEK | | | | | | | | | | | |
| 60 | Rockbridge County | 0.43 | 1800 | G | 95% | 1% | 1% | 2% | 1% | 0% | C | 0.103 | 0.524 | 1900 | G | | | |
| | | | | | | | To: 81-631 Big Spring Dr | | | | | | | | | | | |
| 60 | Rockbridge County | 3.09 | 2000 | G | 97% | 0% | 1% | 1% | 1% | 0% | C | 0.115 | 0.661 | 2100 | G | | | |
| | | | | | | | To: 81-641 West of Lexington | | | | | | | | | | | |
| 60 | Rockbridge County | 2.08 | 4100 | G | 97% | 0% | 1% | 1% | 1% | 0% | F | 0.102 | 0.672 | 4300 | G | | | |
| | | | | | | | To: WCL Lexington | | | | | | | | | | | |
| 60 Nelson St | City of Lexington | 0.25 | 4200 | G | 98% | 0% | 1% | 1% | 0% | 0% | C | 0.094 | 0.628 | 4400 | G | | | |
| | | | | | | | To: Borden Rd | | | | | | | | | | | |
| 60 Nelson St | City of Lexington | 0.33 | 5800 | G | 98% | 0% | 1% | 1% | 0% | 0% | F | 0.094 | 0.539 | 6100 | G | | | |
| | | | | | | | To: Glasgow Street | | | | | | | | | | | |
| 60 Nelson St | City of Lexington | 0.20 | 5700 | G | 98% | 0% | 1% | 1% | 0% | 0% | F | 0.093 | 0.564 | 6000 | G | | | |
| | | | | | | | To: C2US 11-P | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division
2015
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockbridge Maintenance Area

| Route | Jurisdiction | Length | AADT | QA | 4Tire | Bus | -----Truck----- | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW |
|--|---------------------|--------|-------|----|-------|-----|-----------------|--------|--------|--------|----|-------------|-------|---------------|-------|----|
| | | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | |
| 60 Nelson St | City of Lexington | 0.11 | 7600 | G | 98% | 0% | 1% | 1% | 1% | 0% | F | 0.089 | 0.549 | 8000 | G | |
| 60 Nelson St | City of Lexington | 0.21 | 6900 | G | 98% | 0% | 1% | 1% | 1% | 0% | F | 0.089 | 0.549 | 7300 | G | |
| 60 Nelson St | City of Lexington | 0.35 | 13000 | G | 98% | 0% | 1% | 1% | 1% | 0% | C | 0.091 | 0.554 | 14000 | G | |
| 60 Midland Trail | Rockbridge County | 2.15 | 13000 | G | 94% | 0% | 1% | 4% | 1% | 0% | C | 0.095 | 0.54 | 14000 | G | |
| 60 Midland Trail | Rockbridge County | 2.17 | 14000 | G | 93% | 1% | 1% | 1% | 4% | 0% | C | 0.091 | 0.55 | 14000 | G | |
| 60 Midland Trail, James A. Anderson Memorial Hwy | Rockbridge County | 0.90 | 12000 | G | 93% | 1% | 1% | 1% | 4% | 0% | F | 0.091 | 0.713 | 13000 | G | |
| 60 Lexington Ave | City of Buena Vista | 0.08 | 11000 | G | 94% | 0% | 1% | 1% | 4% | 0% | F | 0.089 | 0.525 | 11000 | G | |
| 60 Lexington Ave | City of Buena Vista | 0.53 | 10000 | G | 94% | 0% | 1% | 1% | 4% | 0% | C | 0.091 | 0.512 | 11000 | G | |
| 60 29th St | City of Buena Vista | 1.31 | 4900 | G | 91% | 0% | 1% | 1% | 6% | 0% | C | 0.106 | 0.533 | 5200 | G | |
| 60 | Rockbridge County | 3.12 | 1600 | G | 91% | 0% | 1% | 1% | 6% | 0% | F | 0.082 | 0.539 | 1700 | G | |
| 60 Ramp | Rockbridge County | 0.20 | 190 | G | | | | | | | | 0.126 | | 190 | G | |
| 60 Ramp | Rockbridge County | 0.26 | 810 | G | | | | | | | | 0.141 | | 810 | G | |
| 60 Ramp to I-81 S at Exit 188 | Rockbridge County | 0.21 | 1400 | G | | | | | | | | 0.100 | 0.65 | 1400 | G | |
| 60 Ramp to I-81 N at Exit 188 | Rockbridge County | 0.16 | 3200 | G | | | | | | | | 0.092 | 0.851 | 3200 | G | |
| East 60 Ramp toward I-81 S at Exit 188 | Rockbridge County | 0.04 | 770 | G | | | | | | | | 0.118 | | 770 | G | |
| East 60 Ramp toward I-81 N at Exit 188 | Rockbridge County | 0.05 | 530 | G | | | | | | | | 0.113 | | 530 | G | |

Virginia Department of Transportation
Traffic Engineering Division
2015
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockbridge Maintenance Area

| Route | Jurisdiction | Length | AADT | QA | 4Tire | Bus | -----Truck----- | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW |
|---|--|--------|-------|----|-------|-----|-----------------|--------|--------|--------|----|-------------|----|---------------|-------|----|
| | | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | |
| West 60 Ramp toward I-81 S at Exit 188 | From: US 60 W Rockbridge County To: Ramp US 60 60 A | 0.03 | 600 | G | | | | | | | | | | 600 | G | |
| West 60 Ramp toward I-81 N at Exit 188 | From: US 60 W Rockbridge County To: Ramp US 60 60 B | 0.07 | 2700 | G | | | | | | | | | | 2700 | G | |
| East 64 60 | From: Alleghany County Line Rockbridge County To: Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 1.92 | 3800 | G | 78% | 1% | 1% | 1% | 19% | 0% | F | 0.084 | | 3500 | G | |
| | | | 7800 | G | 77% | 1% | 1% | 1% | 20% | 0% | F | 0.08 | F | 0.503 | 7300 | G |
| East 64 60 | From: 81-780 Scenic Dr Rockbridge County To: Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 7.38 | 4300 | A | 78% | 1% | 1% | 1% | 19% | 0% | C | 0.145 | | 4000 | A | |
| | | | 8700 | A | 77% | 1% | 1% | 1% | 20% | 0% | C | 0.128 | A | 0.595 | 8200 | A |
| East 64 | From: 81-623 Fredericksburg Rd Rockbridge County To: Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 5.39 | 4200 | G | 78% | 1% | 1% | 1% | 19% | 0% | F | 0.077 | | 3900 | G | |
| | | | 9100 | G | 77% | 1% | 1% | 1% | 20% | 0% | F | 0.081 | F | 0.571 | 8500 | G |
| East 64 | From: US 11 Lee Hwy Rockbridge County To: Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 0.98 | 6400 | G | 78% | 1% | 1% | 1% | 19% | 0% | F | 0.091 | | 5900 | G | |
| | | | 13000 | G | 77% | 1% | 1% | 1% | 20% | 0% | F | 0.082 | F | 0.532 | 12000 | G |
| East 64 | From: I-81 South Interchange Rockbridge County To: Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 0.57 | 3900 | G | 78% | 1% | 1% | 1% | 19% | 0% | F | 0.091 | | 3600 | G | |
| | | | 7700 | G | 77% | 1% | 1% | 1% | 20% | 0% | F | 0.082 | F | 0.532 | 7200 | G |
| East North 64 81 | From: I-81 North Rockbridge County To: Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 3.30 | 22000 | A | 70% | 1% | 1% | 1% | 26% | 2% | F | 0.123 | | 21000 | A | |
| | | | 45000 | A | 71% | 1% | 1% | 1% | 25% | 2% | F | 0.112 | A | 0.532 | 42000 | A |
| East North 64 81 | From: US 11 Rockbridge County To: Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 5.57 | 22000 | A | 70% | 1% | 1% | 1% | 26% | 2% | F | 0.123 | | 21000 | A | |
| | | | 45000 | A | 71% | 1% | 1% | 1% | 25% | 2% | F | 0.113 | A | 0.54 | 42000 | A |
| East North 64 81 | From: 81-710 Rockbridge County To: Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 4.49 | 23000 | A | 70% | 1% | 1% | 1% | 26% | 2% | F | 0.122 | | 22000 | A | |
| | | | 46000 | A | 71% | 1% | 1% | 1% | 25% | 2% | F | 0.112 | A | 0.559 | 42000 | A |
| East North 64 81 | From: 81-606 Rockbridge County To: Combined Traffic Estimates for 2 Parallel Roadways on this Route: | 0.59 | 23000 | A | 70% | 1% | 1% | 1% | 26% | 2% | C | 0.126 | | 21000 | A | |
| | | | 45000 | A | 71% | 1% | 1% | 1% | 25% | 2% | C | 0.114 | A | 0.524 | 42000 | A |
| East 64 | From: Augusta County Line Rockbridge County To: Ramp | 0.20 | NA | | | | | | | | | | | NA | NA | |

Virginia Department of Transportation
Traffic Engineering Division
2015
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockbridge Maintenance Area

| Route | Jurisdiction | Length | AADT | QA | 4Tire | Bus | -----Truck----- | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW |
|---|---|--------|-------|----|-------|-----|-----------------|--------|--------|--------|----|-------------|----|---------------|-------|----|
| | | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | |
| East 64 60 Ramp | From: I-64 East Rockbridge County To: US 60 Fredericksburg Rd | 0.18 | 200 | G | | | | | | | | | | 200 | G | |
| East 64 Ramp | From: I-64 East Rockbridge County To: US 11 N Lee Highway | 0.19 | 1200 | G | | | | | | | | | | 1200 | G | |
| East 64 Ramp from I-64 E Exit 56 to I-81 S at Exit 191 | From: I-64 East Rockbridge County To: I-81 South | 0.37 | 2500 | G | 78% | 1% | 1% | 1% | 19% | 0% | F | 0.106 | | 2300 | G | |
| West 64 60 | From: Alleghany County Line Rockbridge County To: 81-780 Scenic Dr | 2.42 | 4000 | G | 76% | 1% | 1% | 1% | 21% | 0% | F | 0.078 | | 3800 | G | |
| Combined Traffic Estimates for 2 Parallel Roadways on this Route: 7800 G 77% 1% 1% 1% 20% 0% F 0.08 F 0.503 7300 G | | | | | | | | | | | | | | | | |
| West 64 60 | From: 81-780 Scenic Dr Rockbridge County To: 81-623 Fredericksburg Rd | 6.94 | 4400 | A | 76% | 1% | 1% | 1% | 21% | 0% | C | 0.133 | | 4200 | A | |
| Combined Traffic Estimates for 2 Parallel Roadways on this Route: 8700 A 77% 1% 1% 1% 20% 0% C 0.128 A 0.595 8200 A | | | | | | | | | | | | | | | | |
| West 64 | From: US 60; 81-623 Fredericksburg Rd Rockbridge County To: US 11 Lee Hwy | 5.90 | 4900 | G | 76% | 1% | 1% | 1% | 21% | 0% | F | 0.083 | | 4700 | G | |
| Combined Traffic Estimates for 2 Parallel Roadways on this Route: 9100 G 77% 1% 1% 1% 20% 0% F 0.081 F 0.571 8500 G | | | | | | | | | | | | | | | | |
| West 64 | From: US 11 Lee Hwy Rockbridge County To: I-81 South Interchange | 0.61 | 6300 | G | 76% | 1% | 1% | 1% | 21% | 0% | F | 0.083 | | 6000 | G | |
| Combined Traffic Estimates for 2 Parallel Roadways on this Route: 13000 G 77% 1% 1% 1% 20% 0% F 0.082 F 0.532 12000 G | | | | | | | | | | | | | | | | |
| West 64 | From: I-81 South Interchange Rockbridge County To: I-64 West | 0.23 | 3900 | A | 76% | 1% | 1% | 1% | 21% | 0% | F | 0.134 | | 3600 | A | |
| Combined Traffic Estimates for 2 Parallel Roadways on this Route: 7700 G 77% 1% 1% 1% 20% 0% F 0.082 F 0.532 7200 G | | | | | | | | | | | | | | | | |
| West South 64 81 | From: I-81 South Rockbridge County To: I-81 West Interchange | 3.66 | 23000 | A | 71% | 1% | 1% | 1% | 24% | 2% | F | 0.117 | | 21000 | A | |
| Combined Traffic Estimates for 2 Parallel Roadways on this Route: 45000 A 71% 1% 1% 1% 25% 2% F 0.112 A 0.532 42000 A | | | | | | | | | | | | | | | | |
| West South 64 81 | From: US 11 Rockbridge County To: 81-710 | 5.59 | 23000 | A | 71% | 1% | 1% | 1% | 24% | 2% | F | 0.119 | | 21000 | A | |
| Combined Traffic Estimates for 2 Parallel Roadways on this Route: 45000 A 71% 1% 1% 1% 25% 2% F 0.113 A 0.54 42000 A | | | | | | | | | | | | | | | | |
| West South 64 81 | From: 81-710 Rockbridge County To: 81-606 | 4.41 | 22000 | A | 71% | 1% | 1% | 1% | 24% | 2% | F | 0.119 | | 21000 | A | |
| Combined Traffic Estimates for 2 Parallel Roadways on this Route: 46000 A 71% 1% 1% 1% 25% 2% F 0.112 A 0.559 42000 A | | | | | | | | | | | | | | | | |
| West South 64 81 | From: 81-606 Rockbridge County To: Augusta County Line | 0.33 | 23000 | A | 71% | 1% | 1% | 1% | 24% | 2% | C | 0.119 | | 21000 | A | |
| Combined Traffic Estimates for 2 Parallel Roadways on this Route: 45000 A 71% 1% 1% 1% 25% 2% C 0.114 A 0.524 42000 A | | | | | | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division
2015
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockbridge Maintenance Area

| Route | Jurisdiction | Length | AADT | QA | 4Tire | Bus | -----Truck----- | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW |
|---|---|--------|-------|----|-------|-----|-----------------|--------|--------|--------|----|-------------|----|---------------|-------|----|
| | | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | |
| West 64 Ramp | From: I-64 West Rockbridge County To: 81-780 Scenic Dr | 0.29 | 230 | G | | | | | | | | | | 230 | G | |
| West 64 Ramp | From: I-64 West Rockbridge County To: US 60 Fredericksburg Rd | 0.20 | 680 | G | | | | | | | | | | 680 | G | |
| West 64 Ramp | From: I-64 West Rockbridge County To: US 11 N Lee Highway | 0.24 | NA | | | | | | | | | NA | | NA | | |
| North 81 11 | From: Botetourt County Line Rockbridge County To: US 11 Lee Hwy, South of Natural Bridge | 1.95 | 19000 | A | 68% | 1% | 1% | 1% | 28% | 2% | F | 0.124 | | 18000 | A | |
| Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | | 38000 | A | 69% | 1% | 1% | 1% | 27% | 2% | F | 0.065 | B | 0.533 | 35000 | A |
| North 81 | From: US 11 Lee Hwy, South of Natural Bridge Rockbridge County To: US 11 Lee Hwy, North of Natural Bridge | 4.46 | 18000 | G | 68% | 1% | 1% | 1% | 28% | 2% | F | 0.07 | | 17000 | G | |
| Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | | 36000 | G | 69% | 1% | 1% | 1% | 27% | 2% | F | 0.072 | F | 0.533 | 34000 | G |
| North 81 | From: US 11 Lee Hwy, North of Natural Bridge Rockbridge County To: US 60 Midland Trail | 8.36 | 19000 | A | 68% | 1% | 1% | 1% | 28% | 2% | F | 0.127 | | 18000 | A | |
| Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | | 38000 | A | 69% | 1% | 1% | 1% | 27% | 2% | F | 0.113 | A | 0.555 | 35000 | A |
| North 81 | From: US 60 Midland Trail Rockbridge County To: I-64 South Interchange | 3.01 | 20000 | A | 68% | 1% | 1% | 1% | 28% | 2% | F | 0.120 | | 19000 | A | |
| Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | | 41000 | A | 69% | 1% | 1% | 1% | 27% | 2% | F | 0.111 | A | 0.543 | 38000 | A |
| North East 81 64 | From: I-64 South Interchange Rockbridge County To: US 11 Lee Hwy, North of Lexington | 3.30 | 22000 | A | 70% | 1% | 1% | 1% | 26% | 2% | F | 0.123 | | 21000 | A | |
| Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | | 45000 | A | 71% | 1% | 1% | 1% | 25% | 2% | F | 0.112 | A | 0.532 | 42000 | A |
| North East 81 64 | From: US 11 Lee Hwy, North of Lexington Rockbridge County To: US 11 Lee Hwy, North of Lexington | 5.57 | 22000 | A | 70% | 1% | 1% | 1% | 26% | 2% | F | 0.123 | | 21000 | A | |
| Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | | 45000 | A | 71% | 1% | 1% | 1% | 25% | 2% | F | 0.113 | A | 0.54 | 42000 | A |
| North East 81 64 | From: 81-710 Sterret Rd Rockbridge County To: 81-606 Raphine Rd | 4.49 | 23000 | A | 70% | 1% | 1% | 1% | 26% | 2% | F | 0.122 | | 22000 | A | |
| Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | | 46000 | A | 71% | 1% | 1% | 1% | 25% | 2% | F | 0.112 | A | 0.559 | 42000 | A |
| North East 81 64 | From: 81-606 Raphine Rd Rockbridge County To: Augusta County Line | 0.59 | 23000 | A | 70% | 1% | 1% | 1% | 26% | 2% | C | 0.126 | | 21000 | A | |
| Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | | 45000 | A | 71% | 1% | 1% | 1% | 25% | 2% | C | 0.114 | A | 0.524 | 42000 | A |
| North 81 11 Ramp I-81 N Exit 175 to US 11 | From: I-81 North Rockbridge County To: US 11 S Lee Highway | 0.14 | 790 | G | | | | | | | | | | 790 | G | |

Virginia Department of Transportation
 Traffic Engineering Division
 2015
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockbridge Maintenance Area

| Route | Jurisdiction | Length | AADT | QA | 4Tire | Bus | -----Truck----- | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW |
|--|---|--------|---|----|-------|-----|-----------------|--------|--------|--------|----|-------------|----|---------------|-------|----|
| | | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | |
| North 81 Ramp I-81 N Exit 180 to US 11 | From: I-81 North Rockbridge County To: US 11 S Lee Highway | 0.18 | 500 | G | | | | | | | | | | 500 | G | |
| North 81 Ramp I-81 N Exit 188A to US 60 E | From: I-81 North Rockbridge County To: US 60 E, Midland Trail | 0.24 | 900 | G | | | | | | | | | | 900 | G | |
| North 81 Ramp I-81 N Exit 188B to US 60 W | From: I-81 North Rockbridge County To: US 60 W, Midland Trail | 0.21 | 910 | G | | | | | | | | | | 910 | G | |
| North 81 Ramp From I-81 N Exit 191 to I-64 W at Exit 56 | From: I-81 North Rockbridge County To: I-64 West | 0.37 | 2700 | G | 76% | 1% | 1% | 1% | 21% | 0% | F | 0.101 | | 2600 | G | |
| North 81 Ramp I-81 N Exit 195A to US 11 S | From: I-81 North Rockbridge County To: US 11 N Lee Highway | 0.23 | 1400 | G | | | | | | | | | | 1400 | G | |
| North 81 Ramp I-81 N Exit 200 to 81-710 | From: I-81 North Rockbridge County To: 81-710 Sterrett Rd | 0.18 | 820 | G | | | | | | | | | | 820 | G | |
| North 81 Ramp I-81 N Exit 205 to 81-606 | From: I-81 North Rockbridge County To: 81-606 Raphine Road | 0.13 | 2700 | G | | | | | | | | | | 2700 | G | |
| South 81 11 | From: Botetourt County Line Rockbridge County To: US 11 Lee Hwy, South of Natural Bridge | 1.86 | 19000 | A | 70% | 1% | 1% | 1% | 26% | 2% | F | 0.121 | | 17000 | A | |
| | | | Combined Traffic Estimates for 2 Parallel Roadways on this Route: 38000 A 69% 1% 1% 1% 27% 2% F 0.113 A 0.579 35000 A | | | | | | | | | | | | | |
| South 81 | From: US 11 Lee Hwy, South of Natural Bridge Rockbridge County To: US 11 Lee Hwy, North of Natural Bridge | 5.24 | 19000 | G | 70% | 1% | 1% | 1% | 26% | 2% | F | 0.078 | | 17000 | G | |
| | | | Combined Traffic Estimates for 2 Parallel Roadways on this Route: 36000 G 69% 1% 1% 1% 27% 2% F 0.072 F 0.533 34000 G | | | | | | | | | | | | | |
| South 81 | From: US 11 Lee Hwy, North of Natural Bridge Rockbridge County To: US 60 Midland Trail | 7.97 | 19000 | A | 70% | 1% | 1% | 1% | 26% | 2% | F | 0.119 | | 18000 | A | |
| | | | Combined Traffic Estimates for 2 Parallel Roadways on this Route: 38000 A 69% 1% 1% 1% 27% 2% F 0.113 A 0.555 35000 A | | | | | | | | | | | | | |
| South 81 | From: US 60 Midland Trail Rockbridge County To: I-64 South Interchange | 2.67 | 20000 | A | 70% | 1% | 1% | 1% | 26% | 2% | F | 0.118 | | 19000 | A | |
| | | | Combined Traffic Estimates for 2 Parallel Roadways on this Route: 41000 A 69% 1% 1% 1% 27% 2% F 0.111 A 0.543 38000 A | | | | | | | | | | | | | |
| South East 81 64 | From: I-64 South Interchange Rockbridge County To: US 11 Lee Hwy, North of Lexington | 3.66 | 23000 | A | 71% | 1% | 1% | 1% | 24% | 2% | F | 0.117 | | 21000 | A | |
| | | | Combined Traffic Estimates for 2 Parallel Roadways on this Route: 45000 A 71% 1% 1% 1% 25% 2% F 0.112 A 0.532 42000 A | | | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division
2015
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockbridge Maintenance Area

| Route | Jurisdiction | Length | AADT | QA | 4Tire | Bus | -----Truck----- | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW |
|---|---|-----------------------------|-------|------|-------|-----|-----------------|--------|--------|--------|----|-------------|----|---------------|-------|----|
| | | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | |
| South East 81 64 | From: US 11 Lee Hwy, North of Lexington | | | | | | | | | | | | | | | |
| | Rockbridge County | 5.59 | 23000 | A | 71% | 1% | 1% | 1% | 24% | 2% | F | 0.119 | | 21000 | A | |
| Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | | 45000 | A | 71% | 1% | 1% | 1% | 25% | 2% | F | 0.113 | A | 0.54 | 42000 | A |
| South East 81 64 | From: 81-710 Sterret Rd | | | | | | | | | | | | | | | |
| | Rockbridge County | 4.41 | 22000 | A | 71% | 1% | 1% | 1% | 24% | 2% | F | 0.119 | | 21000 | A | |
| Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | | 46000 | A | 71% | 1% | 1% | 1% | 25% | 2% | F | 0.112 | A | 0.559 | 42000 | A |
| South East 81 64 | From: 81-606 Raphine Rd | | | | | | | | | | | | | | | |
| | Rockbridge County | 0.33 | 23000 | A | 71% | 1% | 1% | 1% | 24% | 2% | C | 0.119 | | 21000 | A | |
| Combined Traffic Estimates for 2 Parallel Roadways on this Route: | | | 45000 | A | 71% | 1% | 1% | 1% | 25% | 2% | C | 0.114 | A | 0.524 | 42000 | A |
| | | Augusta County Line | | | | | | | | | | | | | | |
| South 81 | From: I-81 South | | | | | | | | | | | | | | | |
| | Ramp I-81 S Exit 175 to US 11 | Rockbridge County | 0.21 | 380 | G | | | | | | | 0.104 | | 380 | G | |
| | | US 11 | | | | | | | | | | | | | | |
| South 81 | From: I-81 South | | | | | | | | | | | | | | | |
| | Ramp I-81 S Exit 175 to US 11 S | Rockbridge County | 0.16 | 650 | G | | | | | | | 0.114 | | 650 | G | |
| | | US 11 S, S Lee Highway | | | | | | | | | | | | | | |
| South 81 | From: I-81 South | | | | | | | | | | | | | | | |
| | Ramp I-81 S Exit 175 to US 11 | Rockbridge County | 0.10 | 370 | G | | | | | | | 0.093 | | 370 | G | |
| | | US 11; FR 232 | | | | | | | | | | | | | | |
| South 81 | From: I-81 South | | | | | | | | | | | | | | | |
| | Ramp I-81 S Exit 188 to US 60 E | Rockbridge County | 0.19 | 2400 | G | | | | | | | 0.094 | | 2400 | G | |
| | | US 60 E, Midland Trail | | | | | | | | | | | | | | |
| South 81 | From: I-81 South | | | | | | | | | | | | | | | |
| | Ramp I-81 S Exit 188 to US 60 W | Rockbridge County | 0.21 | 660 | G | | | | | | | 0.106 | | 660 | G | |
| | | US 60 W, Midland Trail | | | | | | | | | | | | | | |
| South 81 | From: I-81 South | | | | | | | | | | | | | | | |
| | Ramp I-81 S Exit 195 to US 11 | Rockbridge County | 0.19 | 1500 | G | | | | | | | 0.097 | | 1500 | G | |
| | | I-81 South Exit 195B | | | | | | | | | | | | | | |
| South 81 | From: I-81-S195B TO RT 11 NORTH | | | | | | | | | | | | | | | |
| | Ramp I-81 S Exit 195 to US 11 | Rockbridge County | 0.04 | NA | | | | | | | | NA | | NA | | |
| | | US 11 FROM RT 81 SOUTH | | | | | | | | | | | | | | |
| South 81 | From: Ramp IS 81 S195A | | | | | | | | | | | | | | | |
| | Ramp I-81 S Exit 195 to US 11 N | Rockbridge County | 0.02 | NA | | | | | | | | NA | | NA | | |
| | | US 11 N, N Lee Highway | | | | | | | | | | | | | | |
| South 81 | From: I-81 South to Rest Area | | | | | | | | | | | | | | | |
| | Fairfield Rest Area Ramp | Rockbridge County | 0.08 | 980 | G | | | | | | | 0.095 | | 980 | G | |
| | | Enter Rest Area Parking Lot | | | | | | | | | | | | | | |
| South 81 | From: Exit Rest Area Parking Lot | | | | | | | | | | | | | | | |
| | Fairfield Rest Area Ramp | Rockbridge County | 0.09 | NA | | | | | | | | NA | | NA | | |
| | | I-81 South from Rest Area | | | | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division
2015
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockbridge Maintenance Area

| Route | Jurisdiction | Length | AADT | QA | 4Tire | Bus | -----Truck----- | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW |
|--|--|--------|------|----|-------|-----|-----------------|--------|--------|--------|----|-------------|-------|---------------|-------|----|
| | | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | |
| South (81) Ramp I-81 S Exit 200 to 81-710 | From: I-81 South Rockbridge County To: 81-710 Sterrett Rd | 0.20 | 680 | G | | | | | | | | | | 0.123 | 680 | G |
| South (81) Ramp I-81 S Exit 205 to 81-606 | From: I-81 South Rockbridge County To: 81-606 Raphine Road | 0.15 | 2300 | G | | | | | | | | | | 0.077 | 2300 | G |
| (130) Wert Faulkner Hwy | From: US 11 S Lee Highway Rockbridge County To: 81-759 Valley Rd | 3.19 | 3600 | G | 95% | 0% | 1% | 1% | 3% | 0% | F | 0.094 | 0.553 | 3700 | G | |
| (130) Wert Faulkner Hwy | From: 81-759 Valley Rd Rockbridge County To: WCL Glasgow | 1.25 | 3400 | G | 95% | 0% | 1% | 1% | 3% | 0% | C | 0.102 | 0.506 | 3600 | G | |
| (130) Rockbridge Rd | From: WCL Glasgow Town of Glasgow (Maint: 81) To: ECL Glasgow | 1.60 | 3400 | N | 95% | 0% | 1% | 1% | 3% | 0% | N | 0.102 | 0.506 | 3600 | N | |
| (130) Wert Faulkner Hwy | From: ECL Glasgow Rockbridge County To: US 501 Glasgow Hwy | 0.26 | 3500 | G | 95% | 1% | 1% | 1% | 2% | 0% | C | 0.102 | 0.506 | 3500 | G | |
| (130) (501) Glasgow Hwy | From: US 501 Glasgow Hwy Rockbridge County To: Amherst County Line | 2.43 | 1900 | G | 89% | 1% | 2% | 1% | 8% | 0% | F | 0.1 | 0.581 | 2000 | G | |
| Wye (130) Wert Faulkner Hwy | From: US 501 Glasgow Hwy Rockbridge County To: SR 130 Wert Faulkner Hwy | 0.08 | 2200 | G | 91% | 0% | 1% | 1% | 6% | 0% | F | 0.117 | 0.63 | 2300 | G | |
| (251) Collierstown Rd | From: 81-770 Turnpike Road Rockbridge County To: 81-675 Murat | 4.43 | 870 | G | 96% | 0% | 1% | 2% | 2% | 0% | F | 0.099 | 0.725 | 920 | G | |
| (251) Collierstown Rd | From: 81-675 Murat Rockbridge County To: 81-764 South of Lexington | 3.85 | 1900 | G | 96% | 0% | 1% | 2% | 2% | 0% | C | 0.093 | 0.714 | 2000 | G | |
| (251) Thornhill Rd | From: 81-764 South of Lexington Rockbridge County To: WCL Lexington | 1.05 | 3500 | G | 96% | 0% | 1% | 2% | 2% | 0% | F | 0.095 | 0.682 | 3600 | G | |
| (251) Thornhill Rd | From: WCL Lexington City of Lexington To: Link Rd | 0.38 | 5200 | G | 97% | 0% | 1% | 1% | 1% | 0% | C | 0.098 | 0.663 | 5600 | G | |
| (251) Link Rd | From: Link Rd City of Lexington To: Thornhill Rd | 0.24 | 4500 | G | 97% | 0% | 1% | 1% | 1% | 0% | F | 0.093 | 0.639 | 4800 | G | |
| (251) Link Rd | From: Thornhill Rd City of Lexington To: Main St | 0.24 | 4500 | G | 97% | 0% | 1% | 1% | 1% | 0% | F | 0.093 | 0.639 | 4800 | G | |
| (252) Brownsburg Turnpike | From: Main St Rockbridge County To: SR 39 Maury River Road | 6.03 | 510 | G | 94% | 0% | 2% | 3% | 0% | 0% | F | 0.096 | 0.54 | 540 | G | |
| (252) Brownsburg Turnpike | From: SR 39 Maury River Road Rockbridge County To: 81-722 Rocky Lane | 4.22 | 270 | G | 94% | 0% | 2% | 3% | 0% | 0% | C | 0.123 | 0.529 | 280 | G | |
| (252) Brownsburg Turnpike | From: 81-722 Rocky Lane Rockbridge County To: Augusta County Line | 4.22 | 270 | G | 94% | 0% | 2% | 3% | 0% | 0% | C | 0.123 | 0.529 | 280 | G | |
| (501) (130) Glasgow Hwy | From: Augusta County Line Rockbridge County To: Amherst County Line | 2.43 | 1900 | G | 89% | 1% | 2% | 1% | 8% | 0% | F | 0.1 | 0.581 | 2000 | G | |
| (501) (130) Glasgow Hwy | From: Amherst County Line Rockbridge County To: SR 130 Wert Faulkner Hwy | 2.43 | 1900 | G | 89% | 1% | 2% | 1% | 8% | 0% | F | 0.1 | 0.581 | 2000 | G | |

Virginia Department of Transportation
 Traffic Engineering Division
 2015
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockbridge Maintenance Area

| Route | Jurisdiction | Length | AADT | QA | 4Tire | Bus | -----Truck----- | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW |
|--------------------------------|---------------------|--------|-------|----|-------|-----|-----------------|--------|--------|--------|----|-------------|-------|---------------|-------|----|
| | | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | |
| From: SR 130 Wert Faulkner Hwy | | | | | | | | | | | | | | | | |
| 501 Glasgow Hwy | Rockbridge County | 6.34 | 3200 | G | 93% | 1% | 1% | 1% | 4% | 0% | C | 0.101 | 0.543 | 3400 | G | |
| To: SCL Buena Vista | | | | | | | | | | | | | | | | |
| 501 Magnolia Ave | City of Buena Vista | 0.97 | 3500 | G | 92% | 1% | 1% | 1% | 4% | 0% | C | 0.103 | 0.538 | 3700 | G | |
| To: 2nd St | | | | | | | | | | | | | | | | |
| 501 Magnolia Ave | City of Buena Vista | 1.09 | 7500 | G | 95% | 0% | 1% | 1% | 3% | 0% | C | 0.107 | 0.515 | 8000 | G | |
| To: 15th St | | | | | | | | | | | | | | | | |
| 501 Magnolia Ave | City of Buena Vista | 0.71 | 2800 | G | 92% | 1% | 1% | 1% | 4% | 0% | F | 0.147 | 0.595 | 3000 | G | |
| To: 25th St | | | | | | | | | | | | | | | | |
| 501 Park Ave | City of Buena Vista | 0.28 | 4000 | G | 92% | 1% | 1% | 1% | 4% | 0% | F | 0.098 | 0.639 | 4300 | G | |
| To: Beech Ave | | | | | | | | | | | | | | | | |
| 501 Beech Ave | City of Buena Vista | 0.12 | 12000 | G | 92% | 1% | 1% | 1% | 4% | 0% | F | 0.087 | 0.538 | 12000 | G | |
| To: 29th St | | | | | | | | | | | | | | | | |
| ALT 501 Beech Ave | City of Buena Vista | 0.37 | 7600 | G | 94% | 1% | 1% | 1% | 3% | 0% | C | 0.088 | 0.524 | 8100 | G | |
| To: 22nd St | | | | | | | | | | | | | | | | |
| ALT 501 Sycamore Ave | City of Buena Vista | 0.38 | 6600 | G | 94% | 0% | 1% | 1% | 4% | 0% | C | 0.091 | 0.516 | 7000 | G | |
| To: 18th St | | | | | | | | | | | | | | | | |
| ALT 501 Sycamore Ave | City of Buena Vista | 0.03 | 6300 | G | 94% | 0% | 1% | 1% | 4% | 0% | F | 0.093 | 0.513 | 6700 | G | |
| To: 16th St | | | | | | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division
2015
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockbridge Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | -----Truck----- | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|--------------------------|-----------------|------|------|-------|-----|-----------------|--------|--------|--------|----|-------------|----|---------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Rockbridge County | | | | | | | | | | | | | | | | |
| (F55) | 2.07 | 770 | R | | | | | | | | NA | | | NA | | 09/17/2013 |
| | | | | | | | | | | | | | | | | |
| (F231) | Glendower Rd | 0.31 | 30 | R | | | | | | | NA | | | NA | | 09/17/2013 |
| | | | | | | | | | | | | | | | | |
| (F232) | Oak Bank Dr | 0.27 | 170 | R | | | | | | | NA | | | NA | | 09/19/2013 |
| | | | | | | | | | | | | | | | | |
| (F233) | Fancy Hill Lane | 0.63 | 60 | R | | | | | | | NA | | | NA | | 09/19/2013 |
| | | | | | | | | | | | | | | | | |
| (F234) | Dixon Lane | 0.35 | 110 | R | | | | | | | NA | | | NA | | 09/19/2013 |
| | | | | | | | | | | | | | | | | |
| (F235) | Adair Lane | 0.32 | 10 | R | | | | | | | NA | | | NA | | 07/16/2013 |
| | | | | | | | | | | | | | | | | |
| (F236) | | 0.10 | 0 | R | | | | | | | NA | | | NA | | 07/03/2013 |
| | | | | | | | | | | | | | | | | |
| (F319) | | 0.10 | 10 | R | | | | | | | NA | | | NA | | 09/19/2013 |
| | | | | | | | | | | | | | | | | |
| (F739) | Econo Lane | 0.17 | 190 | R | | | | | | | NA | | | NA | | 08/27/2013 |
| | | | | | | | | | | | | | | | | |
| (F740) | McCorkle Ext Dr | 0.54 | 1400 | R | | | | | | | NA | | | NA | | 08/27/2013 |
| | | | | | | | | | | | | | | | | |
| (F741) | Shake Rag Rd | 0.35 | 40 | R | | | | | | | NA | | | NA | | 08/27/2013 |
| | | | | | | | | | | | | | | | | |
| (F742) | | 0.46 | 120 | R | | | | | | | NA | | | NA | | 09/06/2013 |
| | | | | | | | | | | | | | | | | |
| (F743) | Hill Top Lane | 0.06 | 70 | R | | | | | | | NA | | | NA | | 08/27/2013 |
| | | | | | | | | | | | | | | | | |
| (F879) | Bares Woods In | 0.47 | 200 | R | | | | | | | NA | | | NA | | 09/06/2013 |
| | | | | | | | | | | | | | | | | |
| (600) | Big River Rd | 4.06 | 170 | R | | | | | | | NA | | | NA | | 09/01/2004 |
| | | | | | | | | | | | | | | | | |
| (600) | Big River Rd | 2.90 | 48 | R | | | | | | | NA | | | NA | | 08/01/2013 |
| | | | | | | | | | | | | | | | | |
| (601) | | 1.75 | 150 | R | | | | | | | NA | | | NA | | 09/01/2004 |
| | | | | | | | | | | | | | | | | |
| (601) | | 3.66 | 170 | R | | | | | | | NA | | | NA | | 08/01/2013 |
| | | | | | | | | | | | | | | | | |
| (601) | | 3.17 | 190 | R | | | | | | | NA | | | NA | | 09/01/2004 |
| | | | | | | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division
2015
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockbridge Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | -----Truck----- | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|-------------------------------------|--------|------|----|-------|-----|------------------------------------|--------|--------|--------|----|-------------|-------|---------------|-------|------|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Rockbridge County | | | | | | | | | | | | | | | | |
| (602) Turkey Hill Rd | 3.56 | 190 | R | | | From: 81-631 Big Spring Dr | | | | | NA | | | NA | | 08/27/2013 |
| (602) Turkey Hill Rd | 2.20 | 48 | R | | | To: 81-727 Lindsay Ln | | | | | NA | | | NA | | 09/20/2004 |
| (602) Turkey Hill Rd | 2.61 | 320 | G | 91% | 0% | 2% | 5% | 1% | 0% | F | 0.116 | 0.59 | 340 | G | 2015 | |
| (602) Walkers Creek Rd | 0.03 | 20 | R | | | From: SR 39 Maury River Rd | | | | | NA | | | NA | | 09/20/2004 |
| (602) Walkers Creek Rd | 1.24 | 270 | G | 91% | 0% | 2% | 5% | 1% | 0% | C | 0.132 | 0.711 | 280 | G | 2015 | |
| (602) Walkers Creek Rd | 1.02 | 250 | G | 91% | 0% | 2% | 5% | 1% | 0% | F | 0.164 | 0.575 | 260 | G | 2015 | |
| (602) Walkers Creek Rd | 1.26 | 250 | R | | | To: 81-731 E Field Rd | | | | | NA | | | NA | | 09/22/2004 |
| (602) Walkers Creek Rd | 5.80 | 110 | R | | | From: 81-724 Hays Creek Rd | | | | | NA | | | NA | | 07/09/2013 |
| (602) Walkers Creek Rd | 0.30 | 100 | R | | | To: 81-725 High Rock Rd | | | | | NA | | | NA | | 09/22/2004 |
| Augusta County | | | | | | | | | | | | | | | | |
| (602) Walker Creek Rd | 0.10 | 100 | N | | | From: Rockbridge County Line | | | | | NA | | | NA | | 09/22/2004 |
| Rockbridge County | | | | | | | | | | | | | | | | |
| (603) Irish Creek Rd | 8.05 | 190 | R | | | To: 81-608 | | | | | NA | | | NA | | 07/23/2013 |
| (603) Irish Creek Rd | 3.45 | 70 | R | | | From: 81-605 Nettle Creek Rd | | | | | NA | | | NA | | 10/04/2004 |
| (603) Irish Creek Rd | 2.35 | 40 | R | | | To: 3.45 ME 81-605 Nettle Creek Rd | | | | | NA | | | NA | | 07/23/2013 |
| (604) Gibbs Run Lane | 0.12 | 48 | R | | | From: Nelson County Line | | | | | NA | | | NA | | 07/03/2013 |
| (604) Gibbs Run Lane | 1.50 | 40 | R | | | To: 81-606 Raphine Rd | | | | | NA | | | NA | | 07/03/2013 |
| (605) Nettle Creek Rd | 2.30 | 30 | R | | | From: 81-720 Spring Run Lane | | | | | NA | | | NA | | 07/03/2013 |
| (606) Raphine Rd | 1.01 | 310 | G | 90% | 0% | 1% | 1% | 7% | 0% | F | 0.121 | 0.505 | 320 | G | 2015 | |
| (606) Raphine Rd | 2.38 | 360 | G | 90% | 0% | 1% | 1% | 7% | 0% | F | 0.107 | 0.515 | 380 | G | 2015 | |
| (606) Raphine Rd | 1.42 | 670 | G | 90% | 0% | 1% | 1% | 7% | 0% | F | 0.117 | 0.559 | 700 | G | 2015 | |
| (606) Raphine Rd | 1.51 | 1400 | G | 90% | 0% | 1% | 1% | 7% | 0% | C | 0.083 | 0.516 | 1500 | G | 2015 | |
| (606) Ramp to I-81 S at Exit 205.13 | | 5100 | G | | | From: I-81 | | | | | 0.066 | | 5100 | G | 2015 | |
| (606) Ramp to I-81 N at Exit 205.18 | | 4800 | G | | | To: US 11, N Lee Highway | | | | | 0.067 | | 4800 | G | 2015 | |
| (606) Ramp to I-81 S at Exit 205.13 | | 5100 | G | | | From: 81-606 Raphine Rd | | | | | 0.066 | | 5100 | G | 2015 | |
| (606) Ramp to I-81 N at Exit 205.18 | | 4800 | G | | | To: I-81 S | | | | | 0.067 | | 4800 | G | 2015 | |
| (606) Ramp to I-81 N at Exit 205.18 | | 4800 | G | | | From: 81-606 Raphine Rd | | | | | 0.067 | | 4800 | G | 2015 | |
| (606) Ramp to I-81 N at Exit 205.18 | | 4800 | G | | | To: I-81 N | | | | | 0.067 | | 4800 | G | 2015 | |

Virginia Department of Transportation
Traffic Engineering Division
2015
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockbridge Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | -----Truck----- | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|--------------------------|--------|------|----|-------|-----|-----------------|--------|--------|--------|----|-------------|----|---------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Rockbridge County | | | | | | | | | | | | | | | | |
| (607) Robinson Gap Rd | 4.62 | 46 | R | | | | | | | | | | | NA | | 07/30/2013 |
| | | | | | | | | | | | | | | | | |
| (608) | 1.82 | 50 | R | | | | | | | | | | | NA | | 09/17/2013 |
| (608) | 0.34 | 70 | R | | | | | | | | | | | NA | | 09/17/2013 |
| (608) | 2.00 | 100 | R | | | | | | | | | | | NA | | 07/26/2004 |
| (608) | 2.09 | 350 | R | | | | | | | | | | | NA | | 09/17/2013 |
| (608) Forge Rd | 0.47 | 340 | G | 94% | 1% | 2% | 2% | 1% | 0% | F | 0.139 | | 0.592 | 360 | G | 2015 |
| (608) Forge Rd | 3.54 | 600 | G | 99% | 1% | 0% | 0% | 0% | 0% | C | 0.115 | | 0.676 | 630 | G | 2015 |
| (608) Forge Rd | 1.63 | 1000 | G | 94% | 1% | 2% | 2% | 1% | 0% | F | 0.111 | | 0.52 | 1100 | G | 2015 |
| (608) Forge Rd | 1.67 | 1200 | G | 94% | 1% | 2% | 2% | 1% | 0% | F | 0.112 | | 0.534 | 1200 | G | 2015 |
| (608) Forge Rd | 2.31 | 2200 | G | 94% | 1% | 2% | 2% | 1% | 0% | F | 0.099 | | 0.605 | 2300 | G | 2015 |
| (608) | 2.00 | 410 | R | | | | | | | | | | | NA | | 08/16/2004 |
| (608) | 0.92 | 70 | R | | | | | | | | | | | NA | | 07/23/2013 |
| (608) | 0.18 | 120 | R | | | | | | | | | | | NA | | 07/23/2013 |
| (608) | 1.62 | 1100 | R | | | | | | | | | | | NA | | 08/23/2004 |
| (608) | 1.46 | 960 | R | | | | | | | | | | | NA | | 07/23/2013 |
| (608) | 3.02 | 600 | R | | | | | | | | | | | NA | | 08/18/2004 |
| (608) | 3.29 | 350 | R | | | | | | | | | | | NA | | 07/18/2013 |
| (608) | 4.06 | 260 | R | | | | | | | | | | | NA | | 10/04/2004 |
| (608) S Bottom Rd | 0.31 | 350 | G | 94% | 1% | 2% | 2% | 1% | 0% | C | 0.122 | | 0.544 | 370 | G | 2015 |
| (609) | 1.90 | 60 | R | | | | | | | | | | | NA | | 09/17/2013 |
| (609) Red Mill Rd | 0.89 | 140 | G | 95% | 3% | 2% | 0% | 0% | 0% | C | 0.130 | | 0.684 | 150 | G | 2015 |
| (609) | 0.69 | 120 | R | | | | | | | | | | | NA | | 07/26/2004 |
| (609) | 1.81 | 180 | R | | | | | | | | | | | NA | | 09/17/2013 |

Virginia Department of Transportation
Traffic Engineering Division
2015
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockbridge Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | -----Truck----- | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|--------------------------|--------|------|------------------------------|-------|-----|-----------------|--------|--------|--------|----|-------------|-------|---------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Rockbridge County | | | | | | | | | | | | | | | | |
| (610) Plank Rd | 0.03 | 130 | R | | | | | | | | NA | | NA | | | 07/26/2004 |
| | | | From Botetourt County Line | | | | | | | | | | | | | |
| | | | To 81-694 County Line Rd | | | | | | | | | | | | | |
| (610) Plank Rd | 2.85 | 80 | R | | | | | | | | NA | | NA | | | 09/17/2013 |
| | | | From 81-692 Cedar Creek Rd | | | | | | | | | | | | | |
| | | | To 81-690 Padgetts Hill Rd | | | | | | | | | | | | | |
| (610) Plank Rd | 3.08 | 90 | G | 97% | 1% | 3% | 0% | 0% | 0% | F | 0.144 | 0.571 | 90 | G | | 2015 |
| | | | From 81-682 Tally Ho Lane | | | | | | | | | | | | | |
| | | | To 81-678 Mitchell Ln | | | | | | | | | | | | | |
| (610) Plank Rd | 2.86 | 110 | G | 97% | 1% | 3% | 0% | 0% | 0% | C | 0.138 | 0.5 | 120 | G | | 2015 |
| | | | From 81-753 Zollmans Mill Rd | | | | | | | | | | | | | |
| | | | To 81-764 Possum Hollow | | | | | | | | | | | | | |
| (611) South Buffalo Rd | 2.10 | 250 | R | | | | | | | | NA | | NA | | | 08/09/2004 |
| | | | From Botetourt County Line | | | | | | | | | | | | | |
| | | | To 81-738 Rapps Mill Lane | | | | | | | | | | | | | |
| (611) South Buffalo Rd | 1.40 | 180 | R | | | | | | | | NA | | NA | | | 10/03/2013 |
| | | | From 81-661 | | | | | | | | | | | | | |
| | | | To 81-612 Blue Grass Trail | | | | | | | | | | | | | |
| (612) Blue Grass Trail | 2.04 | 30 | R | | | | | | | | NA | | NA | | | 10/03/2013 |
| | | | From Botetourt County Line | | | | | | | | | | | | | |
| | | | To 2.04 MN of CL | | | | | | | | | | | | | |
| (612) Blue Grass Trail | 0.66 | 49 | R | | | | | | | | NA | | NA | | | 08/11/2004 |
| | | | From 81-807 Pullen Rd | | | | | | | | | | | | | |
| (612) Blue Grass Trail | 1.60 | 70 | R | | | | | | | | NA | | NA | | | 10/03/2013 |
| | | | From 81-662 Springbranch Rd | | | | | | | | | | | | | |
| (612) Blue Grass Trail | 1.50 | 250 | R | | | | | | | | NA | | NA | | | 08/09/2004 |
| | | | From 81-667 Moores Creek Rd | | | | | | | | | | | | | |
| | | | To SR 251 Colliertown Rd | | | | | | | | | | | | | |
| (613) Ridge Rd | 1.03 | 920 | G | 98% | 1% | 0% | 1% | 0% | 0% | C | 0.104 | 0.596 | 970 | G | | 2015 |
| | | | From 81-710 Sterrett Rd | | | | | | | | | | | | | |
| | | | To 81-724 McClure Blvd | | | | | | | | | | | | | |
| (613) Ridge Rd | 2.70 | 650 | R | | | | | | | | NA | | NA | | | 10/06/2004 |
| | | | From 81-917 Oakland Circle | | | | | | | | | | | | | |
| (613) Ridge Rd | 0.90 | 230 | R | | | | | | | | NA | | NA | | | 07/03/2013 |
| | | | From 81-606 Raphine Rd | | | | | | | | | | | | | |
| (614) Bells Valley Rd | 3.10 | 30 | R | | | | | | | | NA | | NA | | | 08/01/2013 |
| | | | From Dead End | | | | | | | | | | | | | |
| | | | To SR 42 S, Virginia Ave | | | | | | | | | | | | | |
| (614) Bells Valley Rd | 1.22 | 190 | R | | | | | | | | NA | | NA | | | 08/01/2013 |
| | | | From SR 42 N, Virginia Ave | | | | | | | | | | | | | |
| | | | To 81-601 | | | | | | | | | | | | | |
| (615) | 1.40 | 48 | R | | | | | | | | NA | | NA | | | 08/01/2013 |
| | | | From Dead End | | | | | | | | | | | | | |
| | | | To SR 42 S, Virginia Ave | | | | | | | | | | | | | |
| (615) | 3.00 | 45 | R | | | | | | | | NA | | NA | | | 08/01/2013 |
| | | | From SR 42 N, Virginia Ave | | | | | | | | | | | | | |
| | | | To 81-601 | | | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division
2015
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockbridge Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | -----Truck----- | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|---------------------------|--------|------|----|-------|-----|-----------------|--------|--------|--------|----|-------------|-------|---------------|-------|------|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Rockbridge County | | | | | | | | | | | | | | | | |
| (616) Hunters Crossing Rd | 1.00 | 70 | R | | | | | | | | | NA | | NA | | 08/01/2013 |
| | | | | | | | | | | | | | | | | |
| (617) Cemetery Lane | 0.20 | 30 | R | | | | | | | | | NA | | NA | | 08/01/2013 |
| | | | | | | | | | | | | | | | | |
| (618) Blacks Run | 0.40 | 3 | R | | | | | | | | | NA | | NA | | 08/01/2013 |
| | | | | | | | | | | | | | | | | |
| (619) Twin Oaks Lane | 0.12 | 7 | R | | | | | | | | | NA | | NA | | 07/16/2013 |
| | | | | | | | | | | | | | | | | |
| (620) Pisgah Rd | 3.35 | 48 | R | | | | | | | | | NA | | NA | | 07/09/2013 |
| | | | | | | | | | | | | | | | | |
| (620) Pisgah Rd | 0.20 | 30 | R | | | | | | | | | NA | | NA | | 07/09/2013 |
| | | | | | | | | | | | | | | | | |
| (620) Pisgah Rd | 0.40 | 150 | R | | | | | | | | | NA | | NA | | 07/09/2013 |
| | | | | | | | | | | | | | | | | |
| (621) | 0.30 | 6 | R | | | | | | | | | NA | | NA | | 08/16/2013 |
| | | | | | | | | | | | | | | | | |
| (621) | 0.30 | 120 | R | | | | | | | | | NA | | NA | | 09/20/2004 |
| | | | | | | | | | | | | | | | | |
| (622) | 0.52 | 180 | R | | | | | | | | | NA | | NA | | 08/16/2013 |
| | | | | | | | | | | | | | | | | |
| (622) | 0.60 | 40 | R | | | | | | | | | NA | | NA | | 08/16/2013 |
| | | | | | | | | | | | | | | | | |
| (622) | 0.80 | 90 | R | | | | | | | | | NA | | NA | | 08/16/2013 |
| | | | | | | | | | | | | | | | | |
| (622) Maple Swamp Rd | 1.61 | 380 | G | 96% | 1% | 2% | 1% | 0% | 0% | C | 0.113 | 0.689 | 400 | G | 2015 | |
| | | | | | | | | | | | | | | | | |
| (622) | 2.18 | 20 | R | | | | | | | | | NA | | NA | | 08/27/2013 |
| | | | | | | | | | | | | | | | | |
| (622) | 1.56 | 100 | R | | | | | | | | | NA | | NA | | 08/27/2013 |
| | | | | | | | | | | | | | | | | |
| (622) | 0.20 | 180 | R | | | | | | | | | NA | | NA | | 08/23/2004 |
| | | | | | | | | | | | | | | | | |
| (622) | 0.69 | 160 | R | | | | | | | | | NA | | NA | | 08/27/2013 |
| | | | | | | | | | | | | | | | | |
| (622) | 1.40 | 40 | R | | | | | | | | | NA | | NA | | 08/27/2013 |
| | | | | | | | | | | | | | | | | |
| (622) | 0.41 | 160 | R | | | | | | | | | NA | | NA | | 08/27/2013 |
| | | | | | | | | | | | | | | | | |
| (623) Fredericksburg Rd | 1.06 | 810 | G | 91% | 1% | 2% | 3% | 3% | 0% | C | 0.108 | 0.557 | 860 | G | 2015 | |
| | | | | | | | | | | | | | | | | |
| (623) Fredericksburg Rd | 0.38 | 300 | R | | | | | | | | | NA | | NA | | 08/25/2004 |
| | | | | | | | | | | | | | | | | |
| (623) Fredericksburg Rd | 1.00 | 230 | R | | | | | | | | | NA | | NA | | 08/16/2013 |
| | | | | | | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division
2015
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockbridge Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | -----Truck----- | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|--------------------------|--------|------|----|-------|-----|------------------------------|--------|--------|--------|----|-------------|-------|---------------|-------|------|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Rockbridge County | | | | | | | | | | | | | | | | |
| (623) Fredericksburg Rd | 1.89 | 60 | R | | | 1.00 MN 81-622 | | | | | NA | | | NA | | 08/16/2013 |
| (623) Fredericksburg Rd | 0.20 | 80 | R | | | 81-621 EAST | | | | | NA | | | NA | | 08/16/2013 |
| (623) Fredericksburg Rd | 0.60 | 30 | R | | | 0.20 MN 81-621 | | | | | NA | | | NA | | 08/16/2013 |
| (623) Fredericksburg Rd | 0.60 | 90 | R | | | 81-621 WEST | | | | | NA | | | NA | | 08/16/2013 |
| (623) Fredericksburg Rd | 0.50 | 90 | R | | | 0.60 MN 81-621 | | | | | NA | | | NA | | 09/01/2004 |
| (624) | 0.60 | 60 | R | | | 81-631 Big Spring Dr | | | | | NA | | | NA | | 08/27/2013 |
| (624) | 0.20 | 20 | R | | | 0.60 MN 81-631 Big Spring Dr | | | | | NA | | | NA | | 09/30/2004 |
| (624) | 0.65 | 20 | R | | | 0.80 MN 81-631 Big Spring Dr | | | | | NA | | | NA | | 08/27/2013 |
| (624) | 0.05 | 20 | R | | | 1.45 MN 81-631 Big Spring Dr | | | | | NA | | | NA | | 08/25/2004 |
| (624) Maple Swamp Rd | 0.90 | 330 | G | 95% | 1% | 2% | 2% | 0% | 0% | C | 0.11 | 0.649 | 340 | G | 2015 | |
| (625) Bethany Rd | 0.25 | 280 | R | | | 81-602 Turkey Hill Rd | | | | | NA | | | NA | | 08/25/2004 |
| (625) Bethany Rd | 1.10 | 140 | R | | | 81-631 Big Spring Dr | | | | | NA | | | NA | | 08/27/2013 |
| (625) Bethany Rd | 1.30 | 130 | R | | | 81-624 WEST | | | | | NA | | | NA | | 09/20/2004 |
| (626) Hackers Rd | 0.60 | 180 | R | | | 81-624 EAST | | | | | NA | | | NA | | 08/16/2013 |
| (626) Hackers Rd | 0.80 | 20 | R | | | 81-602 Turkey Hill Rd | | | | | NA | | | NA | | 08/16/2013 |
| (626) Hackers Rd | 1.00 | 20 | R | | | 81-622 | | | | | NA | | | NA | | 08/16/2013 |
| (627) Sycamore Valley Dr | 0.10 | 490 | R | | | 0.60 MN 81-622 | | | | | NA | | | NA | | 08/16/2013 |
| (627) Sycamore Valley Dr | 0.86 | 420 | R | | | 81-755 Dug Row Rd | | | | | NA | | | NA | | 08/16/2013 |
| (627) Sycamore Valley Dr | 1.29 | 160 | R | | | Dead End | | | | | NA | | | NA | | 08/16/2013 |
| (627) Sycamore Valley Dr | 0.70 | 60 | R | | | 81-850, W Midland Trail | | | | | NA | | | NA | | 08/25/2004 |
| (627) Sycamore Valley Dr | 0.80 | 20 | R | | | 81-638 | | | | | NA | | | NA | | 08/16/2013 |
| (628) Mohlers Loop | 0.80 | 100 | R | | | 81-622 | | | | | NA | | | NA | | 08/16/2013 |
| | | | | | | 81-628 Mohlers Loop | | | | | NA | | | NA | | 08/16/2013 |
| | | | | | | 81-755 Dug Row Rd | | | | | NA | | | NA | | 08/16/2013 |
| | | | | | | Dead End | | | | | NA | | | NA | | 08/16/2013 |
| | | | | | | 81-627 Sycamore Valley Dr | | | | | NA | | | NA | | 08/16/2013 |
| | | | | | | Dead End | | | | | NA | | | NA | | 08/16/2013 |

Virginia Department of Transportation
Traffic Engineering Division
2015
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockbridge Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | -----Truck----- | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|--------------------------|--------------------|------|--|-------|-----|-----------------|--------|--------|--------|----|-------------|-------|---------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Rockbridge County | | | | | | | | | | | | | | | | |
| (629) | 0.40 | 40 | R | | | | | | | | | NA | | NA | | 10/22/2013 |
| | | | From: Dead End | | | | | | | | | | | | | |
| | | | To: 81-821, N Waterloo Dr | | | | | | | | | | | | | |
| (629) | 1.70 | 80 | R | | | | | | | | | NA | | NA | | 10/22/2013 |
| | | | From: 81-850, W Midland Trail | | | | | | | | | | | | | |
| (629) | 1.40 | 70 | R | | | | | | | | | NA | | NA | | 10/22/2013 |
| | | | From: 1.40 ME 81-850 W Midland Trail | | | | | | | | | | | | | |
| (629) | 0.73 | 20 | R | | | | | | | | | NA | | NA | | 10/22/2013 |
| | | | From: 2.13 ME 81-850 W Midland Trail | | | | | | | | | | | | | |
| (629) | 0.71 | 46 | R | | | | | | | | | NA | | NA | | 10/22/2013 |
| | | | From: 2.84 ME 81-850 W Midland Trail | | | | | | | | | | | | | |
| (629) | 1.21 | 80 | R | | | | | | | | | NA | | NA | | 10/22/2013 |
| | | | From: 4.05 ME 81-850 W Midland Trail | | | | | | | | | | | | | |
| (629) | 0.95 | 160 | R | | | | | | | | | NA | | NA | | 10/22/2013 |
| | | | From: 5.00 ME 81-850 W Midland Trail | | | | | | | | | | | | | |
| (630) | Grandview Dr | 0.19 | 70 | R | | | | | | | | NA | | NA | | 08/16/2004 |
| | | | From: Dead End | | | | | | | | | | | | | |
| | | | To: US 11 Lee Highway | | | | | | | | | | | | | |
| (631) | Muddy Lane | 0.80 | 30 | R | | | | | | | | NA | | NA | | 10/22/2013 |
| | | | From: 81-634 Brynteg Pl | | | | | | | | | | | | | |
| (631) | Muddy Lane | 0.11 | 30 | R | | | | | | | | NA | | NA | | 10/22/2013 |
| | | | From: 0.11 ME 81-634 Brynteg Pl | | | | | | | | | | | | | |
| (631) | Muddy Lane | 0.53 | 90 | R | | | | | | | | NA | | NA | | 10/22/2013 |
| | | | From: 81-638 WEST | | | | | | | | | | | | | |
| (631) | Union School Rd | 0.76 | 30 | R | | | | | | | | NA | | NA | | 10/22/2013 |
| | | | From: 81-638 EAST | | | | | | | | | | | | | |
| (631) | Still House Rd | 0.88 | 90 | R | | | | | | | | NA | | NA | | 10/22/2013 |
| | | | From: 81-850 W Midland Trail | | | | | | | | | | | | | |
| | | | To: US 60 W Midland Trail | | | | | | | | | | | | | |
| (631) | Big Spring Dr | 0.77 | 650 | G | 98% | 0% | 1% | 1% | 0% | 0% | F | 0.111 | 0.541 | 690 | G | 2015 |
| | | | From: 81-751 High Water Lane | | | | | | | | | | | | | |
| (631) | Big Spring Dr | 3.23 | 290 | G | 98% | 0% | 1% | 1% | 0% | 0% | F | 0.108 | 0.657 | 300 | G | 2015 |
| | | | From: 81-664 Hollow Rock Rd | | | | | | | | | | | | | |
| (631) | Furrs Mill Rd | 2.07 | 950 | G | 98% | 0% | 1% | 1% | 0% | 0% | F | 0.13 | 0.522 | 990 | G | 2015 |
| | | | From: 81-681 Greenhouse Rd | | | | | | | | | | | | | |
| (631) | Furrs Mill Rd | 0.33 | 950 | N | 98% | 0% | 1% | 1% | 0% | 0% | N | 0.13 | 0.522 | 990 | N | 2015 |
| | | | From: US 11, N Lee Highway | | | | | | | | | | | | | |
| (631) | Old Buena Vista Rd | 0.56 | 2300 | N | 98% | 0% | 1% | 1% | 0% | 0% | N | 0.098 | 0.67 | 2400 | N | 2015 |
| | | | From: 81-763 Lincoln Rd | | | | | | | | | | | | | |
| (631) | Old Buena Vista Rd | 1.17 | 2300 | G | 98% | 0% | 1% | 1% | 0% | 0% | F | 0.098 | 0.67 | 2400 | G | 2015 |
| | | | From: 81-705 Mountain View Rd | | | | | | | | | | | | | |
| (631) | Old Buena Vista Rd | 0.59 | 1800 | G | 98% | 0% | 1% | 1% | 0% | 0% | F | 0.100 | 0.636 | 1900 | G | 2015 |
| | | | From: 81-703 E Stuartsburg Rd, Forest Grove Rd | | | | | | | | | | | | | |
| (631) | Old Buena Vista Rd | 2.02 | 1200 | G | 98% | 0% | 1% | 1% | 0% | 0% | F | 0.107 | 0.561 | 1300 | G | 2015 |
| | | | From: 81-608 South River Rd | | | | | | | | | | | | | |
| (631) | Old Buena Vista Rd | 0.71 | 1700 | G | 98% | 0% | 1% | 1% | 0% | 0% | F | 0.108 | 0.548 | 1800 | G | 2015 |
| | | | From: 81-704 W, Middle Rd | | | | | | | | | | | | | |
| (631) | Old Buena Vista Rd | 2.15 | 2200 | G | 98% | 0% | 1% | 1% | 0% | 0% | C | 0.105 | 0.642 | 2300 | G | 2015 |
| | | | From: NCL Buena Vista | | | | | | | | | | | | | |
| (632) | Hall Place Dr | 0.50 | 5 | R | | | | | | | | NA | | NA | | 10/22/2013 |
| | | | From: Dead End | | | | | | | | | | | | | |
| | | | To: 81-638 | | | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division
2015
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockbridge Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | -----Truck----- | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|----------------------------------|--------|------|----|-------|-----|-----------------------------------|--------|--------|--------|----|-------------|----|---------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Rockbridge County | | | | | | | | | | | | | | | | |
| (633) Rockbridge Alum Springs Rd | 2.00 | 100 | R | | | From: Bath County Line | | | | | NA | | | NA | | 08/01/2013 |
| (633) Rockbridge Alum Springs Rd | 1.65 | 30 | R | | | To: 81-780 Brattons Run | | | | | NA | | | NA | | 08/01/2013 |
| (633) Rockbridge Alum Springs Rd | 0.08 | 60 | R | | | From: 1.35 ME 81-780 Brattons Run | | | | | NA | | | NA | | 09/01/2004 |
| (633) Rockbridge Alum Springs Rd | 0.08 | 60 | R | | | To: 81-850, W Midland Trail | | | | | NA | | | NA | | 09/01/2004 |
| (634) Brynteg Pl | 0.30 | 5 | R | | | From: Dead End | | | | | NA | | | NA | | 10/22/2013 |
| (634) Brynteg Pl | 0.30 | 5 | R | | | To: 81-631 Muddy Lane | | | | | NA | | | NA | | 10/22/2013 |
| (635) Brynteg Pl | 0.80 | 100 | R | | | From: Dead End | | | | | NA | | | NA | | 10/22/2013 |
| (635) Brynteg Pl | 0.12 | 110 | R | | | To: 81-718 | | | | | NA | | | NA | | 10/22/2013 |
| (635) Brynteg Pl | 0.10 | 250 | R | | | From: 81-850, W Midland Trail | | | | | NA | | | NA | | 08/30/2004 |
| (635) Brynteg Pl | 0.10 | 250 | R | | | To: Dead End | | | | | NA | | | NA | | 08/30/2004 |
| (636) Bane Pl | 0.40 | 7 | R | | | From: 81-646 Big Hill Rd | | | | | NA | | | NA | | 10/22/2013 |
| (636) Bane Pl | 0.40 | 7 | R | | | To: Dead End | | | | | NA | | | NA | | 10/22/2013 |
| (637) Walnut Flat Dr | 0.25 | 7 | R | | | From: Dead End | | | | | NA | | | NA | | 10/22/2013 |
| (637) Walnut Flat Dr | 0.25 | 7 | R | | | To: 81-646 Big Hill Rd | | | | | NA | | | NA | | 10/22/2013 |
| (638) Walnut Flat Dr | 0.80 | 60 | R | | | From: 81-641 | | | | | NA | | | NA | | 09/06/2013 |
| (638) Walnut Flat Dr | 0.30 | 100 | R | | | To: 81-639 S, Higgins Hollow | | | | | NA | | | NA | | 09/06/2013 |
| (638) Walnut Flat Dr | 1.80 | 10 | R | | | From: 81-639 N, Tucker Kerr Lane | | | | | NA | | | NA | | 10/22/2013 |
| (638) Walnut Flat Dr | 0.40 | 100 | R | | | To: 81-631 EAST | | | | | NA | | | NA | | 08/25/2004 |
| (638) Walnut Flat Dr | 0.40 | 100 | R | | | From: 81-631 WEST | | | | | NA | | | NA | | 08/25/2004 |
| (638) Walnut Flat Dr | 0.60 | 110 | R | | | To: 81-632 Hall Place Dr | | | | | NA | | | NA | | 10/22/2013 |
| (638) Walnut Flat Dr | 0.25 | 20 | R | | | From: 81-850, W Midland Trail | | | | | NA | | | NA | | 08/16/2013 |
| (638) Walnut Flat Dr | 0.07 | 20 | R | | | To: 81-627 Sycamore Valley Dr | | | | | NA | | | NA | | 08/16/2013 |
| (638) Walnut Flat Dr | 0.07 | 20 | R | | | From: Dead End | | | | | NA | | | NA | | 08/16/2013 |
| (639) Higgins Hollow | 0.90 | 50 | R | | | From: Dead End | | | | | NA | | | NA | | 09/06/2013 |
| (639) Higgins Hollow | 0.90 | 50 | R | | | To: 81-638 S, Still House Dr | | | | | NA | | | NA | | 09/06/2013 |
| (639) Tucker Kerr Lane | 0.90 | 170 | R | | | From: 81-638 N, Still House Dr | | | | | NA | | | NA | | 09/06/2013 |
| (639) Tucker Kerr Lane | 0.90 | 170 | R | | | To: US 60 W, Midland Trail | | | | | NA | | | NA | | 09/06/2013 |
| (639) Ebenezer Circle | 1.70 | 160 | R | | | From: US 60 Mid Midland Trail | | | | | NA | | | NA | | 08/25/2004 |
| (639) Ebenezer Circle | 1.70 | 160 | R | | | To: US 60 E, Midland Trail | | | | | NA | | | NA | | 08/25/2004 |
| (640) Edgar's Way | 0.70 | 50 | R | | | From: US 60 | | | | | NA | | | NA | | 09/06/2013 |
| (640) Edgar's Way | 0.70 | 50 | R | | | To: US 60 | | | | | NA | | | NA | | 09/06/2013 |
| (641) Edgar's Way | 1.00 | 40 | R | | | From: 81-676 Toad Run | | | | | NA | | | NA | | 10/22/2013 |
| (641) Edgar's Way | 0.40 | 30 | R | | | To: 1.00 MN 81-676 Toad Run | | | | | NA | | | NA | | 10/22/2013 |
| (641) Edgar's Way | 0.40 | 30 | R | | | From: 81-672 S, Enfield Rd | | | | | NA | | | NA | | 10/22/2013 |

Virginia Department of Transportation
Traffic Engineering Division
2015
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockbridge Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | -----Truck----- | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|--------------------------|--------|------|----|-------|-----|-----------------|--------|--------|--------|----|-------------|-------|---------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Rockbridge County | | | | | | | | | | | | | | | | |
| (641) | 1.40 | 70 | R | | | | | | | | | NA | | NA | | 10/22/2013 |
| | | | | | | | | | | | | | | | | |
| (641) | 1.00 | 160 | R | | | | | | | | | NA | | NA | | 08/16/2004 |
| | | | | | | | | | | | | | | | | |
| (641) | 0.60 | 190 | R | | | | | | | | | NA | | NA | | 10/22/2013 |
| | | | | | | | | | | | | | | | | |
| (641) | 1.60 | 310 | R | | | | | | | | | NA | | NA | | 08/16/2004 |
| | | | | | | | | | | | | | | | | |
| (641) | 1.40 | 380 | R | | | | | | | | | NA | | NA | | 09/06/2013 |
| | | | | | | | | | | | | | | | | |
| (642) House Mountain Rd | 0.80 | 70 | R | | | | | | | | | NA | | NA | | 10/22/2013 |
| | | | | | | | | | | | | | | | | |
| (643) Saddle Ridge Rd | 0.25 | 20 | R | | | | | | | | | NA | | NA | | 10/22/2013 |
| | | | | | | | | | | | | | | | | |
| (644) | 0.50 | 120 | R | | | | | | | | | NA | | NA | | 08/09/2004 |
| | | | | | | | | | | | | | | | | |
| (644) | 0.30 | 140 | R | | | | | | | | | NA | | NA | | 10/03/2013 |
| | | | | | | | | | | | | | | | | |
| (644) | 1.50 | 120 | R | | | | | | | | | NA | | NA | | 10/03/2013 |
| | | | | | | | | | | | | | | | | |
| (644) | 0.60 | 100 | R | | | | | | | | | NA | | NA | | 10/03/2013 |
| | | | | | | | | | | | | | | | | |
| (644) | 1.20 | 60 | R | | | | | | | | | NA | | NA | | 10/03/2013 |
| | | | | | | | | | | | | | | | | |
| (644) | 1.70 | 70 | R | | | | | | | | | NA | | NA | | 10/03/2013 |
| | | | | | | | | | | | | | | | | |
| (644) | 0.90 | 20 | R | | | | | | | | | NA | | NA | | 10/03/2013 |
| | | | | | | | | | | | | | | | | |
| (644) | 1.00 | 100 | R | | | | | | | | | NA | | NA | | 10/22/2013 |
| | | | | | | | | | | | | | | | | |
| (645) Valley Pike | 3.25 | 800 | R | | | | | | | | | NA | | NA | | 08/23/2004 |
| | | | | | | | | | | | | | | | | |
| (646) Big Hill Rd | 1.55 | 250 | G | 94% | 0% | 3% | 3% | 0% | 0% | C | 0.125 | 0.576 | 260 | G | | 2015 |
| | | | | | | | | | | | | | | | | |
| (646) Big Hill Rd | 2.10 | 150 | R | | | | | | | | | NA | | NA | | 10/03/2013 |
| | | | | | | | | | | | | | | | | |
| (646) Big Hill Rd | 4.19 | 300 | R | | | | | | | | | NA | | NA | | 08/11/2004 |
| | | | | | | | | | | | | | | | | |
| (647) Papaw Rd | 0.20 | 50 | R | | | | | | | | | NA | | NA | | 10/03/2013 |
| | | | | | | | | | | | | | | | | |
| (647) Papaw Rd | 1.10 | 20 | R | | | | | | | | | NA | | NA | | 10/03/2013 |
| | | | | | | | | | | | | | | | | |
| (648) Ollie Knick Rd | 0.50 | 10 | R | | | | | | | | | NA | | NA | | 10/03/2013 |
| | | | | | | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division
2015
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockbridge Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | -----Truck----- | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|--------------------------------------|--------|------|----|-------|-----|-----------------|--------|--------|--------|----|-------------|----|---------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Rockbridge County | | | | | | | | | | | | | | | | |
| (649) Tom Alphin Rd | 1.10 | 46 | R | | | | | | | | NA | | NA | | | 10/03/2013 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| (650) | 0.70 | 49 | R | | | | | | | | NA | | NA | | | 10/03/2013 |
| | | | | | | | | | | | | | | | | |
| (650) | 1.00 | 20 | R | | | | | | | | NA | | NA | | | 10/03/2013 |
| | | | | | | | | | | | | | | | | |
| (651) Honey Hollow Rd | 0.50 | 90 | R | | | | | | | | NA | | NA | | | 10/03/2013 |
| | | | | | | | | | | | | | | | | |
| (651) Honey Hollow Rd | 1.50 | 90 | R | | | | | | | | NA | | NA | | | 10/03/2013 |
| | | | | | | | | | | | | | | | | |
| (652) Lake Robertson Dr | 0.50 | 40 | R | | | | | | | | NA | | NA | | | 10/03/2013 |
| | | | | | | | | | | | | | | | | |
| (653) Lackey Lane | 0.06 | 40 | R | | | | | | | | NA | | NA | | | 09/17/2013 |
| | | | | | | | | | | | | | | | | |
| (654) Hayslette Rd | 1.00 | 40 | R | | | | | | | | NA | | NA | | | 10/03/2013 |
| | | | | | | | | | | | | | | | | |
| (654) Hayslette Rd | 0.55 | 40 | R | | | | | | | | NA | | NA | | | 10/03/2013 |
| | | | | | | | | | | | | | | | | |
| (654) Hayslette Rd | 1.15 | 40 | R | | | | | | | | NA | | NA | | | 10/03/2013 |
| | | | | | | | | | | | | | | | | |
| (655) | 1.79 | 6 | R | | | | | | | | NA | | NA | | | 10/03/2013 |
| | | | | | | | | | | | | | | | | |
| (655) | 0.25 | 110 | R | | | | | | | | NA | | NA | | | 08/11/2004 |
| | | | | | | | | | | | | | | | | |
| (655) | 0.76 | 120 | R | | | | | | | | NA | | NA | | | 10/03/2013 |
| | | | | | | | | | | | | | | | | |
| (655) | 0.70 | 160 | R | | | | | | | | NA | | NA | | | 08/11/2004 |
| | | | | | | | | | | | | | | | | |
| (655) | 1.60 | 190 | R | | | | | | | | NA | | NA | | | 10/03/2013 |
| | | | | | | | | | | | | | | | | |
| (656) Green Lane | 0.40 | 10 | R | | | | | | | | NA | | NA | | | 10/03/2013 |
| | | | | | | | | | | | | | | | | |
| (657) | 0.25 | 20 | R | | | | | | | | NA | | NA | | | 10/03/2013 |
| | | | | | | | | | | | | | | | | |
| (657) | 1.70 | 110 | R | | | | | | | | NA | | NA | | | 10/03/2013 |
| | | | | | | | | | | | | | | | | |
| (657) | 0.20 | 110 | R | | | | | | | | NA | | NA | | | 10/03/2013 |
| | | | | | | | | | | | | | | | | |
| (657) Green Hill Rd; Blacks Creek Rd | 0.50 | 340 | G | 97% | 0% | 2% | 1% | 0% | 0% | C | 0.105 | | 0.667 | 360 | G | 2015 |
| | | | | | | | | | | | | | | | | |
| (657) | 1.00 | 20 | R | | | | | | | | NA | | NA | | | 10/03/2013 |
| | | | | | | | | | | | | | | | | |
| (657) | 0.70 | 10 | R | | | | | | | | NA | | NA | | | 10/03/2013 |
| | | | | | | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division
2015
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockbridge Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | -----Truck----- | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|----------------------------|--------|------|----|-------|-----|-------------------------------------|--------|--------|--------|----|-------------|-------|---------------|-------|------|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Rockbridge County | | | | | | | | | | | | | | | | |
| (658) Smith Hollow | 0.30 | 40 | R | | | 81-770 Tpke Rd | | | | | NA | | | NA | | 08/09/2004 |
| (658) Smith Hollow | 0.40 | 10 | R | | | 0.30 MN 81-770 Tpke Rd | | | | | NA | | | NA | | 10/03/2013 |
| | | | | | | Dead End | | | | | | | | | | |
| (659) Little Drivey Hollow | 2.60 | 60 | R | | | 81-644 | | | | | NA | | | NA | | 10/03/2013 |
| | | | | | | 81-644 | | | | | | | | | | |
| (660) Bull Run Lane | 0.40 | 30 | R | | | Dead End | | | | | NA | | | NA | | 10/03/2013 |
| | | | | | | 81-644 | | | | | | | | | | |
| (661) | 0.10 | 110 | R | | | 81-611 South Buffalo Rd | | | | | NA | | | NA | | 10/03/2013 |
| (661) | 0.45 | 110 | R | | | 0.10 MN 81-611 South Buffalo Rd | | | | | NA | | | NA | | 10/03/2013 |
| (661) | 0.25 | 110 | R | | | 0.55 MN 81-611 South Buffalo Rd | | | | | NA | | | NA | | 10/03/2013 |
| (661) | 1.50 | 70 | R | | | 81-662 Springbrangh Rd | | | | | NA | | | NA | | 10/03/2013 |
| | | | | | | Dead End | | | | | | | | | | |
| (662) Springbrangh Rd | 2.20 | 170 | R | | | 81-661 | | | | | NA | | | NA | | 08/09/2004 |
| | | | | | | 81-612 Blue Grass Trail | | | | | | | | | | |
| (663) | 0.45 | 160 | R | | | US 501 S, Glasgow Hwy | | | | | NA | | | NA | | 07/30/2013 |
| (663) | 4.62 | 160 | R | | | 81-841 Windsor Lane | | | | | NA | | | NA | | 08/18/2004 |
| (663) | 1.56 | 260 | R | | | 1.63 MN GW For Bndy | | | | | NA | | | NA | | 07/30/2013 |
| | | | | | | US 501 N, Glasgow Hwy | | | | | | | | | | |
| (664) | 0.05 | 50 | R | | | Dead End | | | | | NA | | | NA | | 08/27/2013 |
| (664) | 0.71 | 50 | R | | | 0.05 ME Dead End | | | | | NA | | | NA | | 08/27/2013 |
| | | | | | | 81-631 Furrs Mill Rd; Big Spring Dr | | | | | | | | | | |
| (665) Cold Run Dr | 0.05 | 100 | R | | | 81-669 | | | | | NA | | | NA | | 09/06/2013 |
| (665) Cold Run Dr | 1.45 | 100 | R | | | 0.05 MN 81-669 | | | | | NA | | | NA | | 09/06/2013 |
| | | | | | | Dead End | | | | | | | | | | |
| (666) Bell Rd | 0.40 | 340 | R | | | 81-670; 117-4262 | | | | | NA | | | NA | | 09/06/2013 |
| | | | | | | US 60 | | | | | | | | | | |
| (667) Moores Creek Rd | 1.30 | 90 | R | | | Dead End | | | | | NA | | | NA | | 10/03/2013 |
| | | | | | | 81-612 Blue Grass Trail | | | | | | | | | | |
| (668) Bethesda Rd | 0.24 | 50 | R | | | SR 39 W, Maury River Rd | | | | | NA | | | NA | | 09/20/2004 |
| | | | | | | SR 39 E, Maury River Rd | | | | | | | | | | |
| (669) Beatty Hollow | 0.40 | 660 | G | 96% | 0% | 3% | 1% | 0% | 0% | C | 0.097 | 0.603 | 700 | G | 2015 | |
| | | | | | | US 60 WEST | | | | | | | | | | |
| (669) | 0.15 | 30 | R | | | US 60 MID | | | | | NA | | | NA | | 09/06/2013 |
| | | | | | | 0.15 ME US 60 | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division
2015
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockbridge Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | -----Truck----- | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|--------------------------|--------|------|----|-------|-----|--------------------------------|--------|--------|--------|----|-------------|-------|---------------|-------|------|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Rockbridge County | | | | | | | | | | | | | | | | |
| (669) | 0.10 | 30 | R | | | 0.15 ME US 60 | | | | | NA | | | NA | | 09/06/2013 |
| (669) | 0.15 | 2 | R | | | Dead End: Gap | | | | | NA | | | NA | | 09/06/2013 |
| (669) | 0.40 | 180 | R | | | 81-665 Cold Run Dr | | | | | NA | | | NA | | 09/06/2013 |
| (669) | | | | | | US 60 EAST | | | | | | | | | | |
| (670) | 0.50 | 30 | R | | | Dead End | | | | | NA | | | NA | | 09/19/2013 |
| (670) | 3.50 | 150 | R | | | SR 251 EAST | | | | | NA | | | NA | | 09/19/2013 |
| (670) | | | | | | SR 251 WEST | | | | | | | | | | |
| (670) | 0.95 | 290 | R | | | 81-674 | | | | | NA | | | NA | | 08/16/2004 |
| (670) | | | | | | 81-672 E, Enfield Rd | | | | | | | | | | |
| (670) | 1.10 | 510 | G | 95% | 1% | 3% | 1% | 0% | 0% | C | 0.118 | 0.627 | 530 | G | 2015 | |
| (670) | | | | | | 81-669 Beatty Hollow | | | | | | | | | | |
| (670) | 1.57 | 240 | G | 95% | 1% | 3% | 1% | 0% | 0% | F | 0.102 | 0.547 | 250 | G | 2015 | |
| (670) | | | | | | WCL Lexington | | | | | | | | | | |
| (671) | 0.52 | 80 | R | | | Dead End | | | | | NA | | | NA | | 10/16/2007 |
| (671) | 0.30 | 110 | R | | | 81-786 Stagecoach Lane | | | | | NA | | | NA | | 10/16/2007 |
| (671) | 1.00 | 270 | R | | | 0.30 MN 81-786 Stagecoach Lane | | | | | NA | | | NA | | 09/19/2013 |
| (671) | 0.45 | 430 | R | | | 81-735 | | | | | NA | | | NA | | 09/19/2013 |
| (671) | 0.60 | 150 | R | | | 81-735 SOUTH | | | | | NA | | | NA | | 09/19/2013 |
| (671) | 0.60 | 150 | R | | | 81-801 Poplar Hill Rd | | | | | NA | | | NA | | 09/19/2013 |
| (671) | 1.59 | 200 | G | 93% | 1% | 4% | 2% | 0% | 0% | C | 0.123 | 0.64 | 210 | G | 2015 | |
| (671) | | | | | | 81-701 Jacobs Ladder | | | | | | | | | | |
| (671) | | | | | | 81-701 Jacobs Ladder Ln | | | | | | | | | | |
| (671) | | | | | | SCL Lexington | | | | | | | | | | |
| (672) | 0.90 | 160 | R | | | SR 251; 81-770 | | | | | NA | | | NA | | 08/09/2004 |
| (672) | 0.70 | 150 | R | | | 81-644 SOUTH | | | | | NA | | | NA | | 10/03/2013 |
| (672) | 0.50 | 120 | R | | | 81-644 NORTH | | | | | NA | | | NA | | 08/11/2004 |
| (672) | 0.20 | 190 | R | | | 81-641 SOUTH | | | | | NA | | | NA | | 10/22/2013 |
| (672) | 1.80 | 150 | R | | | 81-641 NORTH | | | | | NA | | | NA | | 08/16/2004 |
| (672) | 1.90 | 310 | R | | | 81-676 Toad Run | | | | | NA | | | NA | | 10/22/2013 |
| (672) | 2.29 | 230 | G | 99% | 0% | 0% | 0% | 0% | 0% | C | 0.112 | 0.5 | 240 | G | 2015 | |
| (672) | | | | | | 81-670 W, Beatty Hollow | | | | | | | | | | |
| (672) | | | | | | 81-670 W; Beatty Hollow | | | | | | | | | | |
| (672) | | | | | | WCL Lexington | | | | | | | | | | |
| (673) | 0.90 | 60 | R | | | 81-672 Enfield Rd | | | | | NA | | | NA | | 10/22/2013 |
| (673) | | | | | | 81-641 | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division
2015
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockbridge Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | -----Truck----- | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|--------------------------|--------|------|----|-------|-----|--|--------|--------|--------|----|-------------|----|---------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Rockbridge County | | | | | | | | | | | | | | | | |
| (674) | 0.15 | 20 | R | | | From: Dead End | | | | | NA | | | NA | | 09/19/2013 |
| (674) | 1.50 | 40 | R | | | From: 81-675 | | | | | NA | | | NA | | 09/19/2013 |
| (674) | 0.10 | 30 | R | | | From: 81-753 Zollmans Mill Rd | | | | | NA | | | NA | | 09/19/2013 |
| (674) | 0.80 | 70 | R | | | From: 0.10 MN 81-753 Zollmans Mill Rd | | | | | NA | | | NA | | 09/19/2013 |
| (674) | 1.30 | 220 | R | | | From: SR 251 SOUTH SR 251 NORTH | | | | | NA | | | NA | | 09/19/2013 |
| (674) | 0.50 | 130 | R | | | From: 81-687 Ross Rd | | | | | NA | | | NA | | 08/09/2004 |
| (674) | 0.89 | 80 | R | | | From: 0.50 MN 81-687 Ross Rd | | | | | NA | | | NA | | 09/19/2013 |
| (674) | 0.21 | 90 | R | | | From: 1.39 MN 81-687 Ross Rd | | | | | NA | | | NA | | 08/09/2004 |
| (675) | 1.92 | 240 | R | | | From: Dead End | | | | | NA | | | NA | | 09/19/2013 |
| (675) | 1.20 | 120 | R | | | From: SR 251 NORTH SR 251 SOUTH | | | | | NA | | | NA | | 08/09/2004 |
| (676) Toad Run | 0.50 | 140 | R | | | From: 81-674 | | | | | NA | | | NA | | 10/22/2013 |
| (676) Toad Run | 0.40 | 120 | R | | | From: SR 251 | | | | | NA | | | NA | | 08/16/2004 |
| (676) Toad Run | 1.20 | 100 | R | | | From: 81-641 | | | | | NA | | | NA | | 10/22/2013 |
| (676) Toad Run | 0.50 | 120 | R | | | From: 0.40 MN 81-641 | | | | | NA | | | NA | | 08/16/2004 |
| (677) | 0.28 | 50 | R | | | From: 1.60 MN 81-641 | | | | | NA | | | NA | | 10/03/2013 |
| (677) | 1.89 | 620 | R | | | From: 81-672 Enfield Rd | | | | | NA | | | NA | | 08/04/2004 |
| (678) | 0.37 | 10 | R | | | From: Dead End | | | | | NA | | | NA | | 10/03/2013 |
| (678) | 1.00 | 70 | R | | | From: 81-612 N, Blue Grass Trail 81-612 S, Blue Grass Trail | | | | | NA | | | NA | | 08/04/2004 |
| (678) | 0.29 | 70 | R | | | From: SR 251 | | | | | NA | | | NA | | 09/19/2013 |
| (678) | 0.21 | 70 | R | | | From: 81-610 Plank Rd | | | | | NA | | | NA | | 09/19/2013 |
| (679) Second St | 0.07 | 20 | R | | | From: Dead End; Gap | | | | | NA | | | NA | | 09/19/2013 |
| (679) Second St | 0.06 | 100 | R | | | From: 1.00 ME Dead End | | | | | NA | | | NA | | 09/19/2013 |
| | | | | | | From: 1.29 ME Dead End | | | | | NA | | | NA | | 09/19/2013 |
| | | | | | | From: US 11, S Lee Highway | | | | | NA | | | NA | | 09/19/2013 |
| Town of Glasgow | | | | | | | | | | | | | | | | |
| (679) Second St | 0.07 | 20 | R | | | From: Dead End | | | | | NA | | | NA | | 07/30/2013 |
| (679) Second St | 0.06 | 100 | R | | | From: 81-1115 Pocahontas St | | | | | NA | | | NA | | 07/30/2013 |
| | | | | | | From: 81-1105 N, Catawba St | | | | | NA | | | NA | | 07/30/2013 |

Virginia Department of Transportation
Traffic Engineering Division
2015
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockbridge Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | -----Truck----- | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|----------------------------|--------|------|----|-------|-----|-----------------|--------|--------|--------|----|-------------|----|---------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Town of Glasgow | | | | | | | | | | | | | | | | |
| (679) Second St | 0.07 | 500 | R | | | | | | | | NA | | | NA | | 08/02/2004 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| Rockbridge County | | | | | | | | | | | | | | | | |
| (679) | 3.12 | 480 | R | | | | | | | | NA | | | NA | | 07/30/2013 |
| | | | | | | | | | | | | | | | | |
| (679) | 0.60 | 520 | R | | | | | | | | NA | | | NA | | 08/02/2004 |
| | | | | | | | | | | | | | | | | |
| (679) | 1.60 | 40 | R | | | | | | | | NA | | | NA | | 09/19/2013 |
| | | | | | | | | | | | | | | | | |
| (679) | 0.29 | 100 | R | | | | | | | | NA | | | NA | | 08/04/2004 |
| | | | | | | | | | | | | | | | | |
| (680) Falling Spring Rd | 3.10 | 500 | G | 96% | 1% | 2% | 1% | 0% | 0% | C | 0.106 | | 0.509 | 530 | G | 2015 |
| | | | | | | | | | | | | | | | | |
| (681) | 0.79 | 1000 | R | | | | | | | | NA | | | NA | | 08/27/2013 |
| | | | | | | | | | | | | | | | | |
| (682) Tally Ho Lane | 0.20 | 50 | R | | | | | | | | NA | | | NA | | 08/04/2004 |
| | | | | | | | | | | | | | | | | |
| (682) Tally Ho Lane | 0.20 | 90 | R | | | | | | | | NA | | | NA | | 09/19/2013 |
| | | | | | | | | | | | | | | | | |
| (683) Sulphur Springs Rd | 1.29 | 20 | R | | | | | | | | NA | | | NA | | 09/19/2013 |
| | | | | | | | | | | | | | | | | |
| (683) Sulphur Springs Rd | 0.21 | 30 | R | | | | | | | | NA | | | NA | | 09/19/2013 |
| | | | | | | | | | | | | | | | | |
| Town of Glasgow | | | | | | | | | | | | | | | | |
| (684) Blue Ridge Rd | 0.50 | 90 | R | | | | | | | | NA | | | NA | | 07/28/2004 |
| | | | | | | | | | | | | | | | | |
| (684) Blue Ridge Rd | 0.18 | 3400 | G | 96% | 0% | 1% | 2% | 1% | 0% | C | 0.111 | | 0.546 | 3600 | G | 2015 |
| | | | | | | | | | | | | | | | | |
| (684) Blue Ridge Rd | 0.14 | 1800 | G | 96% | 0% | 1% | 2% | 1% | 0% | F | 0.087 | | 0.536 | 1900 | G | 2015 |
| | | | | | | | | | | | | | | | | |
| (684) Blue Ridge Rd | 0.26 | 1000 | G | 96% | 0% | 1% | 2% | 1% | 0% | F | 0.098 | | 0.585 | 1100 | G | 2015 |
| | | | | | | | | | | | | | | | | |
| (684) Blue Ridge Rd | 0.36 | 840 | G | 96% | 0% | 1% | 2% | 1% | 0% | F | 0.096 | | 0.511 | 880 | G | 2015 |
| | | | | | | | | | | | | | | | | |
| Rockbridge County | | | | | | | | | | | | | | | | |
| (684) Sallings Mountain Rd | 1.83 | 780 | G | 96% | 0% | 1% | 2% | 1% | 0% | F | 0.098 | | 0.532 | 820 | G | 2015 |
| | | | | | | | | | | | | | | | | |
| (684) Tinkerville Rd | 2.01 | 610 | G | 96% | 0% | 1% | 2% | 1% | 0% | F | 0.113 | | 0.552 | 640 | G | 2015 |
| | | | | | | | | | | | | | | | | |
| (686) Parsons Lane | 0.46 | 70 | R | | | | | | | | NA | | | NA | | 07/26/2004 |
| | | | | | | | | | | | | | | | | |
| (686) Herring Hall Rd | 0.60 | 160 | R | | | | | | | | NA | | | NA | | 09/17/2013 |
| | | | | | | | | | | | | | | | | |
| (686) Herring Hall Rd | 0.60 | 440 | R | | | | | | | | NA | | | NA | | 07/26/2004 |
| | | | | | | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division
2015
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockbridge Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | -----Truck----- | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|--------------------------|--------|------|----|-------|-----|-----------------|--------|--------|--------|----|-------------|----|---------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Rockbridge County | | | | | | | | | | | | | | | | |
| (687) Ross Rd | 2.28 | 360 | G | 97% | 1% | 1% | 1% | 0% | 0% | C | 0.101 | | 0.568 | 370 | G | 2015 |
| | | | | | | | | | | | | | | | | |
| (688) Stoner Hollow Rd | 0.08 | 160 | R | | | | | | | | | | | NA | | 07/28/2004 |
| (688) Stoner Hollow Rd | 2.10 | 150 | G | 97% | 2% | 1% | 0% | 0% | 0% | C | 0.153 | | 0.591 | 150 | G | 2015 |
| (689) Buck Hill Rd | 0.90 | 1500 | R | | | | | | | | | | | NA | | 09/17/2013 |
| (690) Padgett's Hill Rd | 1.92 | 180 | R | | | | | | | | | | | NA | | 09/17/2013 |
| (690) Padgett's Hill Rd | 0.61 | 450 | R | | | | | | | | | | | NA | | 07/26/2004 |
| (691) | 0.30 | 10 | R | | | | | | | | | | | NA | | 09/17/2013 |
| (691) | 2.00 | 40 | R | | | | | | | | | | | NA | | 07/26/2004 |
| (692) Cedar Creek Rd | 1.45 | 90 | G | 97% | 1% | 2% | 1% | 0% | 0% | C | 0.192 | | 0.55 | 100 | G | 2015 |
| (692) Cedar Creek Rd | 0.06 | 150 | G | 97% | 1% | 2% | 1% | 0% | 0% | F | 0.171 | | 0.52 | 150 | G | 2015 |
| (692) | 0.05 | 170 | R | | | | | | | | | | | NA | | 07/26/2004 |
| (692) | 0.04 | 40 | R | | | | | | | | | | | NA | | 09/17/2013 |
| (693) | 0.50 | 80 | R | | | | | | | | | | | NA | | 07/26/2004 |
| (693) | 0.80 | 140 | R | | | | | | | | | | | NA | | 09/17/2013 |
| (693) | 0.22 | 210 | R | | | | | | | | | | | NA | | 07/26/2004 |
| (694) County Line Rd | 0.10 | 20 | R | | | | | | | | | | | NA | | 09/17/2013 |
| (695) Hartsook Rd | 0.20 | 60 | R | | | | | | | | | | | NA | | 09/19/2013 |
| (696) Ford Hill Rd | 0.30 | 40 | R | | | | | | | | | | | NA | | 10/03/2013 |
| (697) Amole Hollow Rd | 0.90 | 170 | R | | | | | | | | | | | NA | | 09/19/2013 |
| (698) Round Hill Rd | 1.50 | 70 | R | | | | | | | | | | | NA | | 09/19/2013 |

Virginia Department of Transportation
Traffic Engineering Division
2015
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockbridge Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | -----Truck----- | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|--------------------------|--------|------|----|-------|-----|------------------------------|--------|--------|--------|----|-------------|----|---------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Rockbridge County | | | | | | | | | | | | | | | | |
| (699) Wesley Chapel Rd | 3.90 | 520 | G | 99% | 1% | US 60; FR-742 | | | | C | 0.11 | | 0.581 | 540 | G | 2015 |
| | | | | | | 81-608 S, Forge Rd | | | | | | | | | | |
| | | | | | | 81-608 N, Forge Rd | | | | | | | | | | |
| (699) | 1.20 | 160 | R | | | Dead End | | | | | NA | | | NA | | 09/19/2013 |
| | | | | | | Dead End | | | | | | | | | | |
| (700) | 0.70 | 50 | R | | | Dead End | | | | | NA | | | NA | | 09/19/2013 |
| | | | | | | 81-608 N, Forge Rd | | | | | | | | | | |
| | | | | | | 81-608 S, Forge Rd | | | | | | | | | | |
| (700) | 0.10 | 130 | R | | | 81-795 Old Store Rd | | | | | NA | | | NA | | 08/04/2004 |
| | | | | | | 81-795 Old Store Rd | | | | | | | | | | |
| (700) | 0.80 | 80 | R | | | 81-698 Round Hill Rd | | | | | NA | | | NA | | 09/19/2013 |
| | | | | | | 81-698 Round Hill Rd | | | | | | | | | | |
| (700) | 2.00 | 90 | R | | | 2.00 MN 81-698 Round Hill Rd | | | | | NA | | | NA | | 09/19/2013 |
| | | | | | | 2.00 MN 81-698 Round Hill Rd | | | | | | | | | | |
| (700) | 1.50 | 450 | R | | | 81-699 Wesley Chapel Rd | | | | | NA | | | NA | | 09/19/2013 |
| | | | | | | 81-699 Wesley Chapel Rd | | | | | | | | | | |
| (700) | 0.49 | 200 | R | | | Dead End | | | | | NA | | | NA | | 09/19/2013 |
| | | | | | | Dead End | | | | | | | | | | |
| (701) Jacobs Ladder | 0.15 | 100 | R | | | US 11, S Lee Highway | | | | | NA | | | NA | | 09/19/2013 |
| | | | | | | 0.15 ME US 11 | | | | | | | | | | |
| (701) Jacobs Ladder | 0.85 | 100 | R | | | 81-671 Old Farm Rd | | | | | NA | | | NA | | 09/19/2013 |
| | | | | | | 81-671 Old Farm Rd | | | | | | | | | | |
| (702) Quarry Lane | 0.10 | 250 | R | | | US 60 Midland Trail | | | | | NA | | | NA | | 08/27/2013 |
| | | | | | | 81-744 Flower In | | | | | | | | | | |
| (702) Quarry Lane | 0.02 | 700 | R | | | Dead End | | | | | NA | | | NA | | 08/27/2013 |
| | | | | | | Dead End | | | | | | | | | | |
| (703) | 0.26 | 30 | R | | | Dead End | | | | | NA | | | NA | | 07/30/2013 |
| | | | | | | 81-608 | | | | | | | | | | |
| (703) | 1.43 | 320 | R | | | 81-631 Old Buena Vista Rd | | | | | NA | | | NA | | 10/22/2013 |
| | | | | | | 81-631 Old Buena Vista Rd | | | | | | | | | | |
| (703) | 3.70 | 180 | R | | | 81-716 Timber Ridge Rd | | | | | NA | | | NA | | 08/23/2004 |
| | | | | | | 81-716 Timber Ridge Rd | | | | | | | | | | |
| (704) Middle Rd | 1.80 | 910 | R | | | NCL Buena Vista; 81-631 | | | | | NA | | | NA | | 07/30/2013 |
| | | | | | | 81-631 N, Old Buena Vista Rd | | | | | | | | | | |
| (705) Mountain View Rd | 3.06 | 320 | R | | | 81-631 Old Buena Vista Rd | | | | | NA | | | NA | | 08/23/2004 |
| | | | | | | 81-703 | | | | | | | | | | |
| (705) Mountain View Rd | 1.60 | 150 | R | | | 81-706 Borden Grant Trail | | | | | NA | | | NA | | 07/23/2013 |
| | | | | | | 81-706 Borden Grant Trail | | | | | | | | | | |
| (705) Mountain View Rd | 0.70 | 80 | R | | | Dead End | | | | | NA | | | NA | | 07/23/2013 |
| | | | | | | Dead End | | | | | | | | | | |
| (706) Borden Grant Trail | 3.38 | 520 | G | 94% | 0% | 2% | 3% | 0% | 0% | F | 0.105 | | 0.509 | 550 | G | 2015 |
| | | | | | | 81-716 Timber Ridge Rd | | | | | | | | | | |
| (706) Borden Grant Trail | 1.72 | 510 | G | 94% | 0% | 2% | 3% | 0% | 0% | F | 0.099 | | 0.602 | 540 | G | 2015 |
| | | | | | | 81-714 Mackeys Ln | | | | | | | | | | |
| | | | | | | 81-714 Mackey Ln | | | | | | | | | | |
| (706) | 1.40 | 160 | R | | | 81-712 | | | | | NA | | | NA | | 07/23/2013 |
| | | | | | | 81-712 | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division
2015
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockbridge Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | -----Truck----- | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|--------------------------|-------------------------------|------|------|-------|-----|------------------------|--|--------|--------|----|-------------|-------|---------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Rockbridge County | | | | | | | | | | | | | | | | |
| (706) | 1.30 | 120 | R | | | 81-712 | | | | | NA | | | NA | | 10/04/2004 |
| (706) | 0.60 | 420 | R | | | 81-710 | | | | | NA | | | NA | | 07/16/2013 |
| (706) | 1.20 | 170 | R | | | 81-711 NORTH | | | | | NA | | | NA | | 10/04/2004 |
| (706) | 0.20 | 210 | R | | | 81-709 McCrorys Hill | | | | | NA | | | NA | | 07/16/2013 |
| (706) | 1.10 | 170 | R | | | 81-707 S, Jonestown Rd | | | | | NA | | | NA | | 10/06/2004 |
| (706) | 1.40 | 160 | R | | | 81-707 N, Jonestown Rd | | | | | NA | | | NA | | 07/18/2013 |
| (706) | Steeles Fort Rd | 0.15 | 870 | G | 94% | 0% | 2% | 3% | 0% | 0% | C | 0.091 | 0.552 | 910 | G | 2015 |
| (706) | Steeles Fort Rd | 1.70 | 1000 | G | 94% | 0% | 2% | 3% | 0% | 0% | F | 0.088 | 0.52 | 1100 | G | 2015 |
| (707) | Jonestown Rd | 1.09 | 260 | R | | | US 11, N Lee Highway | | | | | NA | | NA | | 07/18/2013 |
| (707) | Jonestown Rd | 0.37 | 40 | R | | | 81-706 SOUTH 81-706 NORTH | | | | | NA | | NA | | 07/18/2013 |
| (708) | | 2.55 | 180 | R | | | 81-608 | | | | | NA | | NA | | 09/17/2013 |
| (708) | | 0.14 | 280 | R | | | 81-773 Lloyd Tolley Rd SR 130 Wert Faulkner Hwy | | | | | NA | | NA | | 07/28/2004 |
| (709) | McCrorys Hill | 1.60 | 48 | R | | | 81-706 81-608 | | | | | NA | | NA | | 07/18/2013 |
| (710) | | 1.80 | 630 | R | | | SR 252 Brownsburg Tpke | | | | | NA | | NA | | 07/03/2013 |
| (710) | | 0.40 | 680 | R | | | 81-723 Link Way Lane | | | | | NA | | NA | | 09/29/2004 |
| (710) | Sterrett Rd | 1.18 | 2000 | G | 95% | 0% | 1% | 1% | 2% | 0% | F | 0.085 | 0.624 | 2100 | G | 2015 |
| (710) | Sterrett Rd | 0.18 | 3800 | G | 95% | 0% | 1% | 1% | 2% | 0% | C | 0.092 | 0.576 | 4000 | G | 2015 |
| (710) | | 0.80 | 620 | R | | | US 11, N Lee Highway | | | | | NA | | NA | | 10/22/2013 |
| (710) | | 1.90 | 410 | R | | | 81-706 81-608 | | | | | NA | | NA | | 10/04/2004 |
| (710) | Ramp to I-81 S at Exit 200.13 | | 870 | G | | | 81-606 | | | | 0.145 | | | 870 | G | 2015 |
| (710) | Ramp to I-81 N at Exit 200.20 | | 870 | G | | | 81-710 Sterrett Rd | | | | 0.094 | | | 870 | G | 2015 |
| (711) | | 0.80 | 580 | R | | | US 11, N Lee Highway 81-706 SOUTH | | | | | NA | | NA | | 07/16/2013 |

Virginia Department of Transportation
Traffic Engineering Division
2015
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockbridge Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | -----Truck----- | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|--------------------------|--------|------|----|-------|-----|-----------------|--------|--------|--------|----|-------------|----|---------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Rockbridge County | | | | | | | | | | | | | | | | |
| (711) | 0.50 | 60 | R | | | | | | | | NA | | | NA | | 07/16/2013 |
| | | | | | | | | | | | | | | | | |
| (712) | 1.30 | 30 | R | | | | | | | | NA | | | NA | | 07/09/2013 |
| (712) | 0.25 | 120 | R | | | | | | | | NA | | | NA | | 09/22/2004 |
| (712) | 0.80 | 100 | R | | | | | | | | NA | | | NA | | 07/16/2013 |
| (712) | 0.20 | 120 | R | | | | | | | | NA | | | NA | | 09/20/2004 |
| (712) | 0.40 | 270 | R | | | | | | | | NA | | | NA | | 07/16/2013 |
| (712) Decatur Rd | 2.20 | 210 | G | 94% | 0% | 2% | 3% | 0% | 0% | F | 0.13 | | 0.617 | 220 | G | 2015 |
| (712) Decatur Rd | 1.67 | 410 | G | 94% | 0% | 2% | 3% | 0% | 0% | C | 0.107 | | 0.809 | 440 | G | 2015 |
| (712) | 1.10 | 120 | R | | | | | | | | NA | | | NA | | 07/18/2013 |
| (712) | 0.40 | 120 | R | | | | | | | | NA | | | NA | | 07/18/2013 |
| (713) Miss Maries Rd | 1.40 | 30 | R | | | | | | | | NA | | | NA | | 07/23/2013 |
| (714) Mackey Ln | 1.30 | 610 | G | 97% | 0% | 1% | 1% | 1% | 0% | C | 0.094 | | 0.542 | 640 | G | 2015 |
| (714) | 0.60 | 70 | R | | | | | | | | NA | | | NA | | 07/23/2013 |
| (714) | 1.30 | 80 | R | | | | | | | | NA | | | NA | | 07/23/2013 |
| (715) Sunnybrook Rd | 1.24 | 60 | R | | | | | | | | NA | | | NA | | 07/18/2013 |
| (715) Sunnybrook Rd | 0.40 | 170 | R | | | | | | | | NA | | | NA | | 07/18/2013 |
| (716) Mt Atlas Rd | 3.71 | 700 | G | 96% | 0% | 2% | 2% | 1% | 0% | C | 0.103 | | 0.645 | 730 | G | 2015 |
| (716) Timber Ridge Rd | 3.20 | 460 | G | 96% | 0% | 2% | 2% | 1% | 0% | F | 0.118 | | 0.561 | 490 | G | 2015 |
| (716) Timber Ridge Rd | 1.94 | 230 | G | 96% | 0% | 2% | 2% | 1% | 0% | F | 0.119 | | 0.525 | 240 | G | 2015 |
| (717) | 0.07 | 90 | R | | | | | | | | NA | | | NA | | 08/27/2013 |
| (717) | 1.45 | 40 | R | | | | | | | | NA | | | NA | | 08/27/2013 |
| (717) | 0.02 | 130 | R | | | | | | | | NA | | | NA | | 08/27/2013 |

Virginia Department of Transportation
Traffic Engineering Division
2015
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockbridge Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | -----Truck----- | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|--------------------------|--------|------|----|-------|-----|-------------------------------------|--------|--------|--------|----|-------------|----|---------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Rockbridge County | | | | | | | | | | | | | | | | |
| (717) | 2.38 | 90 | R | | | 0.02 MN 81-716 Mt Atlas Rd | | | | | NA | | | NA | | 08/27/2013 |
| (717) | 0.10 | 80 | R | | | 2.40 MN 81-716 Mt Atlas Rd | | | | | NA | | | NA | | 09/20/2004 |
| (717) Old Chapel Rd | 0.10 | 250 | G | 94% | 1% | 2% | 1% | 1% | 0% | F | 0.123 | | 0.565 | 270 | G | 2015 |
| (717) | 0.40 | 210 | R | | | 81-712 S, Decatur Rd | | | | | NA | | | NA | | 09/29/2004 |
| (717) | 0.34 | 240 | R | | | 81-808 Country Cove Lane | | | | | NA | | | NA | | 07/16/2013 |
| (717) | 1.66 | 280 | R | | | 0.34 MN 81-808 Country Cove Lane | | | | | NA | | | NA | | 09/29/2004 |
| (717) Sterrett Rd | 0.30 | 1800 | G | 94% | 1% | 2% | 1% | 1% | 0% | C | 0.133 | | 0.581 | 1900 | G | 2015 |
| (717) Sterrett Rd | 2.10 | 890 | G | 94% | 1% | 2% | 1% | 1% | 0% | F | 0.167 | | 0.546 | 940 | G | 2015 |
| (717) | 0.70 | 70 | R | | | 81-724 N, Sterrett Rd; McClure Blvd | | | | | NA | | | NA | | 07/03/2013 |
| (717) | 1.50 | 6 | R | | | 81-719 | | | | | NA | | | NA | | 07/03/2013 |
| (717) | 0.90 | 9 | R | | | 81-721 Finley Rd | | | | | NA | | | NA | | 07/03/2013 |
| (718) | 0.07 | 7 | R | | | SR 252 Brownsburg Tpke | | | | | NA | | | NA | | 10/22/2013 |
| (719) | 1.30 | 70 | R | | | Dead End | | | | | NA | | | NA | | 07/03/2013 |
| (720) Spring Run Lane | 0.50 | 10 | R | | | 81-635 | | | | | NA | | | NA | | 07/03/2013 |
| (721) Finley Rd | 0.90 | 10 | R | | | 81-717 | | | | | NA | | | NA | | 07/03/2013 |
| (722) Rocky Lane | 0.80 | 40 | R | | | 81-613 Ridge Rd | | | | | NA | | | NA | | 07/09/2013 |
| (723) Link Way Lane | 0.40 | 5 | R | | | 81-604 Gibbs Run Lane | | | | | NA | | | NA | | 07/03/2013 |
| (724) | 1.55 | 60 | R | | | Dead End | | | | | NA | | | NA | | 07/09/2013 |
| (724) | 1.90 | 110 | R | | | 81-602 NORTH | | | | | NA | | | NA | | 09/22/2004 |
| (724) | 0.30 | 220 | R | | | 81-602 SOUTH | | | | | NA | | | NA | | 07/09/2013 |
| (724) Hays Creek Rd | 2.37 | 300 | G | 94% | 1% | 1% | 3% | 1% | 0% | F | 0.115 | | 0.5 | 310 | G | 2015 |
| (724) Sterrett Rd | 2.10 | 300 | G | 94% | 1% | 1% | 3% | 1% | 0% | C | 0.101 | | 0.546 | 310 | G | 2015 |
| | | | | | | 81-731 WEST | | | | | NA | | | NA | | 07/09/2013 |
| | | | | | | 81-731 EAST | | | | | NA | | | NA | | 07/09/2013 |
| | | | | | | 81-731 E, Dutch Hollow Rd | | | | | NA | | | NA | | 07/09/2013 |
| | | | | | | SR 252 S, Brownsburg Tpke | | | | | NA | | | NA | | 07/09/2013 |
| | | | | | | SR 252 N, Brownsburg Tpke | | | | | NA | | | NA | | 07/09/2013 |
| | | | | | | 81-717 N, Goose Creek Rd | | | | | NA | | | NA | | 07/09/2013 |

Virginia Department of Transportation
Traffic Engineering Division
2015
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockbridge Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | -----Truck----- | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|--------------------------|--------|------|----|-------|-----|----------------------------------|--------|--------|--------|----|-------------|----|---------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Rockbridge County | | | | | | | | | | | | | | | | |
| (724) | 0.85 | 260 | R | | | From 81-717 S, Sterrett Rd | | | | | NA | | | NA | | 07/03/2013 |
| (724) | 0.35 | 220 | R | | | To 0.85 ME 81-717 S, Sterrett Rd | | | | | NA | | | NA | | 09/29/2004 |
| (725) | 1.50 | 20 | R | | | From 81-613 Ridge Rd | | | | | NA | | | NA | | 07/09/2013 |
| (725) | 1.20 | 10 | R | | | To 81-602 Walkers Creek Rd | | | | | NA | | | NA | | 07/09/2013 |
| (725) | 1.20 | 10 | R | | | From 81-620 N, Pisgah Rd | | | | | NA | | | NA | | 07/09/2013 |
| (725) | 1.20 | 10 | R | | | To 81-620 S, Pisgah Rd | | | | | NA | | | NA | | 07/09/2013 |
| (726) | 1.20 | 120 | R | | | From SR 252 Brownsburg Tpke | | | | | NA | | | NA | | 07/09/2013 |
| (726) | 0.40 | 60 | R | | | To 81-712 | | | | | NA | | | NA | | 09/20/2004 |
| (726) | 0.40 | 60 | R | | | From 81-729 SOUTH | | | | | NA | | | NA | | 07/03/2013 |
| (726) | 1.80 | 40 | R | | | To 81-729 NORTH | | | | | NA | | | NA | | 07/09/2013 |
| (726) | 0.05 | 90 | R | | | From 81-730 Bellevue Ln | | | | | NA | | | NA | | 07/09/2013 |
| (726) | 0.05 | 90 | R | | | To 0.05 MN 81-730 Bellevue Ln | | | | | NA | | | NA | | 07/09/2013 |
| (726) | 1.30 | 45 | R | | | From 81-724 W, Hays Creek Rd | | | | | NA | | | NA | | 07/09/2013 |
| (726) | 1.30 | 45 | R | | | To 81-724 E, Hays Creek Rd | | | | | NA | | | NA | | 07/09/2013 |
| (726) | 0.30 | 70 | R | | | From 81-722 Rocky Lane | | | | | NA | | | NA | | 07/09/2013 |
| (726) | 0.80 | 100 | R | | | To 81-620 Pisgah Rd | | | | | NA | | | NA | | 09/22/2004 |
| (726) | 0.10 | 110 | R | | | From 0.80 MN 81-620 Pisgah Rd | | | | | NA | | | NA | | 07/09/2013 |
| (726) | 1.90 | 10 | R | | | To SR 252 W, Brownsburg Tpke | | | | | NA | | | NA | | 07/09/2013 |
| (726) | 1.90 | 10 | R | | | From SR 252 E, Brownsburg Tpke | | | | | NA | | | NA | | 07/09/2013 |
| (727) | 1.20 | 20 | R | | | To Augusta County Line | | | | | NA | | | NA | | 07/09/2013 |
| (727) | 1.20 | 20 | R | | | From 81-602 Turkey Hill Rd | | | | | NA | | | NA | | 08/27/2013 |
| (727) | 0.80 | 80 | R | | | To Dead End; Gap | | | | | NA | | | NA | | 08/27/2013 |
| (727) | 2.70 | 100 | R | | | From SR 39 N, Maury River Rd | | | | | NA | | | NA | | 09/20/2004 |
| (727) | 1.17 | 140 | R | | | To SR 39 S, Maury River Rd | | | | | NA | | | NA | | 09/20/2004 |
| (727) | 1.17 | 140 | R | | | From 81-716 Mt Atlas Rd | | | | | NA | | | NA | | 08/16/2013 |
| (727) | 0.13 | 170 | R | | | To 1.17 MN 81-716 Mt Atlas Rd | | | | | NA | | | NA | | 08/16/2013 |
| (727) | 1.20 | 30 | R | | | From 81-712 W, Decatur Rd | | | | | NA | | | NA | | 07/16/2013 |
| (727) | 1.20 | 30 | R | | | To 81-712 E, Decatur Rd | | | | | NA | | | NA | | 07/16/2013 |
| (728) | 1.20 | 80 | R | | | From SR 252 Brownsburg Tpke | | | | | NA | | | NA | | 07/16/2013 |
| (728) | 1.20 | 80 | R | | | To 81-622 | | | | | NA | | | NA | | 08/27/2013 |
| (729) | 1.15 | 130 | R | | | From 81-645 Valley Pike | | | | | NA | | | NA | | 08/27/2013 |
| (729) | 1.15 | 130 | R | | | To SR 39 Maury River Rd | | | | | NA | | | NA | | 07/16/2013 |
| (729) | 1.15 | 130 | R | | | From 81-712 WEST | | | | | NA | | | NA | | 07/16/2013 |

Virginia Department of Transportation
Traffic Engineering Division
2015
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockbridge Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | -----Truck----- | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|--------------------------|--------|------|----|-------|-----|---------------------------------|--------|--------|--------|----|-------------|----|---------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Rockbridge County | | | | | | | | | | | | | | | | |
| (729) | 1.70 | 40 | R | | | 81-712 EAST | | | | | NA | | | NA | | 07/09/2013 |
| | | | | | | 81-726 NORTH | | | | | | | | | | |
| (729) | 3.20 | 110 | R | | | 81-726 SOUTH | | | | | NA | | | NA | | 07/03/2013 |
| | | | | | | 81-724 Hays Creek Rd | | | | | | | | | | |
| (730) Bellevue In | 0.90 | 30 | R | | | 81-731 | | | | | NA | | | NA | | 07/09/2013 |
| | | | | | | 81-726 | | | | | | | | | | |
| (731) | 0.07 | 49 | R | | | 81-602 S, Walkers Creek Rd | | | | | NA | | | NA | | 07/09/2013 |
| | | | | | | 0.07 MN 81-602 Walkers Creek Rd | | | | | | | | | | |
| (731) | 2.50 | 40 | R | | | 81-730 Bellevue In | | | | | NA | | | NA | | 07/09/2013 |
| | | | | | | 81-724 E, Hays Creek Rd | | | | | | | | | | |
| (731) | 0.20 | 30 | R | | | 81-724 WEST | | | | | NA | | | NA | | 07/09/2013 |
| | | | | | | 1.70 MN 81-724 | | | | | | | | | | |
| (731) | 1.70 | 120 | R | | | 81-602 NORTH | | | | | NA | | | NA | | 09/22/2004 |
| | | | | | | Dead End | | | | | | | | | | |
| (732) | 0.52 | 190 | R | | | 0.52 ME Dead End | | | | | NA | | | NA | | 08/16/2013 |
| | | | | | | SR 39 W, Maury River Rd | | | | | | | | | | |
| (732) | 0.61 | 190 | R | | | 81-602 Walkers Creek Rd | | | | | NA | | | NA | | 08/16/2013 |
| | | | | | | SR 39 E, Maury River Rd | | | | | | | | | | |
| (732) | 0.16 | 30 | R | | | 81-631 Old Buena Vista Rd | | | | | NA | | | NA | | 08/16/2013 |
| | | | | | | GW Natl For Bndy | | | | | | | | | | |
| (733) Jordan Rd | 0.50 | 360 | R | | | 0.15 ME of Bndy | | | | | NA | | | NA | | 07/23/2013 |
| | | | | | | Dead End | | | | | | | | | | |
| (733) Jordan Rd | 0.15 | 290 | R | | | 81-610 Plank Rd | | | | | NA | | | NA | | 09/19/2013 |
| | | | | | | 0.10 ME 81-610 Plank Rd | | | | | | | | | | |
| (733) Jordan Rd | 0.35 | 40 | R | | | 81-683 Sulphur Springs Rd | | | | | NA | | | NA | | 09/19/2013 |
| | | | | | | US 11, S Lee Highway | | | | | | | | | | |
| (735) | 0.80 | 130 | R | | | Dead End | | | | | NA | | | NA | | 08/04/2004 |
| | | | | | | 81-671 N, Old Farm Rd | | | | | | | | | | |
| (735) | 0.40 | 170 | R | | | 81-699 Wesley Chapel Rd | | | | | NA | | | NA | | 09/19/2013 |
| | | | | | | Dead End | | | | | | | | | | |
| (736) Terrell Dr | 0.70 | 60 | R | | | US 11, S Lee Highway | | | | | NA | | | NA | | 08/16/2013 |
| | | | | | | 81-602 Turkey Hill Rd | | | | | | | | | | |
| (737) Dog Town Loop | 0.30 | 40 | R | | | US 11, S Lee Highway | | | | | NA | | | NA | | 09/17/2013 |
| | | | | | | US 11, S Lee Highway | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division
2015
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockbridge Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | -----Truck----- | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|----------------------------|--------|------|----|-------|-----|-----------------|--------|--------|--------|----|-------------|-------|---------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Rockbridge County | | | | | | | | | | | | | | | | |
| (738) Rapps Mill Lane | 0.40 | 40 | R | | | | | | | | NA | | | NA | | 10/03/2013 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| (739) Fox Hunt Rd | 0.60 | 130 | R | | | | | | | | NA | | | NA | | 09/19/2013 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| (740) Kerr's Creek Lane | 0.20 | 5 | R | | | | | | | | NA | | | NA | | 10/22/2013 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| (741) | 0.40 | 70 | R | | | | | | | | NA | | | NA | | 08/16/2013 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| (742) Maury Hills Dr | 0.10 | 170 | R | | | | | | | | NA | | | NA | | 08/16/2013 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| (743) Family Barger Rd | 0.60 | 20 | R | | | | | | | | NA | | | NA | | 09/17/2013 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| (743) Buck Hill Rd | 0.02 | 1500 | R | | | | | | | | NA | | | NA | | 07/26/2004 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| (743) Rices Hill Rd | 0.85 | 180 | R | | | | | | | | NA | | | NA | | 09/17/2013 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| (744) Flower In | 0.89 | 420 | R | | | | | | | | NA | | | NA | | 08/16/2004 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| (744) Flower In | 0.71 | 60 | R | | | | | | | | NA | | | NA | | 08/16/2004 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| (745) Paxton House Dr | 0.46 | 2900 | G | 99% | 0% | 0% | 0% | 0% | 0% | C | 0.099 | 0.515 | 3000 | G | | 2015 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| Town of Goshen | | | | | | | | | | | | | | | | |
| (746) Paxton Dr | 0.40 | 130 | R | | | | | | | | NA | | | NA | | 08/01/2013 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| (747) Palace Hotel Ln | 0.17 | 340 | R | | | | | | | | NA | | | NA | | 09/01/2004 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| (747) Palace Hotel Ln | 0.21 | 20 | R | | | | | | | | NA | | | NA | | 08/01/2013 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| (748) Old Alleghany Circle | 0.06 | 310 | R | | | | | | | | NA | | | NA | | 09/01/2004 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| (748) Old Alleghany Circle | 0.37 | 90 | R | | | | | | | | NA | | | NA | | 08/01/2013 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| (748) Old Alleghany Circle | 0.16 | 90 | R | | | | | | | | NA | | | NA | | 08/01/2013 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| Rockbridge County | | | | | | | | | | | | | | | | |
| (749) Unexpected Rd | 0.80 | 20 | R | | | | | | | | NA | | | NA | | 10/03/2013 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| (750) | 0.10 | 20 | R | | | | | | | | NA | | | NA | | 08/27/2013 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| (750) | 0.30 | 140 | R | | | | | | | | NA | | | NA | | 08/23/2004 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division
2015
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockbridge Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | -----Truck----- | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|--------------------------|--------------------|------|------|-------|-----|-----------------|--------|--------|--------|----|-------------|-------|---------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Rockbridge County | | | | | | | | | | | | | | | | |
| (750) | 0.30 | 60 | R | | | | | | | | | | NA | NA | | 10/22/2013 |
| | | | | | | | | | | | | | | | | |
| (751) | High Water Lane | 0.17 | 70 | R | | | | | | | | | NA | NA | | 09/06/2013 |
| | | | | | | | | | | | | | | | | |
| (752) | Hunter Hill Rd | 0.48 | 380 | R | | | | | | | | | NA | NA | | 08/27/2013 |
| | | | | | | | | | | | | | | | | |
| (753) | Zollmans Mill Rd | 1.10 | 120 | R | | | | | | | | | NA | NA | | 08/09/2004 |
| | | | | | | | | | | | | | | | | |
| (754) | Old Marvin Rd | 0.27 | 20 | R | | | | | | | | | NA | NA | | 08/18/2004 |
| | | | | | | | | | | | | | | | | |
| (755) | Dug Row Rd | 0.80 | 10 | R | | | | | | | | | NA | NA | | 08/16/2013 |
| | | | | | | | | | | | | | | | | |
| (756) | Hunter Hill Ext Rd | 0.08 | 40 | R | | | | | | | | | NA | NA | | 08/16/2004 |
| | | | | | | | | | | | | | | | | |
| (757) | Stoney Run Rd | 0.60 | 620 | R | | | | | | | | | NA | NA | | 07/23/2013 |
| | | | | | | | | | | | | | | | | |
| (757) | Stoney Run Rd | 1.89 | 210 | R | | | | | | | | | NA | NA | | 08/18/2004 |
| | | | | | | | | | | | | | | | | |
| (757) | Stoney Run Rd | 1.11 | 220 | R | | | | | | | | | NA | NA | | 07/23/2013 |
| | | | | | | | | | | | | | | | | |
| (758) | Oak Tree Lane | 0.20 | 20 | R | | | | | | | | | NA | NA | | 09/19/2013 |
| | | | | | | | | | | | | | | | | |
| (758) | Oak Tree Lane | 0.50 | 50 | R | | | | | | | | | NA | NA | | 08/16/2004 |
| | | | | | | | | | | | | | | | | |
| (759) | | 0.57 | 30 | R | | | | | | | | | NA | NA | | 09/17/2013 |
| | | | | | | | | | | | | | | | | |
| (759) | | 0.43 | 110 | R | | | | | | | | | NA | NA | | 09/17/2013 |
| | | | | | | | | | | | | | | | | |
| (759) | Hopper Creek Rd | 1.03 | 210 | G | 98% | 1% | 0% | 1% | 0% | 0% | F | 0.114 | 0.6 | 220 | G | 2015 |
| | | | | | | | | | | | | | | | | |
| (759) | Arnolds Valley Rd | 0.81 | 690 | G | 98% | 1% | 0% | 1% | 0% | 0% | F | 0.087 | 0.537 | 720 | G | 2015 |
| | | | | | | | | | | | | | | | | |
| (759) | Arnold Valley Rd | 2.30 | 1600 | G | 98% | 1% | 0% | 1% | 0% | 0% | C | 0.089 | 0.647 | 1700 | G | 2015 |
| | | | | | | | | | | | | | | | | |
| (760) | Golf Course Rd | 2.10 | 160 | R | | | | | | | | | NA | NA | | 09/17/2013 |
| | | | | | | | | | | | | | | | | |
| (761) | East Ave | 0.12 | 160 | R | | | | | | | | | NA | NA | | 10/04/2004 |
| | | | | | | | | | | | | | | | | |
| (762) | Academy Alley | 0.19 | 30 | R | | | | | | | | | NA | NA | | 07/03/2013 |
| | | | | | | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division
2015
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockbridge Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | -----Truck----- | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|--------------------------|--------|------|----|-------|-----|-----------------------------|--------|--------|--------|----|-------------|-------|---------------|-------|------|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Rockbridge County | | | | | | | | | | | | | | | | |
| (763) Lincoln Rd | 1.23 | 580 | R | | | 81-631 Old Buena Vista Rd | | | | | NA | | | NA | | 08/27/2013 |
| (763) Lincoln Rd | 0.10 | 530 | R | | | 81-788 Warm Run Rd | | | | | NA | | | NA | | 08/23/2004 |
| | | | | | | US 11, N Lee Highway | | | | | | | | | | |
| (764) Possum Hollow | 0.99 | 740 | R | | | US 11, S Lee Highway | | | | | NA | | | NA | | 09/19/2013 |
| (764) Possum Hollow | 1.11 | 600 | G | 97% | 0% | 0% | 1% | 1% | 0% | C | 0.093 | 0.509 | 630 | G | 2015 | |
| | | | | | | SR 251 | | | | | | | | | | |
| (765) Swink Lane | 0.02 | 40 | R | | | Dead End | | | | | NA | | | NA | | 10/03/2013 |
| | | | | | | 81-612 Blue Grass Trail | | | | | | | | | | |
| (766) Wilkinson Pl | 0.03 | 60 | R | | | Dead End | | | | | NA | | | NA | | 10/22/2013 |
| | | | | | | SR 251 | | | | | | | | | | |
| (768) Saville Lane | 0.68 | 80 | R | | | Dead End | | | | | NA | | | NA | | 10/03/2013 |
| | | | | | | 81-611 South Buffalo Rd | | | | | | | | | | |
| (769) Beans River Bottom | 0.24 | 100 | R | | | Dead End | | | | | NA | | | NA | | 08/27/2013 |
| | | | | | | 81-631 Big Spring Dr | | | | | | | | | | |
| (770) Turnpike Rd | 3.07 | 6 | R | | | Alleghany County Line | | | | | NA | | | NA | | 10/03/2013 |
| (770) Turnpike Rd | 0.50 | 30 | R | | | 81-654 W, Hayslette Rd | | | | | NA | | | NA | | 10/03/2013 |
| (770) Turnpike Rd | 0.80 | 70 | R | | | 0.50 ME 81-654 Hayslette Rd | | | | | NA | | | NA | | 10/03/2013 |
| (770) Turnpike Rd | 1.45 | 220 | R | | | 81-652 Lake Robertson Dr | | | | | NA | | | NA | | 08/11/2004 |
| (770) Turnpike Rd | 0.60 | 690 | G | 98% | 0% | 1% | 1% | 0% | 0% | C | 0.102 | 0.645 | 720 | G | 2015 | |
| | | | | | | SR 251; 81-672 | | | | | | | | | | |
| (771) Elliot's Hill In | 0.60 | 70 | R | | | Dead End | | | | | NA | | | NA | | 09/19/2013 |
| | | | | | | 81-764 Possum Hollow | | | | | | | | | | |
| (772) Stoner Hollow Rd | 0.03 | 90 | G | 100% | 0% | 0% | 0% | 0% | 0% | C | 0.133 | 0.857 | 100 | G | 2015 | |
| | | | | | | 81-688 Stoner Hollow Rd | | | | | | | | | | |
| (773) Lloyd Tolley Rd | 0.46 | 30 | R | | | SR 130 W, Wert Faulkner Hwy | | | | | NA | | | NA | | 09/17/2013 |
| (773) Lloyd Tolley Rd | 0.28 | 140 | R | | | 81-708 | | | | | NA | | | NA | | 07/26/2004 |
| (773) Lloyd Tolley Rd | 0.30 | 220 | R | | | 81-688 Stoner Hollow Rd | | | | | NA | | | NA | | 09/17/2013 |
| (773) Lloyd Tolley Rd | 0.10 | 10 | R | | | SR 130 E, Wert Faulkner Hwy | | | | | NA | | | NA | | 09/17/2013 |
| (774) Beth Horon Dr | 0.15 | 20 | R | | | Dead End | | | | | NA | | | NA | | 09/17/2013 |
| | | | | | | 81-793 | | | | | | | | | | |
| (774) Beth Horon Dr | 0.14 | 120 | R | | | 81-775 Highland Way Lane | | | | | NA | | | NA | | 07/28/2004 |
| | | | | | | Dead End | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division
2015
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockbridge Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | -----Truck----- | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|--------------------------------|--------|------|----|-------|-----|-----------------|--------|--------|--------|----|-------------|-------|---------------|-------|------------|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Rockbridge County | | | | | | | | | | | | | | | | |
| (775) Highland Way Lane | 0.18 | 110 | R | | | | | | | | NA | | | NA | | 09/17/2013 |
| | | | | | | | | | | | | | | | | |
| (776) Natural Bridge School Rd | 0.11 | 90 | R | | | | | | | | NA | | | NA | | 07/28/2004 |
| (776) Natural Bridge School Rd | 0.16 | 680 | R | | | | | | | | NA | | | NA | | 09/17/2013 |
| (777) Drain Lane | 0.80 | 2 | R | | | | | | | | NA | | | NA | | 10/03/2013 |
| (778) Willow Pond Lane | 0.90 | 40 | R | | | | | | | | NA | | | NA | | 09/19/2013 |
| (779) Keyes Mill Rd | 0.45 | 120 | R | | | | | | | | NA | | | NA | | 07/30/2013 |
| (780) | 0.11 | 520 | R | | | | | | | | NA | | | NA | | 08/01/2013 |
| (780) | 0.35 | 990 | R | | | | | | | | NA | | | NA | | 08/30/2004 |
| (780) Brattons Run | 3.35 | 830 | G | 91% | 1% | 1% | 0% | 7% | 0% | F | 0.097 | 0.649 | 870 | G | 2015 | |
| (780) Brattons Run | 5.73 | 760 | G | 91% | 1% | 1% | 0% | 7% | 0% | C | 0.094 | 0.701 | 800 | G | 2015 | |
| (780) Ramp | 0.22 | 390 | G | | | | | | | | 0.1 | | 390 | G | 2015 | |
| (780) Ramp | 0.20 | 140 | G | | | | | | | | 0.138 | | 140 | G | 2015 | |
| (781) | 0.15 | 390 | R | | | | | | | | NA | | NA | | 09/17/2013 | |
| (781) | 0.65 | 250 | R | | | | | | | | NA | | NA | | 09/17/2013 | |
| (781) | 1.50 | 160 | R | | | | | | | | NA | | NA | | 07/28/2004 | |
| (781) | 2.00 | 110 | R | | | | | | | | NA | | NA | | 09/17/2013 | |
| (781) | 1.85 | 430 | R | | | | | | | | NA | | NA | | 07/28/2004 | |
| (782) James River Rd | 0.40 | 710 | R | | | | | | | | NA | | NA | | 09/17/2013 | |
| (782) James River Rd | 1.20 | 460 | R | | | | | | | | NA | | NA | | 09/17/2013 | |
| Town of Glasgow | | | | | | | | | | | | | | | | |
| (783) Anderson St | 0.12 | 110 | R | | | | | | | | NA | | NA | | 07/30/2013 | |
| (783) Anderson St | 0.30 | 220 | R | | | | | | | | NA | | NA | | 07/28/2004 | |

Virginia Department of Transportation
Traffic Engineering Division
2015
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockbridge Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | -----Truck----- | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|--------------------------|--------|------|----|-------|-----|-----------------------------------|--------|--------|--------|----|-------------|----|---------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Town of Glasgow | | | | | | | | | | | | | | | | |
| (783) Anderson St | 0.28 | 1600 | R | | | From 81-684 Blue Ridge Rd | | | | | NA | | NA | | | 07/30/2013 |
| | | | | | | To 81-1101 Sixth St | | | | | | | | | | |
| (784) Tenth St | 0.07 | 140 | R | | | From 81-1111 Virginia St | | | | | NA | | NA | | | 07/28/2004 |
| (784) Tenth St | 0.06 | 200 | R | | | From 81-1110 Kanawha St | | | | | NA | | NA | | | 07/30/2013 |
| (784) Tenth St | 0.10 | 420 | R | | | From SR 130 Rockbridge Rd | | | | | NA | | NA | | | 07/28/2004 |
| (784) Tenth St | 0.07 | 90 | R | | | From 81-783 Anderson St | | | | | NA | | NA | | | 07/30/2013 |
| | | | | | | To 81-1107 McCulloch St | | | | | | | | | | |
| Rockbridge County | | | | | | | | | | | | | | | | |
| (785) Sam Houston Way | 0.07 | 430 | R | | | From US 11, N Lee Highway | | | | | NA | | NA | | | 08/23/2004 |
| (785) Sam Houston Way | 0.10 | 30 | R | | | From 81-716 W, Timber Ridge Rd | | | | | NA | | NA | | | 08/27/2013 |
| | | | | | | To 81-716 E, Timber Ridge Rd | | | | | | | | | | |
| (786) Stagecoach Lane | 0.57 | 40 | R | | | From Dead End | | | | | NA | | NA | | | 10/16/2007 |
| | | | | | | To 81-671 Old Farm Rd | | | | | | | | | | |
| Town of Goshen | | | | | | | | | | | | | | | | |
| (787) Spring Dr | 0.06 | 70 | R | | | From 81-791 Furnace Hill Rd | | | | | NA | | NA | | | 08/01/2013 |
| (787) Spring Dr | 0.13 | 60 | R | | | From SR 39 Maury River Rd | | | | | NA | | NA | | | 09/01/2004 |
| | | | | | | To Dead End | | | | | | | | | | |
| Rockbridge County | | | | | | | | | | | | | | | | |
| (788) Warm Run Rd | 0.40 | 60 | R | | | From 81-763 Lincoln Rd | | | | | NA | | NA | | | 08/27/2013 |
| | | | | | | To Dead End | | | | | | | | | | |
| (789) Country Club Rd | 0.25 | 1600 | R | | | From Dead End | | | | | NA | | NA | | | 09/06/2013 |
| | | | | | | To SR 251; 81-1010 | | | | | | | | | | |
| (790) Tank Hollow Rd | 1.52 | 20 | R | | | From Dead End | | | | | NA | | NA | | | 09/17/2013 |
| | | | | | | To 81-781 | | | | | | | | | | |
| Town of Goshen | | | | | | | | | | | | | | | | |
| (791) Furnace Hill Rd | 0.05 | 160 | R | | | From SR 39 Maury River Rd | | | | | NA | | NA | | | 09/01/2004 |
| (791) Furnace Hill Rd | 0.31 | 100 | R | | | From 0.05 MN SR 39 Maury River Rd | | | | | NA | | NA | | | 08/01/2013 |
| (791) Furnace Hill Rd | 0.27 | 190 | R | | | From 0.36 MN SR 39 Maury River Rd | | | | | NA | | NA | | | 09/01/2004 |
| (791) Furnace Hill Rd | 0.10 | 120 | R | | | From 81-748 Old Alleghany Circle | | | | | NA | | NA | | | 08/01/2013 |
| (791) Furnace Hill Rd | 0.12 | 110 | R | | | From 81-787 Spring Dr | | | | | NA | | NA | | | 09/01/2004 |
| | | | | | | To 81-747 Palace Hotel Ln | | | | | | | | | | |
| Rockbridge County | | | | | | | | | | | | | | | | |
| (792) Bennett's Run Rd | 0.42 | 110 | R | | | From US 501 Glasgow Hwy | | | | | NA | | NA | | | 07/30/2013 |
| | | | | | | To US 501 Glasgow Hwy | | | | | | | | | | |
| (793) | 0.48 | 150 | R | | | From 81-759 Arnold Valley Rd | | | | | NA | | NA | | | 07/28/2004 |
| | | | | | | To 81-774 Beth Horon Dr | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division
2015
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockbridge Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | -----Truck----- | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|---------------------------|--------|------|----|-------|-----|------------------------------------|--------|--------|--------|----|-------------|----|---------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Rockbridge County | | | | | | | | | | | | | | | | |
| (793) | 0.12 | 160 | R | | | From 81-774 Beth Horon Dr | | | | | NA | | NA | | | 09/17/2013 |
| | | | | | | To 81-773 Lloyd Tolley Rd | | | | | | | | | | |
| (794) Mores Trail | 0.80 | 40 | R | | | From Dead End | | | | | NA | | NA | | | 07/18/2013 |
| | | | | | | To 81-706 Steeles Fort Rd | | | | | | | | | | |
| (795) Old Store Rd | 0.03 | 10 | R | | | From Dead End | | | | | NA | | NA | | | 09/19/2013 |
| | | | | | | To 81-700 | | | | | | | | | | |
| (796) Hillcrest View Rd | 0.50 | 90 | R | | | From 81-613 Ridge Rd | | | | | NA | | NA | | | 07/03/2013 |
| | | | | | | To Dead End | | | | | | | | | | |
| (797) Pleasant Valley Rd | 0.10 | 40 | R | | | From US 11, N Lee Highway | | | | | NA | | NA | | | 07/18/2013 |
| (797) Pleasant Valley Rd | 0.50 | 40 | R | | | To 0.10 MN US 11 | | | | | NA | | NA | | | 07/18/2013 |
| | | | | | | To Dead End | | | | | | | | | | |
| (798) Shop Hill Rd | 0.30 | 160 | R | | | From Dead End | | | | | NA | | NA | | | 09/17/2013 |
| | | | | | | To 81-781 | | | | | | | | | | |
| (799) Cedar Bottom Rd | 0.30 | 290 | R | | | From 81-759 Arnold Valley Rd | | | | | NA | | NA | | | 09/17/2013 |
| (799) Cedar Bottom Rd | 0.25 | 300 | R | | | To 0.30 MN 81-759 Arnold Valley Rd | | | | | NA | | NA | | | 07/28/2004 |
| | | | | | | To Dead End | | | | | | | | | | |
| (800) Blacksburg Lane | 0.20 | 50 | R | | | From Dead End | | | | | NA | | NA | | | 07/23/2013 |
| | | | | | | To 81-716 Timber Ridge Rd | | | | | | | | | | |
| (801) Poplar Hill Rd | 0.50 | 440 | R | | | From 81-671 Old Farm Rd | | | | | NA | | NA | | | 08/16/2004 |
| | | | | | | To 81-699 Wesley Chapel Rd | | | | | | | | | | |
| (802) Clearwater Lodge Rd | 0.82 | 80 | R | | | From Dead End | | | | | NA | | NA | | | 09/17/2013 |
| | | | | | | To 81-759 Hopper Creek Rd | | | | | | | | | | |
| (803) Hart Rd | 0.30 | 30 | R | | | From SR 39 Maury River Rd | | | | | NA | | NA | | | 07/16/2013 |
| | | | | | | To Dead End | | | | | | | | | | |
| (804) Shady Lane | 0.12 | 20 | R | | | From Dead End | | | | | NA | | NA | | | 07/03/2013 |
| | | | | | | To 81-606 Raphine Rd | | | | | | | | | | |
| (805) | 0.05 | 30 | R | | | From Dead End | | | | | NA | | NA | | | 08/23/2004 |
| (805) | 0.03 | 200 | R | | | To 81-806 Riverside Rd | | | | | NA | | NA | | | 07/23/2013 |
| | | | | | | To 81-608 | | | | | | | | | | |
| (806) Riverside Rd | 0.06 | 130 | R | | | From 81-805 | | | | | NA | | NA | | | 08/23/2004 |
| | | | | | | To Dead End | | | | | | | | | | |
| (807) Pullen Rd | 0.80 | 10 | R | | | From 81-612 Blue Grass Trail | | | | | NA | | NA | | | 10/03/2013 |
| | | | | | | To Dead End | | | | | | | | | | |
| (808) Country Cove Lane | 0.06 | 70 | R | | | From 81-717 | | | | | NA | | NA | | | 07/16/2013 |
| | | | | | | To Dead End | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division
2015
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockbridge Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | -----Truck----- | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|-------------------------------|--------|------|----|-------|-----|-----------------|--------|--------|--------|----|-------------|----|---------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Rockbridge County | | | | | | | | | | | | | | | | |
| (809) Church Dr | 0.10 | 60 | R | | | | | | | | NA | | | NA | | 10/03/2013 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| (810) Cameron St | 0.11 | 130 | R | | | | | | | | NA | | | NA | | 07/28/2004 |
| | | | | | | | | | | | | | | | | |
| (810) Cameron St | 0.13 | 210 | R | | | | | | | | NA | | | NA | | 09/17/2013 |
| | | | | | | | | | | | | | | | | |
| (811) Patrick Dr | 0.19 | 360 | R | | | | | | | | NA | | | NA | | 08/23/2004 |
| | | | | | | | | | | | | | | | | |
| (812) | 0.40 | 20 | R | | | | | | | | NA | | | NA | | 09/17/2013 |
| | | | | | | | | | | | | | | | | |
| (813) Whetstone Ridge Circle | 1.70 | 260 | R | | | | | | | | NA | | | NA | | 07/26/2004 |
| | | | | | | | | | | | | | | | | |
| (814) Sorrells Lane | 0.20 | 110 | R | | | | | | | | NA | | | NA | | 09/19/2013 |
| | | | | | | | | | | | | | | | | |
| (815) School House Hill Rd | 0.10 | 30 | R | | | | | | | | NA | | | NA | | 07/03/2013 |
| | | | | | | | | | | | | | | | | |
| (816) Kennedy Wades Mill Loop | 0.14 | 49 | R | | | | | | | | NA | | | NA | | 07/03/2013 |
| | | | | | | | | | | | | | | | | |
| (817) Ingrams Hill Rd | 0.25 | 100 | R | | | | | | | | NA | | | NA | | 08/01/2013 |
| | | | | | | | | | | | | | | | | |
| (818) Blue Heaven | 0.03 | 40 | R | | | | | | | | NA | | | NA | | 08/27/2013 |
| | | | | | | | | | | | | | | | | |
| (819) | 0.26 | 20 | R | | | | | | | | NA | | | NA | | 08/16/2004 |
| | | | | | | | | | | | | | | | | |
| (820) Whites Gap Rd | 0.60 | 270 | R | | | | | | | | NA | | | NA | | 07/23/2013 |
| | | | | | | | | | | | | | | | | |
| (821) N Waterloo Dr | 0.40 | 10 | R | | | | | | | | NA | | | NA | | 10/22/2013 |
| | | | | | | | | | | | | | | | | |
| (822) Concord Dr | 0.04 | 30 | R | | | | | | | | NA | | | NA | | 07/18/2013 |
| | | | | | | | | | | | | | | | | |
| (823) | 0.50 | 130 | R | | | | | | | | NA | | | NA | | 09/17/2013 |
| | | | | | | | | | | | | | | | | |
| (824) | 0.31 | 80 | R | | | | | | | | NA | | | NA | | 08/27/2013 |
| | | | | | | | | | | | | | | | | |
| (825) Meadowview Dr | 0.15 | 130 | R | | | | | | | | NA | | | NA | | 08/23/2004 |
| | | | | | | | | | | | | | | | | |
| (825) Meadowview Dr | 0.05 | 120 | R | | | | | | | | NA | | | NA | | 08/27/2013 |
| | | | | | | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division
2015
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockbridge Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | -----Truck----- | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|--------------------------|--------|------|----|-------|-----|------------------------------|--------|--------|--------|----|-------------|----|---------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Town of Glasgow | | | | | | | | | | | | | | | | |
| (826) Pine View Dr | 0.05 | 80 | R | | | From: SR 130 Rockbridge Rd | | | | | NA | | | NA | | 07/30/2013 |
| (826) Pine View Rd | 0.12 | 80 | R | | | To: 81-1118 Laurel Rd | | | | | NA | | | NA | | 07/30/2013 |
| | | | | | | To: Dead End | | | | | | | | | | |
| Rockbridge County | | | | | | | | | | | | | | | | |
| (827) Claytor Lane | 0.35 | 30 | R | | | From: Dead End | | | | | NA | | | NA | | 09/19/2013 |
| | | | | | | To: 81-680 Falling Spring Rd | | | | | | | | | | |
| (828) Shepherd Dr | 0.43 | 110 | R | | | From: 81-670 Bordon Rd | | | | | NA | | | NA | | 09/06/2013 |
| (828) Shepherd Dr | 0.10 | 20 | R | | | To: 81-1510 Howe Lane | | | | | NA | | | NA | | 09/06/2013 |
| | | | | | | To: Cul-de-Sac | | | | | | | | | | |
| (829) Old Marvin Rd | 0.20 | 20 | R | | | From: 81-716 Timber Ridge Rd | | | | | NA | | | NA | | 07/23/2013 |
| | | | | | | To: Dead End | | | | | | | | | | |
| (830) | 0.23 | 30 | R | | | From: 81-608 | | | | | NA | | | NA | | 07/23/2013 |
| | | | | | | To: 81-608 | | | | | | | | | | |
| (831) Landfill Rd | 0.41 | 430 | R | | | From: Dead End | | | | | NA | | | NA | | 08/08/2004 |
| | | | | | | To: 81-704 Middle Rd | | | | | | | | | | |
| (832) Lee Hi Acres Rd | 0.45 | 300 | R | | | From: 81-645 Valley Pike | | | | | NA | | | NA | | 08/27/2013 |
| | | | | | | To: Cul-de-Sac | | | | | | | | | | |
| (833) Pine Forest Rd | 0.50 | 100 | R | | | From: Dead End | | | | | NA | | | NA | | 09/19/2013 |
| | | | | | | To: US 11, S Lee Highway | | | | | | | | | | |
| (834) | 0.05 | 80 | R | | | From: Dead End | | | | | NA | | | NA | | 10/22/2013 |
| | | | | | | To: US 11, S Lee Highway | | | | | | | | | | |
| (835) | 0.28 | 40 | R | | | From: Dead End | | | | | NA | | | NA | | 08/23/2004 |
| | | | | | | To: 81-602 Turkey Hill Rd | | | | | | | | | | |
| (836) Cliff View Lane | 0.14 | 20 | R | | | From: 81-631 Big Spring Dr | | | | | NA | | | NA | | 08/27/2013 |
| | | | | | | To: Dead End | | | | | | | | | | |
| (837) Greystone Lane | 0.50 | 20 | R | | | From: Dead End | | | | | NA | | | NA | | 10/04/2004 |
| | | | | | | To: US 11, N Lee Highway | | | | | | | | | | |
| (838) Little Cedar Lane | 0.10 | 30 | R | | | From: Dead End | | | | | NA | | | NA | | 08/27/2013 |
| | | | | | | To: 81-825 Meadowview Dr | | | | | | | | | | |
| (839) Old Shepherd Rd | 0.15 | 10 | R | | | From: Dead End | | | | | NA | | | NA | | 07/30/2013 |
| | | | | | | To: 81-608 | | | | | | | | | | |
| (840) Faircrest Dr | 0.07 | 30 | R | | | From: US 11, N Lee Highway | | | | | NA | | | NA | | 07/18/2013 |
| | | | | | | To: Cul-de-Sac | | | | | | | | | | |
| (841) Windsor Lane | 0.35 | 40 | R | | | From: 81-663 | | | | | NA | | | NA | | 07/30/2013 |
| | | | | | | To: Dead End | | | | | | | | | | |
| (842) Edgewood Dr | 0.46 | 160 | R | | | From: SR 251 | | | | | NA | | | NA | | 09/06/2013 |
| | | | | | | To: Cul-de-Sac | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division
2015
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockbridge Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | -----Truck----- | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|--------------------------|--------|------|----|-------|-----|---|--------|--------|--------|----|-------------|-------|---------------|-------|------|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Rockbridge County | | | | | | | | | | | | | | | | |
| (843) | 0.05 | 90 | R | | | | | | | | | NA | | NA | | 08/04/2004 |
| | | | | | | From: US 11, N Lee Highway | | | | | | | | | | |
| | | | | | | To: 0.05 ME US 11 | | | | | | | | | | |
| (843) | 0.10 | 70 | R | | | | | | | | | NA | | NA | | 09/19/2013 |
| | | | | | | From: Dead End | | | | | | | | | | |
| | | | | | | To: Cul-de-Sac | | | | | | | | | | |
| (844) Cardinal Circle | 0.07 | 40 | R | | | | | | | | | NA | | NA | | 10/04/2004 |
| | | | | | | From: 81-706 | | | | | | | | | | |
| | | | | | | To: Dead End | | | | | | | | | | |
| (845) | 0.08 | 680 | R | | | | | | | | | NA | | NA | | 08/27/2013 |
| | | | | | | From: FR-739 Econo Lane | | | | | | | | | | |
| | | | | | | To: Cul-de-Sac | | | | | | | | | | |
| (846) Evergreen Tree Dr | 0.19 | 170 | R | | | | | | | | | NA | | NA | | 09/06/2013 |
| | | | | | | From: SR 251 | | | | | | | | | | |
| | | | | | | To: 81-690 Padgetts Hill Rd | | | | | | | | | | |
| (849) Red Clover Lane | 0.40 | 70 | R | | | | | | | | | NA | | NA | | 09/17/2013 |
| | | | | | | From: Dead End | | | | | | | | | | |
| | | | | | | To: Alleghany County Line | | | | | | | | | | |
| (850) W Midland Trail | 3.12 | 900 | G | 97% | 0% | 1% | 1% | 1% | 0% | F | 0.106 | 0.597 | 950 | G | 2015 | |
| | | | | | | From: 81-633 Rockbridge Alum Springs Rd | | | | | | | | | | |
| (850) W Midland Trail | 2.78 | 300 | G | 97% | 0% | 1% | 1% | 1% | 0% | F | 0.138 | 0.635 | 320 | G | 2015 | |
| | | | | | | From: 81-629 W, White Rock Rd | | | | | | | | | | |
| (850) W Midland Trail | 3.94 | 830 | G | 97% | 0% | 1% | 1% | 1% | 0% | C | 0.116 | 0.56 | 880 | G | 2015 | |
| | | | | | | From: 81-631 Still House Dr | | | | | | | | | | |
| (850) W Midland Trail | 0.34 | 1700 | G | 97% | 0% | 1% | 1% | 1% | 0% | F | 0.1 | 0.644 | 1800 | G | 2015 | |
| | | | | | | From: US 60 | | | | | | | | | | |
| | | | | | | To: Cul-de-Sac | | | | | | | | | | |
| (851) Robinson Lane | 0.50 | NA | | | | | | | | | | NA | | NA | | |
| | | | | | | From: 81-640 Edgar's Way | | | | | | | | | | |
| | | | | | | To: 81-710 Sterrett Rd | | | | | | | | | | |
| (852) Huffman Lane | 0.40 | 210 | R | | | | | | | | | NA | | NA | | 07/16/2013 |
| | | | | | | From: Dead End | | | | | | | | | | |
| | | | | | | To: Dead End | | | | | | | | | | |
| (855) Robert E Lee Dr | 0.45 | 200 | R | | | | | | | | | NA | | NA | | 09/17/2013 |
| | | | | | | From: 81-782 James River Rd | | | | | | | | | | |
| | | | | | | To: Cul-de-Sac | | | | | | | | | | |
| (860) Douglas Way | 0.10 | 80 | R | | | | | | | | | NA | | NA | | 07/28/2004 |
| | | | | | | From: 81-861 | | | | | | | | | | |
| (860) Douglas Way | 0.10 | 270 | R | | | | | | | | | NA | | NA | | 07/28/2004 |
| | | | | | | From: SR 130 Wert Faulkner Hwy | | | | | | | | | | |
| | | | | | | To: Cul-de-Sac | | | | | | | | | | |
| (861) | 0.24 | 290 | R | | | | | | | | | NA | | NA | | 07/28/2004 |
| | | | | | | From: 81-860 Douglas Way | | | | | | | | | | |
| | | | | | | To: 81-757 Stoney Run Rd | | | | | | | | | | |
| (870) | 0.40 | 170 | R | | | | | | | | | NA | | NA | | 07/23/2013 |
| | | | | | | From: Dead End | | | | | | | | | | |
| | | | | | | To: Dead End | | | | | | | | | | |
| (880) Trimble Trail | 0.10 | 70 | R | | | | | | | | | NA | | NA | | 07/30/2013 |
| | | | | | | From: 81-608 | | | | | | | | | | |
| | | | | | | To: 81-613 Ridge Rd | | | | | | | | | | |
| (917) Oakland Circle | 0.05 | 340 | R | | | | | | | | | NA | | NA | | 07/03/2013 |
| | | | | | | From: 0.05 MN 81-613 Ridge Rd | | | | | | | | | | |
| (917) Oakland Circle | 0.65 | 290 | R | | | | | | | | | NA | | NA | | 10/06/2004 |
| | | | | | | From: 0.70 MN 81-613 Ridge Rd | | | | | | | | | | |

Virginia Department of Transportation
 Traffic Engineering Division
 2015
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockbridge Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | -----Truck----- | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|--------------------------|--------|------|----|-------|-----|-------------------------|--------|--------|--------|----|-------------|----|---------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Rockbridge County | | | | | | | | | | | | | | | | |
| (917) Oakland Circle | 0.76 | 360 | R | | | 0.70 MN 81-613 Ridge Rd | | | | | NA | | | NA | | 07/03/2013 |
| (917) Oakland Circle | 0.47 | 190 | R | | | 81-606 Raphine Rd | | | | | NA | | | NA | | 10/06/2004 |
| (919) Stoners Hill | 0.30 | 400 | R | | | Augusta County Line | | | | | NA | | | NA | | 07/03/2013 |
| (937) McCormicks Farm | 0.20 | 80 | R | | | 81-606 Raphine Rd | | | | | NA | | | NA | | 10/06/2004 |
| Town of Goshen | | | | | | | | | | | | | | | | |
| (1001) Baptist Hill Dr | 0.16 | 60 | R | | | Dead End | | | | | NA | | | NA | | 07/24/2007 |
| Rockbridge County | | | | | | | | | | | | | | | | |
| (1005) Wheatlan Dr | 0.65 | 220 | R | | | 81-608 Forge Rd | | | | | NA | | | NA | | 10/16/2007 |
| (1006) | 0.17 | NA | | | | Cul-de-Sac | | | | | NA | | | NA | | |
| (1007) | 0.18 | NA | | | | 81-1007 | | | | | NA | | | NA | | |
| (1009) | 0.05 | 90 | R | | | Dead End | | | | | NA | | | NA | | |
| (1009) | 0.20 | 110 | R | | | Dead End | | | | | NA | | | NA | | |
| (1009) | 0.23 | 80 | R | | | Cul-de-Sac | | | | | NA | | | NA | | 09/06/2013 |
| (1010) | 0.07 | 180 | R | | | 81-1012 | | | | | NA | | | NA | | 09/06/2013 |
| (1010) | 0.03 | 520 | R | | | 81-1010 SOUTH | | | | | NA | | | NA | | 09/06/2013 |
| (1010) | 0.07 | 610 | R | | | 81-1010 NORTH | | | | | NA | | | NA | | 09/06/2013 |
| (1010) | 0.16 | 670 | R | | | 81-1010 EAST | | | | | NA | | | NA | | 09/06/2013 |
| (1011) | 0.09 | 80 | R | | | 81-1012 | | | | | NA | | | NA | | 09/06/2013 |
| (1011) | 0.06 | 60 | R | | | 81-1009 WEST | | | | | NA | | | NA | | 07/30/2001 |
| (1012) | 0.07 | 250 | R | | | 81-1011 | | | | | NA | | | NA | | 09/06/2013 |
| (1012) | 0.06 | 170 | R | | | SR 251; 81-789 | | | | | NA | | | NA | | 09/06/2013 |
| (1013) | 0.07 | 40 | R | | | Cul-de-Sac | | | | | NA | | | NA | | 09/06/2013 |
| (1011) | 0.06 | 60 | R | | | 81-1010 | | | | | NA | | | NA | | 09/06/2013 |
| (1012) | 0.07 | 250 | R | | | 0.06 ME 81-1010 | | | | | NA | | | NA | | 09/06/2013 |
| (1012) | 0.06 | 170 | R | | | 81-1010 | | | | | NA | | | NA | | 09/06/2013 |
| (1012) | 0.06 | 170 | R | | | 81-1013 | | | | | NA | | | NA | | 09/06/2013 |
| (1013) | 0.07 | 40 | R | | | 81-1009 | | | | | NA | | | NA | | 09/06/2013 |
| (1013) | 0.07 | 40 | R | | | 81-1012 | | | | | NA | | | NA | | 09/06/2013 |
| (1013) | 0.07 | 40 | R | | | Cul-de-Sac | | | | | NA | | | NA | | 09/06/2013 |

Virginia Department of Transportation
Traffic Engineering Division
2015
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockbridge Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | -----Truck----- | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|--------------------------|--------|------|----|-------|-----|---------------------------------|--------|--------|--------|----|-------------|----|---------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Rockbridge County | | | | | | | | | | | | | | | | |
| (1014) Shenandoah Rd | 0.28 | 150 | R | | | From: SCL Lexington | | | | | NA | | | NA | | 09/06/2013 |
| | | | | | | To: 81-1016 | | | | | | | | | | |
| (1015) Willow Springs Rd | 0.30 | 1200 | R | | | From: SR 39 Maury River Rd | | | | | NA | | | NA | | 08/23/2004 |
| | | | | | | To: 81-750 | | | | | | | | | | |
| (1016) | 0.12 | 30 | R | | | From: Dead End | | | | | NA | | | NA | | 09/06/2013 |
| | | | | | | To: 81-1014 Shenandoah Rd | | | | | | | | | | |
| (1017) | 0.15 | 140 | R | | | From: Cul-de-Sac | | | | | NA | | | NA | | 10/06/2004 |
| | | | | | | To: US 11, N Lee Highway | | | | | | | | | | |
| (1018) | 0.08 | 47 | R | | | From: Cul-de-Sac | | | | | NA | | | NA | | 10/06/2004 |
| | | | | | | To: 81-1017 | | | | | | | | | | |
| (1020) | 0.07 | 200 | R | | | From: 81-1021 Appalachian Rd | | | | | NA | | | NA | | 08/23/2004 |
| | | | | | | To: 81-645 Valley Pike | | | | | | | | | | |
| (1021) Appalachian Rd | 0.11 | 50 | R | | | From: 81-1020 | | | | | NA | | | NA | | 10/18/2007 |
| | | | | | | To: 81-1022 Straub Lane | | | | | | | | | | |
| (1021) Appalachian Rd | 0.11 | 130 | R | | | From: 81-1022 Straub Lane | | | | | NA | | | NA | | 08/23/2004 |
| | | | | | | To: Cul-de-Sac | | | | | | | | | | |
| (1022) Straub Lane | 0.09 | 70 | R | | | From: 81-1021 Appalachian Rd | | | | | NA | | | NA | | 10/18/2007 |
| | | | | | | To: 81-645 Valley Pike | | | | | | | | | | |
| (1025) | 0.22 | 90 | R | | | From: US 11, N Lee Highway | | | | | NA | | | NA | | 08/23/2004 |
| | | | | | | To: Cul-de-Sac | | | | | | | | | | |
| (1026) | 0.23 | NA | | | | From: 81-1030 New Cameron Drive | | | | | NA | | | NA | | |
| | | | | | | To: Dead End | | | | | | | | | | |
| (1027) | 0.06 | NA | | | | From: Cul-de-Sac | | | | | NA | | | NA | | |
| | | | | | | To: 81-1028 | | | | | | | | | | |
| (1027) | 0.06 | NA | | | | From: 81-1028 | | | | | NA | | | NA | | |
| | | | | | | To: Dead End | | | | | | | | | | |
| (1028) | 0.09 | NA | | | | From: 81-1026 | | | | | NA | | | NA | | |
| | | | | | | To: 81-1027 | | | | | | | | | | |
| (1030) New Cameron Dr | 0.20 | 540 | R | | | From: 81-1034 Hamilton Dr | | | | | NA | | | NA | | 08/09/2007 |
| | | | | | | To: 81-1032 | | | | | | | | | | |
| (1030) New Cameron Dr | 0.14 | 750 | R | | | From: 81-1032 | | | | | NA | | | NA | | 08/09/2007 |
| | | | | | | To: 81-1031 Grover Dr | | | | | | | | | | |
| (1030) New Cameron Dr | 0.06 | 1000 | R | | | From: 81-1031 Grover Dr | | | | | NA | | | NA | | 08/16/2004 |
| | | | | | | To: 81-789 Country Club Road | | | | | | | | | | |
| (1031) Grover Dr | 0.05 | 50 | R | | | From: Cul-de-Sac | | | | | NA | | | NA | | 09/06/2013 |
| | | | | | | To: 81-1030 New Cameron Dr | | | | | | | | | | |
| (1032) | 0.16 | 190 | R | | | From: Cul-de-Sac | | | | | NA | | | NA | | 09/06/2013 |
| | | | | | | To: 81-1030 New Cameron Dr | | | | | | | | | | |
| (1033) Gaines Ct | 0.08 | 70 | R | | | From: Cul-de-Sac | | | | | NA | | | NA | | 09/06/2013 |
| | | | | | | To: 81-1032 | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division
2015
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockbridge Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | -----Truck----- | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|---------------------------|--------|------|----|-------|-----|-----------------|--------|--------|--------|----|-------------|----|---------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Rockbridge County | | | | | | | | | | | | | | | | |
| (1034) Hamilton Dr | 0.20 | 130 | R | | | | | | | | NA | | NA | | | 08/16/2004 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| (1035) | 0.05 | NA | | | | | | | | | NA | | NA | | | |
| | | | | | | | | | | | | | | | | |
| (1040) Cedar Dr | 0.13 | 60 | R | | | | | | | | NA | | NA | | | 10/16/2007 |
| | | | | | | | | | | | | | | | | |
| (1042) Hevener Dr | 0.04 | 390 | R | | | | | | | | NA | | NA | | | 08/18/2004 |
| | | | | | | | | | | | | | | | | |
| (1042) Hevener Dr | 0.21 | 300 | R | | | | | | | | NA | | NA | | | 08/18/2004 |
| | | | | | | | | | | | | | | | | |
| (1042) Hevener Dr | 0.25 | 150 | R | | | | | | | | NA | | NA | | | 08/18/2004 |
| | | | | | | | | | | | | | | | | |
| (1043) Hevener Ct | 0.05 | 80 | R | | | | | | | | NA | | NA | | | 08/18/2004 |
| | | | | | | | | | | | | | | | | |
| (1044) Western Vista Lane | 0.15 | 60 | R | | | | | | | | NA | | NA | | | 08/18/2004 |
| | | | | | | | | | | | | | | | | |
| (1049) Forge Hill Lane | 0.45 | 40 | R | | | | | | | | NA | | NA | | | 10/16/2007 |
| | | | | | | | | | | | | | | | | |
| (1050) | 0.41 | NA | | | | | | | | | NA | | NA | | | |
| | | | | | | | | | | | | | | | | |
| (1051) | 0.11 | NA | | | | | | | | | NA | | NA | | | |
| | | | | | | | | | | | | | | | | |
| (1052) | 0.91 | NA | | | | | | | | | NA | | NA | | | |
| | | | | | | | | | | | | | | | | |
| (1053) | 0.10 | NA | | | | | | | | | NA | | NA | | | |
| | | | | | | | | | | | | | | | | |
| (1054) | 0.18 | NA | | | | | | | | | NA | | NA | | | |
| | | | | | | | | | | | | | | | | |
| (1055) | 0.15 | NA | | | | | | | | | NA | | NA | | | |
| | | | | | | | | | | | | | | | | |
| (1075) | 0.37 | NA | | | | | | | | | NA | | NA | | | |
| | | | | | | | | | | | | | | | | |
| (1078) | 0.41 | NA | | | | | | | | | NA | | NA | | | |
| | | | | | | | | | | | | | | | | |
| (1079) | 0.18 | NA | | | | | | | | | NA | | NA | | | |
| | | | | | | | | | | | | | | | | |
| (1085) | 0.35 | NA | | | | | | | | | NA | | NA | | | |
| | | | | | | | | | | | | | | | | |

Virginia Department of Transportation
 Traffic Engineering Division
 2015
 Annual Average Daily Traffic Volume Estimates By Section of Route
 Rockbridge Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | -----Truck----- | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|------------------------|--------|------|----|-------|-----|-----------------|----------------------------|--------|--------|----|-------------|----|---------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Town of Glasgow | | | | | | | | | | | | | | | | |
| (1101) Sixth St | 0.06 | 390 | R | | | | From 81-783 Anderson St | | | | | NA | | NA | | 10/03/2007 |
| (1101) Sixth St | 0.06 | 520 | R | | | | To 81-1107 McCulloch St | | | | | NA | | NA | | 10/03/2007 |
| (1101) Sixth St | 0.12 | 1000 | R | | | | From 81-1106 Powhatan St | | | | | NA | | NA | | 07/28/2004 |
| (1101) Sixth St | 0.06 | 490 | R | | | | To 81-1115 Pocahontas St | | | | | NA | | NA | | 10/03/2007 |
| (1101) Sixth St | 0.06 | 50 | R | | | | From 81-1105 Catawba St | | | | | NA | | NA | | 07/28/2004 |
| (1101) Sixth St | | | | | | | To 81-1104 Shawnee St | | | | | | | | | |
| (1102) Seventh St | 0.05 | 70 | R | | | | From 81-1109 Gordon Place | | | | | NA | | NA | | 10/03/2007 |
| (1102) Seventh St | 0.06 | 420 | R | | | | To 81-1108 Fitzlee St | | | | | NA | | NA | | 07/28/2004 |
| (1102) Seventh St | 0.06 | 100 | R | | | | From 81-783 Anderson St | | | | | NA | | NA | | 10/03/2007 |
| (1102) Seventh St | 0.06 | 90 | R | | | | To 81-1107 McCulloch St | | | | | NA | | NA | | 10/03/2007 |
| (1102) Seventh St | 0.06 | 70 | R | | | | From 81-1106 Gap | | | | | NA | | NA | | 10/03/2007 |
| (1102) Seventh St | 0.06 | 70 | R | | | | To 81-1119 Gap | | | | | NA | | NA | | 10/03/2007 |
| (1102) Seventh St | 0.06 | 170 | R | | | | From 81-1115 Pocahontas St | | | | | NA | | NA | | 07/28/2004 |
| (1102) Seventh St | 0.06 | 360 | R | | | | To 81-1105 Catawba St | | | | | NA | | NA | | 10/03/2007 |
| (1102) Seventh St | 0.06 | | | | | | From 81-1104 Shawnee St | | | | | | | | | |
| (1103) Eighth St | 0.10 | 310 | R | | | | From SR 130 Rockbridge Rd | | | | | NA | | NA | | 07/28/2004 |
| (1103) Eighth St | 0.05 | 250 | R | | | | To 81-1109 Gordon Pl | | | | | NA | | NA | | 10/03/2007 |
| (1103) Eighth St | | | | | | | From 81-1108 Gap | | | | | | | | | |
| (1104) Shawnee St | 0.04 | 460 | R | | | | From 81-684 Blue Ridge Rd | | | | | NA | | NA | | 07/28/2004 |
| (1104) Shawnee St | 0.12 | 80 | R | | | | To 81-1102 Seventh St | | | | | NA | | NA | | 10/03/2007 |
| (1104) Shawnee St | 0.13 | 60 | R | | | | From 81-1101 Sixth St | | | | | NA | | NA | | 10/03/2007 |
| (1104) Shawnee St | 0.13 | 60 | R | | | | To 81-1120 Fifth St | | | | | NA | | NA | | 10/03/2007 |
| (1104) Shawnee St | 0.20 | 50 | R | | | | From 81-1117 Fourth St | | | | | NA | | NA | | 07/28/2004 |
| (1104) Shawnee St | | | | | | | To Dead End | | | | | | | | | |
| (1105) Catawba St | 0.12 | 170 | R | | | | From 81-1102 Seventh St | | | | | NA | | NA | | 10/03/2007 |
| (1105) Catawba St | 0.13 | 400 | R | | | | To 81-1101 Sixth St | | | | | NA | | NA | | 07/28/2004 |
| (1105) Catawba St | 0.12 | 390 | R | | | | From 81-1120 Fifth St | | | | | NA | | NA | | 10/03/2007 |
| (1105) Catawba St | 0.11 | 600 | R | | | | To 81-1117 Fourth St | | | | | NA | | NA | | 08/02/2004 |
| (1105) Catawba St | | | | | | | From 81-1116 Third St | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division
2015
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockbridge Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | -----Truck----- | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|------------------------|--------|------|----|-------|-----|-----------------|--------|--------|--------|----|-------------|----|---------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Town of Glasgow | | | | | | | | | | | | | | | | |
| (1105) Catawba St | 0.10 | 600 | R | | | | | | | | NA | | | NA | | 10/03/2007 |
| (1105) Catawba St | 0.02 | 310 | R | | | | | | | | NA | | | NA | | 08/02/2004 |
| (1105) Catawba St | 0.12 | 40 | R | | | | | | | | NA | | | NA | | 10/03/2007 |
| (1106) Powhatan St | 0.13 | 800 | R | | | | | | | | NA | | | NA | | 07/28/2004 |
| (1106) Powhatan St | 0.12 | 790 | R | | | | | | | | NA | | | NA | | 10/03/2007 |
| (1107) McCulloch St | 0.10 | 70 | R | | | | | | | | NA | | | NA | | 07/28/2004 |
| (1107) McCulloch St | 0.17 | 160 | R | | | | | | | | NA | | | NA | | 10/09/2007 |
| (1107) McCulloch St | 0.14 | 430 | R | | | | | | | | NA | | | NA | | 10/03/2007 |
| (1107) McCulloch St | 0.12 | 240 | R | | | | | | | | NA | | | NA | | 10/03/2007 |
| (1108) Fitzlee St | 0.24 | 180 | R | | | | | | | | NA | | | NA | | 07/28/2004 |
| (1108) Fitzlee St | 0.12 | 200 | R | | | | | | | | NA | | | NA | | 10/09/2007 |
| (1108) Fitzlee St | 0.12 | 230 | R | | | | | | | | NA | | | NA | | 10/09/2007 |
| (1108) Fitzlee St | 0.13 | 190 | R | | | | | | | | NA | | | NA | | 10/09/2007 |
| (1108) Fitzlee St | 0.19 | 210 | R | | | | | | | | NA | | | NA | | 07/28/2004 |
| (1108) Fitzlee St | 0.12 | 380 | R | | | | | | | | NA | | | NA | | 10/03/2007 |
| (1108) Fitzlee St | 0.12 | 320 | R | | | | | | | | NA | | | NA | | 07/28/2004 |
| (1109) Gordon Place | 0.12 | 60 | R | | | | | | | | NA | | | NA | | 10/03/2007 |
| (1109) Gordon Place | 0.08 | 80 | R | | | | | | | | NA | | | NA | | 07/28/2004 |
| (1110) Kanawha St | 0.25 | 70 | R | | | | | | | | NA | | | NA | | 07/30/2013 |
| (1111) Virginia St | 0.25 | 80 | R | | | | | | | | NA | | | NA | | 07/28/2004 |
| (1112) Twelfth St | 0.03 | 80 | R | | | | | | | | NA | | | NA | | 10/09/2007 |
| (1112) Twelfth St | 0.07 | 180 | R | | | | | | | | NA | | | NA | | 07/28/2004 |

Virginia Department of Transportation
Traffic Engineering Division
2015
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockbridge Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | -----Truck----- | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|--------------------------|--------|------|----|-------|-----|-----------------|--------|--------|--------|----|-------------|----|---------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Town of Glasgow | | | | | | | | | | | | | | | | |
| (1112) Twelfth St | 0.07 | 70 | R | | | | | | | | | NA | | NA | | 10/09/2007 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| (1113) Thirteenth St | 0.08 | 110 | R | | | | | | | | | NA | | NA | | 07/28/2004 |
| | | | | | | | | | | | | | | | | |
| (1113) Thirteenth St | 0.02 | 40 | R | | | | | | | | | NA | | NA | | 1986 |
| | | | | | | | | | | | | | | | | |
| (1114) Eleventh St | 0.05 | 60 | R | | | | | | | | | NA | | NA | | 07/28/2004 |
| | | | | | | | | | | | | | | | | |
| (1114) Eleventh St | 0.06 | 50 | R | | | | | | | | | NA | | NA | | 10/09/2007 |
| | | | | | | | | | | | | | | | | |
| (1115) Pocahontas St | 0.12 | 120 | R | | | | | | | | | NA | | NA | | 10/03/2007 |
| | | | | | | | | | | | | | | | | |
| (1115) Pocahontas St | 0.25 | 520 | R | | | | | | | | | NA | | NA | | 08/02/2004 |
| | | | | | | | | | | | | | | | | |
| (1115) Pocahontas St | 0.09 | 290 | R | | | | | | | | | NA | | NA | | 10/03/2007 |
| | | | | | | | | | | | | | | | | |
| (1115) Pocahontas St | 0.06 | 60 | R | | | | | | | | | NA | | NA | | 08/02/2004 |
| | | | | | | | | | | | | | | | | |
| (1115) Pocahontas St | 0.12 | 60 | R | | | | | | | | | NA | | NA | | 10/03/2007 |
| | | | | | | | | | | | | | | | | |
| (1116) Third St | 0.07 | 230 | R | | | | | | | | | NA | | NA | | 08/02/2004 |
| | | | | | | | | | | | | | | | | |
| (1117) Fourth St | 0.07 | 290 | R | | | | | | | | | NA | | NA | | 10/03/2007 |
| | | | | | | | | | | | | | | | | |
| (1117) Fourth St | 0.06 | 60 | R | | | | | | | | | NA | | NA | | 08/02/2004 |
| | | | | | | | | | | | | | | | | |
| (1118) Laurel Rd | 0.05 | 30 | R | | | | | | | | | NA | | NA | | 07/30/2013 |
| | | | | | | | | | | | | | | | | |
| (1119) Sixth St | 0.13 | 70 | R | | | | | | | | | NA | | NA | | 10/03/2007 |
| | | | | | | | | | | | | | | | | |
| (1120) Fifth St | 0.06 | 10 | R | | | | | | | | | NA | | NA | | 07/28/2004 |
| | | | | | | | | | | | | | | | | |
| (1121) 14th St | 0.13 | NA | | | | | | | | | | NA | | NA | | |
| | | | | | | | | | | | | | | | | |
| (1122) 15th St | 0.13 | NA | | | | | | | | | | NA | | NA | | |
| | | | | | | | | | | | | | | | | |
| (1123) Anderson St | 0.18 | NA | | | | | | | | | | NA | | NA | | |
| | | | | | | | | | | | | | | | | |
| Rockbridge County | | | | | | | | | | | | | | | | |
| (1125) High Meadow Dr | 0.39 | 270 | R | | | | | | | | | NA | | NA | | 08/07/2007 |
| | | | | | | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division
2015
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockbridge Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | -----Truck----- | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|--------------------------|--------|------|----|-------|-----|-----------------|--------|--------|--------|----|-------------|----|---------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Rockbridge County | | | | | | | | | | | | | | | | |
| (1126) | 0.03 | 20 | R | | | | | | | | NA | | | NA | | 08/18/2004 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| (1127) | 0.24 | 120 | R | | | | | | | | NA | | | NA | | 08/07/2007 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| (1128) | 0.07 | 30 | R | | | | | | | | NA | | | NA | | 08/07/2007 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| (1129) | 0.07 | 20 | R | | | | | | | | NA | | | NA | | 08/07/2007 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| (1130) | 0.46 | NA | | | | | | | | | NA | | | NA | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| (1135) | 0.17 | NA | | | | | | | | | NA | | | NA | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| (1136) | 0.23 | NA | | | | | | | | | NA | | | NA | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| (1140) | 0.53 | NA | | | | | | | | | NA | | | NA | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| (1141) | 0.14 | NA | | | | | | | | | NA | | | NA | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| (1149) Cherry Ridge Lane | 0.60 | NA | | | | | | | | | NA | | | NA | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| (1150) | 0.18 | NA | | | | | | | | | NA | | | NA | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| (1151) | 0.05 | NA | | | | | | | | | NA | | | NA | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| (1160) | 0.42 | NA | | | | | | | | | NA | | | NA | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| (1204) Fisherman's Lane | 0.09 | 20 | R | | | | | | | | NA | | | NA | | 08/18/2004 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| (1301) Rock Wall Dr | 0.08 | 30 | R | | | | | | | | NA | | | NA | | 07/16/2013 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| (1302) Viewpoint Heights | 0.25 | 80 | R | | | | | | | | NA | | | NA | | 09/29/2004 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| (1303) Depot Hill Rd | 0.25 | 110 | R | | | | | | | | NA | | | NA | | 07/16/2013 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| (1304) | 0.25 | 220 | R | | | | | | | | NA | | | NA | | 07/28/2004 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| (1305) Clemmer Lane | 0.10 | 60 | R | | | | | | | | NA | | | NA | | 07/16/2013 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division
2015
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockbridge Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | -----Truck----- | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|--------------------------|--------|------|----|-------|-----|-----------------|--------|--------|--------|----|-------------|----|---------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Rockbridge County | | | | | | | | | | | | | | | | |
| (1306) | 0.30 | NA | | | | | | | | | | | | NA | | |
| | | | | | | | | | | | | | | | | |
| (1401) | 0.06 | 150 | R | | | | | | | | | | | NA | | 08/16/2004 |
| (1402) | 0.23 | 100 | R | | | | | | | | | | | NA | | 08/16/2004 |
| (1402) | 0.30 | 100 | R | | | | | | | | | | | NA | | 08/16/2004 |
| (1405) View Dr | 0.15 | 190 | R | | | | | | | | | | | NA | | 07/30/2013 |
| (1405) View Dr | 0.17 | 50 | R | | | | | | | | | | | NA | | 07/30/2013 |
| (1406) Ridge Ct | 0.08 | 90 | R | | | | | | | | | | | NA | | 07/30/2013 |
| (1501) | 0.22 | 540 | R | | | | | | | | | | | NA | | 08/09/2007 |
| (1501) | 0.36 | 210 | R | | | | | | | | | | | NA | | 08/09/2007 |
| (1501) | 0.28 | 100 | R | | | | | | | | | | | NA | | 08/10/2007 |
| (1502) Mooreland Blvd | 0.24 | 220 | R | | | | | | | | | | | NA | | 08/09/2007 |
| (1502) Mooreland Blvd | 0.06 | 40 | R | | | | | | | | | | | NA | | 08/10/2007 |
| (1503) Southwest View Dr | 0.05 | 60 | R | | | | | | | | | | | NA | | 08/14/2007 |
| (1503) Southwest View Dr | 0.12 | 140 | R | | | | | | | | | | | NA | | 08/14/2007 |
| (1504) Monacan Ct | 0.11 | 80 | R | | | | | | | | | | | NA | | 08/14/2007 |
| (1507) Stoneview Circle | 0.14 | 40 | R | | | | | | | | | | | NA | | 08/10/2007 |
| (1510) Howe Lane | 0.09 | 7 | R | | | | | | | | | | | NA | | 08/14/2007 |
| (1512) Breckinridge Ct | 0.15 | 100 | R | | | | | | | | | | | NA | | 08/09/2007 |
| (1513) Hall Circle | 0.13 | 70 | R | | | | | | | | | | | NA | | 08/09/2007 |
| Town of Goshen | | | | | | | | | | | | | | | | |
| (9361) | 0.05 | 80 | R | | | | | | | | | | | NA | | 1986 |

Virginia Department of Transportation
Traffic Engineering Division
2015
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockbridge Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | -----Truck----- | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|----------------------------|--------|------|----|-------|-----|-----------------|--------|--------|--------|----|-------------|----|---------------|-------|----|------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| Rockbridge County | | | | | | | | | | | | | | | | |
| 9362 | 0.04 | 620 | R | | | | | | | | | NA | | NA | | 07/16/2013 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 9363 | 0.06 | 370 | R | | | | | | | | | NA | | NA | | 08/30/2001 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 9364 | 0.57 | 2900 | R | | | | | | | | | NA | | NA | | 1995 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 9516 | 0.05 | 220 | R | | | | | | | | | NA | | NA | | 07/23/2013 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 9654 | 0.06 | 70 | R | | | | | | | | | NA | | NA | | 10/22/2013 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 9714 | 0.10 | 160 | R | | | | | | | | | NA | | NA | | 09/06/2013 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 9801 | 0.18 | 510 | R | | | | | | | | | NA | | NA | | 07/03/2013 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| City of Buena Vista | | | | | | | | | | | | | | | | |
| 103 Catalpa Ave | 0.31 | 2100 | G | 97% | 1% | 1% | 1% | 1% | 0% | C | 0.106 | | 0.689 | 2200 | G | 2015 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 3350103 Rockbridge Ave | 0.49 | 2300 | G | 97% | 0% | 1% | 1% | 0% | 0% | C | 0.103 | | 0.563 | 2500 | G | 2015 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 3350103 Catalpa Ave | 0.45 | 3200 | G | 97% | 0% | 1% | 2% | 1% | 0% | C | 0.097 | | 0.554 | 3400 | G | 2015 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 3351103 Long Hallow Rd | 0.96 | 1500 | G | 99% | 0% | 1% | 0% | 0% | 0% | C | 0.104 | | 0.571 | 1500 | G | 2015 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 3353103 17th St | 0.43 | 1500 | G | 98% | 1% | 1% | 0% | 0% | 0% | C | 0.109 | | 0.608 | 1600 | G | 2015 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 3354103 Maple Ave | 1.04 | 530 | G | 98% | 1% | 1% | 0% | 0% | 0% | C | 0.141 | | 0.541 | 570 | G | 2015 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 3354103 Walnut Ave | 0.34 | 710 | G | 98% | 1% | 1% | 0% | 0% | 0% | F | 0.101 | | 0.586 | 750 | G | 2015 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 3354103 Ridge Ave | 0.28 | 1300 | G | 99% | 0% | 0% | 0% | 0% | 0% | C | 0.103 | | 0.555 | 1400 | G | 2015 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 3355103 E 24Th St | 0.43 | 1000 | G | 98% | 1% | 1% | 0% | 0% | 0% | C | 0.104 | | 0.598 | 1100 | G | 2015 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 3356103 Cedar Ave | 0.96 | 360 | G | 98% | 1% | 1% | 0% | 0% | 0% | C | 0.119 | | 0.578 | 390 | G | 2015 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 3357103 E 21st St | 0.43 | 620 | G | 98% | 1% | 1% | 0% | 0% | 0% | C | 0.109 | | 0.581 | 660 | G | 2015 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 3359103 13th St | 0.47 | 1400 | G | 98% | 1% | 1% | 0% | 0% | 0% | C | 0.106 | | 0.592 | 1500 | G | 2015 |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division
2015
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockbridge Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | -----Truck----- | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|------------------------------|--------|------|-----------------------|-------|-----|-----------------|--------|--------|--------|----|-------------|-------|---------------|-------|----|------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| City of Buena Vista | | | | | | | | | | | | | | | | |
| 3360 103 10th St | 1.28 | 3400 | From: WCL Buena Vista | | | | 1% | 1% | 0% | 0% | C | 0.112 | 0.520 | 3600 | G | 2015 |
| | | | To: Magnolia Ave | | | | | | | | | | | | | |
| City of Lexington | | | | | | | | | | | | | | | | |
| 1 117 Diamond St | 0.36 | 1400 | From: Lewis St | | | | 0% | 0% | 0% | 0% | C | 0.158 | 0.641 | 1500 | G | 2015 |
| | | | To: Main St | | | | | | | | | | | | | |
| 2 117 Lee St | 0.08 | 2000 | From: Nelson St | | | | 1% | 1% | 0% | 0% | C | 0.1 | 0.53 | 2100 | G | 2015 |
| | | | To: Washington St | | | | | | | | | | | | | |
| 4251 117 Thornhill Rd | 0.38 | 2100 | From: Link Rd | | | | 0% | 0% | 0% | 0% | C | 0.102 | 0.762 | 2300 | G | 2015 |
| | | | To: Main St | | | | | | | | | | | | | |
| 4252 117 Enfield Rd | 0.43 | 1400 | From: WCL Lexington | | | | 0% | 0% | 0% | 0% | F | 0.096 | 0.522 | 1500 | G | 2015 |
| | | | To: Lime Kiln Rd | | | | | | | | | | | | | |
| 4252 117 Lime Kiln Rd | 0.32 | 2000 | From: Enfield Rd | | | | 0% | 0% | 0% | 0% | C | 0.093 | 0.528 | 2200 | G | 2015 |
| | | | To: McLaughlin St | | | | | | | | | | | | | |
| 4254 117 Ross Rd | 0.31 | 1200 | From: WCL Lexington | | | | 1% | 0% | 0% | 0% | F | 0.108 | 0.711 | 1300 | G | 2015 |
| | | | To: Jackson Ave | | | | | | | | | | | | | |
| 4254 117 Jackson Ave | 0.27 | 1600 | From: Ross Rd | | | | 1% | 0% | 0% | 0% | C | 0.132 | 0.653 | 1700 | G | 2015 |
| | | | To: White St | | | | | | | | | | | | | |
| 4255 117 Houston St | 0.40 | 2100 | From: SCL Lexington | | | | 1% | 0% | 0% | 0% | C | 0.11 | 0.511 | 2300 | G | 2015 |
| | | | To: Taylor St | | | | | | | | | | | | | |
| 4255 117 Houston St | 0.15 | 2400 | From: Taylor St | | | | 1% | 0% | 0% | 0% | F | 0.106 | 0.502 | 2500 | G | 2015 |
| | | | To: Main St | | | | | | | | | | | | | |
| 4256 117 McDowell St | 0.05 | 340 | From: Main St | | | | 1% | 0% | 0% | 0% | C | 0.126 | 0.729 | 360 | G | 2015 |
| | | | To: Jefferson St | | | | | | | | | | | | | |
| 4257 117 Walker St | 0.40 | 2600 | From: Houston St | | | | 1% | 1% | 0% | 0% | C | 0.107 | 0.516 | 2800 | G | 2015 |
| | | | To: Nelson St | | | | | | | | | | | | | |
| 4258 117 Preston St | 0.05 | 1900 | From: Main St | | | | 1% | 0% | 0% | 0% | F | 0.101 | 0.873 | 2100 | G | 2015 |
| | | | To: Jefferson St | | | | | | | | | | | | | |
| 4260 117 Henry St | 0.05 | 1100 | From: Main St | | | | 1% | 0% | 0% | 0% | C | 0.100 | 0.624 | 1200 | G | 2015 |
| | | | To: Jefferson St | | | | | | | | | | | | | |
| 4261 117 Lewis St | 0.08 | 3900 | From: Nelson St | | | | 1% | 1% | 0% | 0% | C | 0.11 | 0.590 | 4100 | G | 2015 |
| | | | To: Washington St | | | | | | | | | | | | | |
| 4261 117 Washington St | 0.30 | 3500 | From: Lewis St | | | | 1% | 1% | 0% | 0% | F | 0.094 | 0.501 | 3800 | G | 2015 |
| | | | To: Main St | | | | | | | | | | | | | |
| 4261 117 Washington St | 0.06 | 3800 | From: Main St | | | | 1% | 1% | 0% | 0% | F | 0.097 | 0.664 | 4000 | G | 2015 |
| | | | To: Jefferson St | | | | | | | | | | | | | |
| 4261 117 Washington St | 0.06 | 5000 | From: Jefferson St | | | | 1% | 1% | 0% | 0% | F | 0.091 | 0.58 | 5300 | G | 2015 |
| | | | To: Lee St | | | | | | | | | | | | | |
| 4261 117 Washington St | 0.21 | 3300 | From: Lee St | | | | 1% | 1% | 0% | 0% | F | 0.086 | 0.652 | 3500 | G | 2015 |
| | | | To: Nelson St | | | | | | | | | | | | | |
| 4262 117 Borden Rd | 0.34 | 1100 | From: WCL Lexington | | | | 1% | 0% | 0% | 0% | C | 0.099 | 0.621 | 1200 | G | 2015 |
| | | | To: Nelson St | | | | | | | | | | | | | |

Virginia Department of Transportation
Traffic Engineering Division
2015
Annual Average Daily Traffic Volume Estimates By Section of Route
Rockbridge Maintenance Area

| Route | Length | AADT | QA | 4Tire | Bus | -----Truck----- | | | | QC | K Factor | QK | Dir Factor | AAWDT | QW | Year |
|----------------------------|--------|------|---------------------------|-------|-----|-----------------|--------|--------|--------|----|----------|-------|------------|-------|------|---------------------|
| | | | | | | 2Axle | 3+Axle | 1Trail | 2Trail | | | | | | | |
| City of Lexington | | | | | | | | | | | | | | | | |
| 4263 117 Lewis St | 0.33 | 1500 | From: Washington St | | | | 1% | 1% | 0% | 0% | C | 0.143 | 0.543 | 1600 | G | 2015 |
| | | | To: Diamond St | | | | | | | | | | | | | |
| 4266 117 Spottswood Dr | 0.40 | 2800 | From: Houston St | | | | 1% | 0% | 0% | 0% | C | 0.105 | 0.538 | 3000 | G | 2015 |
| | | | To: Nelson St | | | | | | | | | | | | | |
| 4267 117 White St | 0.18 | 1500 | From: Jefferson St | | | | 1% | 0% | 0% | 0% | F | 0.106 | 0.641 | 1600 | G | 2015 |
| | | | To: McLaughlin St | | | | | | | | | | | | | |
| 4267 117 McLaughlin St | 0.28 | 1900 | From: White St | | | | 1% | 0% | 0% | 0% | C | 0.103 | 0.681 | 2100 | G | 2015 |
| | | | To: Glasgow St | | | | | | | | | | | | | |
| 4267 117 Glasgow St | 0.06 | 1000 | From: McLaughlin St | | | | 1% | 0% | 0% | 0% | C | 0.128 | 0.79 | 1100 | G | 2015 |
| | | | To: Nelson St | | | | | | | | | | | | | |
| City of Buena Vista | | | | | | | | | | | | | | | | |
| 20th St | | 420 | From: Sycamore Ave | | | | | | | | | 0.117 | 0.539 | 450 | G | 2015 |
| | | | To: Cedar Ave | | | | | | | | | | | | | |
| 25 1/2 St | | 640 | From: Maple Ave | | | | | | | | | 0.094 | 0.64 | 680 | G | 2015 |
| | | | To: Walnut Ave | | | | | | | | | | | | | |
| 38th St | | 430 | From: Lombardy Ave | | | | | | | | | 0.159 | 0.873 | 460 | G | 2015 |
| | | | To: Catalpa Ave | | | | | | | | | | | | | |
| 4th St | | 420 | From: Linden Ave | | | | | | | | | 0.105 | 0.533 | 440 | G | 2015 |
| | | | To: Sycamore Ave | | | | | | | | | | | | | |
| Magnolia Avenue | | 7200 | G | 94% | 1% | 1% | 1% | 2% | 0% | C | 0.094 | 0.579 | 7200 | G | 2015 | |
| | | | | | | | | | | | | | | | | From: 6th Street |
| Orchard Avenue | | 1600 | From: US 60 Lexington Ave | | | | 0% | 0% | 0% | 0% | C | 0.110 | 0.655 | 1600 | G | 2015 |
| | | | To: Long Hollow Rd | | | | | | | | | | | | | |
| Spruce Ave | | 60 | From: 23rd St | | | | | | | | | 0.178 | 0.652 | 70 | G | 2015 |
| | | | To: 24th St | | | | | | | | | | | | | |
| City of Lexington | | | | | | | | | | | | | | | | |
| Campbell Lane | | 1300 | From: McCorkle Drive | | | | 1% | 0% | 0% | 0% | C | 0.126 | 0.507 | 1300 | G | 2015 |
| | | | To: US 11 | | | | | | | | | | | | | |
| Edmondson Ave | | 370 | From: Jackson Ave | | | | | | | | | 0.169 | 0.618 | 370 | G | 2015 |
| | | | To: Main St | | | | | | | | | | | | | |
| Taylor St | | 1400 | From: Wallace St | | | | | | | | | 0.137 | 0.646 | 1500 | G | 2015 |
| | | | To: Houston St | | | | | | | | | | | | | |
| Tucker St | | 410 | From: Washington St | | | | | | | | | 0.109 | 0.533 | 440 | G | 2015 |
| | | | To: Massie St | | | | | | | | | | | | | |
| Waddell St | | 1400 | G | 93% | 3% | 2% | 1% | 1% | 0% | C | 0.173 | 0.682 | 1400 | G | 2015 | |
| | | | | | | | | | | | | | | | | From: US 11 Main St |
| White St | | 3500 | From: Jefferson St | | | | 0% | 0% | 0% | 0% | C | 0.108 | | 3500 | G | 2015 |
| | | | To: Main St | | | | | | | | | | | | | |