2015

Virginia Department of Transportation Daily Traffic Volume Estimates Including Vehicle Classification Estimates

where available

Special Locality Report 286

Town of Purcellville

Information in this report is included in Report

53

(Loudoun County)

Prepared By

Virginia Department of Transportation Traffic Engineering Division

In Cooperation With

U.S. Department of Transportation Federal Highway Administration

Virginia Department of Transportation Traffic Engineering Division Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled "Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes" includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled "Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99".

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a "Combined Traffic Estimates for Parallel Roadways on this Route" or "Combined Traffic" identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate "NA" for not available.

VDOT's traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating "NA" for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate "NA" for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1 Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems

North 81	Interstate Route	Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.
29	US Route	

(F241)	Frontage Road (F precedes frontage route number)
	· · · · · · · · · · · · · · · · · · ·

(600) Secondary Route

Special Routes

Bus	Bus - Business Route
[29]	Bypas - Bypass Route
	Truck - Truck Route
ALT	ALT - Alternate Route
(220)	Wye - Wye Route connector

Virginia State Route

- P Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.
- The VDOT Maintainenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation Traffic Engineering Division 2015

Annual Average Daily Traffic Volume Estimates By Section of Route Town of Purcellville

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus		Tru 3+Axle	-		QC	K Factor	QK	Dir Factor	AAWDT	QW
	From:	W	CL Purcelly	ille												
7 Harry Flood Byrd Hwy	Town of Purcellville (Maint: 53)	0.94	28000	G	97%	0%	1%	1%	1%	0%	F	0.096		0.806	32000	G
	To:	EC	L Purcelly	lle												
Bus	From:	W	CL Purcelly	ille												
$\binom{7}{7}$ Main St	Town of Purcellville (Maint: 53)	2.06	9100	N	97%	1%	1%	1%	0%	0%	Ν	0.099		0.584	9700	Ν
Bus	Ta: From:	SR 2	287 Berlin 7	Грке												
7 Colonial Highway	Town of Purcellville (Maint: 53)	0.07	10000	N	97%	1%	1%	1%	0%	0%	Ν	0.167		0.717	11000	N
	To:	EC	L Purcelly	lle												
	From:		Bus SR 7													
(287) Berlin Tpke	Town of Purcellville (Maint: 53)	0.55	6500	N	95%	1%	2%	1%	1%	0%	Ν	0.094		0.741	6700	Ν
	То:	NO	L Purcelly	ille												

5/3/2016 7

Virginia Department of Transportation Traffic Engineering Division 2015 Annual Average Daily Traffic Volume Estimates By Section of Route Town of Purcellville

						Town o	f Purcell	ville								
Route	Length	AADT	QA	4Tire	Bus		Tru 3+Axle			QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
Town of Purcellville							~									
6 Telegraph Springs Rd	0.46	1700	G	97%	1%	1%	1%	0%	0%	F	0.1		0.547	1800	G	2015
6 20th St	0.34	3100 From	G	97%	1%	1%	1%	0%	0%	С	0.108		0.683	3100	G	2015
6 20th St	0.34	3000 From	G	97%	1%	1%	1%	0%	0%	F	0.089		0.520	3200	G	2015
6 Hatcher Ave	0.80	5300	G	98%	1%	Bus SR 1%	7 E, Mair 0%	1 St 0%	0%	С	0.091		0.544	5700	G	2015
		From	1		52 (00 (11 '11							
7 S 32nd St	0.61	4400	N	94%	2%	3%	1%	1%	0%	N	0.098		0.601	4500	N	2015
7 S 32nd St	0.43	2600 To	G	93%	2%	3%	1%	1%	0%	С	0.095		0.552	2800	G	2015
7 23rd St, Hillsboro Rd	0.10	4600	G	95%	3%	Bus SR 7	⁷ E, W Ma 1%	in St 0%	0%	F	0.091		0.664	4900	G	2015
7 Hillsboro Rd	0.69	From 4200	G	95%	3%	53-16 1 %	504, 21st S 1%	0%	0%	F	0.088		0.549	4300	G	2015
8 Maple Ave S	0.65	6400	R								NA			NA		03/21/2011
8 Maple Ave N	0.44	6200	R			Bus SR	7, W Mair	n St			NA			NA		03/22/2011
8 Maple Ave N	0.28	5700 From	R		286-3				ol		NA			NA		03/22/2011
		From	1								_					
9 33rd St N	0.17	730	G		2						0.156		0.785	730	G	2015
		From				286-9), 33rd St I	٧								
(10) Holly Lane	0.07	50	R				15.1				NA			NA		2011
		From	1					O:1-								
11 W Country Club Dr	0.10	150	G								0.113		0.7	150	G	2015
11 W. Country Club Dr	0.19	760 From	G					\ 			0.176		0.886	760	G	2015
11) W. Country Club Dr	0.08	60 To	G					e			0.199		0.533	60	G	2015
								2d Ct								
12) 21st St	0.13	1800 _{та}	G	96%	1%	2%	0%	0%	0%	С	0.123		0.933	1900	G	2015
(13) Orchard Dr	0.41	500	R								NA			NA		03/21/2011
	0.34 3100 G 97% 1% 1% 1% 0% 0% 0% C 0.108 0.683 3100															
14 Nursery Ave S	0.64		G	95%	3%	1%	0%	0%	0%	С	0.112		0.512	1500	G	2015
(15) East G St	0.62		R			286	-6, 20th St				NA			NA		03/21/2011
$\overline{}$		To				286-8,	Maple Av	e S								
<u> </u>	c ==					286	-6, 20th St									00/01/5=::
16 East E St	0.27	940 To	R			286 1	5 Fact G	St			NA T			NA		03/21/2011
						∠00-1	o, Last U	, (

5/3/2016 8

Virginia Department of Transportation Traffic Engineering Division 2015 Annual Average Daily Traffic Volume Estimates By Section of Route Town of Purcellville

						I OWI	i di Fuice	iiviiie								
Route	Length	AADT	QA	4Tire	Bus		T de 3+AxI			QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
Town of Purcellville		F				20.	6 1 5 E 6	1.0			1					
(16) South 12th St	0.27	1100	G			286	6-15, East C	St			0.101		0.643	1100	G	2015
16) 33411 1241 31	0.27	To	Ť			Bu	s SR 7 Maiı	n St					0.010	1100	<u> </u>	2010
		From	ı			286	-8 Maple A	ve S								
(17) 9th St S	0.36	1300	R								NA			NA		03/21/201
\bigcup		To				SI	R 7 Main St	Е							G 03/3 G 03/3 G 09/ G 09/ G 6	
O NI doub Or	0.07	From				Bus	SR 7, Main	St E			\Box			NIA		00/00/004
(18) N 16th St	0.07	1400	R				Cul do Soo				NA			NA		03/22/201
		From	<u>. </u>				Cul-de-Sac							NA		
19) Loudoun Valley Dr	0.23	240	G			286	-6, Hatcher	Ave			0.136		0.652	240	G	2015
19 200000 70	0.20	To	Ť			K	King James S	St					0.002		O .	20.0
		From	ic .			2	86-6, 20th S	St								
20) East D St	0.25	100	R				, , , , , ,				NA			NA		03/21/201
		To	d				Cul-de-Sac									
		From					Cul-de-Sac									
(21) Burnleigh Court	0.08	90	R								NA			NA		2011
		To	d			286-26	Glenmeade	Circle								
	0.40	From				286-26	Glenmeade	Circle			—			NIA		0014
22 Heronwood Court	0.12	100	R				C-1 4- C				NA			NA		2011
		From]				Cul-de-Sac									
23) Oakleigh Court	0.07	70	R			286-26	Glenmeade	Circle			NA			ΝΔ		2011
23) Oakleigh Court	0.07	To					Cul-de-Sac							IVA		2011
		From	r				Cul-de-Sac									
24) Bolingbrook Court	0.05	60	R				cui de bue				NA			NA		2011
24) 0		To	·			286-26	Glenmeade	Circle								
		From	ı		286-0	6, 20th S	St; Telegrap	h Springs F	Rd							
25) East A St	0.50	5100	G	96%	2%	1%		0%	0%	С	0.108		0.736	5400	G	2015
		To	c		53-7	22 Linc	oln Rd, SCI	L Purcellvil	le							
		From	ic .			WC	Country Clu	b Dr								
26 N Nichols Place	0.02	640	R								NA			NA		09/14/2009
<u> </u>		To From				286-	-29 Ashleigl	n Rd								
(26) Glenmeade Circle	0.06	440	G								0.107		0.65	440	G	2015
<u> </u>		From	9				Ct; 286-28 ch Ct; 286-2									
(26) Glenmeade Circle	0.06	370	G		200-2	/ Killioc	II Ct, 200-2	o Dunnage	Ct		0.118		0.630	370	1100 G NA G 120 G	2015
20)		To				206	34 Rockbu	Ct								
(26) Glenmeade Circle	0.06	300 From	R			280-	·34 KOCKOUI	ii Ct			NA			NA		09/14/2009
20)		To			207 22 1	Y	- 1 Ct. 200	21 D1-	-1. Ct							
26 Glenmeade Circle	0.06	380 From	G		286-22 F	Heronwo	ood Ct; 286	-21 Burniei	gn Ct		0.187		0.606	NA NA NA NA S400 G NA 0 440 G 370 G NA 0 380 G 120 G NA NA	2015	
(26) Glenmeade Circle	0.00		<u> </u>		206 24 7		1.0.20		1.0				0.000	000	G 03 G 09 G 09 G G 09	2010
26 Glenmeade Circle	0.09	120 From	G		286-24 I	Solingbi	ook Ct; 286	-23 Oakiei	gn Ct		0.152		0.585	120	G	2015
(26) Glenmeade Circle	0.00	To	Ť			286-11.	W Country	Club Dr			0.132		0.505	120	ч	2013
		From					Cul-de-Sac									
27 Kinloch Court	0.07	60	R				cur de suc				NA			NA		2011
		To	oc			286-26	Glenmeade	Circle								
		From				286-26	Glenmeade	Circle								
28) Dunridge Court	0.05	50	R								NA			NA		2011
\smile		To					Cul-de-Sac									
<u> </u>		From				286-2	6 N Nichols	Place								
29) Ashleigh Rd	0.16	1200	G								0.13		0.834	1200	G	2015
		To	"				21st St									
Duna de la Co	0.04	From	<u> </u>			286-	-29 Ashleigl	n Rd						NIA		0044
30 Dresden Court	0.04	40	R				Cul do So-				NA			NA		2011
		10	1				Cul-de-Sac									

5/3/2016 9

Virginia Department of Transportation Traffic Engineering Division 2015 Annual Average Daily Traffic Volume Estimates By Section of Route Town of Purcellville

ength	AADT	QA	4Tire	Bus	Truck 2Axle 3+Axle 1Trail		QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
	From				ED 0/2 CCI D11-:11-								
0.70		G			FR-962, SCL Purcellville			0 110		0.907	4900	G	2015
0.70	∓000	<u> </u>		Hi	illshoro Rd. NCL Purcellville			0.110		0.007	4000	u	2013
	From:							_					
പെ 7		D			286-8 W, Maple Ave			NIA.			NΙΛ		03/22/201
WOI /	1400 To:	n			286 8 F. Monle Ave						INA		03/22/201
								_					
0.10				H	Emerick Elementary School						NIA		00/01/001
0.19	170 Tol	К			206.14.64.374			NA			NA		03/21/201
	10.												
					286-26 Glenmeade Circle			<u> </u>					
0.08		R						NA			NA		2011
	To:				Cul-de-Sac								
	From:				53-1610 East A St								
0.15	45	R						NA			NA		03/21/201
	To:				Dead End								
	From:				26th St								
	180	G						0.141		0.673	180	G	2015
	To:				Nursery Ave								
	From:				Wexford Place								
	400	G						0.117		0.611	400	G	2015
	To:				Eastgate Dr								
	From:				Orchard Brook Lane								
	420	G			CLERKIN DIOOR LAINE			0.151		0.569	420	G	2015
		_						001		0.000	0	_	_0.0
	0.70 0.017 0.19 0.08	To From 1400 To T	0.70 4800 G Tr From: Prom:	0.70 4800 G To From: 0.17 1400 R To From: 0.19 170 R To From: 0.08 70 R To From: 0.15 45 R To From: 180 G To From: 400 G To From: From:	0.70 4800 G Tro Hi From 0017 1400 R To From 0.19 170 R To From 0.08 70 R To From 0.15 45 R To From 180 G To From 400 G To From From From From 180 G To From 180 G	### AADT QA 41 re Bus 2Axle 3+Axle 1Trail	### Professional AADT QA 4	### Company Co	AADT GA 41 From From FR-962, SCL Purcellville	AAD QA 4 Bus 2 2 2 2	AAD AAD AAD AAD AAD AAD AAD AAD AAD AAD AA	AADT	AAD1 QA 41 re Bus 2Axle 3+Axle 1Trail 2Trail QC Factor CR AAWD1 QW

5/3/2016 10