

**2017**

**Virginia Department of Transportation  
Daily Traffic Volume Estimates  
Including Vehicle Classification Estimates**

where available

**Jurisdiction Report**

**26**

Dinwiddie County  
City of Petersburg  
Town of McKenney

Prepared By

**Virginia Department of Transportation  
Traffic Engineering Division**

In Cooperation With

**U.S. Department of Transportation  
Federal Highway Administration**

Virginia Department of Transportation  
Traffic Engineering Division  
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled "Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes" includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled "Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99".

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

## Publication Notes

### Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a "Combined Traffic Estimates for Parallel Roadways on this Route" or "Combined Traffic" identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate "NA" for not available.

---

VDOT's traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating "NA" for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate "NA" for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

**Route:** The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

**Length:** Length of the traffic segment in miles.

**AADT:** Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

**QA:** Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

**4Tire:** Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

**Bus:** Percentage of the traffic volume made up of busses.

**2Axle Truck:** Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

**3+Axle Truck:** Percentage of the traffic volume made up of single unit trucks with three or more axles.

**1Trail Truck:** Percentage of the traffic volume made up of units with a single trailer.

**2Trail Truck:** Percentage of the traffic volume made up of units with more than one trailer.

**QC:** Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

**K Factor:** The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

**QK:** Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

**Dir Factor:** The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

**AAWDT:** Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

**QW:** Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

**Year:** Year for which the published values are appropriate. If the Quality of AADT (QA) is "R", the year is the year that the raw traffic count was collected, and if available,

# Route Shield Legend

## Route Systems

- North  
 Interstate Route Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.
-  US Route
-  Virginia State Route
-  Frontage Road (F precedes frontage route number)
-  Secondary Route

## Special Routes

- Bus  
 Bus - Business Route  
Bypass - Bypass Route  
Truck - Truck Route
- ALT  
 ALT - Alternate Route  
Wve - Wve Route connector
-  P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.
-  The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.



Virginia Department of Transportation  
 Traffic Engineering Division  
 2017  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Dinwiddie Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
From: SR 36 Market St To: Wythe St 1 460 36 Bus	City of Petersburg	0.20	10000	F	96%	0%	1%	2%	1%	0%	F	0.09		11000	F	
Combined Traffic Estimates for Parallel Roadways on this Route:			NA									NA		NA		
From: ALT US 301 Sycamore St To: Wythe St 1 301 460 36 Bus	City of Petersburg	0.20	15000	F	96%	0%	1%	2%	1%	0%	F	0.086		16000	F	
Combined Traffic Estimates for Parallel Roadways on this Route:			NA									NA		NA		
From: Bus US 460 Jefferson St To: Bus US 460 Wythe St 1 301 ALT	City of Petersburg	0.09	3400	F	96%	0%	1%	2%	1%	0%	F	0.085	0.704	3600	F	
Combined Traffic Estimates for Parallel Roadways on this Route:			NA									NA		NA		
From: Bus US 460 Par, Washington St To: Jefferson St 1 301 ALT	City of Petersburg	0.26	770	F	98%	1%	0%	0%	0%	0%	C	0.089	0.569	810	F	
Combined Traffic Estimates for Parallel Roadways on this Route:			NA									NA		NA		
From: Henry St To: 3rd St 1 301 ALT	City of Petersburg	0.05	350	F	96%	0%	1%	2%	1%	0%	F	0.118	0.65	370	F	
Combined Traffic Estimates for Parallel Roadways on this Route:			NA									NA		NA		
From: US 301 Par, Bank St To: 3rd St 1 301 ALT	City of Petersburg	0.05	450	F	96%	0%	1%	2%	1%	0%	F	0.092	0.670	480	F	
Combined Traffic Estimates for Parallel Roadways on this Route:			NA									NA		NA		
From: US 301 Bollingbrook St To: US 301; 3RD STREET 1 301 301 ALT 36	City of Petersburg	0.08	4400	F	98%	0%	1%	0%	0%	0%	F	0.117	0.722	4700	F	
Combined Traffic Estimates for Parallel Roadways on this Route:			NA									NA		NA		
From: US 1 Par; US 301 Par; Bollingbrook St To: 2nd St 1 301	City of Petersburg	0.35	15000	F	99%	0%	0%	0%	0%	0%	F	0.093	0.562	16000	F	
From: SCL Colonial Heights To: Ramp 1	Dinwiddie County	0.28	7500	F								0.094		7500	F	
From: US 1 To: I-85 North 1	Dinwiddie County	0.26	1600	F								0.115		1600	F	
From: US 1 To: I-85 South 1	Dinwiddie County	0.06	4700	G								0.097		4700	G	
From: US 1 Boydton Plank Rd To: US 01-S066A US 01- 66A TO RT 85 North 1	Dinwiddie County	0.03	580	G								NA		580	G	
From: US 1 Boydton Plank Rd To: US 01- 66B US 01-S066B TO RT 85 North 1	Dinwiddie County															

Virginia Department of Transportation  
Traffic Engineering Division  
2017  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
South 1 Ramp	From: US 1 Boydton Plank Rd Dinwiddie County To: US 01-N066A US 01- 66A TO RT 85	0.03	3100	G										0.116	3100	G
South 1 Ramp	From: US 1 TO RT 85 SB Dinwiddie County To: US 01- 66B US 01-N066B TO RT 85	0.06	1000	G										0.124	1000	G
1 Bus 460 Washington St	From: US 1 Wythe St Battersea Lane City of Petersburg To: 123-9025 West St	0.31	8100	F	97%	1%	1%	2%	1%	0%	F	0.095		8600	F	
Combined Traffic Estimates for 2 Parallel Roadways on this Route: 16000 F 96% 1% 1% 2% 1% 0% F 0.089 F 0.544 17000 F																
1 Bus 460 Washington St	From: 123-9025 West St City of Petersburg To: 123-9029 South St	0.40	8500	F	97%	1%	1%	2%	1%	0%	F	0.093		9000	F	
Combined Traffic Estimates for 2 Parallel Roadways on this Route: 16000 F 96% 1% 1% 2% 1% 0% F NA 17000 F																
1 Bus 460 Washington St	From: 123-9029 South St City of Petersburg To: Guarantee St	0.27	9500	F	97%	1%	1%	2%	1%	0%	C	0.092		10000	F	
Combined Traffic Estimates for 2 Parallel Roadways on this Route: 20000 F 96% 1% 1% 2% 1% 0% F 0.089 F 0.527 21000 F																
1 Bus 460 Washington St	From: Guarantee St City of Petersburg To: BUS US 460 Par; SR 36 Market St	0.24	9700	F	97%	1%	1%	2%	1%	0%	F	0.090		10000	F	
Combined Traffic Estimates for 2 Parallel Roadways on this Route: 20000 F 96% 1% 1% 2% 1% 0% F NA 21000 F																
1 36 Market St	From: SR 36; Bus US 460 Par Washington St City of Petersburg To: SR 36 Grove Ave	0.38	2600	F	98%	0%	0%	0%	0%	0%	C	0.089	0.562	2800	F	
Combined Traffic Estimates for Parallel Roadways on this Route: NA NA NA																
1 36 Old St	From: SR 36; Market St City of Petersburg To: Sycamore St	0.13	2800	F	98%	0%	0%	0%	0%	0%	F	0.093	0.557	3000	F	
Combined Traffic Estimates for Parallel Roadways on this Route: NA NA NA																
1 36 Sycamore St	From: Sycamore St City of Petersburg To: Bollingbrook St	0.04	3400	F	98%	0%	0%	0%	0%	0%	F	0.096	0.535	3600	F	
Combined Traffic Estimates for Parallel Roadways on this Route: NA NA NA																
1 36 Bollingbrook St	From: Bollingbrook St City of Petersburg To: US 1, US 301 2nd St	0.10	3200	F	98%	0%	0%	0%	0%	0%	F	0.103	0.689	3400	F	
Combined Traffic Estimates for Parallel Roadways on this Route: NA NA NA																
36 Fleet St	From: WCL Petersburg City of Petersburg To: Grove Ave	0.12	7200	F	99%	0%	1%	0%	0%	0%	C	0.101	0.513	7600	F	
36 Grove Ave	From: Grove Ave City of Petersburg To: US 1 Par, Market St	0.54	3100	F	98%	0%	1%	0%	0%	0%	C	0.104	0.562	3300	F	

Virginia Department of Transportation  
Traffic Engineering Division  
2017  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
36 1 Market St	From: [redacted]	US 1														
	City of Petersburg	0.38	2600	F	98%	0%	0%	0%	0%	0%	C	0.089	0.562	2800	F	
Combined Traffic Estimates for Parallel Roadways on this Route:			NA								NA			NA		
36 Market St	From: [redacted]	US 1 Par; BUS US 460 Par, Washington St														
	City of Petersburg	0.11	2800	F	99%	0%	0%	0%	0%	0%	F	0.086	0.622	2900	F	
36 1 Bus 460 Wythe St	From: [redacted]	US 1, Bus US 460 Wythe St														
	City of Petersburg	0.20	10000	F	96%	0%	1%	2%	1%	0%	F	0.09		11000	F	
Combined Traffic Estimates for Parallel Roadways on this Route:			NA								NA			NA		
36 1 ALT 301 Bus 460 Wythe St	From: [redacted]	ALT US 301 Sycamore St														
	City of Petersburg	0.20	15000	F	96%	0%	1%	2%	1%	0%	F	0.086		16000	F	
Combined Traffic Estimates for Parallel Roadways on this Route:			NA								NA			NA		
36 Bus 460 Wythe St	From: [redacted]	Bus US 460														
	City of Petersburg	0.20	15000	F	97%	1%	1%	1%	1%	0%	C	0.084		16000	F	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			31000	F	96%	1%	1%	1%	1%	0%	F	0.081	F	0.505	33000	F
36 Bus 460 Wythe St	From: [redacted]	I-85, I-95														
	City of Petersburg	0.30	11000	F	97%	1%	1%	1%	1%	0%	F	0.083		12000	F	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			24000	F	96%	1%	1%	1%	2%	0%	F	0.088	F	0.641	25000	F
36 Wythe St	From: [redacted]	South Crater Rd														
	City of Petersburg	0.43	11000	F	97%	0%	0%	0%	1%	0%	F	0.079		12000	F	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			22000	F	97%	0%	0%	0%	1%	0%	F	0.088	F	0.613	23000	F
36 Washington St	From: [redacted]	SR 36 Par, Washington St; Amelia St														
	City of Petersburg	0.87	24000	F	97%	0%	0%	0%	1%	0%	F	0.086	0.583	26000	F	
36 Washington St	From: [redacted]	Puddledock Rd														
	City of Petersburg	0.58	16000	F	97%	0%	0%	0%	1%	0%	F	0.078	0.558	18000	F	
36 1 Old St	From: [redacted]	Prince George County Line														
	City of Petersburg	0.13	2800	F	98%	0%	0%	0%	0%	0%	F	0.093	0.557	3000	F	
Combined Traffic Estimates for Parallel Roadways on this Route:			NA								NA			NA		
36 1 Sycamore St	From: [redacted]	Sycamore St														
	City of Petersburg	0.04	3400	F	98%	0%	0%	0%	0%	0%	F	0.096	0.535	3600	F	
Combined Traffic Estimates for Parallel Roadways on this Route:			NA								NA			NA		
36 1 Bollingbrook St	From: [redacted]	Bollingbrook St														
	City of Petersburg	0.10	3200	F	98%	0%	0%	0%	0%	0%	F	0.103	0.689	3400	F	
Combined Traffic Estimates for Parallel Roadways on this Route:			NA								NA			NA		
36 1 Bollingbrook St	From: [redacted]	US 1, US 301 2nd St														
	City of Petersburg	0.10	3200	F	98%	0%	0%	0%	0%	0%	F	0.103	0.689	3400	F	

Virginia Department of Transportation  
Traffic Engineering Division  
2017  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
    Bollingbrook St	From: US 1 Par, 2nd St	City of Petersburg	0.08	4400	F	98%	0%	1%	0%	0%	0%	F	0.117	0.722	4700	F	
	Combined Traffic Estimates for Parallel Roadways on this Route:			NA	NA										NA	NA	
  Bollingbrook St	From: US 1, ALT US 301 3rd St	City of Petersburg	0.15	3700	F	98%	0%	1%	0%	0%	0%	F	0.113	0.699	4000	F	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:			7800	F	98%	0%	1%	0%	0%	0%	F	0.104	F	0.637	8200	F
  Bollingbrook St	From: 5th St	City of Petersburg	0.23	3100	F	98%	0%	1%	0%	0%	0%	C	0.11	0.667	3300	F	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:			7600	F	98%	0%	1%	0%	0%	0%	C	0.101	F	0.597	8100	F
  Crater Rd	From: Crater Rd	City of Petersburg	0.14	2800	F	97%	1%	1%	1%	1%	0%	C	0.103	0.636	3000	F	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:			6500	G	98%	0%	1%	0%	0%	0%	F	NA		6900	G	
  Crater Rd	From: US 301 Par, Bank St	City of Petersburg	0.18	4300	F	98%	1%	1%	1%	0%	0%	F	0.097	0.56	4500	F	
	Combined Traffic Estimates for Parallel Roadways on this Route:			NA	NA										NA	NA	
 Washington St	From: US 301, BUS US 460 Crater Rd	City of Petersburg	0.18	11000	F	97%	0%	0%	0%	1%	0%	F	0.093		12000	F	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:			22000	F	97%	0%	0%	0%	0%	1%	0%	F	NA		24000	F
 Washington St	From: Burch St	City of Petersburg	0.25	11000	F	97%	0%	0%	0%	1%	0%	F	0.093		12000	F	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:			22000	F	97%	0%	0%	0%	0%	1%	0%	F	0.088	F	0.613	23000
 Darvills Rd	From: Nottoway County Line	Dinwiddie County	4.90	950	F	79%	1%	1%	3%	17%	0%	C	0.086	0.639	990	F	
	 Old Cryors Rd	From: 26-644 Brills Rd	Dinwiddie County	6.15	1100	A	86%	1%	1%	3%	10%	0%	C	0.11	0.574	1100	A
 McKenney Hwy		From: 26-610 Old White Oak Rd	Dinwiddie County	2.46	1500	F	83%	1%	1%	2%	13%	0%	C	0.098	0.546	1600	F
	 Doyle Blvd	From: WCL McKenney	Town of McKenney (Maint: 26)	0.34	1500	N	83%	1%	1%	2%	13%	0%	N	0.098	0.546	1600	N
 Doyle Blvd		From: 26-1002 Railroad St	Town of McKenney (Maint: 26)	0.57	2500	F	89%	2%	1%	2%	7%	0%	C	0.086	0.502	2600	F
	 Doyle Blvd	From: US 1 Boynton Plank Rd	Town of McKenney (Maint: 26)	0.43	2600	F	92%	1%	1%	2%	4%	0%	C	0.086	0.502	2600	F
 McKenney Hwy		From: ECL McKenney	Dinwiddie County	0.14	2600	N	92%	1%	1%	2%	4%	0%	N	0.086	0.502	2600	N
				To: I-85													

Virginia Department of Transportation  
Traffic Engineering Division  
2017  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
40 McKenney Hwy	Dinwiddie County	0.56	2100	F	89%	1%	1%	2%	7%	0%	C	0.094	0.502	2200	F	
40 McKenney Hwy	Dinwiddie County	5.15	1100	A	87%	1%	1%	3%	8%	0%	C	0.113	0.535	1100	A	
40 McKenney Hwy	Dinwiddie County	2.04	950	F	87%	1%	2%	2%	8%	0%	C	0.086	0.559	960	F	
40 McKenney Hwy	Dinwiddie County	5.19	1200	F	83%	1%	2%	2%	12%	0%	C	0.09	0.594	1200	F	
40 Ramp	Dinwiddie County	0.21	390	F								0.087		390	F	
40 Ramp	Dinwiddie County	0.21	770	F								0.121		770	F	
North 85	Dinwiddie County	2.38	11000	A	81%	1%	1%	1%	16%	1%	F	0.118		10000	A	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			23000	A	80%	1%	1%	1%	16%	1%	F	0.110	A	0.529	20000	A
North 85	Dinwiddie County	5.95	12000	A	84%	1%	1%	1%	12%	1%	F	0.113		11000	A	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			24000	A	83%	1%	1%	1%	13%	1%	F	0.105	A	0.554	22000	A
North 85	Dinwiddie County	4.88	12000	A	84%	1%	1%	1%	12%	1%	F	0.112		11000	A	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			25000	A	83%	1%	1%	1%	13%	1%	F	0.068	F	0.575	22000	A
North 85	Dinwiddie County	8.52	14000	A	84%	1%	1%	1%	12%	1%	C	0.106		13000	A	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			28000	A	83%	1%	1%	1%	13%	1%	C	0.099	A	0.549	25000	A
North 85 460	Dinwiddie County	1.77	21000	A	84%	1%	1%	1%	12%	1%	F	0.092		20000	A	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			41000	A	85%	1%	1%	1%	11%	1%	F	0.091	A	0.522	40000	A
North 85 460	Dinwiddie County	1.18	26000	A	88%	1%	1%	1%	9%	1%	C	0.086		26000	A	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			52000	A	87%	1%	1%	1%	10%	1%	C	0.089	A	0.521	51000	A
North 85 460	City of Petersburg (Maint: 26)	1.01	26000	A	88%	1%	1%	1%	9%	1%	C	0.086		26000	A	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			52000	A	87%	1%	1%	1%	10%	1%	C	0.089	A	0.521	51000	A

Virginia Department of Transportation  
Traffic Engineering Division  
2017  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
North 85 460	From: Squirrel Level Road															
	City of Petersburg (Maint: 26)	2.57	30000	A	88%	1%	1%	1%	9%	1%	F	0.087		30000	A	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			58000	A	87%	1%	1%	1%	10%	1%	F	0.089	A	0.52	58000	A
North 85 I-85 N Ramp	From: Ramp To I-95 S															
	City of Petersburg (Maint: 26)	0.46	23000	F	88%	1%	1%	1%	9%	1%	F	0.081		23000	F	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			43000	F								0.079	F	0.586	NA	
North 85 Ramp	From: Ramp to Washington St; Wythe St															
	City of Petersburg (Maint: 26)	0.11	20000	F	88%	1%	1%	1%	9%	1%	F	0.077		20000	F	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			36000	F	86%	1%	1%	1%	11%	1%	F	0.079	F	0.564	35000	F
North 85 Ramp	From: I-95 North															
	Dinwiddie County	0.20	400	F								0.102		400	F	
North 85 Ramp	From: SR 40 McKenney Hwy															
	Dinwiddie County	0.21	190	F								0.177		190	F	
North 85 Ramp	From: I-85 North															
	Dinwiddie County	0.37	290	F								0.119		290	F	
North 85 Dinwiddie Rest Area	From: I-85 North to Rest Area															
	Dinwiddie County	0.14	550	N	72%	2%	0%	0%	23%	2%	N	0.102		550	N	
North 85 Dinwiddie Rest Area	From: Enter Rest Area Parking Lot															
	Dinwiddie County	0.19	550	F	72%	2%	0%	0%	23%	2%	C	0.102		550	F	
North 85 Ramp	From: I-85 North from Rest Area															
	Dinwiddie County	0.20	750	F								0.116		750	F	
North 85 Ramp	From: BUS US 460															
	Dinwiddie County	0.15	600	F								0.09		600	F	
North 85 Ramp	From: I-85 North															
	Dinwiddie County	0.26	980	F								0.085		980	F	
North 85 Ramp	From: US 1 N, Boydton Plank Rd															
	City of Petersburg (Maint: 26)	0.11	1300	F								0.096		NA		
North 85 460 Ramp	From: I-85 North															
	City of Petersburg (Maint: 26)	0.10	6400	A	88%	0%	1%	1%	10%	0%	C	0.151		6800	A	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:																

Virginia Department of Transportation  
Traffic Engineering Division  
2017  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
North  Ramp	From: I-85 North Ramp to I-95 North City of Petersburg (Maint: 26)	0.06	2900	F										2900	F	
	To: I-95 North Exit 51A to Wythe St & Washington St															
North  Ramp	From: I-95 North City of Petersburg (Maint: 26)	0.22	5800	A										6200	A	
	To: Wythe St & Washington St															
North  Ramp	From: I-85 North Exit 68C City of Petersburg (Maint: 26)	0.17	2600	A										2800	A	
	To: CEUS 460-P Washington St															
North  Ramp	From: I-85 North Exit 68B City of Petersburg (Maint: 26)	0.07	3200	A										3400	A	
	To: CEUS 460 Wythe St															
South 	From: Brunswick County Line Dinwiddie County	2.78	12000	A	80%	1%	1%	1%	16%	1%	F	0.112		10000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		23000	A	80%	1%	1%	1%	16%	1%	F	0.110	A	0.529	20000	A
	To: SR 40															
South 	From: SR 40 Dinwiddie County	5.95	12000	A	82%	1%	1%	1%	14%	1%	F	0.108		11000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		24000	A	83%	1%	1%	1%	13%	1%	F	0.069	F	0.548	22000	A
	To: 26-650															
South 	From: 26-650 Dinwiddie County	4.95	12000	A	82%	1%	1%	1%	14%	1%	F	0.107		11000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		25000	A	83%	1%	1%	1%	13%	1%	F	0.103	A	0.542	22000	A
	To: 26-703															
South 	From: 26-703 Dinwiddie County	8.36	14000	A	82%	1%	1%	1%	14%	1%	C	0.103		12000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		28000	A	83%	1%	1%	1%	13%	1%	C	0.099	A	0.549	25000	A
	To: US 460															
South  	From: US 460 Dinwiddie County	1.83	20000	A	87%	1%	1%	1%	10%	1%	F	0.098		20000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		41000	A	85%	1%	1%	1%	11%	1%	F	0.091	A	0.522	40000	A
	To: US 1															
South  	From: US 1 Dinwiddie County	0.81	25000	A	87%	1%	1%	1%	10%	1%	C	0.101		25000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		52000	A	87%	1%	1%	1%	10%	1%	C	0.089	A	0.521	51000	A
	To: SCL Petersburg															
South  	From: SCL Petersburg City of Petersburg (Maint: 26)	1.25	25000	A	87%	1%	1%	1%	10%	1%	C	0.101		25000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		52000	A	87%	1%	1%	1%	10%	1%	C	0.089	A	0.521	51000	A
	To: Squirrel Level Road															
South  	From: Squirrel Level Road City of Petersburg (Maint: 26)	2.23	28000	A	87%	1%	1%	1%	10%	1%	F	0.1		28000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		58000	A	87%	1%	1%	1%	10%	1%	F	0.089	A	0.52	58000	A
	To: Ramp From I-95 N															

Virginia Department of Transportation  
 Traffic Engineering Division  
 2017  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Dinwiddie Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
South (85) I-85 S Ramp	From: Ramp From I-95 N City of Petersburg (Maint: 26)	0.33	20000	F										NA		
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		43000	F										NA		
South (85) I-85 S Ramp	To: Ramp From Washington Ave City of Petersburg (Maint: 26)	0.16	16000	A	84%	1%	1%	1%	12%	1%	F	0.089		15000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		36000	F	86%	1%	1%	1%	11%	1%	F	0.079	F	0.564	35000	F
South (85) Ramp	To: I-95 South From: I-85 South Dinwiddie County	0.18	790	F								0.127		790	F	
South (85) Ramp	To: I-85 South Exit 42B to SR 40 From: I-85 South Dinwiddie County	0.21	460	F								0.13		460	F	
South (85) Ramp	To: 26-650 Hamilton Arms Rd From: I-85 South Dinwiddie County	0.26	1900	F								0.118		1900	F	
South (85) Dinwiddie Rest Area	To: I-85 South to Rest Area From: I-85 South to Rest Area Dinwiddie County	0.15	720	N	76%	1%	1%	1%	20%	1%	N	0.084		720	N	
South (85) Dinwiddie Rest Area	To: Enter Rest Area Parking Lot From: Exit Rest Area Parking Lot Dinwiddie County	0.25	720	F	76%	1%	1%	1%	20%	1%	C	0.084		720	F	
South (85) Ramp	To: I-85 South from Rest Area From: I-85 South Dinwiddie County	0.18	8100	F								0.12		8100	F	
South (85) Ramp	To: I-85 South Exit 61B to US 460 West From: I-85 South Dinwiddie County	0.19	3600	F								0.100		3600	F	
South (85) Ramp	To: US 1 S, Boydton Plank Rd From: I-85 South Dinwiddie County	0.21	3400	F								0.119		3400	F	
South (85) Ramp	To: US 1 N, Boydton Plank Rd From: I-85 South City of Petersburg (Maint: 26)	0.13	4400	A								0.105		4800	A	
North (95)	To: 123-9011 Squirrel Level From: Rives Rd City of Petersburg (Maint: 74)	1.15	19000	A	86%	1%	1%	1%	12%	0%	F	0.109		18000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		39000	A	86%	1%	1%	0%	12%	0%	F	0.102	A	0.507	36000	A
North (95)	To: Wagner Rd From: Wagner Rd City of Petersburg (Maint: 74)	2.79	25000	A	86%	1%	1%	1%	12%	0%	F	0.100		24000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		51000	A	86%	1%	1%	0%	12%	0%	F	0.094	A	0.536	49000	A
	To: US 460 County Rd; US 301 Crater Rd															

Virginia Department of Transportation  
Traffic Engineering Division  
2017  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
North 95	From: US 460 County Rd; US 301 Crater Rd															
	City of Petersburg (Maint: 74)	0.03	21000	A	86%	1%	1%	1%	12%	0%	F	0.106		20000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		43000	A	86%	1%	1%	0%	12%	0%	F	0.094	A	0.536	40000	A
	To: Maintenance Jurisdiction Change															
North 95	From: I-85															
	City of Petersburg (Maint: 26)	0.44	49000	A	92%	1%	1%	1%	6%	0%	F	0.089		48000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		95000	A	91%	1%	1%	1%	6%	0%	F	0.087	A	0.518	93000	A
	To: US 301, Bus US 460 Washington St															
North 95	From: US 301, Bus US 460 Washington St															
	City of Petersburg (Maint: 26)	0.64	56000	A	92%	1%	1%	1%	6%	0%	F	0.089		55000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		110000	A	91%	1%	1%	1%	6%	0%	F	0.087	A	0.519	109000	A
	To: SCL Colonial Heights															
North 95 Ramp	From: I-95 North															
	City of Petersburg (Maint: 74)	0.17	940	A								0.105		910	A	
	To: 123-9008 Rives Rd															
North 95 Ramp	From: I-95 North															
	City of Petersburg (Maint: 74)	0.35	310	A								0.131		320	A	
	To: 123-9010 Wagner Rd															
North 95 Ramp	From: I-95 North															
	City of Petersburg (Maint: 74)	0.23	990	F								0.085		990	F	
	To: 123-9010 W, Wagner Rd															
North 95 Ramp	From: I-95 North Collector Rd															
	City of Petersburg (Maint: 74)	0.11	670	F								0.17		670	F	
	To: US 460 E, County Dr															
North 95 Ramp	From: I-95 Collector Rd															
	City of Petersburg (Maint: 74)	0.14	470	F								0.09		470	F	
	To: US 301 N, Crater Rd															
North 95 Ramp	From: I-95 North Collector Rd															
	City of Petersburg (Maint: 74)	0.16	1600	F								0.122		1600	F	
	To: US 301 S, Crater Rd															
North 95 I-95 North CD Rd at US 460; US 301	From: I-95 North															
	City of Petersburg (Maint: 74)	0.04	3200	F								0.091		3200	F	
	To: Ramp to US 460 East															
North 95 I-95 North CD Rd at US 460; US 301	From: Ramp to US 460 East															
	City of Petersburg (Maint: 74)	0.15	2500	F								0.100		2500	F	
	To: Ramp From US 460 West															
North 95 I-95 North CD Rd at US 460; US 301	From: Ramp From US 460 West															
	City of Petersburg (Maint: 74)	0.26	11000	G								0.139		12000	G	
	To: Ramp to US 301 North															
North 95 I-95 North CD Rd at US 460; US 301	From: Ramp to US 301 North															
	City of Petersburg (Maint: 74)	0.22	NA									NA		NA		
	To: Ramp to US 301 South															

Virginia Department of Transportation  
Traffic Engineering Division  
2017  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
North (95)	From: Ramp to US 301 South City of Petersburg (Maint: 74)	0.06	9700	G										9700	G	
North (95)	To: Ramp From US 301 City of Petersburg (Maint: 74)	0.14	15000	A										16000	A	
North (95)	From: Ramp to Wythe & Washington Streets City of Petersburg (Maint: 74)	0.01	NA										NA	NA		
North (95)	To: I-95 North City of Petersburg (Maint: 26)	0.47	3400	F										3400	F	
North (95)	To: I-85 North Exit 68B To Wythe St & Washington St City of Petersburg (Maint: 26)	0.43	6200	F										6200	F	
North (95)	From: I-95 North City of Petersburg (Maint: 74)	0.19	1700	F										1700	F	
South (95)	From: SCL Petersburg City of Petersburg (Maint: 74)	0.34	17000	A	86%	1%	1%	0%	11%	0%	F	0.119		15000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		33000	A	86%	1%	1%	0%	12%	0%	F	NA		29000	A	
South (95)	To: Rives Rd City of Petersburg (Maint: 74)	1.22	20000	A	86%	1%	1%	0%	11%	0%	F	0.109		18000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		39000	A	86%	1%	1%	0%	12%	0%	F	0.102	A	0.507	36000	A
South (95)	To: Wagner Rd City of Petersburg (Maint: 74)	1.50	26000	A	86%	1%	1%	0%	11%	0%	F	0.098		25000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		51000	A	86%	1%	1%	0%	12%	0%	F	0.094	A	0.536	49000	A
South (95)	To: US 460 County Rd; US 301 Crater Rd From: South of US 460 County Rd; US 301 Crater Rd City of Petersburg (Maint: 74)	0.91	22000	A	86%	1%	1%	0%	11%	0%	F	0.104		21000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		43000	A	86%	1%	1%	0%	12%	0%	F	0.094	A	0.536	40000	A
South (95)	To: North of US 460 County Rd; US 301 Crater Rd From: City of Petersburg (Maint: 26)	0.41	32000	A										31000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		53000	A										51000	A	
South (95)	To: I-85 From: City of Petersburg (Maint: 26)	0.66	46000	A	91%	1%	1%	1%	6%	0%	F	0.09		45000	A	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		95000	A	91%	1%	1%	1%	6%	0%	F	0.087	A	0.518	93000	A
	To: US 301, Bus US 460 Washington St															

Virginia Department of Transportation  
 Traffic Engineering Division  
 2017  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Dinwiddie Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
South (95)	From: US 301, Bus US 460 Washington St City of Petersburg (Maint: 26)	0.48	54000	A	91%	1%	1%	1%	6%	0%	F	0.089		53000	A	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			110000	A	91%	1%	1%	1%	6%	0%	F	0.087	A	0.519	109000	A
	To: SCL Colonial Heights															
South (95) Ramp	From: I-95 South City of Petersburg (Maint: 74)	0.16	4700	F								0.09		4700	F	
	To: 123-9008 Rives Rd															
South (95) Ramp	From: I-95 South City of Petersburg (Maint: 74)	0.25	2200	F								0.084		2200	F	
	To: 123-9010 E, Wagner Rd															
South (95) Ramp	From: I-95 South City of Petersburg (Maint: 74)	0.31	5500	A								0.096		6000	A	
	To: 123-9010 W, Wagner Rd															
South (95) Ramp	From: I-95 South Collector Rd City of Petersburg (Maint: 74)	0.09	6700	F	99%	0%	0%	0%	0%	0%	C	0.162		6700	F	
	To: 123-9012 Graham Rd															
South (95) (460) Ramp	From: I-95 South City of Petersburg (Maint: 74)	0.06	9700	A								0.098		11000	A	
	To: Ramp to Graham Rd															
South (95) (460) Ramp from I-85 N to I-95 S	From: Ramp from US 301 City of Petersburg (Maint: 74)	0.07	11000	G	91%	0%	1%	1%	7%	0%	C	0.112		11000	G	
	To: Ramp from US 301															
South (95) (460) (Bus 460) Ramp from I-85 N to I-95 S	From: Ramp from US 301 City of Petersburg (Maint: 74)	0.18	NA									NA		NA		
	To: Ramp from US 301															
South (95) (460) (Bus 460) Ramp from I-85 N to I-95 S	From: US 460 Ramp City of Petersburg (Maint: 74)	0.27	12000	F								0.097	0.786	13000	F	
	To: I-95 South															
South (95) Ramp	From: I-95 South City of Petersburg (Maint: 74)	0.12	NA									NA		NA		
	To: I-95-S052B to Washington Street															
South (95) Ramp	From: City of Petersburg (Maint: 74)	0.19	NA									NA		NA		
	To: CEUS 460 FROM RT 95 SOUTH															
(106) Courthouse Rd	From: US 460 County Rd City of Petersburg	0.10	7000	F	95%	1%	1%	1%	2%	0%	F	0.096	0.54	7400	F	
	To: ECL Petersburg															
(109) Hickory Hill Rd	From: US 460 County Rd City of Petersburg	0.88	8200	F	99%	0%	0%	0%	0%	0%	C	0.136	0.884	8700	F	
	To: ECL Petersburg															

Virginia Department of Transportation  
Traffic Engineering Division  
2017  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
109 Hickory Hill Rd	From: ECL Petersburg City of Petersburg To: Dead End: Fort Lee Military Reservation, Mahone Av	0.03	8200	N	99%	0%	0%	0%	0%	0%	N	0.136	0.884	8700	N	
142 Simpson Rd	From: US 1 Boydton Plank Rd Dinwiddie County To: WCL Petersburg	1.27	2700	F	97%	0%	0%	1%	2%	0%	C	0.102	0.56	2900	F	
142 Boydton Plank Rd	From: WCL Petersburg City of Petersburg To: Dupuy Rd	0.16	3000	F	97%	0%	0%	1%	1%	0%	F	0.106	0.506	3200	F	
142 Boydton Plank Rd	From: Dupuy Rd City of Petersburg To: Rt 604 Halifax Rd	1.24	2800	F	97%	0%	0%	1%	1%	0%	C	0.105	0.562	3000	F	
142 Halifax Rd	From: Rt 604 Halifax Rd City of Petersburg To: CSX RR	0.06	5400	N	98%	1%	0%	0%	0%	0%	N	0.087	0.534	5800	N	
226 Cox Rd	From: US 460 Airport St Dinwiddie County To: 26-706 Old Cox Rd	0.53	3500	F	88%	1%	1%	8%	3%	0%	C	0.098	0.525	3700	F	
226 Cox Rd	From: 26-706 Old Cox Rd Dinwiddie County To: US 1 Boydton Plank Rd	2.85	9800	F	97%	0%	1%	2%	0%	0%	C	0.091	0.647	10000	F	
301 Crater Rd	From: SCL Petersburg City of Petersburg To: Rives Rd	0.21	8800	F	99%	0%	1%	0%	0%	0%	F	0.097	0.613	9300	F	
301 Crater Rd	From: Rives Rd City of Petersburg To: Wagner Rd	0.90	9800	F	99%	0%	0%	0%	0%	0%	C	0.088	0.588	10000	F	
301 Crater Rd	From: Wagner Rd City of Petersburg To: Flank Rd	0.43	21000	F	99%	0%	0%	0%	0%	0%	F	0.086	0.529	22000	F	
301 Crater Rd	From: Flank Rd City of Petersburg To: ALT US 301 Sycamore St	0.87	21000	F	99%	0%	0%	0%	0%	0%	F	0.084	0.52	23000	F	
301 Crater Rd	From: ALT US 301 Sycamore St City of Petersburg To: South Blvd	0.26	15000	F	98%	0%	1%	0%	0%	0%	C	0.081	0.511	16000	F	
301 Crater Rd	From: South Blvd City of Petersburg To: I-95, Bus US 460	0.73	21000	F	98%	0%	1%	0%	0%	0%	F	0.083	0.51	22000	F	
301 460 Crater Rd	From: I-95, Bus US 460 City of Petersburg (Maint: 26) To: I-95; Bus US 460 Par, Winfield Rd	0.09	10000	N	98%	1%	1%	1%	0%	0%	N	0.089	0.554	11000	N	
301 460 Crater Rd	From: Maintenance Jurisdiction Change City of Petersburg To: SR 36, Bus US 460 Wythe St	0.98	10000	F	98%	1%	1%	1%	0%	0%	C	0.089	0.554	11000	F	
Combined Traffic Estimates for Parallel Roadways on this Route:													NA	NA	NA	
301 460 Crater Rd	From: SR 36, Bus US 460 Wythe St City of Petersburg To: SR 36 Par, Bus US 460 Par, Washington St	0.10	7100	F	98%	1%	1%	1%	0%	0%	F	0.094	0.568	7500	F	
Combined Traffic Estimates for Parallel Roadways on this Route:													NA	NA	NA	

Virginia Department of Transportation  
Traffic Engineering Division  
2017  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
	From: SR 36 Par, Bus US 460 Par, Washington St															
Crater Rd	City of Petersburg	0.18	<b>4300</b>	<b>F</b>	98%	1%	1%	1%	0%	0%	F	0.097	0.56	4500	F	
	Combined Traffic Estimates for Parallel Roadways on this Route:		<b>NA</b>									NA		NA		
	To: US 301 Par, Bank St															
Crater Rd	City of Petersburg	0.14	<b>2800</b>	<b>F</b>	97%	1%	1%	1%	1%	0%	C	0.103	0.636	3000	F	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		<b>6500</b>	<b>G</b>	98%	0%	1%	0%	0%	0%	F	NA		6900	G	
	To: Bollingbrook St															
	From: Crater Rd															
Bollingbrook St	City of Petersburg	0.23	<b>3100</b>	<b>F</b>	98%	0%	1%	0%	0%	0%	C	0.11	0.667	3300	F	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		<b>7600</b>	<b>F</b>	98%	0%	1%	0%	0%	0%	C	0.101	F	0.597	8100	F
	To: 5th St															
Bollingbrook St	City of Petersburg	0.15	<b>3700</b>	<b>F</b>	98%	0%	1%	0%	0%	0%	F	0.113	0.699	4000	F	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		<b>7800</b>	<b>F</b>	98%	0%	1%	0%	0%	0%	F	0.104	F	0.637	8200	F
	To: 3rd St															
	From: US 1, ALT US 301 3rd St															
Bollingbrook St	City of Petersburg	0.08	<b>4400</b>	<b>F</b>	98%	0%	1%	0%	0%	0%	F	0.117	0.722	4700	F	
	Combined Traffic Estimates for Parallel Roadways on this Route:		<b>NA</b>									NA		NA		
	To: US 1 Par, 2nd St															
	From: N RT 1															
2nd St	City of Petersburg	0.35	<b>15000</b>	<b>F</b>	99%	0%	0%	0%	0%	0%	F	0.093	0.562	16000	F	
	To: SCL Colonial Heights															
	From: US 301															
Ramp	City of Petersburg (Maint: 74)	0.19	<b>6300</b>	<b>F</b>								0.079		6300	F	
	To: I-95 North Collector Rd															
	From: US 301 Crater Rd															
North Ramp	City of Petersburg (Maint: 74)	0.10	<b>1600</b>	<b>F</b>								0.079		1600	F	
	To: I-95 South Collector Rd, US 460															
	From: US 301 S, Crater Rd															
South Bus Ramp US 301 S to I-95 S at Exit ???	City of Petersburg (Maint: 74)	0.20	<b>630</b>	<b>F</b>	97%	1%	1%	1%	1%	0%	F	0.096		670	F	
	To: I-95 South Collector Rd, US 460															
	From: US 301 Crater St															
Bank St	City of Petersburg	0.24	<b>4500</b>	<b>F</b>	99%	0%	1%	0%	0%	0%	C	0.095	0.527	4800	F	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		<b>7600</b>	<b>F</b>	98%	0%	1%	0%	0%	0%	C	0.101	F	0.597	8100	F
	To: 5th St															
Bank St	City of Petersburg	0.15	<b>4000</b>	<b>F</b>	99%	0%	1%	0%	0%	0%	F	0.097		4200	F	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		<b>7800</b>	<b>F</b>	98%	0%	1%	0%	0%	0%	F	0.104	F	0.637	8200	F
	To: 3rd St															
	From: ALT US 301 3rd St															
Bank St	City of Petersburg	0.09	<b>3700</b>	<b>F</b>	99%	0%	1%	0%	0%	0%	F	0.098		3900	F	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		<b>8100</b>	<b>F</b>	98%	0%	1%	0%	0%	0%	F	NA		8600	F	
	To: ALT US 301 Par, 2nd St															

Virginia Department of Transportation  
 Traffic Engineering Division  
 2017  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Dinwiddie Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
ALT 301 Sycamore St	From: US 301 Crater Rd City of Petersburg	0.30	7200	F	99%	0%	0%	0%	0%	0%	F	0.085	0.52	7700	F	
ALT 301 Sycamore St	To: South Blvd From: City of Petersburg	0.95	5600	F	99%	0%	0%	0%	0%	0%	C	0.089	0.656	5900	F	
ALT 301 Sycamore St	To: North Blvd From: City of Petersburg	0.42	8900	F	99%	0%	0%	0%	0%	0%	F	0.087	0.604	9500	F	
ALT 301 Sycamore St	To: Graham Rd From: City of Petersburg	0.56	10000	F	99%	0%	0%	0%	0%	0%	F	0.086	0.551	11000	F	
ALT 301 Sycamore St	To: US 1 Wythe St From: City of Petersburg	0.20	15000	F	96%	0%	1%	2%	1%	0%	F	0.086	NA	16000	F	
Combined Traffic Estimates for Parallel Roadways on this Route:			NA											NA	NA	
ALT 301 1 Jefferson St	To: Bus US 460 Jefferson St From: Bus US 460 Wythe St City of Petersburg	0.09	3400	F	96%	0%	1%	2%	1%	0%	F	0.085	0.704	3600	F	
Combined Traffic Estimates for Parallel Roadways on this Route:			NA											NA	NA	
ALT 301 1 Jefferson St	To: Bus US 460 Par. Washington St From: City of Petersburg	0.26	770	F	98%	1%	0%	0%	0%	0%	C	0.089	0.569	810	F	
Combined Traffic Estimates for Parallel Roadways on this Route:			NA											NA	NA	
ALT 301 1 3rd St	To: Henry St From: City of Petersburg	0.05	350	F	96%	0%	1%	2%	1%	0%	F	0.118	0.65	370	F	
Combined Traffic Estimates for Parallel Roadways on this Route:			NA											NA	NA	
ALT 301 1 3rd St	To: US 301 Par. Bank St From: City of Petersburg	0.05	450	F	96%	0%	1%	2%	1%	0%	F	0.092	0.670	480	F	
Combined Traffic Estimates for Parallel Roadways on this Route:			NA											NA	NA	
ALT 301 301 1 36 Bollingbrook St	To: US 301 Bollingbrook St From: US 1, ALT US 301 3rd St City of Petersburg	0.08	4400	F	98%	0%	1%	0%	0%	0%	F	0.117	0.722	4700	F	
Combined Traffic Estimates for Parallel Roadways on this Route:			NA											NA	NA	
ALT 301 Sycamore St	To: US 301 From: US 1 Wythe St City of Petersburg	0.09	6800	F	98%	0%	1%	0%	0%	0%	F	0.086	0.581	7300	F	
Combined Traffic Estimates for Parallel Roadways on this Route:			NA											NA	NA	
ALT 301 Bus 460 Bus 460 36 Washington St	To: Bus US 460 Washington St From: Bus US 460 Par City of Petersburg	0.09	15000	F	97%	1%	1%	1%	1%	0%	F	0.078	NA	16000	F	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			30000											F	32000	F
			To: Bus US 460 Washington St													

Virginia Department of Transportation  
Traffic Engineering Division  
2017  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
ALT 301 Adams St	From: BUS US 460 Washington St City of Petersburg	0.06	8900	F	98%	0%	1%	0%	0%	0%	F	0.086	0.518	9500	F	
Combined Traffic Estimates for Parallel Roadways on this Route:			NA								NA			NA		
ALT 301 Adams St	To: Franklin St City of Petersburg	0.16	8400	F	98%	0%	1%	0%	0%	0%	C	0.082	0.554	8900	F	
Combined Traffic Estimates for Parallel Roadways on this Route:			NA								NA			NA		
460	From: Nottoway County Line Dinwiddie County	6.80	5700	F	88%	1%	1%	1%	9%	0%	F	0.086	0.502	5700	F	
460	To: 26-625 Wells Rd From: Dinwiddie County	2.99	5800	F	88%	1%	1%	1%	9%	0%	F	0.086	0.514	5800	F	
460	To: 26-622 Baltimore Rd From: Dinwiddie County	2.32	7000	A	88%	1%	1%	1%	9%	0%	C	0.106	0.581	7100	A	
460	To: 26-611 Trinity Church Rd From: Dinwiddie County	3.29	7200	F	88%	1%	1%	1%	9%	0%	F	0.086	0.569	7300	F	
460 New Cox Rd	To: 26-627 Courthouse Rd From: Dinwiddie County	2.36	7600	F	88%	1%	1%	1%	9%	0%	F	0.09	0.568	7700	F	
460 Cox Rd	To: 26-628 Tranquility Lane From: Dinwiddie County	2.12	9900	F	88%	1%	1%	1%	9%	0%	F	0.090	0.603	10000	F	
460 Cox Rd	To: 26-631 Claiborne Rd From: Dinwiddie County	0.25	13000	F	88%	1%	1%	1%	9%	0%	F	0.089	0.593	13000	F	
460 Cox Rd	To: 26-743 Hart Rd From: Dinwiddie County	2.00	13000	F	88%	1%	1%	1%	9%	0%	F	0.089	0.615	13000	F	
460 Cox Rd	To: W 26-632 Olgers Rd From: Dinwiddie County	0.61	16000	F	88%	1%	1%	1%	9%	0%	F	0.095	0.613	16000	F	
460 Cox Rd	To: E 26-632 Buttewood Rd From: Dinwiddie County	0.18	16000	F	88%	1%	1%	1%	9%	0%	F	0.089	0.588	17000	F	
460 Airport St	To: SR 226 Cox Rd From: Dinwiddie County	1.21	18000	F	88%	1%	1%	1%	9%	0%	F	0.101	0.571	18000	F	
Bus 460 460 Ramp	To: I-85; Bus US 460 From: x	0.19														
			See Bus US 460 for directional traffic volume estimates for this segment.													
460 85	To: x From: I 85 N	1.77														
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			41000	A	85%	1%	1%	1%	11%	1%	F	0.091	A	0.522	40000	A
460 85	To: US 1 From: Dinwiddie County	1.18														
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			52000	A	87%	1%	1%	1%	10%	1%	C	0.089	A	0.521	51000	A
			To: SCL Petersburg													

Virginia Department of Transportation  
Traffic Engineering Division  
2017  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
	From: SCL Petersburg															
 	City of Petersburg (Maint: 26)	1.01														
	See I-85 for directional traffic volume estimates for this segment.															
	Combined Traffic Estimates for 2 Parallel Roadways on this Route: <b>52000</b> <b>A</b> 87% 1% 1% 1% 10% 1% C 0.089 A 0.521 51000 A															
	To: Squirrel Level Road															
 	City of Petersburg (Maint: 26)	2.57														
	See I-85 for directional traffic volume estimates for this segment.															
	Combined Traffic Estimates for 2 Parallel Roadways on this Route: <b>58000</b> <b>A</b> 87% 1% 1% 1% 10% 1% F 0.089 A 0.52 58000 A															
	To: I-85 S															
 	Ramp City of Petersburg (Maint: 26)	0.10														
	See I-85 for directional traffic volume estimates for this segment.															
	To: I-95 SB															
 	Ramp City of Petersburg (Maint: 74)	0.06														
	See I-95 for directional traffic volume estimates for this segment.															
	To: I-85															
 	Ramp from I-85 N to I-95 S City of Petersburg (Maint: 74)	0.07														
	See I-95 for directional traffic volume estimates for this segment.															
	To: I-95 SB Collector Ramp															
  	Ramp from I-85 N to I-95 S City of Petersburg (Maint: 74)	0.18														
	See I-95 for directional traffic volume estimates for this segment.															
	To: Ramp from US 301 North															
  	Ramp from I-85 N to I-95 S City of Petersburg (Maint: 74)	0.27														
	See I-95 for directional traffic volume estimates for this segment.															
	To: Ramp from US 301															
	Ramp City of Petersburg	0.21	<b>9500</b>	<b>F</b>							0.106			9500	F	
	To: Ramp from I-95 North Collector Rd															
	From: Maintenance Jurisdiction Change															
	County Dr City of Petersburg	0.28	<b>19000</b>	<b>F</b>	89%	0%	1%	2%	8%	0%	F	0.101		0.541	20000	F
	To: SR 109 Hickory Hill Rd															
	County Dr City of Petersburg	2.16	<b>9900</b>	<b>B</b>	89%	0%	1%	2%	8%	0%	C	0.101		0.541	10000	B
	To: SR 106 Courthouse Rd															
	County Dr City of Petersburg	0.34	<b>13000</b>	<b>F</b>	89%	0%	1%	2%	8%	0%	F	0.082		0.545	13000	F
	To: ECL Petersburg															
	From: Ramps from US 460 Eastbound and Westbound															
	Ramp Dinwiddie County	0.20	<b>890</b>	<b>F</b>								0.105			890	F
	To: I-85 South															
	From: US 460 Airport St Eastbound															
East 	Ramp Dinwiddie County	0.03	<b>450</b>	<b>G</b>								0.094			450	G
	To: Ramp from US 460 Westbound toward I-85 Southbound															
	From: US 460 Airport St Westbound															
West 	Ramp to I-85 at Exit 61 Dinwiddie County	0.02	<b>NA</b>									NA			NA	
	To: Ramp from US 460 Eastbound toward I-85 Southbound															
	From: I-95 North Collector Rd															
	Ramp City of Petersburg (Maint: 26)	0.27	<b>9500</b>	<b>F</b>								0.146			9500	F
	To: Bus US 460 West															

Virginia Department of Transportation  
 Traffic Engineering Division  
 2017  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Dinwiddie Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
Bus 460 Airport St	From: I-85; US 460 Dinwiddie County	0.17	7600	F	98%	0%	1%	1%	1%	0%	F	0.091	0.564	8000	F	
Bus 460 1 Boydton Plank Rd	From: US 1 Boydton Plank Rd Dinwiddie County	1.69	12000	F	96%	1%	1%	0%	2%	0%	F	0.091	0.596	13000	F	
Bus 460 1 Boydton Plank Rd	From: I-85 SW of Petersburg Dinwiddie County	1.23	14000	F	98%	0%	1%	1%	1%	0%	F	0.095	0.513	15000	F	
Bus 460 1	From: SR 226 Cox Rd Dinwiddie County	0.45	12000	A	98%	0%	1%	1%	1%	0%	C	0.101	0.567	12000	A	
Bus 460 1 Washington St	From: WCL Petersburg City of Petersburg	0.40	12000	F	98%	0%	1%	1%	1%	0%	F	0.089	0.549	12000	F	
Bus 460 1 Washington St	From: Summit St City of Petersburg	0.18	12000	F	98%	0%	1%	1%	1%	0%	F	0.090	0.539	13000	F	
Bus 460 1 Washington St	From: Elm St City of Petersburg	0.57	13000	F	96%	0%	1%	2%	1%	0%	F	0.088	0.524	14000	F	
Bus 460 1 Wythe St	From: US 1 Par, Wythe St; Battersea Lane City of Petersburg	1.08	7500	F	96%	0%	1%	2%	1%	0%	C	0.084		8000	F	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		16000	F	96%	1%	1%	2%	1%	0%	F	0.089	F	0.540	17000	F
Bus 460 1 Wythe St	From: Perry St City of Petersburg	0.15	10000	F	96%	0%	1%	2%	1%	0%	F	0.091		11000	F	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		20000	F	96%	1%	1%	2%	1%	0%	F	0.089	F	0.523	21000	F
Bus 460 1 36 Wythe St	From: SR 36 Market St City of Petersburg	0.20	10000	F	96%	0%	1%	2%	1%	0%	F	0.09		11000	F	
	Combined Traffic Estimates for Parallel Roadways on this Route:		NA									NA		NA		
Bus 460 1 ALT 301 36 Wythe St	From: ALT US 301 Sycamore St City of Petersburg	0.20	15000	F	96%	0%	1%	2%	1%	0%	F	0.086		16000	F	
	Combined Traffic Estimates for Parallel Roadways on this Route:		NA									NA		NA		
Bus 460 36 Wythe St	From: US 1 Jefferson St City of Petersburg	0.20	15000	F	97%	1%	1%	1%	1%	0%	C	0.084		16000	F	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		31000	F	96%	1%	1%	1%	1%	0%	F	0.081	F	0.505	33000	F
Bus 460 36 Wythe St	From: I-85, I-95 City of Petersburg	0.30	11000	F	97%	1%	1%	1%	1%	0%	F	0.083		12000	F	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		24000	F	96%	1%	1%	1%	2%	0%	F	0.088	F	0.641	25000	F
	From: SR 36; US 301 Crater Rd															



Virginia Department of Transportation  
 Traffic Engineering Division  
 2017  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Dinwiddie Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
Bus 460 1 Washington St	From: 123-9025 West St City of Petersburg	0.40	8500	F	97%	1%	1%	2%	1%	0%	F	0.093		9000	F	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			16000	F	96%	1%	1%	2%	1%	0%	F	NA		17000	F	
Bus 460 1 Washington St	To: 123-9029 South St City of Petersburg	0.27	9500	F	97%	1%	1%	2%	1%	0%	C	0.092		10000	F	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			20000	F	96%	1%	1%	2%	1%	0%	F	0.089	F	0.527	21000	F
Bus 460 1 Washington St	To: Guarantee St City of Petersburg	0.24	9700	F	97%	1%	1%	2%	1%	0%	F	0.090		10000	F	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			20000	F	96%	1%	1%	2%	1%	0%	F	NA		21000	F	
Bus 460 36 Washington St	To: North Market St From: US 1 Par; SR 36 Market St City of Petersburg	0.19	11000	F	97%	1%	1%	1%	1%	0%	C	0.087		12000	F	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			21000	F	96%	1%	1%	1%	1%	0%	F	NA		23000	F	
Bus ALT 460 301 36 Washington St	To: ALT US 301 Par, Sycamore St From: City of Petersburg	0.09	15000	F	97%	1%	1%	1%	1%	0%	F	0.078		16000	F	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			30000	F	96%	1%	1%	1%	1%	0%	F	NA		32000	F	
Bus ALT 460 301 36 Washington St	To: ALT US 301 Par, Adams St From: City of Petersburg	0.10	14000	F	97%	1%	1%	1%	1%	0%	F	0.079		15000	F	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			28000	F	96%	1%	1%	1%	1%	0%	F	NA		30000	F	
Bus 460 36 Washington St	To: US 1 Jefferson St From: City of Petersburg	0.24	16000	F	94%	1%	1%	2%	2%	0%	F	0.077		16000	F	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			31000	F	96%	1%	1%	1%	1%	0%	F	0.081	F	0.511	33000	F
Bus 460 36 Washington St	To: I-95 From: City of Petersburg	0.24	13000	F	94%	1%	1%	2%	2%	0%	C	0.091		14000	F	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			24000	F	96%	1%	1%	1%	2%	0%	F	0.088	F	0.646	25000	F
Bus 460 301 Crater Rd	To: US 301 Crater Rd From: City of Petersburg	0.10	7100	F	98%	1%	1%	1%	0%	0%	F	0.094	0.568	7500	F	
Combined Traffic Estimates for Parallel Roadways on this Route:			NA									NA		NA		
Bus 460 301 Crater Rd	To: SR 36, BUS US 460 Wythe St From: City of Petersburg	0.98	10000	F	98%	1%	1%	1%	0%	0%	C	0.089	0.554	11000	F	
Combined Traffic Estimates for Parallel Roadways on this Route:			NA									NA		NA		
Bus 460 Winfield Rd	To: Maintenance Jurisdiction Change From: US 301 Crater Rd City of Petersburg	0.43	1200	F	96%	1%	1%	1%	0%	0%	C	0.102	0.979	1300	F	
Combined Traffic Estimates for 2 Parallel Roadways on this Route:			1800	F	97%	1%	1%	1%	1%	0%	F	NA		2000	F	
To: State Maintenance Boundary																

Virginia Department of Transportation  
 Traffic Engineering Division  
 2017  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Dinwiddie Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
Bus 460 Winfield Rd	From: State Maintenance Boundary City of Petersburg (Maint: 26)	0.09	1200	F	96%	1%	1%	1%	0%	0%	C	0.102	0.979	1300	F	
	Combined Traffic Estimates for 2 Parallel Roadways on this Route:		1800	F	97%	1%	1%	1%	1%	0%	F	NA		2000	F	
	To: US 460 County Rd															
Bus 460 Ramp	From: CEUS 460-P TO RTS 85 & 95 SOUTHBOUND City of Petersburg (Maint: 26)	0.26	4400	G								0.094		4400	G	
	To: CEUS 460-E006A TO RTS 85 & 95 SOUTHBOUND															
Bus 460 Ramp	From: Bus US 460 W, Washington St City of Petersburg (Maint: 74)	0.08	2800	F								0.097		2800	F	
	To: Ramp from Bus US 460 E, Wythe St															
Bus 460 Ramp	From: Bus US 460 West Dinwiddie County	0.27	1800	F								0.122		1800	F	
	To: I-85 North															

Virginia Department of Transportation  
Traffic Engineering Division  
2017  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Dinwiddie County</b>																
(F80) Buckskin Dr	0.21	10	R								NA		NA			06/05/2017
(F81) Frontage Rd	1.24	290	R								NA		NA			08/02/2017
(F82) Plane Dr	0.20	50	R								NA		NA			08/02/2017
(F83) Rock Rd	0.10	10	R								NA		NA			06/05/2017
(F273) Mine Mountain Rd	0.14	60	R								NA		NA			06/05/2017
(F290) Front Rd	0.51	1000	R								NA		NA			08/02/2017
<b>City of Petersburg</b>																
(F329) Lake Shore Dr	0.17	10	R								NA		NA			06/21/2017
(F330) N Normandy Dr	2.93	1800	R								NA		NA			10/28/2014
(F331) Service Rd	0.78	1200	R								NA		NA			09/13/2017
<b>Dinwiddie County</b>																
(F804)	0.19	60	R								NA		NA			06/05/2017
(F805)	0.10	10	R								NA		NA			06/05/2017
(F806) Walkers Rd	0.50	70	R								NA		NA			06/05/2017
(F855) Blessing Lane	0.26	50	R								NA		NA			06/05/2017
(600) Ferndale Rd	0.88	11000	F	99%	0%	1%	0%	0%	0%	C	0.104		0.57	11000	F	2017
(600) Ferndale Rd	0.53	6600	N	98%	0%	0%	1%	0%	0%	N	0.095		0.511	7100	N	2017
(601) River Rd	0.52	650	F	97%	1%	2%	0%	0%	0%	C	0.124		0.659	690	F	2017
(601) River Rd	3.25	1400	F	98%	1%	1%	0%	0%	0%	C	0.113		0.609	1500	F	2017
(601) River Rd	1.92	6800	F	99%	0%	0%	0%	0%	0%	C	0.103		0.67	7200	F	2017
(602) Corinth Dr	0.20	120	R								NA		NA			08/06/2014

Virginia Department of Transportation  
Traffic Engineering Division  
2017  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Dinwiddie County</b>																
(603) Weakley Rd	0.50	520	F	91%	1%	1%	1%	6%	0%	C	0.12		0.516	520	F	2017
(603) Sterling Rd	0.23	1900	F	98%	1%	1%	0%	0%	0%	C	0.086		0.659	2000	F	2017
(603) Sterling Rd	0.68	1900	F	98%	0%	1%	0%	0%	0%	C	0.093		0.61	2000	F	2017
(603) Sterling Rd	0.27	1700	F	98%	0%	1%	0%	0%	0%	F	0.101		0.582	1800	F	2017
(604) Halifax Rd	1.87	660	F	88%	3%	2%	2%	4%	0%	C	0.099		0.557	670	F	2017
(604) Halifax Rd	2.96	1100	F	94%	1%	1%	1%	3%	0%	C	0.099		0.639	1100	F	2017
(604) Halifax Rd	1.77	1600	F	96%	1%	1%	1%	2%	0%	C	0.106		0.711	1600	F	2017
(604) Halifax Rd	0.60	1600	F	95%	1%	1%	1%	2%	0%	C	0.094		0.679	1700	F	2017
(604) Halifax Rd	0.63	1900	F	96%	1%	1%	1%	2%	0%	C	0.098		0.606	2100	F	2017
(605) Hunnicut Rd	2.53	660	R								NA			NA		06/19/2014
(605) Old Vaughan Rd	3.20	470	R								NA			NA		06/19/2014
(605) Old Vaughan Rd	0.08	980	F	96%	3%	1%	0%	0%	0%	C	0.098		0.512	990	F	2017
(605) Old Stage Rd	0.50	670	R								NA			NA		06/19/2014
(605) Monks Neck Rd	4.49	400	R								NA			NA		06/19/2014
(605) Ellington Rd	1.40	380	R								NA			NA		06/19/2014
(606) Reams Dr	2.00	450	R								NA			NA		06/19/2014
(606) Oak Grove Rd	1.40	240	R								NA			NA		06/19/2014
(607) Butler Branch Rd	1.50	400	R								NA			NA		06/19/2014
(608) Zion Rd	0.46	140	R								NA			NA		08/06/2014
(609) Cherry Hill Rd	0.80	160	R								NA			NA		07/08/2014
(609) Cherryhill Rd	3.40	30	R								NA			NA		07/08/2014
(609) Old Stage Rd	0.70	130	R								NA			NA		07/08/2014

Virginia Department of Transportation  
Traffic Engineering Division  
2017  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Dinwiddie County</b>																
609	Cherry Hill Rd	2.30	50	R								NA		NA		07/08/2014
609	Old Stage Rd	1.58	190	R								NA		NA		07/08/2014
609	Old Stage Rd	2.90	140	R								NA		NA		07/25/2017
609	Old Stage Rd	2.20	290	F	95%	2%	1%	1%	1%	0%	C	0.131	0.611	290	F	2017
610	Baskerville Mill Rd	1.40	160	F	94%	4%	1%	0%	1%	0%	C	0.129	0.571	160	F	2017
610	Old White Oak Rd	0.50	150	F	99%	1%	1%	0%	0%	0%	C	0.135	0.5	150	F	2017
610	Old White Oak Rd	0.20	230	R								NA		NA		08/28/2014
610	Old White Oak Rd	2.40	180	R								NA		NA		08/28/2014
610	Old White Oak Rd	1.40	210	R								NA		NA		08/28/2014
610	Old White Oak Rd	1.20	300	R								NA		NA		08/28/2014
610	Old White Oak Rd	2.30	250	R								NA		NA		08/28/2014
610	Old White Oak Rd	0.90	250	R								NA		NA		08/28/2014
611	Wilkinson Rd	3.44	650	R								0.116	0.754	NA		07/25/2017
611	Wilkinson Rd	1.82	320	R								0.146	0.725	NA		07/25/2017
611	Trinity Church Rd	3.25	160	R								0.148	0.65	NA		07/25/2017
611	Trinity Church Rd	0.15	840	F	97%	1%	1%	1%	0%	0%	C	0.102	0.523	840	F	2017
611	Trinity Church Rd	0.92	510	F	96%	2%	1%	0%	0%	0%	C	0.128	0.567	520	F	2017
611	Trinity Church Rd	0.79	370	F	96%	2%	1%	0%	0%	0%	C	0.132	0.592	370	F	2017
611	Brown Rd	2.18	200	F	96%	3%	1%	0%	0%	0%	C	0.116	0.522	200	F	2017
611	Brown Rd	1.89	400	R								NA		NA		07/17/2014
611	Brown Rd	0.36	240	R								NA		NA		07/17/2014
611	Exeter Mill Rd	1.45	140	R								NA		NA		07/17/2014
612	Harpers Bridge Rd	0.10	230	F	99%	0%	0%	0%	1%	0%	C	0.140	0.5	230	F	2017

Virginia Department of Transportation  
Traffic Engineering Division  
2017  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Dinwiddie County</b>																
612	Old Beaver Pond Rd	0.77	300	F	98%	2%	0%	0%	0%	C	0.136		0.564	300	F	2017
613	Gills Bridge Rd	1.12	200	R									NA	NA		08/28/2014
613	Gills Bridge Rd	1.92	200	R									NA	NA		08/28/2014
613	Gills Bridge Rd	1.82	160	R									NA	NA		08/28/2014
613	White Oak Rd	7.37	170	F	95%	2%	3%	0%	1%	C	0.142		0.55	170	F	2017
613	White Oak Rd	0.93	280	F	95%	3%	1%	1%	1%	C	0.120		0.6	280	F	2017
613	White Oak Rd	1.13	240	F	93%	5%	2%	1%	0%	C	0.132		0.742	250	F	2017
613	White Oak Rd	1.93	240	F	94%	5%	1%	0%	0%	C	0.150		0.632	240	F	2017
613	White Oak Rd	3.27	210	F	93%	5%	1%	0%	0%	C	0.16		0.903	220	F	2017
613	White Oak Rd	1.38	300	F	95%	2%	1%	0%	1%	C	0.125		0.59	310	F	2017
613	White Oak Rd	1.26	430	F	98%	1%	1%	0%	1%	C	0.105		0.609	430	F	2017
613	White Oak Rd	1.77	1600	F	95%	3%	1%	0%	1%	C	0.167		0.516	1600	F	2017
613	White Oak Rd	1.71	1400	F	96%	2%	1%	0%	1%	C	0.124		0.614	1500	F	2017
613	Dabney Mill Rd	1.70	900	F	96%	3%	1%	0%	0%	C	0.110		0.515	910	F	2017
613	Dabney Mill Rd	1.22	470	F	94%	5%	1%	0%	0%	C	0.109		0.558	470	F	2017
613	Dabney Mill Rd	0.51	490	F	95%	3%	2%	0%	0%	C	0.111		0.537	490	F	2017
613	Squirrel Level Rd	1.43	360	F	95%	3%	1%	1%	0%	C	0.113		0.714	370	F	2017
613	Squirrel Level Rd	0.86	430	F	96%	3%	1%	1%	0%	C	0.118		0.604	440	F	2017
613	Squirrel Level Rd	1.39	1100	F	98%	1%	0%	0%	0%	C	0.098		0.557	1100	F	2017
613	Squirrel Level Rd	0.43	1300	F	98%	1%	1%	1%	0%	C	0.092		0.574	1400	F	2017
613	Squirrel Level Rd	0.56	960	F	98%	1%	1%	0%	0%	C	0.257		0.519	1000	F	2017
613	Squirrel Level Rd	1.03	850	F	99%	0%	1%	0%	0%	C	0.103		0.685	900	F	2017
614	Sunnyside Dr	1.23	360	R									NA	NA		08/28/2014

Virginia Department of Transportation  
Traffic Engineering Division  
2017  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of McKenney</b>																
(614) Sunnyside Dr	0.30	350	R											NA	NA	08/28/2014
<b>Dinwiddie County</b>																
(615) Blue Tartan Rd	0.42	20	R											NA	NA	05/31/2017
(615) Blue Tartan Rd	0.90	160	R											NA	NA	07/25/2017
(616) Ridge Rd	2.20	70	R											NA	NA	07/08/2014
(616) Ridge Rd	1.90	80	R											NA	NA	07/08/2014
(617) Bolster Rd	1.50	270	R											NA	NA	07/08/2014
(617) Bolster Rd	1.69	260	R											NA	NA	07/08/2014
(618) Halligan Park Rd	1.20	350	R											NA	NA	06/19/2014
(618) Halligan Park Rd	2.82	460	R											NA	NA	06/19/2014
(619) Courthouse Rd	3.59	430	F	90%	1%	2%	0%	6%	0%	C	0.117		0.577	430	F	2017
(619) Courthouse Rd	7.05	620	F	94%	2%	2%	1%	2%	0%	C	0.113		0.6	620	F	2017
(619) Courthouse Rd	0.86	1200	F	98%	1%	1%	0%	0%	0%	C	0.109		0.711	1200	F	2017
(619) Courthouse Rd	1.06	1300	F	98%	1%	0%	0%	0%	0%	C	0.115		0.631	1300	F	2017
(619) Courthouse Rd	0.25	1500	F	97%	1%	1%	0%	0%	0%	C	0.109		0.652	1500	F	2017
(619) Courthouse Rd	0.59	1700	F	98%	1%	1%	0%	0%	0%	C	0.1		0.549	1700	F	2017
(620) Foster Rd	1.20	40	R											NA	NA	08/06/2014
(620) White Oak Church Rd	1.80	450	R											NA	NA	08/06/2014
(620) White Oak Church Rd	1.90	60	R											NA	NA	08/06/2014
(621) Clay Street Rd	1.60	390	R											NA	NA	07/25/2017
(621) Clay Street Rd	0.40	20	R											NA	NA	06/01/2017
(622) Baltimore Rd	1.60	40	R											NA	NA	07/25/2017

Virginia Department of Transportation  
Traffic Engineering Division  
2017  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Dinwiddie County</b>																
622	Baltimore Rd	3.70	60	R			26-647 Doyle Rd					NA		NA		08/26/2014
622	Baltimore Rd	0.80	120	R			26-610 Old White Oak Rd					NA		NA		08/26/2014
622	Baltimore Rd	3.50	680	F	98%	1%	1%	0%	0%	0%	C	0.104	0.739	680	F	2017
622	Baltimore Rd	1.66	370	R			US 460; 26-602 Corinth Dr					NA		NA		08/06/2014
622	Baltimore Rd	2.10	1100	R			26-694 Old Pine Rd					NA		NA		08/06/2014
623	Sutherland Rd	2.00	640	R			Amelia County Line					NA		NA		07/17/2014
623	Sutherland Rd	3.28	1100	R			26-611 Wilkinson Rd					NA		NA		07/17/2014
623	Sutherland Rd	0.62	1400	F	97%	1%	0%	1%	1%	0%	C	0.111	0.732	1400	F	2017
623	Station Rd	0.42	220	R			26-708 Namozine Rd					NA		NA		07/17/2014
623	Station Rd	0.68	330	R			26-760 Southerland Ave					NA		NA		07/17/2014
624	Coleman Lake Rd	2.60	170	R			US 460 Cox Rd					NA		NA		
624	Coleman Lake Rd	2.60	170	R			26-645 Wheelers Pond Rd					NA		NA		08/26/2014
624	Coleman Lake Rd	3.80	620	R			26-613 W, White Oak Rd					NA		NA		08/26/2014
624	Coleman Lake Rd	3.80	620	R			26-613 E, White Oak Rd					NA		NA		08/26/2014
624	Coleman Lake Rd	6.00	500	R			US 460; FR-806					NA		NA		08/26/2014
625	Wells Rd	3.52	300	R			26-611 Wilkinson Rd					NA		NA		08/06/2014
626	Flatfoot Rd	5.67	350	F	95%	2%	1%	1%	2%	0%	C	0.114	0.54	350	F	2017
626	Flatfoot Rd	4.09	410	F	97%	1%	1%	0%	1%	0%	C	0.121	0.591	420	F	2017
626	Flatfoot Rd	0.43	1000	F	98%	1%	1%	0%	0%	0%	C	0.107	0.539	1000	F	2017
627	Courthouse Rd	0.90	3000	F	96%	2%	1%	0%	1%	0%	C	0.148	0.572	3000	F	2017
627	Courthouse Rd	1.40	2500	F	95%	3%	1%	0%	1%	0%	C	0.176	0.645	2500	F	2017
627	Courthouse Rd	2.81	1600	F	93%	4%	1%	0%	1%	0%	C	0.172	0.746	1600	F	2017
627	Courthouse Rd	2.61	1900	F	94%	3%	1%	1%	2%	0%	C	0.141	0.637	1900	F	2017
627	Courthouse Rd	0.80	690	F	96%	2%	1%	1%	0%	0%	C	0.117	0.734	690	F	2017

Virginia Department of Transportation  
Traffic Engineering Division  
2017  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Dinwiddie County</b>																
(627) Trinity Church Rd	2.20	370	R									NA		NA		08/01/2014
(628) Tranquility Lane	0.33	70	R									NA		NA		12/10/2014
(628) Tranquility Lane	3.10	70	R									NA		NA		08/01/2014
(628) Tranquility Lane	0.87	190	R									NA		NA		07/25/2017
(628) Tranquility Lane	0.70	610	R									NA		NA		08/01/2014
(628) Tranquility Lane	0.09	1200	R									NA		NA		08/01/2014
(629) Anderson Mill Rd	0.93	360	R									NA		NA		08/01/2014
(629) Anderson Mill Rd	0.25	40	R									NA		NA		12/10/2014
(630) Winfield Rd	0.30	290	F	95%	2%	2%	1%	1%	0%	C	0.087		0.741	290	F	2017
(631) Claiborne Rd	2.70	440	F	95%	4%	0%	0%	0%	0%	C	0.122		0.546	440	F	2017
(631) Claiborne Rd	0.80	780	F	97%	2%	0%	1%	0%	0%	C	0.115		0.685	780	F	2017
(632) Butterwood Rd	3.00	880	R									NA		NA		07/17/2014
(632) Olgers Rd	1.20	1600	F	97%	2%	0%	0%	0%	0%	C	0.103		0.616	1700	F	2017
(633) Addison St	0.50	110	R									NA		NA		07/02/2014
(634) Pine Grove Place	0.25	280	R									NA		NA		11/19/2014
(635) Hilltop Dr	0.40	350	R									NA		NA		11/19/2014
(636) Rocky Branch Rd	0.27	90	R									NA		NA		06/01/2017
(637) Madison Rd	0.49	130	R									NA		NA		12/10/2014
(638) Harpers Rd	2.00	260	R									NA		NA		08/28/2014
(638) Harpers Rd	1.20	290	R									NA		NA		08/28/2014
(639) Wilson Rd	0.90	300	R									NA		NA		08/06/2014

Virginia Department of Transportation  
Traffic Engineering Division  
2017  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Dinwiddie County</b>																
(639) Springston Rd/Wilson Rd	1.98	310	R			US 460 EAST					NA			NA		08/06/2014
(639) Grubby Rd	0.20	170	F	95%	3%	2%	0%	0%	0%	C	0.164		0.731	170	F	2017
(639) Wilson Rd	1.60	230	R			26-642 E, Grubby Rd					NA			NA		08/06/2014
(639) Wilson Rd	1.40	300	R			26-620 Foster Rd					NA			NA		08/06/2014
(640) Hobbs Mill Rd	1.40	170	R			26-613 White Oak Rd					NA			NA		08/06/2014
(641) Airport Rd	0.55	280	R			US 460					NA			NA		08/06/2014
(642) W Zilles Rd	1.82	360	F	89%	1%	2%	1%	7%	0%	C	0.107		0.59	360	F	2017
(642) Grubby Rd	0.60	130	F	95%	3%	2%	0%	0%	0%	C	0.123		0.533	130	F	2017
(642) Grubby Rd	2.00	130	F	97%	0%	0%	2%	1%	0%	C	0.146		0.632	130	F	2017
(642) Grubby Rd	2.40	120	F	89%	7%	4%	0%	0%	0%	C	0.134		0.588	120	F	2017
(642) Continental Rd	1.52	90	R			26-620 E, White Oak Church Rd					NA			NA		08/28/2014
(642) Continental Rd	0.83	80	R			26-613 White Oak Rd					NA			NA		07/25/2017
(643) Zilles Rd	3.20	390	R			1.52 ME 26-613 White Oak Rd					NA			NA		08/06/2014
(644) Depot Rd	0.20	570	F	97%	1%	1%	1%	0%	0%	C	0.114		0.617	570	F	2017
<b>Dinwiddie County</b>																
(644) Depot Rd	1.92	420	F	97%	2%	1%	0%	0%	0%	C	0.120		0.544	430	F	2017
(644) Brills Rd	2.50	410	R			SR 40 Darvills Rd					NA			NA		08/28/2014
(644) Brills Rd	2.50	120	R			26-650 Lew Jones Rd					NA			NA		08/28/2014
(644) Brills Rd	2.50	140	R			26-610 Old White Oak Rd					NA			NA		08/28/2014
(645) Scotts Rd	1.40	220	R			26-642 Continental Rd					NA			NA		08/28/2014
(645) Scotts Rd	1.80	470	R			SR 40 Old Cryors Rd; Darvills Rd					NA			NA		08/26/2014
(645) Scotts Rd	1.60	470	F	97%	2%	1%	0%	0%	0%	C	0.125		0.831	470	F	2017

Virginia Department of Transportation  
Traffic Engineering Division  
2017  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Dinwiddie County</b>																
(645) Wheelers Pond Rd	0.70	250	F	98%	1%	1%	0%	1%	0%	C	0.145		0.629	250	F	2017
(645) Wheelers Pond Rd	0.73	250	F	95%	2%	1%	0%	1%	0%	C	0.151		0.657	250	F	2017
(645) Wheelers Pond Rd	1.07	320	F	96%	3%	1%	0%	1%	0%	C	0.108		0.686	320	F	2017
(645) Wheelers Pond Rd	2.50	490	F	95%	2%	1%	2%	1%	0%	C	0.126		0.578	490	F	2017
(646) Glebe Rd	6.00	280	F	96%	2%	1%	1%	0%	0%	C	0.137		0.559	280	F	2017
(647) Doyle Rd	1.00	40	R								NA			NA		08/26/2014
(647) Nash Rd	1.60	230	R								NA			NA		08/26/2014
(647) Nash Rd	2.24	390	R								NA			NA		08/26/2014
(647) Nash Rd	1.92	810	R								NA			NA		08/26/2014
(647) Nash Rd	0.94	970	R								NA			NA		08/26/2014
(648) Hudgins Rd	1.50	160	R								NA			NA		08/26/2014
(649) Snap Lodge Rd	0.50	50	R								NA			NA		08/28/2014
(650) Lew Jones Rd	1.60	40	F	97%	3%	0%	0%	0%	0%	C	0.222			40	F	2017
(650) Lew Jones Rd	1.10	180	F	98%	1%	1%	0%	1%	0%	C	0.116		0.65	180	F	2017
(650) Lew Jones Rd	1.60	320	F	98%	1%	0%	0%	0%	0%	C	0.107		0.625	320	F	2017
(650) Lew Jones Rd	0.80	320	F	98%	2%	0%	0%	0%	0%	C	0.109		0.688	320	F	2017
(650) Lew Jones Rd	2.50	370	F	99%	1%	0%	0%	0%	0%	C	0.099		0.743	370	F	2017
(650) Hamilton Arms Rd	0.15	1100	F	95%	2%	1%	1%	2%	0%	C	0.084		0.611	1100	F	2017
(650) Hamilton Arms Rd	0.68	1000	F	96%	1%	0%	1%	2%	0%	C	0.083		0.628	1000	F	2017
(650) Hamilton Arms Rd	1.43	400	F	90%	2%	0%	0%	7%	0%	C	0.096		0.6	400	F	2017
(650) Hawkins Church Rd	2.20	210	F	94%	4%	2%	0%	0%	0%	C	0.1		0.546	210	F	2017
(650) Ramp	0.22	100	F								0.158			100	F	2017

Virginia Department of Transportation  
Traffic Engineering Division  
2017  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Dinwiddie County</b>																
(650) Ramp	0.22	620	F								0.128			620	F	2017
(651) Whitmore Rd	2.40	370	R								NA			NA		08/28/2014
(651) Whitmore Rd	1.80	180	R								NA			NA		07/25/2017
(651) Mason Church Rd	2.25	260	R								NA			NA		08/28/2014
(651) Mason Church Rd	1.58	190	R								NA			NA		08/28/2014
(651) Mason Church Rd	1.27	350	R								NA			NA		08/28/2014
(652) Asbury Rd	1.56	350	R								NA			NA		08/28/2014
(653) Richie Rd	0.16	70	R								NA			NA		12/10/2014
(654) Rainey Rd	3.02	270	R								NA			NA		07/10/2014
(654) Rainey Rd	0.20	530	R								NA			NA		07/10/2014
(655) Little Deer Rd	0.58	20	R								NA			NA		10/02/2014
(656) Eppes Rd	1.20	90	R								NA			NA		07/10/2014
(656) Eppes Rd	1.20	200	R								NA			NA		07/10/2014
(656) Gatewood Rd	2.55	530	R								NA			NA		07/10/2014
(656) Gatewood Rd	0.90	170	R								NA			NA		07/10/2014
(657) Keelers Mill Rd	2.10	450	R								NA			NA		08/26/2014
(658) Branches Rd	1.61	320	R								NA			NA		07/10/2014
(658) Branches Rd	2.70	70	R								NA			NA		07/10/2014
(659) Jones Rd	0.90	100	R								NA			NA		07/08/2014
(659) Jones Rd	1.50	130	R								NA			NA		07/08/2014
(659) Bain Rd	1.40	230	R								NA			NA		07/08/2014

Virginia Department of Transportation  
Traffic Engineering Division  
2017  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Dinwiddie County</b>																
(660) Hardways Mill Rd	1.89	1200	R			From 26-619 Courthouse Rd					NA			NA		07/02/2014
(660) Old Vaughan Rd	1.20	450	R			To 26-703 Carson Rd					NA			NA		07/02/2014
(660) Quaker Rd	2.40	440	R			From 26-605 W, Hunnicut Rd					NA			NA		07/02/2014
(660) Quaker Rd	1.20	690	R			To 26-605 E, Old Vaughan Rd; Hunnicut Rd					NA			NA		07/02/2014
(661) Boisseau Rd	2.40	1100	F	94%	4%	From 26-704 Blackwell Rd				C	0.23		0.615	1100	F	2017
(662) Hardwood Creek Rd	1.20	70	R			To US 1 Boydton Plank Rd					NA			NA		07/02/2014
(663) Bain Rd	1.20	80	R			From 26-627 Courthouse Rd					NA			NA		07/08/2014
(664) Reese Rd	1.20	60	R			To 26-613 White Oak Rd					NA			NA		07/08/2014
(665) Walkers Mill Rd	0.70	210	F	82%	0%	From 26-617 Bolster Rd				C	0.115		0.52	210	F	2017
(665) Walkers Mill Rd	2.35	220	F	84%	0%	To 26-617 Bolster Rd				C	0.107		0.667	220	F	2017
(665) Walkers Mill Rd	1.44	220	R			From SR 40 McKenney Hwy					NA			NA		07/08/2014
(665) Walkers Mill Rd	2.76	200	R			To 26-728 Wingfield Rd					NA			NA		07/08/2014
(665) Black Mill Rd	0.70	310	R			From 26-626 Flatfoot Rd					NA			NA		07/08/2014
(665) Mortar Branch Rd	0.40	48	R			To 26-681 Black Branch Rd					NA			NA		12/10/2014
(666) Baugh Rd	1.20	120	R			From 26-626 Flatfoot Rd					NA			NA		10/02/2014
(666) Baugh Rd	4.20	250	R			To 26-670 Shady Lane					NA			NA		06/19/2014
(667) Malones Rd	3.20	130	R			From 26-618 Halligan Park Rd					NA			NA		06/19/2014
(668) Brick Rd	1.90	240	R			To 26-666 Baugh Rd					NA			NA		06/19/2014
(669) Old Stage Rd	3.30	470	R			From 26-703 Carson Rd					NA			NA		06/19/2014
(670) Shady Lane	1.82	130	R			To 26-604 Halifax Rd					NA			NA		07/25/2017
(670) Shady Lane	0.04	110	R			From 26-605 Monks Neck Rd; Old Stage Rd					NA			NA		06/19/2014
						To 26-604 Halifax Rd					NA			NA		06/19/2014
						From 26-666 Baugh Rd					NA			NA		07/25/2017
						To 1.82 MN 26-666					NA			NA		06/19/2014
						From 26-682 Ole Bole Rd					NA			NA		06/19/2014

Virginia Department of Transportation  
Traffic Engineering Division  
2017  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Dinwiddie County</b>																
(670) Shady Lane	0.10	160	R								NA		NA			06/19/2014
						From: 26-682 Ole Bole Rd										
						To: 26-688 Sawmill Rd										
(670) Shady Lane	0.77	180	R								NA		NA			06/19/2014
						From: 26-609 Old Stage Rd										
(670) Old Stage Rd	1.45	520	F	97%	2%	1%	1%	0%	0%	C	0.106	0.64	520	F		2017
						To: 26-703 Carson Rd										
(670) Old Stage Rd	2.51	580	F	97%	1%	1%	0%	0%	0%	C	0.122	0.632	580	F		2017
						From: 26-605 W. Old Vaughan Rd										
						To: 26-605 E. Old Stage Rd										
(670) Duncan Rd	2.29	760	F	97%	2%	1%	0%	0%	0%	C	0.092	0.62	760	F		2017
						From: 26-613 S. Squirrel Level Rd; Dabney Mill Rd										
						To: 26-613 N. Dabney Mill Rd										
(670) Duncan Rd	2.07	540	F	97%	2%	1%	0%	0%	0%	C	0.11	0.656	550	F		2017
						From: 26-673 Smith Grove Rd										
(670) Duncan Rd	1.21	750	F	98%	2%	0%	0%	0%	0%	C	0.109	0.615	800	F		2017
						From: 1.21 MN 26-673 Smith Grove Rd										
(670) Duncan Rd	1.49	1000	F	96%	1%	1%	0%	1%	0%	C	0.105	0.641	1100	F		2017
						To: US 1 Boydton Plank Rd										
						From: Dead End										
(671) Brownwall Rd	0.40	70	R								NA		NA			12/10/2014
						To: US 1 Boydton Plank Rd										
						From: 26-613 Squirrel Level Rd										
(672) Church Rd	1.49	720	F	97%	1%	1%	1%	0%	0%	C	0.116	0.544	760	F		2017
						To: 1.49 MN 26-613 Squirrel Level Rd										
(672) Church Rd	0.58	660	F	93%	1%	1%	0%	5%	0%	C	0.095	0.614	700	F		2017
						From: 26-603 Weakley Rd										
(672) Weakley Rd	0.27	490	F	91%	1%	2%	1%	6%	0%	C	0.121	0.523	520	F		2017
						To: 26-1371 Hazel Ave										
(672) Weakley Rd	0.19	480	F	92%	0%	1%	1%	6%	0%	C	0.116	0.557	510	F		2017
						To: SR 142 Simpson Rd										
						From: 26-670 Duncan Rd										
(673) Smith Grove Rd	1.77	450	R								NA		NA			07/02/2014
						To: 26-613 Squirrel Level Rd										
						From: 26-613 Squirrel Level Rd										
(674) Wheaton Rd	1.85	110	R								NA		NA			07/25/2017
						To: 26-670 Duncan Rd										
						From: 26-670 Duncan Rd										
(675) Vaughan Rd	3.74	670	F	98%	1%	1%	1%	0%	0%	C	0.097	0.746	680	F		2017
						To: 26-741 Fort Emory Rd										
(675) Vaughan Rd	0.90	1100	F	97%	0%	1%	1%	1%	0%	C	0.084	0.660	1200	F		2017
						From: 26-676 Flank Rd										
(675) Vaughan Rd	0.94	850	F	95%	1%	1%	1%	2%	0%	C	0.089	0.683	900	F		2017
						To: SCL Petersburg										
						From: 26-613 Squirrel Level Rd										
(676) Flank Rd	0.80	600	R								NA		NA			07/02/2014
						To: 26-675 Vaughan Rd										
						From: 26-604 Halifax Rd										
(677) Carson Dr	0.80	900	F	98%	0%	0%	1%	0%	0%	C	0.121	0.708	950	F		2017
						To: SR 345 Richard Bland College; 74-608										
						From: 26-605 Ellington Rd										
(678) Spain Dr	1.00	40	R								NA		NA			06/19/2014
						To: 26-606 Oak Grove Rd										

Virginia Department of Transportation  
Traffic Engineering Division  
2017  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Dinwiddie County</b>																
(679)	1.45	220	R									NA		NA		10/02/2014
(680) Troublefield Rd	3.20	260	F	95%	2%	1%	0%	3%	0%	C	0.118		0.606	260	F	2017
(681) Black Branch Rd	1.80	320	R									NA		NA		06/19/2014
(682) Ole Bole Rd	0.70	70	F	91%	8%	1%	0%	1%	0%	C	0.258		0.647	70	F	2017
(683) Continental Rd	0.45	120	R									NA		NA		10/02/2014
(683) Continental Rd	0.60	80	R									NA		NA		10/02/2014
(683) Continental Rd	0.20	90	R									NA		NA		06/01/2017
(684) Airpark Dr	0.56	2400	R									NA		NA		07/02/2014
(685) Oakley Dr	0.16	10	R									NA		NA		12/10/2014
(686) Smith Grove Lane	0.20	45	R									NA		NA		11/19/2014
(687) Cutbank Rd	0.10	130	R									NA		NA		07/25/2017
(687) Cutbank Rd	1.54	30	R									NA		NA		07/10/2014
(687) Cutbank Rd	1.06	80	R									NA		NA		07/10/2014
(687) Cutbank Rd	1.62	330	R									NA		NA		07/10/2014
(688) Sawmill Rd	0.85	170	R									NA		NA		10/02/2014
(688) Sawmill Rd	1.28	30	R									NA		NA		10/02/2014
(688) Sawmill Rd	0.27	70	R									NA		NA		10/02/2014
(689) Bobcat Rd	0.60	180	R									NA		NA		10/02/2014
(690) Harris Dr	0.94	290	R									NA		NA		10/02/2014
(691) Cryors Rd	1.00	130	R									NA		NA		08/28/2014

Virginia Department of Transportation  
 Traffic Engineering Division  
 2017  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Dinwiddie County</b>																
692 Spony Church Rd	1.89	70	R									NA		NA		07/25/2017
			From: Dead End													
692 Spony Church Rd	3.20	200	R									NA		NA		07/25/2017
			To: SR 40 McKenney Hwy													
692 Spony Church Rd	0.60	60	R									NA		NA		07/10/2014
			From: 26-709 Shipping Rd													
			To: Dead End													
693 Williamson Rd	2.87	200	R									NA		NA		06/19/2014
			From: 26-703 Carson Rd													
			To: 26-670 Old Stage Rd													
694 Old Pine Rd	0.70	70	R									NA		NA		07/25/2017
			From: Dead End													
			To: 26-622 Baltimore Rd													
696 Bourdon Creek Rd	1.20	70	R									NA		NA		07/10/2014
			From: Dead End													
			To: 26-687 Cutbank Rd													
697 Spicely Rd	0.40	110	R									NA		NA		06/01/2017
			From: 26-613 White Oak Rd													
			To: Dead End													
698 Double Branch Rd	1.20	150	R									NA		NA		07/08/2014
			From: 26-665 Walkers Mill Rd													
			To: Sussex County Line													
699 Horsetail Rd	1.89	60	R									NA		NA		07/17/2014
			From: 26-611 Wilkinson Rd													
699 Horsetail Rd	1.41	50	R									NA		NA		07/17/2014
			From: 1.89 MN 26-611													
			To: 26-708 Namozine Rd													
700 Boze Rd	0.88	60	R									NA		NA		08/06/2014
			From: Dead End													
700 Hawkins Rd	2.54	320	R									NA		NA		07/25/2017
			From: 26-613 White Oak Rd													
			To: 26-622 Baltimore Rd													
701 Quail Hollow Rd	0.60	20	R									NA		NA		08/28/2014
			From: Dead End													
			To: 26-610 Old White Oak Rd													
702 Lennie Rd	1.32	80	R									NA		NA		08/28/2014
			From: 26-638 Harpers Rd													
			To: SR 40 Old Cryors Rd													
703 Carson Rd	0.13	3900	F	96%	1%	1%	0%	1%	0%	F	0.1	0.541	3900	F	2017	
			From: US 1 Boynton Plank Rd													
703 Carson Rd	1.17	3800	F	96%	1%	1%	0%	1%	0%	C	0.098	0.549	3800	F	2017	
			To: 26-1403													
703 Carson Rd	5.18	810	F	94%	3%	0%	1%	1%	0%	C	0.106	0.57	810	F	2017	
			From: I-85													
703 Carson Rd	5.97	680	F	95%	2%	1%	0%	1%	0%	C	0.119	0.654	680	F	2017	
			From: 26-670 Old Stage Rd													
703 Carson Rd	0.09	1100	F	96%	2%	1%	1%	1%	0%	C	0.115	0.656	1100	F	2017	
			From: 26-618 Halligan Park Rd													
			To: Prince George County Line; 74-604													
703 Ramp	0.21	340	F								0.121		340	F	2017	
			From: 26-703 Carson Rd													
			To: I-81 South													
703 Ramp	0.31	1200	F								0.136		1200	F	2017	
			From: East 26-703 E, Carson Rd													
			To: I-85 North													

Virginia Department of Transportation  
Traffic Engineering Division  
2017  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Dinwiddie County</b>																
West																
(703) Ramp	0.24	750	F								0.140			750	F	2017
(704) Blackwell Rd	0.24	70	R								NA			NA		12/10/2014
(705) Fox Branch Rd	1.42	190	R								NA			NA		12/10/2014
(706) Old Cox Rd	0.55	240	R								NA			NA		12/10/2014
(706) Old Cox Rd	0.15	210	R								NA			NA		12/10/2014
(707) Cantree Rd	0.85	160	R								NA			NA		12/10/2014
(708) Namozine Rd	0.30	640	G	97%	1%	1%	1%	1%	0%	F	0.101	0.765	660	G	2017	
(708) Namozine Rd	5.93	770	F	97%	1%	1%	1%	1%	0%	C	0.114	0.651	770	F	2017	
(708) Namozine Rd	0.70	1800	F	97%	1%	1%	1%	1%	0%	C	0.104	0.675	2000	F	2017	
(709) Shipping Rd	2.70	60	R								NA			NA		07/10/2014
(709) Shipping Rd	3.70	240	R								NA			NA		07/10/2014
(709) Shipping Rd	1.70	450	R								NA			NA		07/10/2014
(709) Shipping Rd	0.63	700	R								NA			NA		07/10/2014
(710) Cemetery Rd	0.85	30	R								NA			NA		08/28/2014
<b>Town of McKenney</b>																
(710) Cemetery Rd	0.11	9	R								NA			NA		08/28/2014
<b>Dinwiddie County</b>																
(711) Ridley Rd	1.30	40	R								NA			NA		07/25/2017
(712) Greentree Rd	0.55	30	R								NA			NA		06/19/2014
(713) Cutbank Church Rd	2.54	200	R								NA			NA		07/10/2014
(714) Lewis Rd	0.46	310	R								NA			NA		12/10/2014
(715) Patillo Rd	1.78	120	R								NA			NA		10/02/2014

Virginia Department of Transportation  
Traffic Engineering Division  
2017  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Dinwiddie County</b>																
(716) Poole Siding Rd	0.36	120	R			From: 26-611; 26-751 To: 26-751 Cox Rd					NA			NA		10/02/2014
(717) Anderson Dr	0.50	40	R			From: 26-629 Anderson Mill Rd To: Dead End					NA			NA		06/01/2017
(718) Henshaw Rd	0.38	340	R			From: 26-601 River Rd To: Dead End					NA			NA		12/10/2014
(719) Lee Dr	0.39	280	R			From: 26-601 River Rd To: Dead End					NA			NA		12/10/2014
(720) Chestnut Dr	0.15	110	R			From: 26-601 River Rd To: Dead End					NA			NA		12/10/2014
(721) Pine Hill Rd	0.60	140	R			From: US 460; FR-804 To: Dead End					NA			NA		08/01/2014
(722) Abernathy Rd	0.81	20	R			From: 26-619 Courthouse Rd To: Dead End					NA			NA		07/08/2014
(723) Pearson Hardy Rd	0.58	90	R			From: 26-611 Wilkinson Rd To: Dead End					NA			NA		07/25/2017
(724) Springston Rd	0.58	230	R			From: 26-639 Springston Rd; Wilson Rd To: US 460					NA			NA		08/06/2014
(725) Cherokee Rd	0.17	130	R			From: Dead End To: 26-706 Old Cox Rd					NA			NA		06/01/2017
(726) Mitchell Ave	0.23	100	R			From: US 1 Boydton Plank Rd To: Dead End					NA			NA		12/10/2014
(727) Bethune Rd	0.79	330	R			From: Dead End To: 26-675 Vaughan Rd					NA			NA		07/02/2014
(728) Wingfield Rd	0.34	70	R			From: Dead End To: 26-665 Walkers Mill Rd					NA			NA		06/01/2017
(729) Spriggs Rd	0.53	80	R			From: 26-661 Boisseau Rd To: Dead End					NA			NA		07/25/2017
(730) Williams Rd	0.28	80	R			From: US 460 Cox Rd To: Dead End					NA			NA		06/01/2017
(731) Ruth Hill Rd	0.02	190	R			From: 26-611 Wilkinson Rd To: 0.02 ME 26-611					NA			NA		08/01/2014
(731) Ruth Hill Rd	0.40	200	R			From: Dead End To: Dead End					NA			NA		12/10/2014
(732) Davis Rd	0.60	380	R			From: Dead End To: 26-627 Courthouse Rd					NA			NA		08/01/2014
(733) Little Zion Rd	1.20	230	R			From: 26-670 Old Stage Rd To: 26-703 Carson Rd					NA			NA		06/19/2014

Virginia Department of Transportation  
Traffic Engineering Division  
2017  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Dinwiddie County</b>																
(734) Rainey Rd	3.14	190	R								NA			NA		07/10/2014
(735) Goose Pond Rd	1.40	60	R								NA			NA		07/10/2014
(736) Barnes Rd	0.50	60	R								NA			NA		12/10/2014
(737) Booth Rd	1.60	20	R								NA			NA		10/02/2014
(738) Scotts Rd	1.33	560	R								NA			NA		10/02/2014
(739) Midway Rd	1.70	490	R								NA			NA		08/01/2014
(740) Turkey Egg Rd	1.50	1500	F	94%	5%	0%	0%	1%	0%	C	0.185		0.59	1500	F	2017
(741) Fort Emory Rd	0.70	550	R								NA			NA		07/02/2014
(742) Plantation Rd	0.50	280	R								NA			NA		07/02/2014
(743) Hart Rd	0.57	520	R								NA			NA		07/17/2014
(744) McKissicks Rd	0.70	80	R								NA			NA		08/28/2014
(745) Fisher Rd	0.20	48	R								NA			NA		12/10/2014
(746) Birdnest Rd	0.95	140	R								NA			NA		07/25/2017
(747) Wheelers Lane	0.35	10	R								NA			NA		12/10/2014
(748) Unico Rd	0.49	190	R								NA			NA		11/19/2014
(749)	0.04	40	R								NA			NA		12/10/2014
(750) Oxford Rd	1.51	650	R								NA			NA		07/17/2014
(751) Cox Rd	0.74	500	R								NA			NA		08/01/2014
(751) Cox Rd	0.26	1100	F	96%	2%	1%	1%	1%	0%	C	0.104		0.6	1100	F	2017

Virginia Department of Transportation  
Traffic Engineering Division  
2017  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
<b>Dinwiddie County</b>																	
(751) Cox Rd	3.25	880	F	98%	0%	1%	1%	0%	0%	C	0.134		0.622	880	F	2017	
						From: 26-611 Trinity Church Rd E; 26-716											
						To: 26-627 W. Courthouse Rd											
(751) Cox Rd	2.67	1500	F	96%	1%	1%	0%	1%	0%	C	0.105		0.532	1500	F	2017	
						From: 26-627 W. Trinity Church Rd											
						To: US 460 E, Cox Rd											
(752) Siding Dr	0.40	100	R									NA		NA		12/10/2014	
						From: 26-611; 26-751											
						To: Dead End											
(753) Siding Dr	0.40	170	R									NA		NA		12/10/2014	
						From: 26-611 Wilkinson Rd											
						To: Dead End											
(754) Anderson Mill Rd	0.88	210	R									NA		NA		08/01/2014	
						From: Dead End											
						To: 26-751 Cox Rd											
(755) Slates Rd	0.50	70	R									NA		NA		12/10/2014	
						From: Dead End											
						To: 26-751 Cox Rd											
(756) Slates Rd	0.28	48	R									NA		NA		12/10/2014	
						From: 26-628 Tranquility Lane											
						To: Dead End											
(757) Marmora Dr	0.62	100	R									NA		NA		07/17/2014	
						From: 26-708 Namozine Rd											
						To: Dead End											
(758) Steers Rd	0.39	160	R									NA		NA		12/10/2014	
						From: Dead End											
						To: 26-613 Dabney Mill Rd											
(759) Gunn Rd	0.57	9	R									NA		NA		08/28/2014	
						From: Dead End											
						To: 26-650 Lew Jones Rd											
(760) Sutherland Ave	0.37	80	R									NA		NA		12/10/2014	
						From: 26-623 Station Rd											
						To: Dead End											
(764) Oxford Rd	0.33	140	R									NA		NA		12/10/2014	
						From: 26-750 Oxford Rd											
						To: Cul-de-Sac											
(770) Olde Keswick Lane	0.08	170	R									NA		NA		12/10/2014	
						From: Cul-de-Sac											
						To: Prince George County Line											
(775) Hofheimer Way	0.92	2800	R									NA		NA		07/25/2017	
						From: 26-672 Church Rd											
						To: US 1 Boydton Plank Rd											
(776) Chesdin Lake Rd	0.57	320	R									NA		NA		10/02/2014	
						From: 26-601 River Rd											
						To: Dead End											
(1001) Margarita Ragsdale St	0.02	10	R									NA		NA		06/01/2017	
						From: Dead End											
						To: ECL McKenney											
<b>Town of McKenney</b>																	
(1001) Bolling Rd	0.02	350	R									NA		NA		07/25/2017	
						From: ECL McKenney											
						To: 26-1014 Denbigh St											
(1001) Bolling Rd	0.10	130	R									NA		NA		09/12/2014	
						From: 26-1014 Denbigh St											
						To: 26-1013 Johnson St											
(1001) Bolling Rd	0.32	460	R									NA		NA		09/12/2014	
						From: 26-1013 Johnson St											
						To: US 1 Boydton Plank Rd											

Virginia Department of Transportation  
Traffic Engineering Division  
2017  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of McKenney</b>																
(1001) Bolling Rd	0.13	890	R								NA			NA		09/12/2014
(1001) Rives Ave	0.16	740	R								NA			NA		09/12/2014
(1001) Rives Ave	0.07	730	R								NA			NA		09/12/2014
(1001) Rives Ave	0.07	740	R								NA			NA		09/12/2014
(1001) Rives Ave	0.07	710	R								NA			NA		09/12/2014
(1001) Rives Ave	0.03	200	R								NA			NA		09/12/2014
(1002) Railroad Ave	0.10	180	R								NA			NA		09/12/2014
(1003) First St	0.02	60	R								NA			NA		12/10/2014
(1003) First St	0.15	70	R								NA			NA		09/12/2014
(1003) First St	0.03	300	R								NA			NA		09/12/2014
(1003) First St	0.10	690	R								NA			NA		09/12/2014
(1004) Second St	0.09	100	R								NA			NA		09/12/2014
(1005) Third St	0.14	100	R								NA			NA		09/12/2014
(1005) Third St	0.23	260	R								NA			NA		09/12/2014
(1006) Fourth St	0.08	40	R								NA			NA		09/12/2014
(1007) Fifth St	0.08	70	R								NA			NA		09/12/2014
(1007) Fifth St	0.11	130	R								NA			NA		09/12/2014
(1008) Zehmer Ave	0.07	60	R								NA			NA		11/19/2014
(1008) Zehmer Ave	0.19	40	R								NA			NA		09/12/2014
<b>Dinwiddie County</b>																
(1009) Westover Rd	0.65	260	R								NA			NA		09/12/2014
<b>Town of McKenney</b>																
(1009) Westover Dr	0.27	250	R								NA			NA		09/12/2014

Virginia Department of Transportation  
Traffic Engineering Division  
2017  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of McKenney</b>																
(1009) Westover Dr	0.13	230	R								NA		NA			09/12/2014
(1010) Jack Zehmer Rd	0.25	60	R								NA		NA			09/12/2014
(1010) Jack Zehmer Rd	0.04	40	R								NA		NA			09/12/2014
(1011) Community St	0.05	90	R								NA		NA			11/19/2014
(1012) Factory St	0.10	60	R								NA		NA			11/19/2014
(1013) Johnson St	0.08	330	R								NA		NA			09/12/2014
(1014) Denbigh St	0.08	120	R								NA		NA			09/12/2014
<b>Dinwiddie County</b>																
(1014) Denbigh St	0.31	70	R								NA		NA			12/10/2014
<b>Town of McKenney</b>																
(1015) Bethel Rd	0.10	60	R								NA		NA			06/01/2017
<b>Dinwiddie County</b>																
(1020) Seaboard Dr	0.08	140	R								NA		NA			07/25/2017
(1021) Southern Ave	0.12	100	R								NA		NA			06/01/2017
(1021) Southern Ave	0.09	80	R								NA		NA			06/01/2017
(1039) Shannon Rd	0.30	90	R								NA		NA			12/10/2014
(1040) Greenhead Dr	0.55	380	R								NA		NA			07/02/2014
(1041) Greenhead Ct	0.04	30	R								NA		NA			12/10/2014
(1042) Woody Court	0.15	110	R								NA		NA			12/10/2014
(1101) Acorn Dr	0.30	90	R								NA		NA			07/25/2017
(1102) Jordan Heights Dr	0.46	260	R								NA		NA			06/01/2017

Virginia Department of Transportation  
Traffic Engineering Division  
2017  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Dinwiddie County</b>																
(1103) Jordan Heights Lane	0.20	190	R								NA		NA			06/01/2017
(1110) Dabney Dr	0.31	80	R								NA		NA			07/25/2017
(1110) Dabney Dr	0.21	150	R								NA		NA			07/25/2017
(1111) Anne Rd	0.16	40	R								NA		NA			07/25/2017
(1112) Gibson Dr	0.31	50	R								NA		NA			07/25/2017
(1112) Gibson Dr	0.13	110	R								NA		NA			07/25/2017
(1113) Charlotte Rd	0.16	40	R								NA		NA			08/02/2017
(1120) Tanglewood Dr	0.25	430	R								NA		NA			07/25/2017
(1120) Tanglewood Dr	0.10	580	R								NA		NA			07/25/2017
(1121) Southwood Dr	0.14	130	R								NA		NA			06/01/2017
(1122) Northwood Dr	0.08	310	R								NA		NA			07/25/2017
(1123) Circlewood Dr	0.46	310	R								NA		NA			06/01/2017
(1201) McKenney Ave	0.25	90	R								NA		NA			06/01/2017
(1207)	0.46	110	R								NA		NA			10/02/2014
(1208)	0.12	50	R								NA		NA			06/01/2017
(1208)	0.27	40	R								NA		NA			06/01/2017
(1210) Waterford Dr	0.45	160	R								NA		NA			06/01/2017
(1240) Wrenn Forest Dr	0.21	610	R								NA		NA			06/01/2017
(1241) Swan Circle	0.15	80	R								NA		NA			07/25/2017
(1242) Pintail Lane	0.11	70	R								NA		NA			07/25/2017

Virginia Department of Transportation  
 Traffic Engineering Division  
 2017  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Dinwiddie County</b>																
(1242) Pintail Lane	0.23	270	R			From 26-1240 Wrenn Forest Dr					NA		NA			05/27/2008
						To 26-1246 Pheasant Court										
(1243) Canvasback Court	0.23	190	R			From Cul-de-Sac					NA		NA			06/01/2017
						To Cul-de-Sac										
(1244) Pintail Lane	0.08	370	R			From 26-1242 Pintail Lane					NA		NA			06/01/2017
						To Cul-de-Sac										
(1245) Teal Circle	0.06	80	R			From 26-1242 Pintail Lane					NA		NA			12/10/2014
						To Cul-de-Sac										
(1246) Pheasant Court	0.22	270	R			From Cul-de-Sac					NA		NA			12/10/2014
						To 26-1242 Pintail Lane										
(1246) Pheasant Court	0.09	420	R			From 26-1242 Pintail Lane					NA		NA			12/10/2014
						To Cul-de-Sac										
(1301) Lee Blvd	0.23	730	R			From SR 226 Cox Rd					NA		NA			07/25/2017
						To 26-1332 Hill St										
(1301) Lee Blvd	0.18	170	R			From 26-1332 Hill St					NA		NA			06/01/2017
						To Dead End										
(1302) Dinwiddie Ave	0.10	130	R			From 26-1306 Roanoke St					NA		NA			07/25/2017
						To 26-1348 Potomac St										
(1302) Dinwiddie Ave	0.03	160	R			From 26-1348 Potomac St					NA		NA			07/25/2017
						To 26-1309 York St										
(1302) Dinwiddie Ave	0.11	330	R			From 26-1309 York St					NA		NA			07/25/2017
						To US 1 Boydton Plank Rd										
(1303) Simmons Ave	0.37	260	R			From Dead End					NA		NA			06/01/2017
						To FR-290 Front Rd										
(1303) Simmons Ave	0.03	2300	R			From FR-290 Front Rd					NA		NA			07/25/2017
						To US 1 Boydton Plank Rd										
(1304) Nottoway Ave	0.10	180	R			From 26-1349 Warwick St					NA		NA			07/25/2017
						To 26-1306 Roanoke St										
(1304) Nottoway Ave	0.10	170	R			From 26-1306 Roanoke St					NA		NA			07/25/2017
						To 26-1348 Potomac St										
(1304) Nottoway Ave	0.13	230	R			From 26-1348 Potomac St					NA		NA			07/25/2017
						To US 1 Boydton Plank Rd										
(1305) Surry Ave	0.14	30	R			From Dead End					NA		NA			06/01/2017
						To 26-1350 Pagan St										
(1305) Surry Ave	0.19	280	R			From 26-1350 Pagan St					NA		NA			07/25/2017
						To 26-1306 Roanoke St										
(1305) Surry Ave	0.09	340	R			From 26-1306 Roanoke St					NA		NA			07/25/2017
						To 26-1348 Potomac St										
(1305) Surry Ave	0.11	400	R			From 26-1348 Potomac St					NA		NA			07/25/2017
						To US 1 Boydton Plank Rd										
(1306) Roanoke St	0.04	110	R			From 26-1305 Surry Ave					NA		NA			07/25/2017
						To 26-1308 Greenville Ave										

Virginia Department of Transportation  
 Traffic Engineering Division  
 2017  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Dinwiddie County</b>																
(1306) Roanoke St	0.04	130	R			From: 26-1308 Greenville Ave					NA			NA		07/25/2017
(1306) Roanoke St	0.04	150	R			To: 26-1307 Brunswick Ave					NA			NA		07/25/2017
(1306) Roanoke St	0.04	110	R			From: 26-1304 Nottoway Ave					NA			NA		07/25/2017
(1306) Roanoke St	0.04					To: 26-1302 Dinwiddie Ave										
(1307) Brunswick Ave	0.10	260	R			From: 26-1349 Warwick St					NA			NA		07/26/2017
(1307) Brunswick Ave	0.10	310	R			To: 26-1306 Roanoke St					NA			NA		07/26/2017
(1307) Brunswick Ave	0.12	340	R			From: 26-1348 Potomac St					NA			NA		07/26/2017
(1307) Brunswick Ave	0.12					To: US 1 Boydton Plank Rd										
(1308) Greenville Ave	0.13	90	R			From: Dead End					NA			NA		06/01/2017
(1308) Greenville Ave	0.09	270	R			To: 26-1350 Pagan St					NA			NA		07/26/2017
(1308) Greenville Ave	0.10	390	R			From: 26-1349 Warwick St					NA			NA		07/26/2017
(1308) Greenville Ave	0.09	400	R			To: 26-1306 Roanoke St					NA			NA		07/26/2017
(1308) Greenville Ave	0.12	470	R			From: 26-1348 Potomac St					NA			NA		07/26/2017
(1308) Greenville Ave	0.12					To: US 1 Boydton Plank Rd										
(1309) York St	0.10	50	R			From: 26-1302 Dinwiddie Ave					NA			NA		06/01/2017
(1309) York St	0.10					To: Dead End										
(1310) Rockdale Rd	0.10	100	R			From: Dead End					NA			NA		06/01/2017
(1310) Cedar Hart Rd	0.11	1800	R			To: SR 226 Cox Rd					NA			NA		07/26/2017
(1310) Cedar Hart Rd	0.10	1700	R			From: 26-1311 Grant Ave					NA			NA		07/26/2017
(1310) Cedar Hart Rd	0.10					To: 26-600 Ferndale Rd										
(1311) Grant Ave	0.31	70	R			From: Dead End					NA			NA		06/01/2017
(1311) Grant Ave	0.10	350	R			To: 26-1310 Rockdale Rd					NA			NA		06/01/2017
(1311) Grant Ave	0.10					To: Dead End										
(1312) Sunset Dr	0.12	1300	R			From: 26-1313 Franklin St					NA			NA		07/26/2017
(1312) Sunset Dr	0.12					To: SR 226 Cox Rd										
(1313) Franklin St	0.22	1300	R			From: 26-1312 Sunset Dr					NA			NA		07/26/2017
(1313) Franklin St	0.22					To: US 1 Boydton Plank Rd										
(1314) Glendale Ave	0.03	30	R			From: Dead End					NA			NA		06/01/2017
(1314) Glendale Ave	0.12	110	R			To: 26-1317 Meadow Lane					NA			NA		07/26/2017
(1314) Glendale Ave	0.10	140	R			From: 26-1318 Callear Rd					NA			NA		07/26/2017
(1314) Glendale Ave	0.10					To: 26-1315 Del Keith Rd										

Virginia Department of Transportation  
Traffic Engineering Division  
2017  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
<b>Dinwiddie County</b>																	
(1314) Glendale Ave	0.06	210	R			From: 26-1315 Del Keith Rd					NA			NA		07/26/2017	
						To: SR 226 Cox Rd											
(1315) Del Keith Rd	0.06	90	R			From: 26-603 Sterling Rd					NA			NA		07/26/2017	
(1315) Del Keith Rd	0.11	70	R			From: 26-1316 Meridan Ave					NA			NA		07/26/2017	
						To: 26-1314 Glendale Ave											
(1316) Meridan Ave	0.07	50	R			From: 26-1317 Meadow Lane					NA			NA		07/26/2017	
(1316) Meridan Ave	0.06	120	R			From: 26-1319 Short St					NA			NA		07/26/2017	
(1316) Meridan Ave	0.10	49	R			From: 26-1318 Callear Rd					NA			NA		07/26/2017	
						To: 26-1315 Del Keith Rd											
(1317) Meadow Lane	0.07	70	R			From: 26-1316 Meridan Ave					NA			NA		07/26/2017	
						To: 26-1314 Glendale Ave											
(1318) Callear Rd	0.13	80	R			From: 26-1316 Meridan Ave					NA			NA		07/26/2017	
						To: 26-1314 Glendale Ave											
(1319) Short St	0.06	190	R			From: 26-603 Sterling Rd					NA			NA		07/26/2017	
						To: 26-1316 Meridan Ave											
(1320) Ritchie Ave	0.09	170	R			From: 26-1362 Oak St					NA			NA		07/26/2017	
(1320) Ritchie Ave	0.13	140	R			From: 26-1363 Cross St					NA			NA		07/26/2017	
						To: US 1 Boydton Plank Rd; SR 142 Simpson Rd											
(1321) Ashley Lane	0.18	150	R			From: Dead End					NA			NA		06/01/2017	
						To: 26-601 River Rd											
(1322) Harwell Dr	0.14	120	R			From: Dead End					NA			NA		06/01/2017	
						To: US 1 Boydton Plank Rd											
(1323) West Dr	0.40	340	R			From: 26-600 Ferndale Rd					NA			NA		06/01/2017	
						To: Dead End											
(1324) Ford Ave	0.15	1200	R			From: 26-1363 Cross St					NA			NA		07/26/2017	
						To: US 1 Boyton Plank Rd											
(1325) Creek Ave	0.21	80	R			From: Cul-de-Sac					NA			NA		06/01/2017	
(1325) Creek Ave	0.06	280	R			From: 26-1326 Mt Pleasant St					NA			NA		07/26/2017	
						To: SR 226 Cox Rd											
(1326) Mt Pleasant St	0.21	70	R			From: 26-1325 Creek Ave					NA			NA		07/26/2017	
						To: 26-1327 Cedar Lane											
(1327) Cedar Lane	0.05	120	R			From: 26-1326 Mt Pleasant St					NA			NA		07/26/2017	
						To: SR 226 Cox Rd											
(1328) Pinecroft Rd	0.10	70	R			From: Dead End					NA			NA		06/01/2017	
						To: 26-1329 Brooksdale Rd											

Virginia Department of Transportation  
Traffic Engineering Division  
2017  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Dinwiddie County</b>																
(1328) Pinecroft Rd	0.12	180	R			From: 26-1329 Brooksdale Rd					NA			NA		07/26/2017
(1328) Pinecroft Rd	0.07	480	R			To: 26-1330 Balsam Lane					NA			NA		07/26/2017
(1329) Brooksdale Rd	0.06	150	R			From: 26-600 Ferndale Rd					NA			NA		07/26/2017
(1329) Brooksdale Rd	0.06	150	R			To: 26-1330 Balsam Lane					NA			NA		07/26/2017
(1330) Balsam Lane	0.17	180	R			From: 26-1328 Pinecroft Rd					NA			NA		07/26/2017
(1330) Balsam Lane	0.17	180	R			To: 26-1329 Brooksdale Rd					NA			NA		07/26/2017
(1331) Creek Circle	0.03	30	R			From: 26-1325 Creek Ave					NA			NA		06/01/2017
(1331) Creek Circle	0.03	30	R			To: Cul-de-Sac					NA			NA		06/01/2017
(1332) Hill St	0.05	80	R			From: 26-1301 Lee Blvd					NA			NA		06/01/2017
(1332) Hill St	0.05	80	R			To: Dead End					NA			NA		06/01/2017
(1333) Ferndale Circle	0.54	320	R			From: 26-600 Ferndale Rd					NA			NA		07/26/2017
(1333) Ferndale Circle	0.54	320	R			To: 26-600 Ferndale Rd					NA			NA		07/26/2017
(1334) Floyd Ave	0.12	50	R			From: Dead End					NA			NA		06/01/2017
(1334) Floyd Ave	0.22	510	R			To: 26-1336 Forest Ave					NA			NA		07/26/2017
(1335) Church Rd	0.19	270	R			From: FR-290; 26-1335					NA			NA		07/26/2017
(1335) Church Rd	0.19	270	R			To: 0.19 MS FR-290					NA			NA		07/26/2017
(1335) Church Rd	0.08	50	R			From: FR-290; 26-1334					NA			NA		06/01/2017
(1335) Church Rd	0.08	50	R			To: Dead End					NA			NA		06/01/2017
(1336) Forest Ave	0.30	430	R			From: 26-1334 Floyd Ave					NA			NA		06/01/2017
(1336) Forest Ave	0.30	430	R			To: Cul-de-Sac					NA			NA		06/01/2017
(1337) James Ave	0.12	100	R			From: Dead End					NA			NA		06/01/2017
(1337) James Ave	0.12	100	R			To: 26-1336 Forest Ave					NA			NA		06/01/2017
(1338) Shadyside Dr	0.20	150	R			From: 26-1335 Church Rd					NA			NA		06/01/2017
(1338) Shadyside Dr	0.20	150	R			To: Cul-de-Sac					NA			NA		06/01/2017
(1339) Creek Lane	0.45	410	R			From: 26-1325 Creek Ave					NA			NA		06/01/2017
(1339) Creek Lane	0.45	410	R			To: Cul-de-Sac					NA			NA		06/01/2017
(1340) Fairway Lane	0.15	60	R			From: SR 226 Cox Rd					NA			NA		10/02/2014
(1340) Fairway Lane	0.09	250	R			To: 26-1341 Driver Rd					NA			NA		07/26/2017
(1340) Fairway Lane	0.12	80	R			From: 26-1342 Wedgewood Rd					NA			NA		06/01/2017
(1340) Fairway Lane	0.12	80	R			To: Dead End					NA			NA		06/01/2017
(1341) Driver Rd	0.17	140	R			From: 26-1343 Greenway Rd					NA			NA		07/26/2017
(1341) Driver Rd	0.17	140	R			To: 26-1340 Fairway Lane					NA			NA		07/26/2017
(1342) Wedgewood Rd	0.20	90	R			From: 26-1343 Greenway Rd					NA			NA		07/26/2017
(1342) Wedgewood Rd	0.20	90	R			To: 26-1340 Fairway Lane					NA			NA		07/26/2017

Virginia Department of Transportation  
 Traffic Engineering Division  
 2017  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Dinwiddie County</b>																
1343 Greenway Rd	0.09	110	R								NA			NA		07/26/2017
1344 Orchard Rd	0.09	370	R								NA			NA		07/26/2017
1344 Orchard Rd	0.09	260	R								NA			NA		07/26/2017
1345 Steven Ave	0.06	50	R								NA			NA		06/01/2017
1345 Steven Ave	0.04	60	R								NA			NA		06/01/2017
1346 Wayne Ave	0.07	60	R								NA			NA		06/01/2017
1346 Wayne Ave	0.04	160	R								NA			NA		07/26/2017
1346 Wayne Ave	0.01	60	R								NA			NA		06/01/2017
1347 Orchard Dr	0.17	160	R								NA			NA		06/01/2017
1348 Potomac St	0.04	110	R								NA			NA		07/26/2017
1348 Potomac St	0.04	200	R								NA			NA		07/26/2017
1348 Potomac St	0.04	160	R								NA			NA		07/26/2017
1348 Potomac St	0.04	110	R								NA			NA		07/26/2017
1349 Warwick St	0.04	130	R								NA			NA		07/26/2017
1349 Warwick St	0.04	110	R								NA			NA		07/26/2017
1350 Pagan St	0.04	90	R								NA			NA		07/26/2017
1352 Elsie Dr	0.19	310	R								NA			NA		07/26/2017
1352 Elsie Dr	0.10	120	R								NA			NA		06/01/2017
1353 Susie Dr	0.19	270	R								NA			NA		07/26/2017
1353 Susie Dr	0.10	120	R								NA			NA		06/01/2017
1354 Mark Dr	0.08	50	R								NA			NA		07/26/2017

Virginia Department of Transportation  
Traffic Engineering Division  
2017  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Dinwiddie County</b>																
(1354) Mark Dr	0.12	70	R			From 26-1353 Susie Dr					NA			NA		09/16/2014
(1354) Mark Dr	0.07	60	R			To 26-1390 Jackie Dr					NA			NA		11/19/2014
						To Dead End										
(1355) E Autumn Dr	0.18	570	R			From 26-601 E, River Rd					NA			NA		09/16/2014
(1355) E Autumn Dr	0.07	200	R			To 26-1356 Sparrow Court					NA			NA		08/02/2017
(1355) E Autumn Dr	0.10	150	R			To 26-1367 Iris Circle					NA			NA		08/02/2017
(1355) W Autumn Dr	0.28	260	R			From 26-1368 Woods Court					NA			NA		08/02/2017
(1355) W Autumn Dr	0.13	380	R			To 26-1369 Westbriar Lane					NA			NA		08/02/2017
						To 26-601 W, River Rd										
(1356) Sparrow Court	0.09	70	R			From Dead End					NA			NA		12/10/2014
(1356) Sparrow Court	0.06	80	R			To 26-1355, E Autumn Dr					NA			NA		12/10/2014
						To Dead End										
(1357) Bancroft Dr	0.26	160	R			From 26-1358 Mansfield Dr					NA			NA		09/16/2014
(1357) Bancroft Dr	0.13	270	R			To 26-1360 Ffieldshire Lane					NA			NA		09/16/2014
						From 26-1360 Fieldshire Lane										
(1357) Bancroft Dr	0.08	710	R			To 26-1359 Gaydell Dr					NA			NA		09/16/2014
						To 26-601 River Rd										
(1358) Mansfield Dr	0.03	20	R			From Dead End					NA			NA		12/10/2014
(1358) Mansfield Dr	0.07	300	R			To 26-1357 Bancroft Dr					NA			NA		09/16/2014
						To 26-1360 Gap										
(1358) Mansfield Dr	0.08	750	R			From 26-1359 Gap					NA			NA		09/16/2014
						To 26-601 River Rd										
(1359) Gaydell Dr	0.04	140	R			From Dead End					NA			NA		06/01/2017
(1359) Gaydell Dr	0.10	480	R			To 26-1364 Keithwood Dr					NA			NA		08/02/2017
(1359) Gaydell Dr	0.29	360	R			From 26-1357 Bancroft Dr					NA			NA		09/16/2014
(1359) Gaydell Dr	0.22	300	R			To 26-1358 Mansfield Dr					NA			NA		09/16/2014
(1359) Gaydell Dr	0.10	460	R			From 26-1387 Beth Lane					NA			NA		09/16/2014
						To 26-1385 McIlwaine Dr										
(1360) Fieldshire Lane	0.23	190	R			From 26-1357 Bancroft Dr					NA			NA		09/16/2014
						To 26-1358 Mansfield Dr										
(1361) Walking Landing Dr	0.14	540	R			From 26-1366 Walking Landing Court					NA			NA		10/02/2014
						To SR 226 Cox Rd										

Virginia Department of Transportation  
Traffic Engineering Division  
2017  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Dinwiddie County</b>																
(1362) Oak St	0.12	200	R			From: 26-603 Sterling Rd To: 26-1320 Ritchie Ave					NA			NA		08/02/2017
(1363) Cross St	0.08	60	R			From: 26-1320 Ritchie Ave To: 26-1324 Ford Ave					NA			NA		08/02/2017
(1364) Keithwood Dr	0.07	40	R			From: Dead End To: 26-1365 Timpan Lane					NA			NA		06/01/2017
(1364) Keithwood Dr	0.21	260	R			From: 26-1365 Timpan Lane To: 26-1359 Gaydell Dr					NA			NA		08/02/2017
(1365) Timpan Lane	0.11	150	R			From: 26-1364 Keithwood Dr To: Cul-de-Sac					NA			NA		06/01/2017
(1366) Walking Landing Court	0.46	510	R			From: Dead End To: Dead End					NA			NA		12/10/2014
(1367) Iris Circle	0.04	40	R			From: 26-1355, E Autumn Dr To: Cul-de-Sac					NA			NA		06/01/2017
(1368) Woods Court	0.05	40	R			From: Cul-de-Sac To: 26-1355, W Autumn Dr					NA			NA		06/01/2017
(1369) Westbriar Lane	0.34	310	R			From: Cul-de-Sac To: 26-1355, W Autumn Dr					NA			NA		12/10/2014
(1369) Westbriar Lane	0.04	30	R			From: 26-1355, W Autumn Dr To: Cul-de-Sac					NA			NA		06/01/2017
(1370) Bell St	0.16	40	R			From: 26-1371 Hazel Ave To: 26-672 Weakley Rd					NA			NA		08/02/2017
(1371) Hazel Ave	0.18	90	R			From: Cul-de-Sac To: 26-1370 Bell St					NA			NA		12/10/2014
(1371) Hazel Ave	0.07	130	R			From: 26-1370 Bell St To: 26-672 Weakley Rd					NA			NA		10/02/2014
(1372) A P Hill Dr	0.09	570	R			From: US 1 Boydton Plank Rd To: 26-1373 Sentry Hill Court					NA			NA		10/02/2014
(1373) Sentry Hill Court	0.44	450	R			From: 26-1372 Begin Loop To: End Loop					NA			NA		10/02/2014
(1374)	0.06	70	R			From: Cul-de-Sac To: 26-1382 Sequoia Rd					NA			NA		12/10/2014
(1374)	0.05	60	R			From: 26-1382 Sequoia Rd To: Cul-de-Sac					NA			NA		12/10/2014
(1375) Sequoia Court	0.13	140	R			From: 26-1382 Sequoia Rd To: Cul-de-Sac					NA			NA		06/01/2017
(1376) Sierra Rd	0.07	60	R			From: Cul-de-Sac To: 26-1381 Chesdin Dr					NA			NA		06/01/2017
(1377) Yosemite Rd	0.07	70	R			From: Cul-de-Sac To: 26-1381 Chesdin Dr					NA			NA		12/10/2014

Virginia Department of Transportation  
Traffic Engineering Division  
2017  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Dinwiddie County</b>																
(1378) Woodstream Court	0.11	120	R								NA		NA			12/10/2014
(1379) Woodstream Court	0.24	180	R								NA		NA			09/16/2014
(1380) Woodstream Dr	0.31	710	R								NA		NA			06/01/2017
(1380) Woodstream Dr	0.53	190	R								NA		NA			08/02/2017
(1381) Chesdin Dr	0.43	660	R								NA		NA			06/01/2017
(1382) Sequoia Rd	0.31	200	R								NA		NA			09/16/2014
(1383) Olympic Lane	0.08	110	R								NA		NA			12/10/2014
(1384) Yellowstone Dr	0.15	640	R								NA		NA			09/16/2014
(1385) Mcllwaine Dr	0.30	320	R								NA		NA			12/10/2014
(1385) Mcllwaine Dr	0.13	1000	R								NA		NA			09/16/2014
(1385) Mcllwaine Dr	0.11	1500	R								NA		NA			09/16/2014
(1386) Raymond Rd	0.17	110	R								NA		NA			12/10/2014
(1387) Beth Lane	0.12	130	R								NA		NA			09/16/2014
(1388) Gloria Dr	0.03	10	R								NA		NA			06/01/2017
(1388) Gloria Dr	0.07	190	R								NA		NA			08/02/2017
(1389) Paul Dr	0.10	130	R								NA		NA			06/01/2017
(1390) Jackie Dr	0.09	470	R								NA		NA			09/16/2014
(1390) Jackie Dr	0.10	410	R								NA		NA			09/16/2014
(1390) Jackie Dr	0.08	200	R								NA		NA			09/16/2014
(1390) Jackie Dr	0.06	80	R								NA		NA			12/10/2014

Virginia Department of Transportation  
Traffic Engineering Division  
2017  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Dinwiddie County</b>																
(1391) James Court	0.06	80	R								NA		NA			12/10/2014
(1392) Donnie Court	0.06	70	R								NA		NA			12/10/2014
(1393) Brickwood Meadow Dr	0.19	440	R								NA		NA			09/16/2014
(1394) Brickwood Meadow Terrace	0.05	48	R								NA		NA			12/10/2014
(1395) Brickwood Meadow Lane	0.35	310	R								NA		NA			12/10/2014
(1396) Brickwood Meadow Court	0.15	130	R								NA		NA			12/10/2014
(1397) Woodstream Place	0.05	40	R								NA		NA			06/05/2017
(1398) Woodstream Circle	0.06	50	R								NA		NA			06/05/2017
(1399) Tower Court	0.09	90	R								NA		NA			12/10/2014
(1399) Tower Court	0.19	150	R								NA		NA			06/05/2017
(1401) Springcreek Rd	0.41	60	R								NA		NA			12/10/2014
(1402) Main St	0.10	190	R								NA		NA			08/02/2017
(1402) Sycamore Dr	0.15	200	R								NA		NA			08/02/2017
(1403)	0.11	20	R								NA		NA			06/05/2017
(1404) Rowanty Lane	0.06	60	R								NA		NA			06/05/2017
(1405) Lakewood Dr	0.20	210	R								NA		NA			08/02/2017
(1405) Lakewood Dr	0.16	60	R								NA		NA			06/05/2017
(1406) Stonewall Dr	0.43	150	R								NA		NA			06/05/2017
(1407) Bonneville Lane	0.50	220	R								NA		NA			06/05/2017

Virginia Department of Transportation  
Traffic Engineering Division  
2017  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Dinwiddie County</b>																
(1408)		0.05	80	R										NA		12/10/2014
(1410)	Allen Rd	0.08	470	R										NA		08/02/2017
(1410)	Allen Rd	0.06	410	R										NA		08/02/2017
(1410)	Allen Rd	0.11	250	R										NA		08/02/2017
(1410)	Allen Rd	0.07	130	R										NA		08/02/2017
(1410)	Allen Rd	0.05	30	R										NA		06/05/2017
(1411)	Dorothy Circle	0.12	90	R										NA		06/05/2017
(1412)	Frances Dr	0.12	80	R										NA		06/05/2017
(1413)	Albert St	0.28	120	R										NA		09/26/2017
(1414)	Bishop St	0.16	140	R										NA		06/05/2017
(1414)	Bishop St	0.13	110	R										NA		09/26/2017
(1415)	Rainbow St	0.12	60	R										NA		06/05/2017
(1420)	River Run Dr	0.15	1000	R										NA		09/26/2017
(1421)	Lake Dr	0.27	160	R										NA		06/05/2017
(1422)	Plantation Place	0.04	60	R										NA		06/05/2017
(1423)	Plantation Dr	0.22	140	R										NA		06/05/2017
(1424)	Plantation Court	0.05	60	R										NA		06/05/2017
(1425)	Mark Dr	0.05	100	R										NA		09/26/2017
(1430)	Sons Way	0.15	110	R										NA		12/10/2014
(1431)	Bryans Circle	0.04	30	R										NA		12/10/2014

Virginia Department of Transportation  
Traffic Engineering Division  
2017  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Dinwiddie County</b>																
(1432) Kyles Court	0.03	40	R								NA		NA			12/10/2014
(1441) Drew Lane	0.07	170	R								NA		NA			08/02/2017
(1442) Gilmar Court	0.11	90	R								NA		NA			06/05/2017
(1442) Gilmar Court	0.09	80	R								NA		NA			06/05/2017
(1501) Sutherland Dr	0.17	130	R								NA		NA			08/02/2017
(1501) Sutherland Dr	0.29	220	R								NA		NA			08/02/2017
(1502) Woodland Rd	0.08	90	R								NA		NA			08/02/2017
(1503) Belville Dr	0.12	60	R								NA		NA			06/05/2017
(1504) Woodland Dr	0.10	80	R								NA		NA			08/02/2017
(1504) Woodland Dr	0.14	90	R								NA		NA			06/05/2017
(1505) Tara Dr	0.10	100	R								NA		NA			06/05/2017
(1506) Breeze Way	0.18	170	R								NA		NA			07/17/2014
(1507) Whisper Dr	0.36	230	R								NA		NA			11/19/2014
(1508) W. Whisper Ct	0.08	40	R								NA		NA			11/19/2014
(1509) Leonard Dr	0.23	110	R								NA		NA			12/10/2014
(1510) Chesdin Blvd	0.57	890	R								NA		NA			08/02/2017
(1510) Chesdin Blvd	0.46	360	R								NA		NA			08/02/2017
(1510) Chesdin Blvd	0.06	30	R								NA		NA			06/05/2017
(1511) Chesdin Court	0.04	50	R								NA		NA			06/05/2017
(1512) Ridgecrest Dr	0.10	60	R								NA		NA			08/02/2017

Virginia Department of Transportation  
Traffic Engineering Division  
2017  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Dinwiddie County</b>																
(1513) Shoreview Dr	0.13	260	R								NA			NA		07/17/2014
			From	26-1509 Leonard Dr												
(1513) Shoreview Dr	0.15	140	R								NA			NA		08/02/2017
			To	26-1512 Ridgecrest Dr												
(1513) Shoreview Dr	0.13	80	R								NA			NA		06/05/2017
			From	26-1514 Waterview Court												
			To	Cul-de-Sac												
(1514) Waterview Court	0.05	40	R								NA			NA		06/05/2017
			From	Cul-de-Sac												
			To	26-1513 Shoreview Dr												
(1515) Edrie Dr	0.13	360	R								NA			NA		08/02/2017
			From	26-601 River Rd												
(1515) Edrie Dr	0.04	20	R								NA			NA		06/05/2017
			From	26-1516 Eugene Dr												
			To	Dead End												
(1516) Eugene Dr	0.12	90	R								NA			NA		06/05/2017
			From	Dead End												
(1516) Eugene Dr	0.22	330	R								NA			NA		08/02/2017
			From	26-1517 Independence Dr												
			To	26-1515 Edrie Dr												
(1517) Independence Dr	0.07	120	R								NA			NA		08/02/2017
			From	26-1518 Hope Dr												
			To	26-1516 Eugene Dr												
(1518) Hope Dr	0.07	30	F	93%	4%	3%	0%	0%	0%	C	0.310		0.556	30	F	2017
			From	Dead End												
(1518) Hope Dr	0.10	100	R								NA			NA		06/05/2017
			From	26-1517 Independence Dr												
			To	Dead End												
(1519) Seay Dr	0.09	110	R								NA			NA		12/10/2014
			From	26-1510 Chesdin Blvd												
			To	Cul-de-Sac												
(1520) E. Whisper Ct	0.08	49	R								NA			NA		11/19/2014
			From	26-1507												
			To	Cul-de-Sac												
(1530) Oak St	0.07	40	R								NA			NA		12/10/2014
			From	Dead End												
(1530) Oak St	0.09	80	R								NA			NA		08/01/2014
			From	26-1531 Elm St												
			To	26-751 Cox Rd												
(1531) Elm St	0.23	60	R								NA			NA		08/01/2014
			From	26-1530 Oak St												
			To	26-751 Cox Rd												
(1535)	0.08	48	R								NA			NA		12/10/2014
			From	26-1339 Creek Lane												
			To	Cul-de-Sac												
(1536)	0.07	60	R								NA			NA		12/10/2014
			From	26-1339 Creek Lane												
			To	Cul-de-Sac												
(1537)	0.03	30	R								NA			NA		12/10/2014
			From	26-1339 Creek Lane												
			To	Cul-de-Sac												
(9116) Midway Elem Sch	0.14	140	R								NA			NA		05/17/2011
			From	26-751 Cox Rd												
			To	26-751 Cox Rd												

Virginia Department of Transportation  
Traffic Engineering Division  
2017  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of McKenney</b>																
9117	McKenney Elem School	0.04	120	R								NA		NA		05/17/2011
<b>Dinwiddie County</b>																
9118	Dinwiddie Elem Sch	0.07	270	R								NA		NA		10/02/2014
9118	Dinwiddie ES	0.05	110	R								NA		NA		10/02/2014
9118	Dinwiddie ES	0.09	110	R								NA		NA		10/02/2014
9118	Dinwiddie ES	0.09	110	R								NA		NA		10/02/2014
<b>Town of McKenney</b>																
9119		0.02	40	R								NA		NA		10/02/2014
9119		0.10	40	R								NA		NA		11/19/2014
<b>Dinwiddie County</b>																
9535	Eastview Dr	0.23	900	R								NA		NA		10/02/2014
9535	Eastview Dr	0.20	810	R								NA		NA		10/02/2014
9535	Eastview Dr	0.13	720	R								NA		NA		10/02/2014
9923	Dinwiddie Jr High Sch	0.05	640	R								NA		NA		10/02/2014
9923	Dinwiddie Jr High Sch	0.13	730	R								NA		NA		10/02/2014
9923	Dinwiddie Jr High Sch	0.15	710	R								NA		NA		10/02/2014
9923	Dinwiddie Jr High Sch	0.11	710	R								NA		NA		10/02/2014
608	Johnson Rd	0.31	780	N	97%	1%	1%	1%	0%	0%	N	0.098	0.561	780	N	2017
608	Johnson Rd	1.00	1500	F	98%	1%	1%	0%	0%	0%	C	0.103	0.643	1600	F	2017
<b>City of Petersburg</b>																
3	Vaughn Rd	0.64	890	F	94%	0%	2%	1%	3%	0%	C	0.097	0.814	950	F	2017
4	Wells Rd	0.41	4000	F	89%	0%	1%	2%	8%	0%	C	0.082	0.587	4200	F	2017
9002	Halifax Rd	0.18	5400	F	98%	1%	0%	0%	0%	0%	F	0.087	0.534	5800	F	2017
9002	Halifax St	0.58	4200	F	98%	1%	0%	0%	0%	0%	F	0.089	0.575	4500	F	2017
9002	Halifax St	0.19	4900	F	98%	1%	0%	0%	0%	0%	F	0.089	0.546	5200	F	2017

Virginia Department of Transportation  
Traffic Engineering Division  
2017  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>City of Petersburg</b>																
9002 123	Halifax St	0.37	7300	F	98%	1%	0%	0%	0%	F	0.084	0.534	7800	F	2017	
			From: Virginia Ave													
			To: Lee Ave													
9002 123	Halifax St	0.29	7200	F	98%	1%	0%	0%	0%	F	0.088	0.509	7700	F	2017	
			From: Liberty St													
9002 123	Halifax St	0.28	8500	F	98%	1%	0%	0%	0%	C	0.083	0.511	9000	F	2017	
			From: US 1, US 460 W Wythe St													
9002 123	Union St	0.12	4100	F	98%	0%	1%	0%	0%	F	0.093	0.918	4300	F	2017	
			From: US 1, US 460 W Washington St													
9002 123	Union St	0.17	1500	F	98%	0%	1%	0%	0%	C	0.113	0.59	1600	F	2017	
			From: W Tabb St													
9004 123	Defense Rd	0.47	1800	F	97%	0%	0%	1%	1%	C	0.103	0.575	1900	F	2017	
			From: Boydton Plank Rd													
9004 123	Defense Dr	1.77	3100	F	98%	1%	1%	0%	0%	F	0.100	0.517	3300	F	2017	
			From: Squirrel Level Rd													
9004 123	South Boulevard	0.92	7100	F	98%	1%	1%	0%	0%	C	0.087	0.568	7500	F	2017	
			From: Johnson Rd													
9004 123	South Boulevard	0.18	4600	F	98%	1%	1%	0%	0%	F	0.085	0.538	4900	F	2017	
			From: S. Sycamore St													
9004 123	South Boulevard	0.72	2000	F	98%	1%	1%	0%	0%	F	0.088	0.573	2100	F	2017	
			From: Crater Rd													
			To: Anderson St													
9006 123	Flank Rd	0.96	1800	F	99%	0%	1%	0%	0%	C	0.095	0.578	1900	F	2017	
			From: Halifax Rd													
9006 123	Flank Rd	0.47	2700	F	99%	0%	1%	0%	0%	F	0.089	0.511	2800	F	2017	
			From: Johnson Rd													
9006 123	Flank Rd	0.75	2200	F	99%	0%	1%	0%	0%	F	0.093	0.651	2300	F	2017	
			From: Birdsong Rd													
9006 123	Flank Rd	0.91	2500	F	99%	0%	1%	0%	0%	C	0.093	0.582	2600	F	2017	
			From: Fort Hayes Dr													
9006 123	Flank Rd ( 1-Way )	0.13	2300	F	99%	1%	0%	0%	0%	C	0.087		2500	F	2017	
			From: Flank Rd N													
			To: US 301 S Crater Rd													
9008 123	Rives Rd	0.48	6400	F	98%	0%	1%	0%	1%	C	0.097	0.53	6800	F	2017	
			From: US 301 S Crater Rd													
9008 123	Rives Rd	0.34	7400	F	96%	0%	1%	0%	2%	C	0.092	0.528	7800	F	2017	
			From: I- 95													
			To: ECL Petersburg													
9008 123	Ramp	0.17	850	A							0.121		860	A	2017	
			From: 123-9008 Rives Rd													
			To: I-95 South													
9008 123	Ramp	0.16	4200	F							0.106		4200	F	2017	
			From: 123-9008 Rives Rd													
			To: I-95 North													
9009 123	Dupuy Rd	1.24	450	F	97%	1%	2%	0%	0%	F	0.120	0.554	470	F	2017	
			From: SR 142 Boydton Plank Rd													
9009 123	Dupuy St	0.58	1400	F	97%	1%	2%	0%	0%	F	0.086	0.544	1500	F	2017	
			From: Grigg St													
9009 123	Farmer St	0.86	3400	F	97%	1%	2%	0%	0%	C	0.090	0.526	3600	F	2017	
			From: Youngs Rd													
9009 123	Farmer St	0.47	2700	F	97%	1%	2%	0%	0%	F	0.091	0.625	2900	F	2017	
			From: S. South St													
			To: Halifax St													

Virginia Department of Transportation  
Traffic Engineering Division  
2017  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>City of Petersburg</b>																
9010 123 Wagner Rd	0.73	15000	F	98%	0%	1%	0%	1%	0%	C	0.084		0.556	16000	F	2017
						S Crater Rd										
						I-95										
9010 123 Wagner Rd	1.60	10000	F	96%	0%	1%	0%	2%	0%	C	0.090		0.515	11000	F	2017
						County Dr										
9010 123 East Ramp	0.30	1300	F								0.088			1300	F	2017
						123-9010 E, Wagner Rd										
						I-95 South										
9010 123 East Ramp	0.33	5100	F								0.102			5100	F	2017
						123-9010 E, Wagner Rd										
						I-95 North										
9010 123 West Ramp	0.25	220	F								0.169			220	F	2017
						123-9010 W, Wagner Rd										
						I-95 South										
9010 123 West Ramp	0.34	2300	F								0.111			2300	F	2017
						123-9010 W, Wagner Rd										
						I-95 North										
9011 123 Squirrel Level Rd	0.82	910	F	99%	0%	0%	0%	0%	0%	C	0.097		0.685	970	F	2017
						SCL Petersburg										
						Wells Rd										
9011 123 Squirrel Level Rd	0.25	5800	F	92%	0%	1%	1%	6%	0%	C	0.086		0.514	6100	F	2017
						Ramp To I- 85										
9011 123 Squirrel Level	0.20	8200	F	98%	0%	1%	0%	0%	0%	F	0.082		0.522	8700	F	2017
						Boydton Plank Rd										
9011 123 Young Rd	0.55	3900	F	98%	0%	1%	0%	0%	0%	F	0.09		0.524	4200	F	2017
						Valor Dr										
9011 123 Young Rd	0.59	2400	F	98%	0%	1%	0%	0%	0%	C	0.099		0.580	2600	F	2017
						123-9009 Dupuy Rd										
9011 123 Ramp	0.15	4700	A								0.097			5100	A	2017
						123-9011 Squirrel Level Rd										
						I-85 North										
9011 123 Ramp	0.22	1400	F								0.099			NA		2017
						123-9011 Squirrel Level Rd										
						I-85 South										
9012 123 Lee Ave	0.56	2000	F	95%	3%	1%	0%	0%	0%	C	0.100		0.524	2100	F	2017
						West St										
9012 123 Porterville St	0.15	970	F	98%	1%	0%	0%	0%	0%	F	0.096		0.568	1000	F	2017
						Halifax St										
						Harding St										
9012 123 New St	0.18	960	F	98%	1%	0%	0%	0%	0%	C	0.09		0.606	1000	F	2017
						Harrison St										
						New St										
9012 123 Harrison St	0.03	690	F	98%	1%	0%	0%	0%	0%	F	0.091			730	F	2017
						Corling St										
						Harrison St										
9012 123 Corling St	0.09	460	F	98%	1%	0%	0%	0%	0%	F	0.09			480	F	2017
						S. Sycamore St										
9012 123 Graham Rd	0.83	3700	F	99%	0%	0%	0%	0%	0%	F	0.097		0.655	4000	F	2017
						Ramp From I-95										
9012 123 Graham Rd	0.14	9000	F	99%	0%	0%	0%	0%	0%	C	0.083		0.798	9500	F	2017
						Crater Rd										
9013 123 Halifax Rd	1.79	3700	F	90%	0%	1%	2%	7%	0%	C	0.084		0.541	4000	F	2017
						SCL Petersburg										
						Wells Rd										

Virginia Department of Transportation  
 Traffic Engineering Division  
 2017  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>City of Petersburg</b>																
9013 123	Halifax Rd	0.98	320	F	98%	0%	0%	0%	0%	C	0.106		0.658	340	F	2017
9015 123	Johnson Rd	0.01	1800	F	99%	0%	0%	0%	0%	C	0.096		0.618	1900	F	2017
9015 123	Johnson Rd	0.54	870	F	99%	0%	0%	0%	0%	C	0.09		0.547	920	F	2017
9015 123	Johnson Rd	1.39	4200	F	96%	3%	1%	0%	0%	C	0.098		0.573	4500	F	2017
9015 123	Johnson Rd	0.46	5600	F	96%	3%	1%	0%	0%	F	0.083		0.567	5900	F	2017
9015 123	Johnson Rd	0.37	4000	F	96%	3%	1%	0%	0%	F	0.082		0.516	4300	F	2017
9015 123	High Pearl St	0.20	3900	F	96%	3%	1%	0%	0%	F	0.079		0.524	4100	F	2017
9015 123	High Pearl St	0.08	2300	F	97%	2%	1%	1%	0%	C	0.083		0.612	2500	F	2017
9015 123	Harding St	0.22	1200	F	97%	1%	2%	0%	0%	C	0.096		0.68	1300	F	2017
9015 123	Harding St	0.27	650	F	97%	0%	2%	0%	0%	C	0.09			690	F	2017
9017 123	Birdsong Rd	0.62	500	F	97%	1%	1%	0%	0%	C	0.11		0.639	530	F	2017
9021 123	N Sycamore St	0.18	3900	F	97%	0%	1%	1%	1%	F	0.096		0.513	4200	F	2017
9021 123	N Sycamore St	0.15	3500	F	97%	0%	1%	1%	1%	C	0.089		0.554	3700	F	2017
9023 123	North Blvd	0.57	2500	F	98%	1%	1%	0%	0%	C	0.089		0.612	2600	F	2017
9025 123	Virginia Ave	0.22	310	F	96%	2%	2%	0%	0%	C	0.111			330	F	2017
9025 123	Virginia Ave	0.32	1900	F	96%	2%	2%	0%	0%	F	0.088		0.535	2100	F	2017
9025 123	Young Ave	0.20	2100	F	98%	1%	1%	0%	0%	C	0.091		0.567	2200	F	2017
9025 123	Young Ave	0.11	2800	F	98%	1%	1%	0%	0%	F	0.086		0.551	2900	F	2017
9025 123	S West St	0.28	2900	F	98%	1%	0%	0%	0%	C	0.091		0.5	3000	F	2017
9025 123	S West St	0.23	3900	F	98%	1%	1%	0%	0%	F	0.092		0.540	4100	F	2017
9025 123	S West St	0.14	2900	F	98%	1%	1%	1%	0%	C	0.092		0.514	3000	F	2017
9025 123	S West St	0.07	2100	F	96%	1%	1%	1%	0%	C	0.102		0.547	2200	F	2017

Virginia Department of Transportation  
Traffic Engineering Division  
2017  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>City of Petersburg</b>																
9027 123 S West St	0.63	1700	F	99%	0%	1%	0%	0%	0%	C	0.088	0.562	1800	F	2017	
9029 123 S. South St	0.36	1700	F	98%	1%	1%	0%	0%	0%	C	0.092	0.573	1800	F	2017	
9029 123 S. South St	0.09	3100	F	99%	0%	0%	0%	0%	0%	F	0.095	0.658	3200	F	2017	
9029 123 N. South St	0.20	5000	F	99%	0%	0%	0%	0%	0%	F	0.096	0.559	5300	F	2017	
9029 123 High St	0.02	900	G	99%	0%	0%	0%	0%	0%	F	0.088	0.522	960	G	2017	
9029 123 Canal St	0.20	5100	F	99%	0%	0%	0%	0%	0%	C	0.095	0.557	5400	F	2017	
9031 123 Byrne St	0.40	380	F	98%	1%	1%	0%	0%	0%	C	0.114		400	F	2017	
9031 123 S. Market St	0.12	1800	F	98%	1%	1%	0%	0%	0%	F	0.09	0.517	1900	F	2017	
9033 123 Apollo St	0.14	60	F	96%	1%	2%	0%	0%	0%	C	0.169	0.583	70	F	2017	
9033 123 Jefferson St	0.58	1800	F	99%	1%	1%	0%	0%	0%	C	0.084	0.51	1900	F	2017	
9033 123 Henry St	0.04	700	F	99%	1%	1%	0%	0%	0%	F	0.099	0.658	740	F	2017	
9038 123 Puddledock Rd	0.40	7300	F	94%	0%	1%	3%	1%	0%	C	0.089	0.544	7700	F	2017	
9046 123 High St	0.58	1400	F	99%	0%	1%	0%	0%	0%	C	0.103	0.649	1500	F	2017	
9046 123 W Bank St	0.14	3300	F	99%	0%	1%	0%	0%	0%	F	0.094	0.541	3500	F	2017	
9046 123 E Bank St	0.11	4200	F	99%	0%	0%	0%	0%	0%	C	0.092	0.625	4500	F	2017	
9046 123 Bank St	0.25	4100	F	97%	1%	1%	0%	1%	0%	C	0.101	0.562	4400	F	2017	
9046 123 Bank St	0.21	4400	F	97%	1%	1%	0%	1%	0%	F	0.088	0.555	4700	F	2017	
9048 123 W Tabb St	0.09	1000	F	98%	0%	1%	0%	0%	0%	F	0.118	0.593	1100	F	2017	
9048 123 W Tabb St	0.06	1500	F	98%	0%	1%	0%	0%	0%	F	0.112	0.523	1600	F	2017	
9048 123 E Tabb St	0.12	980	F	98%	0%	1%	0%	0%	0%	C	0.109	0.555	1000	F	2017	
9053 123 Baylor Ln	0.65	1700	F	98%	2%	0%	0%	0%	0%	C	0.095	0.581	1800	F	2017	

Virginia Department of Transportation  
Traffic Engineering Division  
2017  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>City of Petersburg</b>																
9055 123 Madison St	0.05	1600	F	98%	0%	1%	0%	0%	0%	C	0.099		0.825	1700	F	2017
						From: E Washington St										
						To: Franklin St										
9055 123 Madison St	0.18	1600	F	97%	1%	1%	0%	1%	0%	C	0.096		0.851	1700	F	2017
						From: E Bank St										
						To: Bollingbrook St										
9055 123 Madison St	0.07	660	F	96%	1%	2%	0%	1%	0%	C	0.115		0.853	700	F	2017
						From: E Bank St										
						To: Bollingbrook St										
9057 123 Fifth St	0.05	490	F							C	0.117		0.515	520	F	2017
						From: Bollingbrook St										
						To: River St										
9057 123 Fifth St	0.08	250	F	87%	0%	2%	2%	9%	0%	C	0.096		0.536	270	F	2017
						From: Flank Rd One-Way										
						To: US 301 S Crater Rd										
9059 123 Flank Rd N	0.20	4000	F	98%	1%	1%	0%	0%	0%	C	0.091		0.718	4300	F	2017
						From: E Wythe St										
						To: E Washington St										
						From: 6Th St										
Accomack St		320	F							C	0.094		0.676	340	F	2017
						To: 7Th St										
						From: Old Church St										
Cameron St		250	F							C	0.13		0.609	260	F	2017
						To: Center St										
						From: Prince George Ave										
Culpeper Ave		500	F							C	0.125		0.803	530	F	2017
						To: Brunswick St										
						From: Halifax Rd										
Custer St		340	F							C	0.092		0.522	360	F	2017
						To: Hawk St										
						From: Busby St										
Darby Dr		250	F							C	0.124		0.523	260	F	2017
						To: Halcun Dr										
						From: Dering Rd										
Gordon Dr		300	F							C	0.111		0.628	320	F	2017
						To: Hoke Dr										
						From: Valley Dr										
Homestead Dr		470	F							C	0.102		0.558	500	F	2017
						To: Midland Rd										
						From: Filmore St										
Jefferson St		2000	F							C	0.077		0.52	2100	F	2017
						To: ST Andrews St										
						From: Nivram St										
North Park Dr		840	G							C	0.095		0.598	900	G	2017
						To: Retang Rd										
						From: Homestead Dr										
Oakmont Dr		80	F							C	0.137		0.708	90	F	2017
						To: Midland Rd										
						From: Bollingbrook St										
Old Church St		270	F							C	0.132		0.536	280	F	2017
						To: Miller St										
						From: Floyd St										
Patterson Ave		890	F							C	0.151		0.675	940	F	2017
						To: Carver St										

Virginia Department of Transportation  
 Traffic Engineering Division  
 2017  
 Annual Average Daily Traffic Volume Estimates By Section of Route  
 Dinwiddie Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	-----Truck-----				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
<b>City of Petersburg</b>																
Pleasants Ln		970	F			From: Valor Dr				0.132			0.553	1000	F	2017
						To: Dupuy Rd										
Richmond Ave		810	F			From: Ash St				0.118			0.706	860	F	2017
						To: Nash St										
Rollingwood Rd		90	F			From: Valley St				0.171			0.606	100	F	2017
						To: Homestead Dr										
South Park Dr		2200	F			From: Forest Hill Rd				0.087			0.551	2300	F	2017
						To: West Park Dr										
St Luke St		490	F			From: Bolling Street				0.109			0.526	520	F	2017
						To: Chestnut Street										
St Matthew St		2200	F			From: High Pearl St				0.095			0.533	2300	F	2017
						To: Harding St										
Talley Ave		620	F			From: Custer St				0.266			0.62	660	F	2017
						To: Edmonds Ct										