

**2018**

**Virginia Department of Transportation**

**Daily Traffic Volume Estimates**

**Including Vehicle Classification Estimates**

where available

**Jurisdiction Report**

**69**

Page County  
Town of Luray  
Town of Shenandoah  
Town of Stanley

Prepared By

**Virginia Department of Transportation**

**Traffic Engineering Division**

In Cooperation With

**U.S. Department of Transportation**

**Federal Highway Administration**

Virginia Department of Transportation  
Traffic Engineering Division  
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people of the VDOT Traffic Engineering Division Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

## **Publication Notes**

### **Parallel Roads**

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

---

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT Traffic Engineering Division Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

## Glossary of Terms:

**Route:** The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

**Length:** Length of the traffic segment in miles.

**AADT:** Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

### QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

**4Tire:** Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

**Bus:** Percentage of the traffic volume made up of busses.

**2Axe Truck:** Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

**3+Axe Truck:** Percentage of the traffic volume made up of single unit trucks with three or more axles.

**1Trail Truck:** Percentage of the traffic volume made up of units with a single trailer.

**2Trail Truck:** Percentage of the traffic volume made up of units with more than one trailer.

### QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

**K Factor:** The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

**QK:** Quality of the K Factor estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Design Hour Factor (K Factor) of Similar Neighboring Traffic Link
- O Provided by External Source

**Dir Factor:** The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

**AAWDT:** Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

**QW:** Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

**Year:** Year for which the published values are appropriate. If the Quality of AADT (QA) is “R”, the year is the year that the raw traffic count was collected, and if available,

## Route Shield Legend

### Route Systems

- |   |  |  |
|---|--|--|
|  | North Interstate Route                           | Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined. |
|  | US Route   |  |
|  | Virginia State Route                             |  |
|  | Frontage Road (F precedes frontage route number) |  |
|  | Secondary Route                                  |  |

### Special Routes

- |   |   |
|---|---|
|    | Bus - Business Route  |
|   | Bypas - Bypass Route  |
|  | Truck - Truck Route   |
|  | ALT - Alternate Route   |
|   | Wve - Wve Route connector   |
|  | P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.                                 |
|  | The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report. |

Virginia Department of Transportation  
Traffic Engineering Division  
2018  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Page Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW							
							2Axle	3+Axle	1Trail	2Trail													
(48) Skyline Dr	Page County (Maint: US )	From:	Rockingham County Line												NA								
		To:	Madison County Line												NA								
		From:	Rappahannock County Line												NA								
(48) Skyline Dr	Page County (Maint: US )	0.06	800	O											NA								
		To:	US 211												NA								
		From:	Rappahannock County Line												NA								
(48) Skyline Dr	Page County (Maint: US )	3.01	650	O											NA								
		To:	Rappahannock County Line												NA								
		From:	Rappahannock County Line												NA								
(211) Lee Highway	Page County	2.09	650	O											NA								
		To:	Rappahannock County Line												NA								
		From:	Shenandoah County Line												NA								
(211) Lee Highway	Page County	2.92	6400	F	91%	1%	1%	3%	5%	0%	F	0.089	F	0.617	6400	F							
		To:	US 340												NA								
		From:	WCL Luray												NA								
(211) (340) Lee Highway	Town of Luray (Maint: 69)	0.36	14000	F	95%	1%	1%	1%	2%	0%	F	0.083	F	0.535	14000	F							
		To:	Bus US 211												NA								
		From:	ECL Luray												NA								
(211) (340) Lee Highway	Page County	0.69	7600	F	96%	0%	1%	1%	2%	0%	C	0.083	F	0.530	7600	F							
		To:	WCL Luray												NA								
		From:	US 340												NA								
(211) Lee Highway	Town of Luray (Maint: 69)	0.38	4700	N	96%	0%	1%	1%	2%	0%	N	0.096	F	0.54	4700	N							
		To:	ECL Luray												NA								
		From:	WCL Luray: 69-656 Whispering Hill Rd												NA								
(211) Lee Highway	Town of Luray (Maint: 69)	0.28	3000	N	96%	0%	1%	1%	2%	0%	N	0.092	F	0.588	3000	N							
		To:	ECL Luray												NA								
		From:	US 340												NA								
(211) Lee Highway	Page County	1.35	4700	F	96%	0%	1%	1%	2%	0%	C	0.096	F	0.54	4700	F							
		To:	WCL Luray: 69-656 Whispering Hill Rd												NA								
		From:	ECL Luray												NA								
(211) Lee Highway	Page County	0.46	3000	F	96%	0%	1%	1%	2%	0%	C	0.092	F	0.588	3000	F							
		To:	Bus US 211 East of Luray												NA								
		From:	Rappahannock County Line; Skyline Drive												NA								
Bus (211) West Main St	Town of Luray	0.15	6700	F	99%	0%	1%	0%	0%	0%	F	0.085	F	0.519	6700	F							
		To:	Leaksville Rd												NA								
		From:	Lee St												NA								
Bus (211) West Main St	Town of Luray	0.85	6000	F	99%	0%	1%	0%	0%	0%	C	0.084	F	0.539	6000	F							
		To:	Lee St												NA								
		From:	Lee St												NA								

Virginia Department of Transportation  
Traffic Engineering Division  
2018  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Page Maintenance Area

Route	Jurisdiction	Length	<b>AADT</b>	<b>QA</b>	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
Bus 211 West Main St	Town of Luray	0.33	8300	G	99%	0%	1%	0%	0%	0%	F	0.083	F	0.558	8700	G
Bus 211 East Main St	Town of Luray	0.98	8300	F	98%	0%	1%	0%	0%	0%	F	0.078	F	0.502	8300	F
Bus 211 East Main St	Town of Luray	0.14	6700	F	98%	0%	1%	0%	0%	0%	C	0.086	F	0.57	6700	F
Bus 211 East Main St	Town of Luray	0.72	4700	F	98%	0%	0%	0%	1%	0%	F	0.096	F	0.569	4700	F
Bus 211 East Main St	Page County	0.93	1500	F	98%	0%	0%	0%	1%	0%	C	0.103	F	0.533	1500	F
340 Third St	Page County	1.02	6000	F	97%	1%	1%	0%	2%	0%	F	0.087	F	0.569	5900	F
340	Town of Shenandoah (Maint: 69)	1.22	6000	N	97%	1%	1%	0%	2%	0%	N	0.087	F	0.569	5900	N
340 Fifth St	Town of Shenandoah (Maint: 69)	0.65	6800	F	96%	0%	1%	1%	2%	0%	F	0.086	F	0.562	6800	F
340	Page County	2.57	6800	N	96%	0%	1%	1%	2%	0%	N	0.086	F	0.562	6800	N
340	Page County	4.32	5300	F	96%	0%	1%	1%	2%	0%	C	0.089	F	0.501	5300	F
340	Page County	3.16	5100	F	96%	0%	1%	1%	2%	0%	F	0.082	F	0.606	5100	F
340 211 Lee Highway	Page County	5.46	8100	F	95%	1%	1%	1%	2%	0%	C	0.085	F	0.503	8100	F
340 211 Lee Highway	Town of Luray (Maint: 69)	0.36	14000	F	95%	1%	1%	1%	2%	0%	F	0.083	F	0.535	14000	F
340 211 Lee Highway	Town of Luray (Maint: 69)	0.69	7600	F	96%	0%	1%	1%	2%	0%	C	0.083	F	0.530	7600	F
340 211 Lee Highway	Page County	0.53	7600	N	96%	0%	1%	1%	2%	0%	N	0.083	F	0.530	7600	N
340 211 Lee Highway	Town of Luray (Maint: 69)	0.56	7600	N	96%	0%	1%	1%	2%	0%	N	0.083	F	0.530	7600	N
340 N Broad St	Town of Luray	0.30	5800	F	97%	0%	1%	1%	1%	0%	C	0.085	F	0.538	5700	F

Virginia Department of Transportation  
Traffic Engineering Division  
2018  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Page Maintenance Area

Route	Jurisdiction	Length	<b>AADT</b>	<b>QA</b>	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW
							2Axle	3+Axle	1Trail	2Trail						
340 Stonewall Jackson Memorial Hwy	Page County	From: 0.21	<b>5800</b>	<b>N</b>	97%	0%	1%	1%	1%	0%	N	0.085	F	0.538	5700	N
340 Stonewall Jackson Memorial Hwy	Page County	From: 1.03	<b>6200</b>	<b>F</b>	97%	0%	1%	1%	1%	0%	F	0.084	F	0.563	6100	F
340 Stonewall Jackson Memorial Hwy	Page County	From: 5.93	<b>5200</b>	<b>F</b>	97%	0%	1%	1%	1%	0%	F	0.089	F	0.61	5200	F
340 Stonewall Jackson Memorial Hwy	Page County	From: 3.96	<b>4400</b>	<b>F</b>	97%	0%	1%	1%	1%	0%	F	0.088	F	0.704	4400	F
Bus 340	Page County	From: 0.20	<b>4100</b>	<b>N</b>	94%	1%	1%	1%	3%	0%	N	0.086	F	0.641	4100	N
Bus 340 Stonewall Jackson Memorial Highway	Page County	From: 3.80	<b>4100</b>	<b>F</b>	94%	1%	1%	1%	3%	0%	C	0.086	F	0.641	4100	F
Bus 340	Town of Stanley (Maint: 69)	From: 2.08	<b>4100</b>	<b>N</b>	94%	1%	1%	1%	3%	0%	N	0.086	F	0.641	4100	N
Bus 340	Page County	From: 1.99	<b>4100</b>	<b>N</b>	94%	1%	1%	1%	3%	0%	N	0.086	F	0.641	4100	N
Bus 340 Stonewall Jackson Memorial Highway	Page County	From: 3.73	<b>5500</b>	<b>F</b>	98%	0%	1%	0%	1%	0%	C	0.086	F	0.624	5500	F
Bus 340 Virginia Ave	Town of Luray	From: 0.09	<b>5700</b>	<b>F</b>	97%	0%	1%	1%	1%	0%	F	0.086	F	0.637	5600	F
Bus 340 Virginia Ave	Town of Luray	From: 0.52	<b>4800</b>	<b>G</b>	97%	0%	1%	1%	1%	0%	C	0.086	F	0.586	5100	G
Bus 340 Broad St	Town of Luray	From: 0.54	<b>4500</b>	<b>G</b>	96%	0%	1%	1%	1%	0%	C	0.094	F	0.545	4700	G

Virginia Department of Transportation  
Traffic Engineering Division

2018

Annual Average Daily Traffic Volume Estimates By Section of Route  
Page Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Page County</b>																
(F735) Stonewall Lane	0.06	0	R								NA		NA		05/23/2018	
			From:	US 211 Lee Highway												
			To:	Dead End												
(F737) Cave Hill Rd	0.07	30	R								NA		NA		05/23/2018	
			From:	Dead End												
			To:	WCL Luray												
<b>Town of Luray</b>																
(F737) Cave Hill Rd	0.13	90	R								NA		NA		04/22/2015	
			From:	WCL Luray												
			To:	Cavehill Rd												
<b>Page County</b>																
(F738) St Johns Rd	0.10	20	R								NA		NA		05/21/2018	
			From:	69-615												
			To:	Dead End												
<b>Town of Shenandoah</b>																
(602) Maryland Ave	0.37	4400	F	99%	0%	0%	0%	0%	0%	C	0.090	F	0.617	4400	F	2018
			From:	Rockingham County Line												
(602) Maryland Ave	0.42	2400	F	99%	0%	0%	1%	0%	0%	C	0.090	F	0.567	2400	F	2018
			From:	US 340 Fourth St												
			To:	ECL Shenandoah												
<b>Page County</b>																
(602) Maryland Ave	0.34	2400	N	99%	0%	0%	1%	0%	0%	N	0.090	F	0.567	2400	N	2018
			From:	ECL Shenandoah												
(602) Comer Town Rd	1.30	1100	F	99%	0%	0%	0%	0%	0%	C	0.088	F	0.620	1100	F	2018
			From:	69-711 Comer Lane												
(602) Comer Town Rd	0.76	840	F	99%	0%	0%	0%	0%	0%	C	0.095	F	0.559	840	F	2018
			From:	69-603 S. Fleeburg Rd												
(602) Comer Town Rd	1.51	350	F	99%	0%	1%	0%	0%	0%	C	0.099	F	0.65	350	F	2018
			From:	69-603 N. Crooked Run Rd												
(603) Fleeburg Rd	1.50	630	F	98%	0%	1%	0%	0%	0%	C	0.094	F	0.677	630	F	2018
			From:	82-609, Rockingham County Line												
(603) Fleeburg Rd	1.40	520	F	99%	0%	0%	0%	0%	0%	C	0.129	F	0.5	520	F	2018
			From:	69-681 Fleeburg Loop												
			To:	69-602 S. Comer Town Rd												
(603)	1.71	370	R								NA		NA		06/04/2018	
			To:	69-650 River Rd												
(604) Loop Rd	2.90	340	R								NA		NA		06/04/2018	
			From:	Rockingham County Line East												
			To:	Rockingham County Line West												
(605) Beahm Lane	2.15	80	R								NA		NA		05/16/2018	
			From:	69-611												
			To:	69-662 Rileyville Rd												
(606) South Creek Rd	1.65	100	R								NA		NA		05/04/2018	
			From:	69-759 Jollett Rd												
			To:	Rockingham County Line												
(607) Weaver Rd	0.56	180	R								NA		NA		04/29/2015	
			From:	69-759 Jollett Rd												
			To:	0.56 MN 69-759												
(607) Weaver Rd	2.04	80	R								NA		NA		06/04/2018	
			From:	Shenandoah Natl Pk Bndy												
(608) Grindstone Mt Rd	0.97	200	R								NA		NA		06/04/2018	
			From:	69-603 Fleeburg Rd												
			To:	Dead End												

Virginia Department of Transportation  
Traffic Engineering Division

2018

Annual Average Daily Traffic Volume Estimates By Section of Route  
Page Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Page County</b>																
(609)	0.80	180	R			From Dead End								NA	04/29/2015	
			To 69-602 Comer Town Rd													
(610) Rinaca Lane	0.23	100	R			From US 340								NA	04/29/2015	
			To Dead End													
(611) Red Gate Rd	0.15	40	R			From Shenandoah National Park Boundary								NA	04/27/2015	
			To 69-687 Fox Hollow Rd; Edgewood Dr													
(611) Edgewood Dr	0.10	130	R			From 69-687 Fox Hollow Rd; Red Gate Rd								NA	04/27/2015	
			To 69-714; Kite Hollow Rd													
(611) Kite Hollow Rd	0.65	310	R			From 69-714 Edgewood Dr								NA	06/04/2018	
			To 69-628 Balkemore Hill Rd													
(611) Kite Hollow Rd	1.20	440	F	99%	0%	0%	0%	0%	0%	C	0.102	F	0.638	440	F	2018
			To 69-689 S, Ida Rd													
(611) Farmview Rd	5.80	240	R			From 69-689 Ida Rd								NA	05/29/2018	
			To 69-689 Stoneyman Rd													
(611) Brookstone Rd	1.87	280	R			From 69-689 N, Stoneyman Rd								NA	05/29/2018	
			To 1.87 MN 69-689													
(611) Brookstone Rd	0.13	210	R			From								NA	05/29/2018	
			To 69-669 S, Valley Burg Rd													
(611) Brookstone Rd	0.10	850	F	99%	0%	0%	1%	1%	0%	C	0.099	F	0.606	840	F	2018
			To 69-669 N, Fairview Rd													
(611) Brookstone Rd	0.40	370	R			From								NA	04/22/2015	
			To 69-667 E, Dry Run Rd													
(611) Clearview Rd	1.84	280	F	98%	0%	0%	1%	2%	0%	C	0.100	F	0.636	280	F	2018
			To US 211 E, Lee Highway													
(611) Kimball Rd	0.80	280	R			From US 211 W, Lee Highway								NA	04/22/2015	
			To 69-658 EAST													
(611)	1.80	120	R			From 69-658								NA	04/20/2015	
			To 69-656													
(611)	0.60	180	R			From								NA	05/23/2018	
			To 69-654													
(611)	2.10	250	R			From								NA	04/20/2015	
			To 69-661 Sunnyview Dr													
(611)	2.23	180	R			From								NA	05/16/2018	
			To 69-662 Rileyville Rd													
(612)	1.30	290	R			From								NA	04/22/2015	
			To 69-658													
(612)	1.45	120	R			From								NA	04/22/2015	
			To 69-666 W, Batman Hill Rd													
(612)			To 69-666 E, Batman Hill Rd													
(613) Strole Farm Rd	3.30	230	R			From US 340 SOUTH								NA	04/29/2015	
			To US 340 NORTH													
(614) Shuler Lane	0.05	90	R			From US 340								NA	06/06/2018	
			To 0.05 MN US 340													
(614) Shuler Lane	1.82	100	R			From								NA	06/06/2018	
			To 69-615													

Virginia Department of Transportation  
Traffic Engineering Division

2018

Annual Average Daily Traffic Volume Estimates By Section of Route  
Page Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Page County</b>																
(615)	1.44	150	R											NA	04/29/2015	
			From:	Bus US 340 EAST												
			To:	US 340 WEST; Gap												
(615)	0.34	1800	R											NA	06/04/2018	
			From:	Bus US 340 WEST ; Gap												
(615)	0.88	220	R											NA	06/04/2018	
			To:	US 340												
			From:	US 340 NORTH; 69-614 Gap												
(615)	2.39	190	R											NA	05/21/2018	
			To:	US 211 WEST Gap												
(615)	4.16	290	R											NA	05/21/2018	
			From:	US 211 E, Lee Highway												
(615)	1.48	660	R											NA	04/20/2015	
			To:	69-654												
			From:	69-675 S, Fort Valley Rd												
(615)	1.50	130	R											NA	05/21/2018	
			To:	69-675 N, Fort Valley Rd												
			From:	Dead End												
(616) Leaksville Rd	3.41	1100	F	97%	0%	1%	1%	1%	0%	C	0.089	F	0.602	1100	F	2018
			To:	Bus US 340												
(616) Leaksville Rd	3.26	700	F	97%	0%	1%	0%	2%	0%	C	0.098	F	0.557	700	F	2018
			To:	SCL Luray												
(617) Dam Acres Rd	1.20	130	R											NA	06/06/2018	
			To:	69-650 Grove Hill River Rd												
(618) Dovel Hollow Rd	3.70	820	R											NA	06/06/2018	
			To:	69-638 Honeyville Rd												
(619) Lucas Hollow Rd	3.49	650	R											NA	04/27/2015	
			To:	69-621 Keystone Rd												
(620) Cubbage Hollow Rd	1.80	120	R											NA	06/06/2018	
			To:	69-621												
(621)	1.80	80	R											NA	06/06/2018	
			To:	Dead End												
(621)	1.78	180	R											NA	06/06/2018	
			To:	69-620 Cubbage Hollow Rd												
(621)	0.50	840	F	99%	0%	1%	0%	0%	0%	C	0.086	F	0.512	840	F	2018
			To:	69-619 Lucas Hollow Rd												
(622) Judy Lane Ext	1.07	650	F	99%	0%	1%	0%	0%	0%	C	0.091	F	0.547	650	F	2018
			To:	69-624 Pine Grove Rd												
(622) Park Rd	0.46	1500	F	98%	0%	1%	1%	1%	0%	C	0.086	F	0.517	1500	F	2018
			To:	SCL Stanley												
<b>Town of Stanlev</b>																
(622) Pond Ave	0.64	1500	N	98%	0%	1%	1%	1%	0%	N	0.086	F	0.517	1500	N	2018
			To:	Bus US 340 EAST												
(622) Pond Ave	0.12	500	F	98%	0%	1%	0%	1%	0%	C	0.101	F	0.558	500	F	2018
			To:	NCL Stanley												

Virginia Department of Transportation  
Traffic Engineering Division

2018

Annual Average Daily Traffic Volume Estimates By Section of Route  
Page Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year		
						2Axle	3+Axle	1Trail	2Trail								
<b>Page County</b>																	
(622)	0.58	500	N	98%	0%	1%	0%	1%	0%	N	0.101	F	0.558	500	N	2018	
			From:	NCL Stanley						To:	69-635						
(623) Judy Lane	0.60	1500	F	98%	0%	1%	1%	1%	0%	C	0.091	F	0.507	1500	F	2018	
			From:	69-622 Park Rd						To:	US 340						
(624) Pine Grove Rd	2.05	640	R	Dead End							NA						06/06/2018
			From:	69-682 Tanners Ridge Rd						To:	69-622 Judy Lane						
(624) Pine Grove Rd	0.79	850	F	99%	0%	0%	0%	0%	0%	C	0.095	F	0.58	850	F	2018	
			From:	69-689 S, Marksville Rd						To:	69-689 N, Marksville Rd						
(624) Hawksbill Dr	1.61	660	F	98%	0%	1%	0%	0%	0%	C	0.109	F	0.575	660	F	2018	
			From:	69-689 N, Marksville Rd						To:	Bus US 340, E Main St						
			From:	Bus US 340						To:	Bus US 340						
(624)	0.94	310	R	NA						To:	69-632						04/27/2015
			From:	Dead End						To:	69-632						
(626) Alshire Hollow Rd	1.70	330	R	NA							NA						06/06/2018
			From:	69-627 Jordon Hollow Rd						To:	NA						NA
(626) Hawksbill Park Rd	1.20	460	R	NA						To:	69-689 Marksville Rd						04/27/2015
			From:	Dead End						To:	69-689 Marksville Rd						
(627) Jordon Hollow Rd	0.50	80	R	NA							NA						01/10/2018
			From:	0.50 MN Dead End						To:	NA						
(627) Jordon Hollow Rd	0.50	80	R	NA						To:	69-626 Hawksbill Park Rd; Alshire Hollow Rd						01/10/2018
			From:	69-611 Kite Hollow Rd						To:	69-689 Ida Rd						
(628) Balkamore Hill Rd	2.20	110	F	99%	0%	1%	0%	0%	0%	C	0.124	F	0.643	110	F	2018	
			From:	69-689 Ida Rd						To:	NA						
(629)	0.76	70	R	NA							NA						05/29/2018
			From:	Dead End						To:	NA						
(629)	0.11	100	R	NA							NA						05/29/2018
			From:	69-689 N, Ida Rd						To:	69-689 N, Ida Rd						
(629)	2.39	300	R	NA							NA						05/29/2018
			From:	69-611 Farmview Rd						To:	NA						
(629)	1.00	530	R	NA							NA						04/27/2015
			From:	69-630 E, Creekview Loop						To:	NA						
(629)	0.95	890	R	NA							NA						04/27/2015
			From:	US 340 BUS SOUTH						To:	US 340 BUS NORTH						
(629)	0.10	300	R	NA							NA						04/27/2015
			From:	0.10 MW Bus US 340						To:	NA						
(629)	0.72	230	R	NA							NA						04/27/2015
			From:	69-638 E, Mill Creek Rd						To:	69-638 W, Mill Creek Rd						
(629)	0.90	140	R	NA							NA						05/21/2018
			From:	69-616 Leaksville Rd						To:	NA						
(630) Creekview Loop	0.05	40	R	NA							NA						04/27/2015
			From:	69-629 WEST						To:	0.05 ME 69-629						
(630) Creekview Loop	0.51	7	R	NA							NA						05/29/2018
			From:	69-629 EAST						To:	NA						

Virginia Department of Transportation  
Traffic Engineering Division  
2018  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Page Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Page County</b>																
(631)	0.50	730	R			From:	69-611 Farmview Rd				NA		NA	05/29/2018		
(631)	0.50	120	R			To:	Bus US 340				NA		NA	06/18/2018		
(631)	0.90	270	R			From:	69-632 SOUTH				NA		NA	04/27/2015		
						To:	69-633 Mill Creek Crossroads									
(632)	0.12	610	R			From:	69-638 Aylor Grubbs Ave				NA		NA	04/27/2015		
						To:	69-624									
(632)	1.43	250	R			From:	69-631 SOUTH				NA		NA	06/18/2018		
						To:	69-631 NORTH									
(632)	0.40	350	R			From:	69-630				NA		NA	04/27/2015		
						To:	Bus US 340									
(633) Mill Creek Crossroads	1.55	490	R			From:	69-616 Leaksville Rd				NA		NA	06/18/2018		
						To:	69-638 Mill Creek Rd									
(633) Mill Creek Crossroads	1.80	460	R			From:	69-630				NA		NA	06/18/2018		
						To:	Bus US 340									
(634)	1.20	260	R			From:	69-635				NA		NA	06/06/2018		
						To:	69-616 Leaksville Rd									
(634)	0.90	70	R			From:	69-636				NA		NA	06/06/2018		
						To:	Dead End									
(635)	2.20	240	R			From:	69-636				NA		NA	06/06/2018		
						To:	69-760 Forrest Dr									
(635) Forest Dr	0.50	570	F	99%	0%	1%	1%	0%	0%	C	0.092	F	0.509	570	F	2018
						To:	69-638 Aylor Grubbs Ave									
(636)	1.29	180	R			From:	Bus US 340 EAST				NA		NA	04/27/2015		
						To:	1.29 MW Bus US 340									
(636)	0.58	80	R			From:	1.29 MW Bus US 340				NA		NA	06/06/2018		
						To:	1.87 MW Bus US 340									
(636)	0.13	120	R			From:	1.87 MW Bus US 340				NA		NA	04/27/2015		
						To:	69-635									
(636)	0.30	350	R			From:	69-635				NA		NA	04/27/2015		
						To:	69-616 N, Leaksville Rd									
(636)	0.34	50	R			From:	69-616 S, Leaksville Rd				NA		NA	06/06/2018		
						To:	Bus US 340 BUS WEST									
(637) Piney Hill Rd	1.70	220	R			From:	69-634				NA		NA	04/27/2015		
						To:	69-688 Frank Ballard Rd									
(637) Piney Hill Rd	0.81	250	R			From:	69-688 Frank Ballard Rd				NA		NA	04/27/2015		
						To:	69-633 Mill Creek Crossroads									
(638) Honeyville Rd	2.44	820	F	99%	0%	0%	0%	0%	0%	C	0.12	F	0.631	820	F	2018
						To:	69-650 River Rd; Grove Hill River Rd									
(638) Honeyville Rd	0.62	2000	F	99%	0%	1%	0%	0%	0%	C	0.089	F	0.556	2000	F	2018
						To:	69-621 Keystone Rd									
						From:	69-621 Keystone Rd									
						To:	69-621 Nauman Ln, Keystone Rd									
						From:	SCL Stanley									

Virginia Department of Transportation  
Traffic Engineering Division

2018

Annual Average Daily Traffic Volume Estimates By Section of Route  
Page Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Stanley</b>																
(638) Honeyville Rd	0.16	2100	F	98%	0%	1%	1%	0%	0%	C	0.084	F	0.561	2100	F	2018
			From:	SCL Stanley												
			To:	69-622 W, Park Rd												
(638) Honeyville Ave	0.40	1300	F	99%	0%	1%	0%	0%	0%	C	0.086	F	0.558	1300	F	2018
			From:	Bus US 340 EAST												
			To:	Bus US 340 WEST												
(638) Aylor Grubbs Ave	1.11	760	F	98%	0%	1%	1%	1%	0%	C	0.106	F	0.532	750	F	2018
			To:	NCL Stanley												
<b>Page County</b>																
(638) Aylor Grubbs Ave	0.67	580	F	99%	0%	0%	0%	0%	0%	C	0.093	F	0.525	580	F	2018
			From:	NCL Stanley												
			To:	69-688 Frank Ballard Rd												
(638) Mill Creek Rd	1.55	600	F	99%	0%	0%	0%	0%	0%	C	0.114	F	0.662	600	F	2018
			From:	69-633 Mill Creek Crossroads												
(638) Mill Creek Rd	3.10	870	F	99%	0%	0%	0%	0%	0%	C	0.098	F	0.663	870	F	2018
			To:	69-639 N, Lakewood Rd												
(638) Mill Creek Rd	0.23	780	F	99%	0%	1%	0%	0%	0%	C	0.114	F	0.544	780	F	2018
			To:	SCL Luray												
(639) Lakewood Rd	0.20	1400	F	100%	0%	0%	0%	0%	0%	C	0.089	F	0.504	1300	F	2018
			To:	69-638 S, Mill Creek Rd												
(639) Lakewood Rd	0.70	1800	F	99%	0%	0%	0%	0%	0%	C	0.095	F	0.503	1800	F	2018
			To:	69-616 Leaksville Rd												
(640) Mt Zion Rd	1.44	230	R								NA			NA		05/29/2018
			To:	69-642 Stonyman Rd												
(641) E Branch Rd	0.80	200	R								NA			NA		05/29/2018
			To:	69-689 Ida Rd												
(642) Stonyman Rd	1.60	840	F	98%	0%	1%	0%	0%	0%	C	0.097	F	0.583	840	F	2018
			To:	Bus US 340												
(643) Luray Ave	0.05	100	R								NA			NA		05/29/2012
			To:	Dead End												
(644) Big Oak Rd	0.55	60	R								NA			NA		05/21/2018
			To:	69-616 Leaksville Rd												
(644) Big Oak Rd	1.85	640	R								NA			NA		05/21/2018
			To:	US 211 Lee Highway												
(645) Backwash Rd	1.00	20	R								NA			NA		05/21/2018
			To:	Dead End												
(646) Ganders Dr	2.10	200	R								NA			NA		05/21/2018
			To:	69-616 S, Leaksville Rd												
(646)	0.05	90	R								NA			NA		04/22/2015
			To:	US 211 W, Lee Highway												
(646)	1.80	20	R								NA			NA		05/21/2018
			To:	0.05 MN US 211 Lee Highway												
(646)	0.10	60	R								NA			NA		04/22/2015
			To:	69-766 Hamburg Rd												
(646)	1.65	280	R								NA			NA		05/21/2018
			To:	US 211 E, Lee Highway												
(646)			To:	69-616 N, Leaksville Rd												

Virginia Department of Transportation  
Traffic Engineering Division

2018

Annual Average Daily Traffic Volume Estimates By Section of Route  
Page Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Page County</b>																
(647) Homestead Dr	0.58	420	R								NA		NA		05/21/2018	
			From													
			To													
(647) Homestead Dr	0.15	340	R								NA		NA		04/22/2015	
			From													
			To													
(647) Homestead Dr	0.56	40	R								NA		NA		05/21/2018	
			From													
			To													
(647) Homestead Dr	0.80	20	R								NA		NA		05/21/2018	
			From													
			To													
(648) Sandy Hook Rd	0.80	230	R								NA		NA		05/16/2018	
			From													
			To													
(648) Sandy Hook Rd	0.46	210	R								NA		NA		05/16/2018	
			From													
			To													
(649) Eighth Ave Ext	0.10	140	R								NA		NA		05/29/2012	
			From													
			To													
(650) Grove Hill River Rd	1.53	580	F	98%	0%	1%	0%	1%	0%	C	0.103	F	0.732	580	F	2018
			From													
			To													
(650) Grove Hill River Rd	3.00	480	F	99%	0%	0%	0%	0%	0%	C	0.115	F	0.684	480	F	2018
			From													
			To													
(650) Grove Hill River Rd	1.45	630	F	98%	0%	1%	0%	1%	0%	C	0.111	F	0.557	620	F	2018
			From													
			To													
(650) River Rd	0.74	1600	F	97%	0%	1%	1%	2%	0%	C	0.096	F	0.624	1600	F	2018
			From													
			To													
(651) Hideaway Lane	0.45	40	R								NA		NA		06/04/2018	
			From													
			To													
(652) Hamburg Rd	0.82	60	F	98%	0%	1%	0%	1%	0%	C	0.117	F	0.571	50	F	2018
			From													
			To													
(652) Airport Rd	1.42	980	F	97%	0%	1%	1%	1%	0%	C	0.096	F	0.556	970	F	2018
			From													
			To													
(652)	1.51	160	R								NA		NA		04/22/2015	
			From													
			To													
(653) Sedwick Rd	0.09	140	R								NA		NA		05/16/2018	
			From													
			To													
(653) Sedwick Rd	1.00	130	R								NA		NA		05/16/2018	
			From													
			To													
(654)	0.79	430	R								NA		NA		04/20/2015	
			From													
			To													
(654)	0.70	150	R								NA		NA		05/10/2018	
			From													
			To													
(654)	2.88	210	R								NA		NA		04/20/2015	
			From													
			To													
(654)	1.30	80	R								NA		NA		04/20/2015	
			From													
			To													
(654)	1.30	50	R								NA		NA		05/16/2018	
			From													
			To													

Virginia Department of Transportation  
Traffic Engineering Division

2018

Annual Average Daily Traffic Volume Estimates By Section of Route  
Page Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Page County</b>																
(654)	1.40	230	R			From: US 340								NA	04/20/2015	
			To: 69-611													
(655) Atkins Dr	0.08	70	R			From: ECL Luray								NA	07/22/2015	
			To: Dead End													
(656) Wispering Hill Lane	0.13	1400	R			From: US 211 Lee Highway								NA	05/23/2018	
			To: 69-709 Old Farms Rd													
(656)	1.40	700	R			From: 69-658 EAST								NA	04/22/2015	
			To: 69-658 WEST													
(656)	1.50	47	R			From: 69-611								NA	05/23/2018	
			To: 69-656													
(657) Lyn-mar Rd	0.90	250	R			From: 69-658								NA	05/16/2018	
			To: 69-648 Sandy Hook Rd													
(658)	0.80	60	R			From: US 340 Stonewall Jackson Memorial Hwy								NA	05/16/2018	
			To: 69-656 WEST													
(658)	1.10	440	R			From: 69-656 EAST								NA	05/23/2018	
			To: 69-611 Kimball Rd													
(658)	0.50	370	R			From: 69-611 E, Kimball Rd								NA	05/23/2018	
			To: 69-674 Red Church Rd													
(658)	1.20	280	R			From: 69-612								NA	05/23/2018	
			To: Shenandoah Natl Pk Bdny													
(658)	0.40	420	R			From: 69-635 Forest Rd								NA	04/22/2015	
			To: 69-637 Piney Hill Rd													
(659) Piney Woods Rd	1.30	260	R			From: 69-656								NA	04/27/2015	
			To: 0.34 ME 69-656													
(660)	0.34	160	R			From: US 340 Stonewall Jackson Memorial Hwy								NA	05/23/2018	
			To: 0.90 350													
(660)	0.26	170	R			From: 69-654								NA	05/23/2018	
			To: Dead End													
(661) Sunnyview Dr	1.60	190	R			From: Dead End								NA	05/16/2018	
			To: US 340 NORTH													
(661) Sunnyview Dr	1.70	420	R			From: US 340 SOUTH								NA	04/20/2015	
			To: 69-611													
(662) Rileyville Rd	1.44	190	F	99%	0%	0%	0%	0%	0%	C	0.12	F	0.692	190	F	2018
			From: 69-605 Beahm Lane													
(662) Rileyville Rd	1.79	30	R			To: 69-705 Deer Haven Rd								NA	05/16/2018	
			From: 69-611													

Virginia Department of Transportation  
Traffic Engineering Division

2018

Annual Average Daily Traffic Volume Estimates By Section of Route  
Page Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year		
						2Axle	3+Axle	1Trail	2Trail								
<b>Page County</b>																	
(662) Compton Hollow Rd	2.14	470	R											NA	05/16/2018		
			From:	69-705 Deer Haven Rd													
			To:	US 340 Stonewall Jackson Memorial Hwy													
(663) Island Ford Rd	1.40	190	R											NA	05/16/2018		
			From:	US 340													
			To:	Dead End													
(664)	1.00	100	R											NA	05/16/2018		
			From:	Dead End													
(664)	0.05	160	R											NA	05/16/2018		
			From:	1.00 ME Dead End													
			To:	US 340 SOUTH													
(664)	0.25	70	R											NA	05/16/2018		
			From:	US 340 NORTH													
			To:	Dead End													
(665) Overall Rd	0.20	80	R											NA	01/16/2018		
			From:	US 340													
			To:	Dead End													
(666) Batman Hill Rd	0.60	80	R											NA	05/23/2018		
			From:	69-612 SOUTH													
			To:	0.60 MN 69-612													
(666) Batman Hill Rd	0.55	20	R											NA	05/23/2018		
			From:	Dead End; Gap													
(666) Batman Hill Rd	0.21	49	R											NA	01/16/2018		
			To:	69-612 NORTH													
(667) Dry Run Rd	2.80	360	F	99%	0%	1%	1%	0%	0%	C	0.097	F	0.526	360	F	2018	
			From:	69-669 Lake Arrowhead Rd													
(667) Dry Run Rd	1.30	860	F	99%	0%	0%	1%	0%	0%	C	0.098	F	0.634	860	F	2018	
			To:	Bus US 211													
(668) Valley Burg Rd	2.56	290	R											NA	04/22/2015		
			From:	69-689 Ida Rd													
			To:	69-669 Lake Arrowhead Rd													
(669) Fairview Rd	0.81	1300	N	98%	0%	1%	0%	1%	0%	N	0.092	F	0.578	1300	N	2018	
			From:	ECL Luray													
			To:	69-611 N, Brookstone Rd													
(669) Valley Burg Rd	1.29	700	F	99%	0%	0%	1%	0%	0%	C	0.1	F	0.615	700	F	2018	
			From:	69-611 S, Brookstone Rd													
			To:	69-668; Lake Arrowhead Rd													
(669) Lake Arrowhead Rd	0.20	710	F	98%	0%	0%	0%	0%	1%	0%	C	0.112	F	0.528	710	F	2018
			From:	69-668 Valley Burg Rd													
(669) Lake Arrowhead Rd	1.50	210	F	99%	0%	0%	1%	0%	0%	C	0.128	F	0.5	200	F	2018	
			From:	69-696 Printz Mill Rd													
(669) Lake Arrowhead Rd	1.00	160	F	100%	0%	0%	0%	0%	0%	C	0.104	F	0.526	160	F	2018	
			From:	69-667 Dry Run Rd													
(669) Lake Arrowhead Rd	1.00	60	F	97%	0%	3%	0%	0%	0%	C	0.156	F	0.667	60	F	2018	
			To:	1.00 ME 69-667 Dry Run Rd													
			To:	Shenandoah Natl Pk Bndy													
(670) Somers Rd	1.10	40	R											NA	05/29/2018		
			From:	69-689 Ida Rd													
(670) Somers Rd	0.52	40	R											NA	05/29/2018		
			From:	69-671 Rosedale Lane													
(671) Rosedale Lane	0.64	40	R											NA	05/29/2018		
			To:	69-668 Lake Arrowhead Rd													
			To:	69-670 Somers Rd													

Virginia Department of Transportation  
Traffic Engineering Division

2018

Annual Average Daily Traffic Volume Estimates By Section of Route  
Page Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Page County</b>																
(672)	0.60	60	R			From: Shenandoah Natl Pk Bndy				NA		NA		NA	05/29/2018	
			To: 69-668 N, Lake Arrowhead Rd													
(672)	0.93	20	R			From: 69-668 S, Lake Arrowhead Rd				NA		NA		NA	05/29/2018	
			To: 69-689 N, Ida Rd													
(673) Fleeburg Loop	0.80	270	R			From: 69-603 Fleeburg Rd				NA		NA		NA	04/29/2015	
			To: 69-681 Fleeburg Loop													
(673) Fleeburg Loop	0.30	90	R			From: Dead End				NA		NA		NA	07/22/2015	
			To: Dead End													
(674) Red Church Rd	0.30	380	R			From: US 211 Lee Highway				NA		NA		NA	04/22/2015	
			To: 69-658													
(675) Bixlers Ferry Rd	2.67	1500	F	99%	0%	0%	0%	0%	0%	C	0.093	F	0.553	1500	F	2018
			To: 69-684 Page Valley Rd													
(675) Egypt Bend Rd	0.46	1100	F	99%	0%	0%	0%	0%	0%	C	0.095	F	0.631	1100	F	2018
			To: 69-615 N Egypt Bend Rd													
(675) Fort Valley Rd	0.34	530	F	99%	0%	0%	0%	0%	0%	C	0.112	F	0.629	530	F	2018
			To: 69-615 N, Serenity Ridge Rd													
(675) Fort Valley Rd	1.13	440	F	99%	0%	0%	1%	0%	0%	C	0.136	F	0.681	440	F	2018
			To: GW Natl For Bndy													
(675) Fort Valley Rd	2.65	340	F	100%	0%	0%	0%	0%	0%	C	0.14	F	0.707	340	F	2018
			To: Shenandoah County Line													
(676) Creekside Dr	0.50	500	R			From: 69-677 Eden Rd				NA		NA		NA	04/22/2015	
			To: 69-667 Dry Run Rd													
(677) Eden Rd	0.40	290	R			From: 69-676 Creekside Dr				NA		NA		NA	04/22/2015	
			To: 69-667 Dry Run Rd													
<b>Town of Stanley</b>																
(678) Al Good Dr	0.04	990	R			From: Bus US 340				NA		NA		NA	05/16/2012	
			To: 69-734 S, Sunset Dr													
(678) Al Good Dr	0.19	400	R			From: 69-734 S, Sunset Dr				NA		NA		NA	05/16/2012	
			To: 69-734 N, Sunset Dr													
(678) Al Good Dr	0.14	180	R			From: Dead End				NA		NA		NA	05/16/2012	
			To: Dead End													
(679) Hill Top Circle	0.33	240	R			From: 69-689 Marksville Rd				NA		NA		NA	05/16/2012	
			To: 69-689 Marksville Rd													
<b>Page County</b>																
(680)	0.80	260	R			From: Dead End				NA		NA		NA	05/29/2018	
			To: 69-611 Farmview Rd													
(681) Fleeburg Loop	0.60	220	R			From: 69-673 Fleeburg Loop				NA		NA		NA	04/29/2015	
			To: 69-603 Fleeburg Rd													
(682) Tanners Ridge Rd	0.81	250	F	99%	0%	1%	0%	0%	0%	C	0.139	F	0.971	250	F	2018
			To: Shen Natl Pk Bndy													
(682) Tanners Ridge Rd	2.88	270	F	99%	0%	1%	1%	0%	0%	C	0.126	F	0.769	270	F	2018
			To: 0.81 MW of Pk Bndy													
			To: 69-624 Pine Grove Rd													

Virginia Department of Transportation  
Traffic Engineering Division

2018

Annual Average Daily Traffic Volume Estimates By Section of Route  
Page Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Shenandoah</b>																
(683) 1st St	0.38	820	F	99%	0%	1%	0%	0%	0%	C	0.108	F	0.583	820	F	2018
(683) Railroad St	0.35	350	R											NA		05/04/2015
(683) Shenandoah River Rd	0.73	360	R											NA		06/04/2018
<b>Page County</b>																
(683)	0.70	630	R											NA		06/04/2018
(684) S Page Valley Rd	3.40	530	F	98%	0%	1%	0%	1%	0%	C	0.098	F	0.54	530	F	2018
(684) S Page Valley Rd	0.50	250	R											NA		06/18/2018
(684) S Page Valley Rd	1.65	420	R											NA		04/20/2015
(684) S Page Valley Rd	3.05	370	R											NA		04/20/2015
(684)	0.50	20	R											NA		06/04/2012
(684)	0.20	220	R											NA		07/22/2015
(684)	0.87	280	R											NA		06/18/2018
(685) Newport Rd	2.91	310	R											NA		04/29/2015
(685) Newport Rd	0.60	350	R											NA		04/29/2015
(686) Smeltzers Rd	0.25	40	R											NA		05/16/2018
(687) Fox Hollow Rd	0.45	90	R											NA		06/06/2018
(688) Frank Ballard Rd	1.10	100	R											NA		04/27/2015
<b>Town of Stanley</b>																
(689) Chapel Rd	0.48	2000	F	98%	0%	1%	1%	1%	0%	C	0.089	F	0.566	2000	F	2018
<b>Page County</b>																
(689) Marksville Rd	0.33	2000	N	98%	0%	1%	1%	1%	0%	N	0.089	F	0.566	2000	N	2018
(689) Marksville Rd	0.99	2200	F	98%	0%	1%	1%	1%	0%	C	0.09	F	0.596	2200	F	2018
(689) Ida Rd	4.17	870	F	97%	0%	1%	1%	1%	0%	C	0.096	F	0.552	870	F	2018
(689) Ida Rd	1.31	730	F	97%	0%	1%	1%	1%	0%	C	0.098	F	0.581	730	F	2018

Virginia Department of Transportation  
Traffic Engineering Division

2018

Annual Average Daily Traffic Volume Estimates By Section of Route  
Page Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Page County</b>																
(689) Stoneyman Rd	1.36	1300	F	98%	0%	1%	0%	0%	0%	C	0.094	F	0.633	1300	F	2018
			From:	69-670 Somers Rd						To:	69-642; Antioch Rd					
(689) Antioch Rd	1.20	1100	F	99%	0%	1%	0%	0%	0%	C	0.11	F	0.529	1100	F	2018
			From:	69-642 Stonyman Rd						To:	SCL Luray					
(690)	0.10	40	R									NA		NA		05/29/2018
			From:	Dead End						To:						
(690)	0.50	80	R									NA		NA		05/29/2018
			From:	69-689 Ida Rd						To:	69-629					
(691)	0.06	490	R									NA		NA		04/29/2015
			From:	69-763						To:						
(691)	0.20	530	R									NA		NA		04/29/2015
			From:	69-602 Maryland Ave						To:						
(691)	0.11	270	R									NA		NA		07/22/2015
			From:	69-711 Comer Lane						To:	Dead End					
(692)	0.09	80	R									NA		NA		05/09/2012
			From:	Dead End						To:						
(692)	0.17	300	R									NA		NA		05/09/2012
			From:	69-721 Osceola Ave						To:						
(692)	0.08	710	R									NA		NA		04/29/2015
			From:	69-763						To:						
(692)	0.07	330	R									NA		NA		05/09/2012
			From:	69-602 Maryland Ave						To:	ECL Shenandoah					
(693) Trenton Ave	0.15	130	R									NA		NA		07/22/2015
			From:	Dead End						To:						
(693) Trenton Ave	0.26	80	R									NA		NA		07/22/2015
			From:	US 340 Third St						To:	Dead End					
(694) Hawksbill Pines Rd	0.40	110	R									NA		NA		06/06/2018
			From:	Dead End						To:	69-626 Hawksbill Park Rd					
(695) Grace Chruch Lane	0.50	30	R									NA		NA		05/29/2018
			From:	69-689 Ida Rd						To:	69-689 Ida Rd					
(696) Printz Mill Rd	1.10	140	R									NA		NA		05/29/2018
			From:	Dead End						To:	69-669 Valley Burg Rd					
(697) Chrisman Dr	0.55	7	R									NA		NA		05/16/2018
			From:	69-662 Compton Hollow Rd						To:	Dead End					
(698) River Lodge Rd	0.70	100	R									NA		NA		05/16/2018
			From:	69-654						To:	Dead End					
(699) Johnnys Rd	0.30	10	R									NA		NA		01/16/2018
			From:	US 340						To:	Dead End					
(700) Runyon Rd	0.20	49	R									NA		NA		05/16/2018
			From:	US 340						To:	0.20 MN US 340					
(700) Runyon Rd	0.17	20	R									NA		NA		07/22/2015
			From:	Dead End						To:	Dead End					

Virginia Department of Transportation  
Traffic Engineering Division

2018

Annual Average Daily Traffic Volume Estimates By Section of Route  
Page Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Page County</b>															
(701) Peach Orchard Rd	0.70	120	R			From Dead End				NA		NA		NA	05/16/2018
			To 69-611 Farmview Rd												
(702) Eighth St	0.04	40	R			From Dead End				NA		NA		NA	05/09/2012
			To SCL Shenandoah												
<b>Town of Shenandoah</b>															
(702) Eighth St	0.27	150	R			From SCL Shenandoah				NA		NA		NA	05/09/2012
			To 69-602 Maryland Ave												
(702) Eighth St	0.15	210	R			From 69-602 Maryland Ave				NA		NA		NA	05/09/2012
			To 69-1006 Denver Ave												
<b>Town of Stanley</b>															
(703) Deford Ave	0.15	140	R			From US 340				NA		NA		NA	05/02/2012
			To Dead End												
<b>Town of Shenandoah</b>															
(704) Quincy Ave	0.28	330	R			From Dead End				NA		NA		NA	07/22/2015
			To US 340												
(704) Quincy Ave	0.12	550	R			From US 340				NA		NA		NA	04/29/2015
			To ECL Shenandoah												
<b>Page County</b>															
(704) Quincy Ave	0.03	550	N			From ECL Shenandoah				NA		NA		NA	04/29/2015
			To Dead End												
(705) Valley View Rd	0.70	70	R			From 69-662 Rileyville Rd				NA		NA		NA	05/16/2018
			To Dead End												
<b>Town of Shenandoah</b>															
(706) Junior Ave	0.25	250	F	99%	0%	1%	0%	0%	0%	C 0.110	F 0.533	250	F	2018	
			To US 340 Fifth St												
(708) Shenandoah Ave	0.21	260	R			From 1st St				NA		NA		NA	05/04/2015
			To US 340												
(708) Shenandoah Ave	0.36	470	F	100%	0%	0%	0%	0%	0%	C 0.098	F 0.585	470	F	2018	
			To 69-719; ECL Shenandoah												
<b>Page County</b>															
(709) Old Farms Rd	1.05	540	R			From Dead End				NA		NA		NA	05/23/2018
			To 69-656 Wispering Hill Lane												
(710) McDaniel Lane	0.48	150	R			From US 340				NA		NA		NA	06/04/2018
			To Dead End												
(711) Comer Lane	0.15	500	R			From ECL Shenandoah				NA		NA		NA	04/29/2015
			To 69-691												
(711) Comer Lane	0.30	270	R			From 69-602 Comer Town Rd				NA		NA		NA	04/29/2015
<b>Town of Shenandoah</b>															
(712) Senior Ave	0.31	240	R			From N 1st St				NA		NA		NA	05/04/2015
			To US 340 Fifth St												
<b>Page County</b>															
(713) Vista View Rd	0.20	60	R			From Dead End				NA		NA		NA	01/10/2018
			To US 340												

Virginia Department of Transportation  
Traffic Engineering Division

2018

Annual Average Daily Traffic Volume Estimates By Section of Route  
Page Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Page County</b>															
(714) Edgewood Dr	0.15	40	R			From:	Dead End						NA	NA	01/10/2018
						To:	69-611 Kite Hollow Rd								
<b>Town of Stanley</b>															
(716) Hilliard Dr	0.14	130	R			From:	US 340						NA	NA	05/16/2012
						To:	NCL Stanley								
<b>Page County</b>															
(717) Page Valley Rd	1.75	80	R			From:	69-684 S Page Valley Rd						NA	NA	05/21/2018
						To:	1.75 MN 69-684								
(717) Page Valley Rd	3.75	70	R			From:	Warren County Line						NA	NA	05/21/2018
						To:									
(718) Hinton Rd	0.05	160	R			From:	69-731 Collins Rd						NA	NA	05/29/2012
						To:	0.05 MN 69-731								
(718) Hinton Rd	0.82	60	R			From:	US 340						NA	NA	05/29/2012
						To:									
(719) Ninth St	0.08	110	R			From:	Dead End						NA	NA	05/09/2012
						To:	69-721 Osceola Ave								
(719) Ninth St	0.12	190	R			From:	69-708; ECL Shenandoah						NA	NA	05/09/2012
						To:									
<b>Town of Shenandoah</b>															
(719) Ninth St	0.10	210	R			From:	69-708; ECL Shenandoah						NA	NA	05/09/2012
						To:	69-602 Maryland Ave								
(719) Ninth St	0.10	130	R			From:	69-1016 Pennsylvania Ave						NA	NA	05/09/2012
						To:									
(720) Seventh St	0.34	130	R			From:	Dead End						NA	NA	06/04/2018
						To:	69-602 Maryland Ave								
(720) Seventh St	0.18	180	R			From:	69-1006 Denver Ave						NA	NA	06/04/2018
						To:									
(721) Osceola Ave	0.09	130	R			From:	69-720 Seventh St						NA	NA	05/09/2012
						To:	ECL Shenandoah								
<b>Page County</b>															
(721) Osceola Ave	0.05	100	R			From:	ECL Shenandoah						NA	NA	05/09/2012
						To:	69-719 Ninth St								
(721) Osceola Ave	0.08	130	R			From:	69-692						NA	NA	05/09/2012
						To:									
(722) Taylor Dr	0.10	40	R			From:	Dead End						NA	NA	01/10/2018
						To:	69-611 Kite Hollow Rd								
(723) Eldon Yates Dr	0.80	420	R			From:	Dead End						NA	NA	06/18/2018
						To:	69-638 Honeyville Rd								
(724) Ridge Rd	0.08	100	R			From:	Dead End						NA	NA	07/22/2015
						To:	SCL Stanley								
<b>Town of Stanley</b>															
(724) Ridge Rd	0.15	100	N			From:	SCL Stanley						NA	NA	07/22/2015
						To:	69-679 Hill Top Circle								

Virginia Department of Transportation  
Traffic Engineering Division

2018

Annual Average Daily Traffic Volume Estimates By Section of Route  
Page Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
<b>Town of Shenandoah</b>																
(725) N First St	0.18	120	R			From:	69-1020 Central Ave					NA		NA	06/04/2018	
(725) N First St	0.10	80	R			To:	69-712 Senior Ave					NA		NA	05/04/2015	
						From:	69-729 Williams Ave									
<b>Page County</b>																
(726) Landing Lane	0.35	60	R			From:	US 340					NA		NA	01/16/2018	
						To:	Dead End									
(727) Campbell Hill Rd	0.33	50	R			From:	Dead End					NA		NA	07/22/2015	
						To:	69-619 Lucas Hollow Rd									
<b>Town of Shenandoah</b>																
(728) North Fourth St	0.12	100	R			From:	69-1020 Central Ave					NA		NA	05/04/2015	
(728) North Fourth St	0.20	40	R			From:	69-706 Junior Ave					NA		NA	05/04/2015	
						To:	69-729 Williams Ave									
(729) Williams Ave	0.23	190	R			From:	69-780 N First St					NA		NA	05/04/2015	
(729) Williams Ave	0.12	240	R			From:	US 340 Fifth St					NA		NA	07/22/2015	
						To:	Dead End									
<b>Town of Stanley</b>																
(730) Pettit Dr	0.19	70	R			From:	Begin Loop					NA		NA	05/16/2012	
(730) Pettit Dr	0.06	150	R			From:	End Loop					NA		NA	05/16/2012	
						To:	Bus US 340									
<b>Page County</b>																
(731) Collins Ave	0.31	2200	F	97%	0%	1%	1%	1%	0%	C	0.085	F	0.608	2200	F	2018
							US 340 Stonewall Jackson Memorial Hwy									
(732) Kites Corner Rd	0.89	120	R			From:	US 340					NA		NA	06/04/2018	
						To:	Dead End									
<b>Town of Stanley</b>																
(733) Gray St	0.11	40	R			From:	Dead End					NA		NA	05/16/2012	
						To:	69-638 Aylor Grubbs Ave									
(734) Sunset Dr	0.30	160	R			From:	69-678 Al Good Dr					NA		NA	06/18/2018	
						To:	69-678 Al Good Dr									
<b>Page County</b>																
(735) Sixth St	0.32	280	R			From:	Dead End					NA		NA	07/22/2015	
						To:	SCL Luray									
(736) Pleasant View Lane	0.35	110	R			From:	69-629					NA		NA	05/29/2018	
						To:	Dead End									
(737)	0.17	70	R			From:	69-624 Pine Grove Rd					NA		NA	05/16/2018	
						To:	Dead End									
(738)	0.28	320	R			From:	69-669 Lake Arrowhead Rd					NA		NA	05/29/2018	
						To:	Dead End									

Virginia Department of Transportation  
Traffic Engineering Division

2018

Annual Average Daily Traffic Volume Estimates By Section of Route  
Page Maintenance Area

Route	Length	<b>AADT</b>	<b>QA</b>	4Tire	Bus	Truck				<b>K Factor</b>	<b>Dir Factor</b>	<b>AAWDT</b>	<b>QW</b>	<b>Year</b>
						2Axle	3+Axle	1Trail	2Trail					
<b>Page County</b>														
(739) Veterans Lane	0.16	20	R			From: US 211; Bus US 340				NA		NA		07/22/2015
			To: Dead End											
(740) Circle View Rd	0.70	40	R			From: Begin Loop				NA		NA		05/29/2012
			To: End Loop											
(740) Circle View Rd	0.01	560	R			From: 69-709 Old Farms Rd				NA		NA		05/29/2012
			To: 69-631											
(741)	0.09	210	R			From: 69-631				NA		NA		07/22/2015
			To: Dead End											
(742) Stella Lane	0.19	60	R			From: 69-638 Mill Creek Rd				NA		NA		07/22/2015
			To: Dead End											
<b>Town of Stanley</b>														
(743) Brock Dr	0.03	47	R			From: SCL Stanley				NA		NA		05/16/2012
			To: 69-724 Ridge Rd											
(744) Round Head Dr	0.15	160	R			From: 69-622 Park Rd				NA		NA		05/16/2012
			To: Dead End											
<b>Page County</b>														
(745) Ramona Ave	0.20	230	R			From: 69-692; 69-1006				NA		NA		04/29/2015
			To: 69-691											
(746) Wintergreen Dr	0.30	180	R			From: Dead End				NA		NA		07/22/2015
			To: 69-669 Lake Arrowhead Rd											
(747) Wilderness Trail	0.16	140	R			From: Dead End				NA		NA		05/23/2018
			To: 69-611 Clearview Rd											
<b>Town of Stanley</b>														
(748) Bosley Dr	0.43	490	R			From: Bus US 340				NA		NA		06/16/2018
			To: Cul-de-Sac											
(749) Painter Dr	0.14	430	R			From: Dead End				NA		NA		05/16/2012
			To: 69-734 Round Head Dr											
<b>Page County</b>														
(750) Kemble Spring Lane	0.52	150	R			From: 69-604 Loop Rd				NA		NA		06/04/2018
			To: Dead End											
(759) Jollett Rd	2.60	500	F	98%	0%	2%	0%	0%	0%	C	0.107	F	0.695	500
			To: 69-606; 82-759											2018
(759) Jollett Rd	1.89	260	R			From: 69-607 Weaver Rd				NA		NA		06/04/2018
			To: 1.89 ME 69-607											
(759) Jollett Rd	1.76	40	R			From: Dead End				NA		NA		06/04/2018
			To: Dead End											
<b>Town of Stanley</b>														
(760) Forrest Dr	0.13	650	F	99%	0%	1%	0%	0%	0%	C	0.101	F	0.521	650
			To: NCL Stanley											2018
(760) Forrest Dr	0.47	650	N	99%	0%	1%	0%	0%	0%	N	0.101	F	0.521	650
			To: 69-635 Forest Rd											2018

Virginia Department of Transportation  
Traffic Engineering Division

2018

Annual Average Daily Traffic Volume Estimates By Section of Route  
Page Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Page County</b>															
(761) Edgewood Dr	0.40	60	R			From: 69-611 Clearview Rd					NA		NA		01/10/2018
			To: Dead End												
(762) Fort Long Rd	0.40	130	R			From: Dead End					NA		NA		05/16/2018
			To: 69-615												
(763)	1.40	840	R			From: 69-692					NA		NA		04/29/2015
			To: 69-603 Fleeburg Rd												
(764) Hill Side Rd	0.15	150	R			From: 69-675 Bixlers Ferry Rd					NA		NA		07/22/2015
			To: Dead End												
(765) Stagecoach Lane	0.12	40	R			From: 69-675 Bixlers Ferry Rd					NA		NA		05/16/2018
			To: Dead End												
(766) Hamburg Rd	1.15	48	R			From: US 211 W, Lee Highway					NA		NA		05/21/2018
			To: US 211 E, Lee Highway												
<b>Town of Stanley</b>															
(767) Church Ave	0.15	360	R			From: Bus US 340					NA		NA		05/16/2012
			To: NCL Stanley												
(767) Church Ave	0.35	360	N			From: NCL Stanley					NA		NA		05/16/2012
			To: Dead End												
(768) Donovan Rd	0.17	700	R			From: 69-723 Eldon Yates Dr					NA		NA		06/18/2018
			To: 0.17 MN 69-723												
(768) Donovan Rd	0.20	1000	R			From: 69-622 Park Rd					NA		NA		06/18/2018
			To: 69-611												
(769)	0.42	110	R			From: 69-611					NA		NA		05/23/2018
			To: Dead End												
(770) Brown Lane	0.19	60	R			From: US 340					NA		NA		01/16/2018
			To: Dead End												
(771)	0.14	30	R			From: 69-626 Hawksbill Park Rd					NA		NA		07/22/2015
			To: Cul-de-Sac												
(772) Mountain View Rd	0.48	80	R			From: Dead End					NA		NA		06/04/2018
			To: 69-615												
(773) Cedar Point Rd	0.33	10	R			From: 69-662 Rileyville Rd					NA		NA		05/16/2018
			To: 69-662 Rileyville Rd												
(775) Battle Creek Rd	0.14	49	R			From: Dead End					NA		NA		06/18/2018
			To: US 340												
(777)	0.53	150	R			From: 69-613 Strole Farm Rd					NA		NA		06/04/2018
			To: Dead End												
<b>Town of Shenandoah</b>															
(780) N First St	0.19	130	R			From: 69-683; 69-706					NA		NA		05/09/2012
			To: 69-729 Williams Ave												

Virginia Department of Transportation  
Traffic Engineering Division  
2018  
Annual Average Daily Traffic Volume Estimates By Section of Route  
Page Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Page County</b>															
(1001)	0.22	40	R			From Dead End				NA		NA	NA	04/07/2009	
(1001)	0.05	180	R			From 69-1003 Stanley Ave				NA		NA	NA	04/07/2009	
(1001)	0.04	420	R			From 69-1002 Verbena Rd				NA		NA	NA	04/07/2009	
(1002) Verbena Rd	0.15	160	R			To US 340 Third St				NA		NA	NA	04/07/2009	
(1002) Verbena Rd	0.22	100	R			From 69-1001				NA		NA	NA	04/07/2009	
(1003) Stanley Ave	0.11	60	R			To Dead End				NA		NA	NA	04/07/2009	
(1003) Stanley Ave	0.18	30	R			From 69-1001				NA		NA	NA	04/07/2009	
						To 69-1002 Verbena Rd									
<b>Town of Shenandoah</b>															
(1004) Virginia Ave	0.21	1000	R			From 69-683 1st St				NA		NA	NA	05/04/2015	
(1004) Virginia Ave	0.15	460	R			To US 340				NA		NA	NA	04/29/2015	
(1005) A St	0.09	60	R			From 69-706 Junior Ave				NA		NA	NA	05/04/2015	
(1006) Denver Ave	0.08	250	R			To 69-712 Senior Ave				NA		NA	NA	05/04/2015	
(1006) Denver Ave	0.42	350	R			From 69-1015 Third St				NA		NA	NA	04/29/2015	
(1007) Pulaski Ave	0.26	250	R			To US 340; Gap				NA		NA	NA	07/22/2015	
(1007) Pulaski Ave	0.06	310	R			From 69-1009; Gap				NA		NA	NA	07/22/2015	
(1008) Sixth St	0.20	110	R			To 69-692; 69-745				NA		NA	NA	05/09/2012	
(1008) Sixth St	0.20	130	R			From Dead End				NA		NA	NA	05/09/2012	
(1009) Fifth St	0.42	45	R			To US 340				NA		NA	NA	07/22/2015	
(1009) Fifth St	0.04	40	R			From Dead End				NA		NA	NA	04/29/2015	
(1010) Marcus St	0.07	180	R			To 69-1004 Virginia Ave				NA		NA	NA	04/09/2009	
(1010) Marcus St	0.02	70	R			From 69-1006 Denver Ave				NA		NA	NA	04/09/2009	
(1011) Gregory St	0.14	70	R			To US 340; NCL Shenandoah				NA		NA	NA	04/07/2009	
						To 69-1011 Gregory St				NA		NA	NA	04/09/2009	
						To Dead End				NA		NA	NA	04/07/2009	
						From 69-1012 Edge Wood Dr				NA		NA	NA	04/07/2009	
						To 69-1010 Marcus St									

Virginia Department of Transportation  
Traffic Engineering Division

2018

Annual Average Daily Traffic Volume Estimates By Section of Route  
Page Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Town of Shenandoah</b>															
(1012) Edge Wood Dr	0.10	180	R			From:	US 340 Fifth St				NA		NA	NA	04/07/2009
(1012) Edge Wood Dr	0.23	140	R			To:	69-1011 Gregory St				NA		NA	NA	04/07/2009
(1013) Second St	0.08	70	R			To:	Dead End				NA		NA	NA	05/04/2015
(1013) Second St	0.34	250	R			From:	69-708 Shenandoah Ave				NA		NA	NA	05/04/2015
(1015) Third St	0.07	170	R			To:	69-602 Maryland Ave				NA		NA	NA	05/04/2015
(1015) Third St	0.34	410	R			From:	69-708 Shenandoah Ave				NA		NA	NA	05/04/2015
(1015) Third St	0.10	260	R			To:	69-602 Maryland Ave				NA		NA	NA	05/04/2015
(1016) Pennsylvania Ave	0.07	280	R			From:	69-683 Railroad St; 2nd St				NA		NA	NA	05/09/2012
(1016) Pennsylvania Ave	0.08	460	R			To:	69-683 1st St				NA		NA	NA	05/04/2015
(1016) Pennsylvania Ave	0.07	860	R			From:	69-1013 Second St				NA		NA	NA	05/04/2015
(1016) Pennsylvania Ave	0.07	370	R			To:	69-1015 Third St				NA		NA	NA	05/04/2015
(1016) Pennsylvania Ave	0.07	270	R			From:	US 340				NA		NA	NA	05/09/2012
(1016) Pennsylvania Ave	0.08	220	R			To:	69-1009 Fifth St				NA		NA	NA	05/09/2012
(1016) Pennsylvania Ave	0.07	110	R			From:	69-1008 Sixth St				NA		NA	NA	05/09/2012
(1016) Pennsylvania Ave	0.07	100	R			To:	69-720; 7th St				NA		NA	NA	05/09/2012
(1016) Pennsylvania Ave	0.07	69-719 Ninth St				From:	69-702 Eighth St				NA		NA	NA	05/09/2012
(1017) Long Ave	0.43	450	R			To:	69-602 Maryland Ave				NA		NA	NA	06/04/2018
(1018) Morrison Rd	0.14	200	R			From:	Cul-de-Sac				NA		NA	NA	05/09/2012
(1019) Warren Ave	0.14	70	R			To:	69-602 Maryland Ave				NA		NA	NA	04/11/2012
(1020) Central Ave	0.20	260	R			From:	Dead End				NA		NA	NA	06/04/2018
(1022) Cocoran St	0.13	80	R			To:	69-1023, S Second St				NA		NA	NA	04/11/2012
(1023) S Second St	0.21	100	R			From:	69-683 Railroad St				NA		NA	NA	06/04/2018
(1023) S Second St	0.12	240	R			To:	US 340				NA		NA	NA	06/04/2018
						From:	Dead End				NA		NA	NA	04/11/2012
						To:	69-1023, S Second St				NA		NA	NA	06/04/2018
						From:	Page County Line; 69-693				NA		NA	NA	06/04/2018
						To:	Liberty Ave				NA		NA	NA	06/04/2018
						From:	69-1022; 69-1023				NA		NA	NA	06/04/2018

Virginia Department of Transportation  
Traffic Engineering Division

2018

Annual Average Daily Traffic Volume Estimates By Section of Route  
Page Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
<b>Town of Shenandoah</b>															
(1024) Central Ave	0.06	40	R			From Dead End					NA		NA		04/11/2012
			To 69-683 Railroad St												
(1026) Liberty Ave	0.19	40	R			From Dead End					NA		NA		04/11/2012
			To US 340												
(1027) Grandios Ave	0.04	220	R			From 69-692; 69-745; 69-1006					NA		NA		05/04/2015
			To ECL Shenandoah												
<b>Page County</b>															
(1027) Grandios Ave	0.17	220	N			From ECL Shenandoah					NA		NA		05/04/2015
			To Bank St												
(1030)	0.35	810	R			From 69-638 Honeyville Rd					NA		NA		04/27/2015
			To Cul-de-Sac												
(1031)	0.67	80	R			From 69-1030					NA		NA		04/27/2015
			To 69-1030												
(1031)	0.08	60	R			From 69-1030					NA		NA		07/22/2015
			To Cul-de-Sac												
(1032)	0.26	30	R			From 69-1031					NA		NA		04/27/2015
			To 69-1030												
(1032)	0.07	60	R			From 69-1030					NA		NA		07/22/2015
			To Cul-de-Sac												
(1105) Liberty Bell Lane	0.29	40	R			From 69-652					NA		NA		01/16/2018
			To Dead End												
(1116) Jesse Mae Lane	0.17	130	R			From Bus US 211					NA		NA		05/29/2012
			To 69-1117 Martin St												
(1116) Jesse Mae Lane	0.11	30	R			From 69-1117 Martin St					NA		NA		05/29/2012
			To Dead End												
(1117) Martin St	0.18	40	R			From Cul-de-Sac					NA		NA		05/29/2012
			To 69-1116 Jesse Mae Lane												
<b>Town of Stanley</b>															
(9303)	0.21	490	R			From Stanley School					NA		NA		05/16/2012
			To 69-638 Aylor Grubbs Ave												
<b>Page County</b>															
(9304)	0.04	100	R			From Springfield School					NA		NA		05/16/2018
			To US 340												
(9564)	0.10	100	R			From Grove Hill School					NA		NA		04/29/2015
			To US 340												
(9878)	0.42	1200	R			From Page Co High School					NA		NA		06/04/2018
			To US 340												
(600) Batman Rd	0.60	170	R			From Dead End					NA		NA		04/25/2018
			To Rockingham County Line												
(601) Rinacas Corner Rd	0.50	560	R			From Page County Line					NA		NA		05/12/2015
			To Dead End												

Virginia Department of Transportation  
Traffic Engineering Division

2018

Annual Average Daily Traffic Volume Estimates By Section of Route  
Page Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck	QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail			
<b>Page County</b>												
(730) 85	1.00	80	R							NA	NA	05/09/2002
<b>Town of Luray</b>												
(159) Collins Ave	0.69	2200	F	97%	0%	1%	1%	1%	0%	C 0.083	F 0.576	2200 F 2018
(2) Lee St	0.18	1100	G	98%	1%	1%	0%	0%	0%	C 0.095	F 0.534	1100 G 2018
(3) Hawksbill St	0.49	1200	F	98%	0%	1%	0%	0%	0%	C 0.103	F 0.581	1200 F 2018
(4) Linden Ave	0.19	1600	F	98%	1%	1%	0%	0%	0%	F 0.158	F 0.562	1600 F 2018
(5) Linden Ave	0.04	1600	F	99%	0%	1%	0%	0%	0%	F 0.168	F 0.559	1600 F 2018
(6) Collins Ave	0.26	2200	F	97%	0%	1%	1%	1%	0%	C 0.09	F 0.562	2200 F 2018
(1954) Mechanic St	0.42	1600	F	97%	1%	1%	1%	0%	0%	F 0.09	F 0.525	1600 F 2018
(1954) Mechanic St	0.38	2700	G	97%	1%	1%	1%	0%	0%	C 0.100	F 0.517	2900 G 2018
(1982) Court St	0.99	1700	F	99%	0%	1%	0%	0%	0%	C 0.1	F 0.712	1700 F 2018
(1986) Antioch Rd	0.09	1200	F	99%	0%	1%	0%	0%	0%	F 0.103	F 0.537	1200 F 2018
(1987) Leaksville Rd	0.09	3000	F	97%	1%	1%	0%	1%	0%	C 0.119	F 0.534	3000 F 2018
(1989) Fairview Rd	0.48	1300	F	98%	0%	1%	0%	1%	0%	C 0.092	F 0.578	1300 F 2018
(1989) Fairview Rd	0.88	2600	F	99%	0%	0%	0%	0%	0%	C 0.094	F 0.596	2600 F 2018
(1989) Reservoir Ave	0.44	3100	F	99%	0%	1%	0%	0%	0%	C 0.088	F 0.58	3100 F 2018
(1991) Wallace Rd	0.52	2000	F	96%	0%	0%	0%	3%	0%	C 0.084	F 0.529	2000 F 2018
Marye Lane	220	F								0.107	F 0.52	220 F 2018
Seventh Ave	140	F								0.140	F 0.632	140 F 2018
Terrace Lane	40	F								0.175	F 0.556	40 F 2018